
Johan Lundberg

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4453763/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Validity of diagnoses, treatment dates, and rating scales in the Swedish national quality register for electroconvulsive therapy. Nordic Journal of Psychiatry, 2022, 76, 96-103.	1.3	7
2	Clinical and societal burden of incident major depressive disorder: A populationâ€wide cohort study in Stockholm. Acta Psychiatrica Scandinavica, 2022, 146, 51-63.	4.5	6
3	Suicidal ideation and ECT, ECT and suicidal ideation: A register study. Acta Psychiatrica Scandinavica, 2022, 146, 74-84.	4.5	11
4	The Use of Levosimendan after Out-of-Hospital Cardiac Arrest and Its Association with Outcome—An Observational Study. Journal of Clinical Medicine, 2022, 11, 2621.	2.4	1
5	Patterns of activity correlate with symptom severity in major depressive disorder patients. Translational Psychiatry, 2022, 12, .	4.8	4
6	In vivo correlation of serotonin transporter and 1B receptor availability in the human brain: a PET study. Neuropsychopharmacology, 2022, 47, 1863-1868.	5.4	1
7	Low convergent validity of [11C]raclopride binding in extrastriatal brain regions: A PET study of within-subject correlations with [11C]FLB 457. NeuroImage, 2021, 226, 117523.	4.2	11
8	Relapse risk after in-ward electroconvulsive therapy for acute polymorphic psychotic disorder. Nordic Journal of Psychiatry, 2021, 75, 201-206.	1.3	4
9	Serotonin transporter availability in adults with autism—a positron emission tomography study. Molecular Psychiatry, 2021, 26, 1647-1658.	7.9	27
10	Micro-biopsy for detection of gene expression changes in ischemic swine myocardium: A pilot study. PLoS ONE, 2021, 16, e0250582.	2.5	1
11	Repetitive transcranial magnetic stimulation in major depression. Medicine (United States), 2021, 100, e25273.	1.0	2
12	COVID-19 pathophysiology may be driven by an imbalance in the renin-angiotensin-aldosterone system. Nature Communications, 2021, 12, 2417.	12.8	75
13	Serotonin transporter availability increases in patients recovering from a depressive episode. Translational Psychiatry, 2021, 11, 264.	4.8	19
14	P11 (S100A10) as a potential predictor of ketamine response in patients with SSRI-resistant depression. Journal of Affective Disorders, 2021, 290, 240-244.	4.1	4
15	Plasma Levels of Brain-Derived Neurotrophic Factor and S100B in Relation to Antidepressant Response to Ketamine. Frontiers in Neuroscience, 2021, 15, 698633.	2.8	9
16	Serotonin 1B receptor density mapping of the human brainstem using positron emission tomography and autoradiography. Journal of Cerebral Blood Flow and Metabolism, 2021, , 0271678X2110491.	4.3	1
17	Safety evaluation of high-risk myocardial micro-biopsy in a swine model. Heart and Vessels, 2021, , 1.	1.2	1
18	P.0871 Epidemiology of major depression and intentional self-harm from a total-population cohort in the greater Stockholm region. European Neuropsychopharmacology, 2021, 53, S636-S637.	0.7	0

#	Article	IF	CITATIONS
19	In response to the letter "[11C]raclopride and extrastriatal binding to D2/3 receptors― NeuroImage, 2020, 207, 116371.	4.2	2
20	Predictors of Treatment Response to Electroconvulsive Therapy in Schizophrenia—A Nationwide Registry-Based Study. Schizophrenia Bulletin Open, 2020, 1, .	1.7	5
21	Treatment with angiotensin II in COVID-19 patients may not be beneficial. Critical Care, 2020, 24, 546.	5.8	3
22	The Effect of Pulse Width on Subjective Memory Impairment and Remission Rate 6 Months After Electroconvulsive Therapy. Journal of ECT, 2020, 36, 272-278.	0.6	2
23	Feasibility of unconstrained three-material decomposition: imaging an excised human heart using a prototype silicon photon-counting CT detector. European Radiology, 2020, 30, 5904-5912.	4.5	14
24	Nervous System Involvement in Coronavirus Disease 2019: Results from a Retrospective Consecutive Neuroimaging Cohort. Radiology, 2020, 297, E324-E334.	7.3	94
25	The Incidence of Dental Fracturing in Electroconvulsive Therapy in Sweden. Journal of ECT, 2020, 36, 168-171.	0.6	5
26	Myocardial micro-biopsy procedure for molecular characterization with increased precision and reduced trauma. Scientific Reports, 2020, 10, 8029.	3.3	11
27	A randomized placebo-controlled PET study of ketamine´s effect on serotonin1B receptor binding in patients with SSRI-resistant depression. Translational Psychiatry, 2020, 10, 159.	4.8	46
28	[¹¹ C]raclopride positron emission tomography study of dopamineâ€D _{2/3} receptor binding in patients with severe major depressive episodes before and after electroconvulsive therapy and compared to control subjects. Psychiatry and Clinical Neurosciences, 2020, 74, 263-269.	1.8	9
29	Physician estimated vs. self-reported subjective memory in depressed patients treated with electroconvulsive therapy. Nordic Journal of Psychiatry, 2020, 74, 359-365.	1.3	1
30	The effect of levosimendan on survival and cardiac performance in an ischemic cardiac arrest model – A blinded randomized placebo-controlled study in swine. Resuscitation, 2020, 150, 113-120.	3.0	6
31	Electroconvulsive Therapy in Depression. Journal of ECT, 2020, 36, 242-246.	0.6	15
32	Electroconvulsive therapy in bipolar depression – effectiveness and prognostic factors. Acta Psychiatrica Scandinavica, 2019, 140, 196-204.	4.5	25
33	Validity and reliability of extrastriatal [11C]raclopride binding quantification in the living human brain. Neurolmage, 2019, 202, 116143.	4.2	36
34	Lithium for suicide and readmission prevention after electroconvulsive therapy for unipolar depression: population-based register study. BJPsych Open, 2019, 5, e46.	0.7	12
35	The creation of an endovascular exit through the vessel wall using a minimally invasive working channel in order to reach all human organs. Journal of Internal Medicine, 2019, 286, 309-316.	6.0	1
36	P2790Novel endomyocardial micro-biopsy device for higher precision and reduced complication risks. European Heart Journal, 2019, 40, .	2.2	0

#	Article	IF	CITATIONS
37	Rehospitalization of Postpartum Depression and Psychosis After Electroconvulsive Therapy. Journal of ECT, 2019, 35, 264-271.	0.6	9
38	Venlafaxine ER Blocks the Norepinephrine Transporter in the Brain of Patients with Major Depressive Disorder: a PET Study Using [18F]FMeNER-D2. International Journal of Neuropsychopharmacology, 2019, 22, 278-285.	2.1	50
39	Superselective endovascular tissue access using transâ€vessel wall technique: feasibility study for treatment applications in heart, pancreas and kidney in swine. Journal of Internal Medicine, 2019, 285, 398-406.	6.0	6
40	Neuroinflammation in Response to Intracerebral Injections of Different HMGB1 Redox Isoforms. Journal of Innate Immunity, 2018, 10, 215-227.	3.8	41
41	Improvement of postpartum depression and psychosis after electroconvulsive therapy: A population-based study with a matched comparison group. Journal of Affective Disorders, 2018, 235, 258-264.	4.1	40
42	The 5-HT1B receptor - a potential target for antidepressant treatment. Psychopharmacology, 2018, 235, 1317-1334.	3.1	56
43	Rehospitalization and suicide following electroconvulsive therapy for bipolar depression–A population-based register study. Journal of Affective Disorders, 2018, 226, 146-154.	4.1	18
44	GABA _A receptor availability is not altered in adults with autism spectrum disorder or in mouse models. Science Translational Medicine, 2018, 10, .	12.4	41
45	Access to the brain parenchyma using endovascular techniques and a micro-working channel. Journal of Neurosurgery, 2017, 126, 511-517.	1.6	3
46	Improvement of cycloid psychosis following electroconvulsive therapy. Nordic Journal of Psychiatry, 2017, 71, 405-410.	1.3	8
47	Subjective Memory Immediately Following Electroconvulsive Therapy. Journal of ECT, 2017, 33, 96-103.	0.6	43
48	Distribution and levels of 5-HT 1B receptors in anterior cingulate cortex of patients with bipolar disorder, major depressive disorder and schizophrenia – An autoradiography study. European Neuropsychopharmacology, 2017, 27, 504-514.	0.7	18
49	Self-assessed remission rates after electroconvulsive therapy of depressive disorders. European Psychiatry, 2017, 45, 154-160.	0.2	51
50	Associations between cognition and serotonin receptor 1B binding in patients with major depressive disorder – A pilot study. Psychiatry Research - Neuroimaging, 2017, 267, 15-21.	1.8	1
51	A multicenter positron emission tomography study of GABA receptor availability in adults with autism. European Neuropsychopharmacology, 2017, 27, S716-S717.	0.7	0
52	Social cognition in autism spectrum disorder is associated with brain serotonin transporter availability. European Neuropsychopharmacology, 2017, 27, S741-S742.	0.7	0
53	Low serotonin1B receptor binding potential in the anterior cingulate cortex in drug-free patients with recurrent major depressive disorder. Psychiatry Research - Neuroimaging, 2016, 253, 36-42.	1.8	21
54	Electroconvulsive Therapy in Sweden 2013. Journal of ECT, 2015, 31, 263-267.	0.6	67

#	Article	IF	CITATIONS
55	Perlecan heparan sulfate deficiency impairs pulmonary vascular development and attenuates hypoxic pulmonary hypertension. Cardiovascular Research, 2015, 107, 20-31.	3.8	30
56	Liver parenchyma access and lesion marker via the endovascular route. Journal of Surgical Research, 2015, 195, 488-494.	1.6	2
57	Diurnal and seasonal variation of the brain serotonin system in healthy male subjects. NeuroImage, 2015, 112, 225-231.	4.2	56
58	Imaging of a Clinically Relevant Stroke Model. Stroke, 2015, 46, 835-842.	2.0	26
59	Functional and Structural Alterations in the Cingulate Motor Area Relate to Decreased Fronto-Striatal Coupling in Major Depressive Disorder with Psychomotor Disturbances. Frontiers in Psychiatry, 2014, 5, 176.	2.6	14
60	Superselective intra-arterial umbilical cord blood administration to BM in experimental animals. Bone Marrow Transplantation, 2014, 49, 1486-1491.	2.4	2
61	No correlation between serotonin and its metabolite 5-HIAA in the cerebrospinal fluid and [11C]AZ10419369 binding measured with PET in healthy volunteers. Synapse, 2014, 68, 480-483.	1.2	6
62	Endovascular Method for Transplantation of Insulin-Producing Cells to the Pancreas Parenchyma in Swine. American Journal of Transplantation, 2014, 14, 694-700.	4.7	8
63	Distinct regional age effects on [11 C]AZ10419369 binding to 5-HT 1B receptors in the human brain. NeuroImage, 2014, 103, 303-308.	4.2	21
64	Reduced 5-HT1B receptor binding in the dorsal brain stem after cognitive behavioural therapy of major depressive disorder. Psychiatry Research - Neuroimaging, 2014, 223, 164-170.	1.8	61
65	Influence of growth hormone on circulating fibroblast growth factor 21 levels in humans. Journal of Internal Medicine, 2013, 274, 227-232.	6.0	19
66	5-HTT and 5-HT1A receptor occupancy of the novel substance vortioxetine (Lu AA21004). A PET study in control subjects. European Neuropsychopharmacology, 2013, 23, 1190-1198.	0.7	67
67	Transplantation of Autologous Minced Bladder Mucosa for a One-Step Reconstruction of a Tissue Engineered Bladder Conduit. BioMed Research International, 2013, 2013, 1-10.	1.9	11
68	Serotonin transporter occupancy with TCAs and SSRIs: a PET study in patients with major depressive disorder. International Journal of Neuropsychopharmacology, 2012, 15, 1167-1172.	2.1	38
69	Targeted Intra-arterial Transplantation of Stem Cells to the Injured CNS is more Effective than Intravenous Administration: Engraftment is Dependent on Cell Type and Adhesion Molecule Expression. Cell Transplantation, 2012, 21, 333-343.	2.5	50
70	Long Term Follow-Up of the Endovascular Trans-Vessel Wall Technique for Parenchymal Access in Rabbit with Full Clinical Integration. PLoS ONE, 2011, 6, e23328.	2.5	6
71	New Endovascular Method for Transvascular Exit of Arteries and Veins: Developed in Simulator, in Rat and in Rabbit with Full Clinical Integration. PLoS ONE, 2010, 5, e10449.	2.5	11
72	Endovascular transplantation of stem cells to the injured rat CNS. Neuroradiology, 2009, 51, 661-667.	2.2	28

#	Article	IF	CITATIONS
73	Traumatic brain injury induces relocalization of DNA-methyltransferase 1. Neuroscience Letters, 2009, 457, 8-11.	2.1	40
74	Genetic Variation in Brain-Derived Neurotrophic Factor Is Associated with Serotonin Transporter but Not Serotonin-1A Receptor Availability in Men. Biological Psychiatry, 2009, 66, 477-485.	1.3	53
75	Serotonin transporter genotype is associated with cognitive performance but not regional 5-HT1A receptor binding in humans. International Journal of Neuropsychopharmacology, 2009, 12, 783.	2.1	87
76	Sex differences in the serotonin 1A receptor and serotonin transporter binding in the human brain measured by PET. NeuroImage, 2008, 39, 1408-1419.	4.2	190
77	PET measurement of serotonin transporter occupancy: a comparison of escitalopram and citalopram. International Journal of Neuropsychopharmacology, 2007, 10, 777-85.	2.1	45
78	S.07.04 Gender differences in the 5-HT1A receptor and serotonin transporter in the human brain: a PET study. European Neuropsychopharmacology, 2007, 17, S186-S186.	0.7	0
79	A PET study on regional coexpression of 5-HT1A receptors and 5-HTT in the human brain. Psychopharmacology, 2007, 195, 425-433.	3.1	35
80	Measurement of serotonin transporter binding with PET and [11C]MADAM: A test–retest reproducibility study. Synapse, 2006, 60, 256-263.	1.2	47
81	Search for correlations between serotonin 5-HT1A receptor expression and cognitive functions—a strategy in translational psychopharmacology. Psychopharmacology, 2006, 185, 389-394.	3.1	22
82	A PET study of 5-HT1A receptors at different phases of the menstrual cycle in women with premenstrual dysphoria. Psychiatry Research - Neuroimaging, 2006, 148, 185-193.	1.8	86
83	[11C]MADAM, a new serotonin transporter radioligand characterized in the monkey brain by PET. Synapse, 2005, 58, 173-183.	1.2	56
84	Quantification of 11C-MADAM binding to the serotonin transporter in the human brain. Journal of Nuclear Medicine, 2005, 46, 1505-15.	5.0	76
85	Joint explorative analysis of neuroreceptor subsystems in the human brain: application to receptor?transporter correlation using PET data. Neurochemistry International, 2004, 45, 773-781.	3.8	7