

Ovidio Bussolati

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4455135/ovidio-bussolati-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

128
papers

3,602
citations

36
h-index

54
g-index

135
ext. papers

4,101
ext. citations

4.4
avg, IF

4.79
L-index

#	Paper	IF	Citations
128	How do students approach the study of the History of Medicine? Some considerations after the final exams at the first year and fourth year. <i>Acta Biomedica</i> , 2021 , 92, e2021167	3.2	
127	Development and Validation of [¹⁸ F](2 S,4 R)-4-Fluoroglutamine in Multiple Myeloma Mouse Models. <i>Blood</i> , 2021 , 138, 2674-2674	2.2	
126	ALL blasts drive primary mesenchymal stromal cells to increase asparagine availability during asparaginase treatment. <i>Blood Advances</i> , 2021 , 5, 5164-5178	7.8	1
125	[F](2,4)-4-Fluoroglutamine as a New Positron Emission Tomography Tracer in Myeloma. <i>Frontiers in Oncology</i> , 2021 , 11, 760732	5.3	2
124	The Role of Amino Acids in the Crosstalk Between Mesenchymal Stromal Cells and Neoplastic Cells in the Hematopoietic Niche. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 714755	5.7	1
123	Hepatoblastoma: glutamine depletion hinders cell viability in the embryonal subtype but high GLUL expression is associated with better overall survival. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021 , 147, 3169-3181	4.9	2
122	Multi-walled carbon nanotubes induce airway hyperresponsiveness in human bronchi by stimulating sensory C-fibers and increasing the release of neuronal acetylcholine. <i>Expert Review of Respiratory Medicine</i> , 2021 , 15, 1473-1481	3.8	1
121	Functional Consequences of Low Activity of Transport System A for Neutral Amino Acids in Human Bone Marrow Mesenchymal Stem Cells. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	4
120	Data on miRNome changes in human cells exposed to nano- or ionic- forms of Cadmium. <i>Data in Brief</i> , 2020 , 30, 105636	1.2	3
119	Differences in toxicity, mitochondrial function and miRNome in human cells exposed in vitro to Cd as CdS quantum dots or ionic Cd. <i>Journal of Hazardous Materials</i> , 2020 , 393, 122430	12.8	13
118	Cerium Oxide Nanoparticles Rescue β Synuclein-Induced Toxicity in a Yeast Model of Parkinson's Disease. <i>Nanomaterials</i> , 2020 , 10,	5.4	20
117	PACT-mediated PKR activation acts as a hyperosmotic stress intensity sensor weakening osmoadaptation and enhancing inflammation. <i>ELife</i> , 2020 , 9,	8.9	7
116	Length-dependent toxicity of TiO nanofibers: mitigation via shortening. <i>Nanotoxicology</i> , 2020 , 14, 433-452	5.2	8
115	Myeloma Cells Deplete Bone Marrow Glutamine and Inhibit Osteoblast Differentiation Limiting Asparagine Availability. <i>Cancers</i> , 2020 , 12,	6.6	7
114	Pyrogenic and Precipitated Amorphous Silica Nanoparticles Differentially Affect Cell Responses to LPS in Human Macrophages. <i>Nanomaterials</i> , 2020 , 10,	5.4	2
113	Titanium dental implants hydrophilicity promotes preferential serum fibronectin over albumin competitive adsorption modulating early cell response. <i>Materials Science and Engineering C</i> , 2020 , 117, 111307	8.3	14
112	Thermal treatment to increase titanium wettability induces selective proteins adsorption from blood serum thus affecting osteoblasts adhesion. <i>Materials Science and Engineering C</i> , 2020 , 107, 110250	8.3	35

111	Catechin and Procyanidin B Modulate the Expression of Tight Junction Proteins but Do Not Protect from Inflammation-Induced Changes in Permeability in Human Intestinal Cell Monolayers. <i>Nutrients</i> , 2019 , 11,	6.7	13
110	Plasma Proteins at the Interface of Dental Implants Modulate Osteoblasts Focal Adhesions Expression and Cytoskeleton Organization. <i>Nanomaterials</i> , 2019 , 9,	5.4	5
109	Evaluation of potential engineered nanomaterials impacts on human health: from risk for workers to impact on consumers 2019 , 263-287		0
108	Glutamyltransferase enzyme activity of cancer cells modulates L-Glutamyl-p-nitroanilide (GPNA) cytotoxicity. <i>Scientific Reports</i> , 2019 , 9, 891	4.9	10
107	Comparative in Vitro Cytotoxicity of Realistic Doses of Benchmark Multi-Walled Carbon Nanotubes towards Macrophages and Airway Epithelial Cells. <i>Nanomaterials</i> , 2019 , 9,	5.4	13
106	Asparagine Synthetase in Cancer: Beyond Acute Lymphoblastic Leukemia. <i>Frontiers in Oncology</i> , 2019 , 9, 1480	5.3	41
105	Glutamine Depletion By Addicted Myeloma Cells Inhibits Osteoblastic Differentiation of Bone Marrow Mesenchymal Stromal Cells Limiting Asparagine Availability: A Possible New Mechanism for Myeloma Bone Disease. <i>Blood</i> , 2019 , 134, 4339-4339	2.2	
104	[18F]-(2S,4R)-4-Fluoroglutamine As a New Positron Emission Tomography Tracer in Multiple Myeloma. <i>Blood</i> , 2019 , 134, 5542-5542	2.2	
103	Oligodendrogloma Cells Lack Glutamine Synthetase and Are Auxotrophic for Glutamine, but Do not Depend on Glutamine Anaplerosis for Growth. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	12
102	Myeloma-Induced Alterations of Glutamine Metabolism Impair Bone Microenvironment Niche in Multiple Myeloma Patients. <i>Blood</i> , 2018 , 132, 4481-4481	2.2	
101	GPNA inhibits the sodium-independent transport system L for neutral amino acids. <i>Amino Acids</i> , 2017 , 49, 1365-1372	3.5	36
100	Lipopolysaccharide Adsorbed to the Bio-Corona of TiO Nanoparticles Powerfully Activates Selected Pro-inflammatory Transduction Pathways. <i>Frontiers in Immunology</i> , 2017 , 8, 866	8.4	19
99	Toxicity determinants of multi-walled carbon nanotubes: The relationship between functionalization and agglomeration. <i>Toxicology Reports</i> , 2016 , 3, 230-243	4.8	116
98	Proinflammatory Effects of Pyrogenic and Precipitated Amorphous Silica Nanoparticles in Innate Immunity Cells. <i>Toxicological Sciences</i> , 2016 , 150, 40-53	4.4	48
97	Shape-Related Toxicity of Titanium Dioxide Nanofibres. <i>PLoS ONE</i> , 2016 , 11, e0151365	3.7	39
96	Dependence on glutamine uptake and glutamine addiction characterize myeloma cells: a new attractive target. <i>Blood</i> , 2016 , 128, 667-79	2.2	85
95	Identifying contact-mediated, localized toxic effects of MWCNT aggregates on epithelial monolayers: a single-cell monitoring toxicity assay. <i>Nanotoxicology</i> , 2015 , 9, 230-41	5.3	26
94	Coordinated Regulation of the Neutral Amino Acid Transporter SNAT2 and the Protein Phosphatase Subunit GADD34 Promotes Adaptation to Increased Extracellular Osmolarity. <i>Journal of Biological Chemistry</i> , 2015 , 290, 17822-17837	5.4	14

93	Titanium dioxide nanoparticles enhance macrophage activation by LPS through a TLR4-dependent intracellular pathway. <i>Toxicology Research</i> , 2015 , 4, 385-398	2.6	20
92	Comprehensive In Vitro Toxicity Testing of a Panel of Representative Oxide Nanomaterials: First Steps towards an Intelligent Testing Strategy. <i>PLoS ONE</i> , 2015 , 10, e0127174	3.7	117
91	Changes in the expression of the glutamate transporter EAAT3/EAAC1 in health and disease. <i>Cellular and Molecular Life Sciences</i> , 2014 , 71, 2001-15	10.3	50
90	Glutamine depletion by crisantaspase hinders the growth of human hepatocellular carcinoma xenografts. <i>British Journal of Cancer</i> , 2014 , 111, 1159-67	8.7	39
89	Oxidative stress induced by copper and iron complexes with 8-hydroxyquinoline derivatives causes paraptotic death of HeLa cancer cells. <i>Molecular Pharmaceutics</i> , 2014 , 11, 1151-63	5.6	63
88	Imogolite: an aluminosilicate nanotube endowed with low cytotoxicity and genotoxicity. <i>Chemical Research in Toxicology</i> , 2014 , 27, 1142-54	4	25
87	Ammonium Production and Glutamine-Addiction of Myeloma Cells: New Attractive Targets in Multiple Myeloma. <i>Blood</i> , 2014 , 124, 2067-2067	2.2	2
86	Asparagine levels in the bone marrow of patients with acute lymphoblastic leukemia during asparaginase therapy. <i>Pediatric Blood and Cancer</i> , 2013 , 60, 1915	3	2
85	A self-defeating anabolic program leads to cell apoptosis in endoplasmic reticulum stress-induced diabetes via regulation of amino acid flux. <i>Journal of Biological Chemistry</i> , 2013 , 288, 17202-13	5.4	80
84	hERG1 channels modulate integrin signaling to trigger angiogenesis and tumor progression in colorectal cancer. <i>Scientific Reports</i> , 2013 , 3, 3308	4.9	58
83	HIF-independent role of prolyl hydroxylases in the cellular response to amino acids. <i>Oncogene</i> , 2013 , 32, 4549-56	9.2	79
82	Comparative effects of metal oxide nanoparticles on human airway epithelial cells and macrophages. <i>Journal of Nanoparticle Research</i> , 2012 , 14, 1	2.3	10
81	Impaired phagocytosis in macrophages from patients affected by lysinuric protein intolerance. <i>Molecular Genetics and Metabolism</i> , 2012 , 105, 585-9	3.7	29
80	Copper-dependent cytotoxicity of 8-hydroxyquinoline derivatives correlates with their hydrophobicity and does not require caspase activation. <i>Journal of Medicinal Chemistry</i> , 2012 , 55, 10448-59	8.3	138
79	Valproic acid induces the glutamate transporter excitatory amino acid transporter-3 in human oligodendrogloma cells. <i>Neuroscience</i> , 2012 , 227, 260-70	3.9	14
78	Glutamine stimulates mTORC1 independent of the cell content of essential amino acids. <i>Amino Acids</i> , 2012 , 43, 2561-7	3.5	24
77	The non-proteinogenic amino acids L-methionine sulfoximine and DL-phosphinothricin activate mTOR. <i>Amino Acids</i> , 2012 , 42, 2507-12	3.5	8
76	Radiochemical high-performance liquid chromatography detection of arginine metabolism in human endothelial cells. <i>Analytical Biochemistry</i> , 2012 , 424, 156-61	3.1	6

75	Expanding targets for a metabolic therapy of cancer: L-asparaginase. <i>Recent Patents on Anti-Cancer Drug Discovery</i> , 2012 , 7, 4-13	2.6	69
74	Glutamine Synthetase plays a dual role in the dependence of human cancer cells from glutamine. <i>FASEB Journal</i> , 2012 , 26, 145-18	0.9	
73	Copper binding agents acting as copper ionophores lead to caspase inhibition and paraptotic cell death in human cancer cells. <i>Journal of the American Chemical Society</i> , 2011 , 133, 6235-42	16.4	185
72	L-Asparaginase and inhibitors of glutamine synthetase disclose glutamine addiction of Ecatenin-mutated human hepatocellular carcinoma cells. <i>Current Cancer Drug Targets</i> , 2011 , 11, 929-43	2.8	36
71	Arginine transport in human monocytic leukemia THP-1 cells during macrophage differentiation. <i>Journal of Leukocyte Biology</i> , 2011 , 90, 293-303	6.5	30
70	In Lysinuric Protein Intolerance system γ L activity is defective in monocytes and in GM-CSF-differentiated macrophages. <i>Orphanet Journal of Rare Diseases</i> , 2010 , 5, 32	4.2	42
69	The glutamate transporter excitatory amino acid carrier 1 associates with the actin-binding protein alpha-adducin. <i>Neuroscience</i> , 2010 , 169, 584-95	3.9	5
68	Regulation of arginine transport and metabolism by protein kinase Calpha in endothelial cells: stimulation of CAT2 transporters and arginase activity. <i>Journal of Molecular and Cellular Cardiology</i> , 2010 , 49, 260-70	5.8	14
67	Platelet gel in the treatment of cutaneous ulcers: the experience of the Immunohaematology and Transfusion Centre of Parma. <i>Blood Transfusion</i> , 2010 , 8, 237-47	3.6	22
66	Airway barrier dysfunction induced by exposure to carbon nanotubes in vitro: which role for fiber length?. <i>Human and Experimental Toxicology</i> , 2009 , 28, 361-8	3.4	24
65	The thioxotriazole copper(II) complex A0 induces endoplasmic reticulum stress and paraptotic death in human cancer cells. <i>Journal of Biological Chemistry</i> , 2009 , 284, 24306-19	5.4	102
64	Arginine transport in human erythroid cells: discrimination of CAT1 and 4F2hc/ γ LAT2 roles. <i>Pflugers Archiv European Journal of Physiology</i> , 2009 , 458, 1163-73	4.6	21
63	The ATRA-dependent overexpression of the glutamate transporter EAAC1 requires RARbeta induction. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2009 , 1788, 1861-8	3.8	11
62	A toxicological approach to hazard assessment of carbon nanotubes: implications for workersR health protection. <i>International Journal of Environment and Health</i> , 2009 , 3, 249	1.3	1
61	Down-regulation of HOXA4, HOXA7, HOXA10, HOXA11 and MEIS1 during monocyte-macrophage differentiation in THP-1 cells. <i>Molecular Medicine Reports</i> , 2009 , 2, 241-4	2.9	7
60	Paraptotic Cell Death Induced by the Thioxotriazole Copper Complex A0: A New Tool to Kill Apoptosis-Resistant Cancer Cells 2009 , 201-207		
59	Treatment of chronic venous leg ulcers by platelet gel. <i>Dermatologic Therapy</i> , 2008 , 21 Suppl 1, S13-7	2.2	20
58	Non-functionalized multi-walled carbon nanotubes alter the paracellular permeability of human airway epithelial cells. <i>Toxicology Letters</i> , 2008 , 178, 95-102	4.4	81

57	C6 glioma cells differentiated by retinoic acid overexpress the glutamate transporter excitatory amino acid carrier 1 (EAAC1). <i>Neuroscience</i> , 2008 , 151, 1042-52	3.9	36
56	In human endothelial cells rapamycin causes mTORC2 inhibition and impairs cell viability and function. <i>Cardiovascular Research</i> , 2008 , 78, 563-71	9.9	88
55	The expression of the glutamate transporter EAAC1 is stimulated by all-trans retinoic acid in C6 rat glioma cells. <i>FASEB Journal</i> , 2008 , 22, 1168.3	0.9	
54	Thioamido coordination in a thioxo-1,2,4-triazole copper(II) complex enhances nonapoptotic programmed cell death associated with copper accumulation and oxidative stress in human cancer cells. <i>Journal of Medicinal Chemistry</i> , 2007 , 50, 1916-24	8.3	63
53	The inhibition of glutamine synthetase sensitizes human sarcoma cells to L-asparaginase. <i>Cancer Chemotherapy and Pharmacology</i> , 2007 , 60, 751-8	3.5	27
52	Alveolar macrophages from normal subjects lack the NOS-related system γ + for arginine transport. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2007 , 37, 105-12	5.7	17
51	Rapamycin stimulates arginine influx through CAT2 transporters in human endothelial cells. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2007 , 1768, 1479-87	3.8	20
50	Chronic exposure to rapamycin induces endothelial dysfunction in vitro. <i>FASEB Journal</i> , 2007 , 21, A750	0.9	
49	Amino acid starvation induces the SNAT2 neutral amino acid transporter by a mechanism that involves eukaryotic initiation factor 2 α phosphorylation and cap-independent translation. <i>Journal of Biological Chemistry</i> , 2006 , 281, 17929-40	5.4	87
48	PKC-dependent stimulation of EAAT3 glutamate transporter does not require the integrity of actin cytoskeleton. <i>Neurochemistry International</i> , 2006 , 48, 341-9	4.4	16
47	The role of the neutral amino acid transporter SNAT2 in cell volume regulation. <i>Acta Physiologica</i> , 2006 , 187, 273-83	5.6	57
46	Chlorpromazine, clozapine and olanzapine inhibit anionic amino acid transport in cultured human fibroblasts. <i>Amino Acids</i> , 2006 , 31, 93-9	3.5	4
45	Non-apoptotic programmed cell death induced by a copper(II) complex in human fibrosarcoma cells. <i>Histochemistry and Cell Biology</i> , 2006 , 126, 473-82	2.4	45
44	Effects of taurine and other amino acids on the phenotype of F508-CFTR cells. <i>FASEB Journal</i> , 2006 , 20, A1039	0.9	
43	Inhibition of glutamine synthetase triggers apoptosis in asparaginase-resistant cells. <i>Cellular Physiology and Biochemistry</i> , 2005 , 15, 281-92	3.9	39
42	SNAT2 silencing prevents the osmotic induction of transport system A and hinders cell recovery from hypertonic stress. <i>FEBS Letters</i> , 2005 , 579, 3376-80	3.8	22
41	The transport of cationic amino acids in human airway cells: expression of system γ +L activity and transepithelial delivery of NOS inhibitors. <i>FASEB Journal</i> , 2005 , 19, 810-2	0.9	23
40	Ethanol increases the paracellular permeability of monolayers of CAPAN-1 pancreatic duct cells. <i>Journal of Molecular Histology</i> , 2004 , 35, 355-62	3.3	8

39	INFgamma stimulates arginine transport through system y+L in human monocytes. <i>FEBS Letters</i> , 2004 , 571, 177-81	3.8	28
38	The stimulation of arginine transport by TNFalpha in human endothelial cells depends on NF-kappaB activation. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2004 , 1664, 45-52	3.8	17
37	The synthesis of SNAT2 transporters is required for the hypertonic stimulation of system A transport activity. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2004 , 1667, 157-66	3.8	34
36	Two-way arginine transport in human endothelial cells: TNF-alpha stimulation is restricted to system y(+). <i>American Journal of Physiology - Cell Physiology</i> , 2002 , 282, C134-43	5.4	53
35	Employment of confocal microscopy for the dynamic visualization of domes in intact epithelial cell cultures. <i>Cells Tissues Organs</i> , 2002 , 170, 237-45	2.1	12
34	Endothelial cell injury induced by preservation solutions: a confocal microscopy study. <i>Annals of Thoracic Surgery</i> , 2002 , 73, 1606-14; discussion 1614-5	2.7	5
33	The adaptive regulation of amino acid transport system A is associated to changes in ATA2 expression. <i>FEBS Letters</i> , 2001 , 490, 11-4	3.8	73
32	The role of system A for neutral amino acid transport in the regulation of cell volume. <i>Molecular Membrane Biology</i> , 2001 , 18, 27-38	3.4	31
31	Amino acid depletion activates TonEBP and sodium-coupled inositol transport. <i>American Journal of Physiology - Cell Physiology</i> , 2001 , 280, C1465-74	5.4	30
30	Arginine transport through system y(+)+L in cultured human fibroblasts: normal phenotype of cells from LPI subjects. <i>American Journal of Physiology - Cell Physiology</i> , 2000 , 279, C1829-37	5.4	48
29	Secretin increases the paracellular permeability of CAPAN-1 pancreatic duct cells. <i>Cellular Physiology and Biochemistry</i> , 2000 , 10, 13-25	3.9	8
28	Amino acids are compatible osmolytes for volume recovery after hypertonic shrinkage in vascular endothelial cells. <i>American Journal of Physiology - Cell Physiology</i> , 1999 , 276, C865-72	5.4	50
27	Adaptive increase of amino acid transport system A requires ERK1/2 activation. <i>Journal of Biological Chemistry</i> , 1999 , 274, 28922-8	5.4	63
26	Comparison of annexin V and calcein-AM as early vital markers of apoptosis in adherent cells by confocal laser microscopy. <i>Journal of Histochemistry and Cytochemistry</i> , 1998 , 46, 895-900	3.4	85
25	Membrane potential changes visualized in complete growth media through confocal laser scanning microscopy of bis-oxonol-loaded cells. <i>Experimental Cell Research</i> , 1997 , 231, 260-8	4.2	54
24	Hypertonicity induces injury to cultured human endothelium: attenuation by glutamine. <i>Annals of Thoracic Surgery</i> , 1997 , 64, 1770-5	2.7	24
23	CFTR expression in C127 cells is associated with enhanced cell shrinkage and ATP extrusion in Cl(-)-free medium. <i>Biochemical and Biophysical Research Communications</i> , 1996 , 227, 755-61	3.4	16
22	The stimulation of Na,K,Cl cotransport and of system A for neutral amino acid transport is a mechanism for cell volume increase during the cell cycle. <i>FASEB Journal</i> , 1996 , 10, 920-6	0.9	72

21	Modulation of transport systems for neutral and anionic amino acids in mesenchymal cells. <i>Biochemical Society Transactions</i> , 1996 , 24, 864-9	5.1	6
20	Involvement of protein kinase Cepsilon in the stimulation of anionic amino acid transport in cultured human fibroblasts. <i>Journal of Biological Chemistry</i> , 1996 , 271, 26124-30	5.4	15
19	Suppression of anionic amino acid transport impairs the maintenance of intracellular glutamate in Ha-ras-expressing cells. <i>Biochemical and Biophysical Research Communications</i> , 1995 , 211, 878-84	3.4	7
18	Characterization of apoptotic phenomena induced by treatment with L-asparaginase in NIH3T3 cells. <i>Experimental Cell Research</i> , 1995 , 220, 283-91	4.2	55
17	Regulatory volume decrease of cultured human fibroblasts involves changes in intracellular amino-acid pool. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1994 , 1220, 139-45	4.9	16
16	CFTR protein is involved in the efflux of neutral amino acids. <i>Biochemical and Biophysical Research Communications</i> , 1994 , 204, 653-8	3.4	10
15	The regulation of sodium-dependent transport of anionic amino acids in cultured human fibroblasts. <i>FEBS Letters</i> , 1994 , 352, 109-12	3.8	5
14	The relationship between sodium-dependent transport of anionic amino acids and cell proliferation. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1993 , 1151, 153-60	3.8	7
13	Role of Amino Acid Transport System A in the Control of Cell Volume in Cultured Human Fibroblasts. <i>Cellular Physiology and Biochemistry</i> , 1991 , 1, 131-142	3.9	33
12	Membrane potential and amino acid transport in a mutant Chinese hamster ovary cell line. <i>Journal of Cellular Physiology</i> , 1991 , 146, 417-24	7	12
11	The preferential interaction of L-threonine with transport system ASC in cultured human fibroblasts. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1991 , 1070, 305-12	3.8	8
10	The transport of L-glutamine into cultured human fibroblasts. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1990 , 1052, 106-12	4.9	24
9	Phorbol esters stimulate the transport of anionic amino acids in cultured human fibroblasts. <i>Biochemical and Biophysical Research Communications</i> , 1990 , 173, 1304-10	3.4	14
8	The transport of L-arginine in Chinese hamster ovary cells. <i>Biochemical and Biophysical Research Communications</i> , 1989 , 164, 1093-8	3.4	8
7	Amino acid and sugar transport in mouse 3T3 cells expressing activated ras and neu oncogenes. <i>Annals of the New York Academy of Sciences</i> , 1988 , 551, 374-7	6.5	6
6	Glycine transport by cultured human fibroblasts. <i>Biochemical and Biophysical Research Communications</i> , 1988 , 152, 617-22	3.4	
5	Effect of extracellular potassium on amino acid transport and membrane potential in fetal human fibroblasts. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1986 , 854, 240-50	3.8	26
4	Perturbation of Na ⁺ and K ⁺ gradients in human fibroblasts incubated in unsupplemented saline solutions. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1986 , 860, 1-8	3.8	12

3	Serum-dependent changes of intracellular Na ⁺ and K ⁺ concentrations in cultured human fibroblasts. <i>Cell Biology International Reports</i> , 1986 , 10, 156-156		2
2	Effect of insulin on the activity of amino acid transport systems in cultured human fibroblasts. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1985 , 844, 216-23	4-9	26
1	Post-translational control by carrier availability of amino acid transport in fetal human fibroblasts. <i>Biochemical and Biophysical Research Communications</i> , 1984 , 120, 172-8	3-4	12