
Phu V Tran

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4455443/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Dose- and sex-dependent effects of phlebotomy-induced anemia on the neonatal mouse hippocampal transcriptome. Pediatric Research, 2022, 92, 712-720.	2.3	7
2	Quantitative Proteome and Transcriptome Dynamics Analysis Reveals Iron Deficiency Response Networks and Signature in Neuronal Cells. Molecules, 2022, 27, 484.	3.8	2
3	Developmental Iron Deficiency Dysregulates TET Activity and DNA Hydroxymethylation in the Rat Hippocampus and Cerebellum. Developmental Neuroscience, 2022, 44, 80-90.	2.0	8
4	Iron Deficiency Reprograms Phosphorylation Signaling and Reduces O-GlcNAc Pathways in Neuronal Cells. Nutrients, 2021, 13, 179.	4.1	9
5	The nAChR Chaperone TMEM35a (NACHO) Contributes to the Development of Hyperalgesia in Mice. Neuroscience, 2021, 457, 74-87.	2.3	5
6	Repeated morphine exposure activates synaptogenesis and other neuroplasticity-related gene networks in the dorsomedial prefrontal cortex of male and female rats. Drug and Alcohol Dependence, 2021, 221, 108598.	3.2	17
7	Early-Life Iron Deficiency Anemia Programs the Hippocampal Epigenomic Landscape. Nutrients, 2021, 13, 3857.	4.1	14
8	Prenatal Iron Deficiency and Choline Supplementation Interact to Epigenetically Regulate Jarid1b and Bdnf in the Rat Hippocampus into Adulthood. Nutrients, 2021, 13, 4527.	4.1	8
9	Iron-Dependent Mechanism of Neuronal Bdnf Suppression by Cellular Iron Deficiency. Current Developments in Nutrition, 2020, 4, nzaa058_036.	0.3	Ο
10	Global transcriptome analysis of rat dorsal root ganglia to identify molecular pathways involved in incisional pain. Molecular Pain, 2020, 16, 174480692095648.	2.1	9
11	Why Does Knocking Out NACHO, But Not RIC3, Completely Block Expression of α7 Nicotinic Receptors in Mouse Brain?. Biomolecules, 2020, 10, 470.	4.0	11
12	The Effects of Early-Life Iron Deficiency on Brain Energy Metabolism. Neuroscience Insights, 2020, 15, 263310552093510.	1.6	38
13	Cord Blood-Derived Exosomal CNTN2 and BDNF: Potential Molecular Markers for Brain Health of Neonates at Risk for Iron Deficiency. Nutrients, 2019, 11, 2478.	4.1	19
14	Dysregulation of Neuronal Genes by Fetal-Neonatal Iron Deficiency Anemia Is Associated with Altered DNA Methylation in the Rat Hippocampus. Nutrients, 2019, 11, 1191.	4.1	29
15	In vitro evidence for post-insult neuroprotective activity of an evolutionarily conserved motif against excitotoxic neuronal cell death. NeuroReport, 2019, 30, 213-216.	1.2	3
16	Iron as a model nutrient for understanding the nutritional origins of neuropsychiatric disease. Pediatric Research, 2019, 85, 176-182.	2.3	32
17	Beneficial effects of postnatal choline supplementation on long-Term neurocognitive deficit resulting from fetal-Neonatal iron deficiency. Behavioural Brain Research, 2018, 336, 40-43.	2.2	17
18	Perinatal Ischemia Alters Global Expression of Synaptosomal Proteins Critical for Neural Plasticity in the Developing Mouse Brain. Developmental Neuroscience, 2018, 40, 638-650.	2.0	1

Phu V Tran

#	Article	IF	CITATIONS
19	Early-Life Neuronal-Specific Iron Deficiency Alters the Adult Mouse Hippocampal Transcriptome. Journal of Nutrition, 2018, 148, 1521-1528.	2.9	36
20	Atypical fetal development: Fetal alcohol syndrome, nutritional deprivation, teratogens, and risk for neurodevelopmental disorders and psychopathology. Development and Psychopathology, 2018, 30, 1063-1086.	2.3	24
21	Defiant: (DMRs: easy, fast, identification and ANnoTation) identifies differentially Methylated regions from iron-deficient rat hippocampus. BMC Bioinformatics, 2018, 19, 31.	2.6	29
22	Neonatal mouse hippocampus: phlebotomy-induced anemia diminishes and treatment with erythropoietin partially rescues mammalian target of rapamycin signaling. Pediatric Research, 2017, 82, 501-508.	2.3	12
23	Deletion of novel protein TMEM35 alters stress-related functions and impairs long-term memory in mice. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2016, 311, R166-R178.	1.8	10
24	Long-Term Brain and Behavioral Consequences of Early-Life Iron Deficiency. , 2016, , 295-316.		8
25	<i>BRAF</i> V600E Mutations in High-Grade Colorectal Neuroendocrine Tumors May Predict Responsiveness to BRAF–MEK Combination Therapy. Cancer Discovery, 2016, 6, 594-600.	9.4	75
26	Prenatal Choline Supplementation Diminishes Early-Life Iron Deficiency–Induced Reprogramming of Molecular Networks Associated with Behavioral Abnormalities in the Adult Rat Hippocampus. Journal of Nutrition, 2016, 146, 484-493.	2.9	57
27	Recurrent Moderate Hypoglycemia Suppresses Brain-Derived Neurotrophic Factor Expression in the Prefrontal Cortex and Impairs Sensorimotor Gating in the Posthypoglycemic Period in Young Rats. Developmental Neuroscience, 2016, 38, 74-82.	2.0	5
28	Early life nutrition and neural plasticity. Development and Psychopathology, 2015, 27, 411-423.	2.3	130
29	Fetal iron deficiency induces chromatin remodeling at the <i>Bdnf</i> locus in adult rat hippocampus. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2015, 308, R276-R282.	1.8	64
30	Prenatal Choline Supplementation Ameliorates the Long-Term Neurobehavioral Effects of Fetal-Neonatal Iron Deficiency in Rats. Journal of Nutrition, 2014, 144, 1858-1865.	2.9	40
31	Fetal iron deficiency alters the proteome of adult rat hippocampal synaptosomes. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2013, 305, R1297-R1306.	1.8	30
32	Multigenerational effects of fetal-neonatal iron deficiency on hippocampal BDNF signaling. Physiological Reports, 2013, 1, e00096.	1.7	15
33	Gestational-neonatal iron deficiency suppresses and iron treatment reactivates IGF signaling in developing rat hippocampus. American Journal of Physiology - Endocrinology and Metabolism, 2012, 302, E316-E324.	3.5	48
34	Evidence for a hyporesponsive limbic-hypothalamic-pituitary-adrenal axis following early-life repetitive hypoglycemia in adult male rats. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2011, 301, R484-R490.	1.8	9
35	Gestational and Neonatal Iron Deficiency Alters Apical Dendrite Structure of CA1 Pyramidal Neurons in Adult Rat Hippocampus. Developmental Neuroscience, 2010, 32, 238-248.	2.0	100
36	Sodium Depletion Increases Sympathetic Neurite Outgrowth and Expression of a Novel TMEM35 Gene-Derived Protein (TUF1) in the Rat Adrenal Zona Glomerulosa. Endocrinology, 2010, 151, 4852-4860.	2.8	19

Phu V Tran

#	Article	IF	CITATIONS
37	Long-Term Reduction of Hippocampal Brain-Derived Neurotrophic Factor Activity After Fetal-Neonatal Iron Deficiency in Adult Rats. Pediatric Research, 2009, 65, 493-498.	2.3	102
38	Postnatal Age Influences Hypoglycemia-Induced Poly(ADP-ribose) Polymerase-1 Activation in the Brain Regions of Rats. Pediatric Research, 2009, 66, 642-647.	2.3	21
39	Postnatal age influences hypoglycemia-induced neuronal injury in the rat brain. Brain Research, 2008, 1224, 119-126.	2.2	47
40	Early-Life Iron Deficiency Anemia Alters Neurotrophic Factor Expression and Hippocampal Neuron Differentiation in Male Rats2. Journal of Nutrition, 2008, 138, 2495-2501.	2.9	76
41	The Neonatal Ventromedial Hypothalamus Transcriptome Reveals Novel Markers with Spatially Distinct Patterning. Journal of Neuroscience, 2007, 27, 13624-13634.	3.6	150
42	Diminished hypothalamicbdnfexpression and impaired VMH function are associated with reduced SF-1 gene dosage. Journal of Comparative Neurology, 2006, 498, 637-648.	1.6	67
43	Nutrition and Fetal Origins of Diseases in Adults. , 0, , .		0