

Alexander Heazell

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4456354/alexander-heazell-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

252
papers

6,698
citations

46
h-index

76
g-index

280
ext. papers

8,252
ext. citations

4
avg, IF

5.98
L-index

#	Paper	IF	Citations
252	Stillbirths: rates, risk factors, and acceleration towards 2030. <i>Lancet, The</i> , 2016 , 387, 587-603	4.0	832
251	Stillbirths: recall to action in high-income countries. <i>Lancet, The</i> , 2016 , 387, 691-702	4.0	351
250	Stillbirths: economic and psychosocial consequences. <i>Lancet, The</i> , 2016 , 387, 604-616	4.0	314
249	Advanced maternal age and adverse pregnancy outcomes: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2017 , 12, e0186287	3.7	229
248	Placental apoptosis in health and disease. <i>American Journal of Reproductive Immunology</i> , 2010 , 64, 159-69.8	3.8	199
247	From grief, guilt pain and stigma to hope and pride - a systematic review and meta-analysis of mixed-method research of the psychosocial impact of stillbirth. <i>BMC Pregnancy and Childbirth</i> , 2016 , 16, 9	3.2	180
246	Stillbirths: progress and unfinished business. <i>Lancet, The</i> , 2016 , 387, 574-586	4.0	151
245	Formation of syncytial knots is increased by hyperoxia, hypoxia and reactive oxygen species. <i>Placenta</i> , 2007 , 28 Suppl A, S33-40	3.4	130
244	Placental growth factor as a marker of fetal growth restriction caused by placental dysfunction. <i>Placenta</i> , 2016 , 42, 1-8	3.4	123
243	Systematic review to understand and improve care after stillbirth: a review of parents' and healthcare professionals' experiences. <i>BMC Pregnancy and Childbirth</i> , 2016 , 16, 16	3.2	117
242	Methods of fetal movement counting and the detection of fetal compromise. <i>Journal of Obstetrics and Gynaecology</i> , 2008 , 28, 147-54	1.3	110
241	Systematic review of placental pathology reported in association with stillbirth. <i>Placenta</i> , 2014 , 35, 552-62.4	3.2	96
240	Predicting poor perinatal outcome in women who present with decreased fetal movements. <i>Journal of Obstetrics and Gynaecology</i> , 2009 , 29, 705-10	1.3	87
239	Maternal perception of reduced fetal movements is associated with altered placental structure and function. <i>PLoS ONE</i> , 2012 , 7, e34851	3.7	87
238	Awareness of fetal movements and care package to reduce fetal mortality (AFFIRM): a stepped wedge, cluster-randomised trial. <i>Lancet, The</i> , 2018 , 392, 1629-1638	4.0	81
237	Making stillbirths visible: a systematic review of globally reported causes of stillbirth. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018 , 125, 212-224	3.7	80
236	A kick in the right direction - reduced fetal movements and stillbirth prevention. <i>BMC Pregnancy and Childbirth</i> , 2015 , 15,	3.2	78

235	Predictors of poor perinatal outcome following maternal perception of reduced fetal movements—a prospective cohort study. <i>PLoS ONE</i> , 2012 , 7, e39784	3.7	78
234	Effects of oxygen on cell turnover and expression of regulators of apoptosis in human placental trophoblast. <i>Placenta</i> , 2008 , 29, 175-86	3.4	77
233	Live and let die - regulation of villous trophoblast apoptosis in normal and abnormal pregnancies. <i>Placenta</i> , 2008 , 29, 772-83	3.4	77
232	A difficult conversation? The views and experiences of parents and professionals on the consent process for perinatal postmortem after stillbirth. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2012 , 119, 987-97	3.7	75
231	Parents' experiences and expectations of care in pregnancy after stillbirth or neonatal death: a metasynthesis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2014 , 121, 943-50	3.7	70
230	Bereaved parents' experience of stillbirth in UK hospitals: a qualitative interview study. <i>BMJ Open</i> , 2013 , 3,	3	70
229	Investigating the association of villitis of unknown etiology with stillbirth and fetal growth restriction - a systematic review. <i>Placenta</i> , 2013 , 34, 856-62	3.4	69
228	Changes in the metabolic footprint of placental explant-conditioned culture medium identifies metabolic disturbances related to hypoxia and pre-eclampsia. <i>Placenta</i> , 2009 , 30, 974-80	3.4	69
227	A structured review of placental morphology and histopathological lesions associated with SARS-CoV-2 infection. <i>Placenta</i> , 2020 , 101, 13-29	3.4	69
226	Quantitative assessment of placental morphology may identify specific causes of stillbirth. <i>BMC Clinical Pathology</i> , 2016 , 16, 1	3	68
225	Intra-uterine growth restriction is associated with increased apoptosis and altered expression of proteins in the p53 pathway in villous trophoblast. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2011 , 16, 135-44	5.4	68
224	Online information for women and their families regarding reduced fetal movements is of variable quality, readability and accountability. <i>Midwifery</i> , 2016 , 34, 72-78	2.8	68
223	Fetal movement assessment. <i>Seminars in Perinatology</i> , 2008 , 32, 243-6	3.3	65
222	Management of decreased fetal movements. <i>Seminars in Perinatology</i> , 2008 , 32, 307-11	3.3	62
221	Preeclampsia is associated with alterations in the p53-pathway in villous trophoblast. <i>PLoS ONE</i> , 2014 , 9, e87621	3.7	59
220	Epidermal growth factor rescues trophoblast apoptosis induced by reactive oxygen species. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2007 , 12, 1611-22	5.4	58
219	Can post-mortem examination of the placenta help determine the cause of stillbirth?. <i>Journal of Obstetrics and Gynaecology</i> , 2009 , 29, 225-8	1.3	57
218	Identification of autophagic vacuoles and regulators of autophagy in villous trophoblast from normal term pregnancies and in fetal growth restriction. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2013 , 26, 339-46	2	54

217	Changes in the metabolic footprint of placental explant-conditioned medium cultured in different oxygen tensions from placentas of small for gestational age and normal pregnancies. <i>Placenta</i> , 2010 , 31, 893-901	3.4	54
216	Midwives' and obstetricians' knowledge and management of women presenting with decreased fetal movements. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008 , 87, 331-9	3.8	54
215	Association between maternal sleep practices and late stillbirth - findings from a stillbirth case-control study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018 , 125, 254-262	3.7	54
214	A metabolomic approach identifies differences in maternal serum in third trimester pregnancies that end in poor perinatal outcome. <i>Reproductive Sciences</i> , 2012 , 19, 863-75	3	52
213	Circulating cytokines and alarmins associated with placental inflammation in high-risk pregnancies. <i>American Journal of Reproductive Immunology</i> , 2014 , 72, 422-34	3.8	49
212	Placental Dysfunction Underlies Increased Risk of Fetal Growth Restriction and Stillbirth in Advanced Maternal Age Women. <i>Scientific Reports</i> , 2017 , 7, 9677	4.9	48
211	An international internet survey of the experiences of 1,714 mothers with a late stillbirth: the STARS cohort study. <i>BMC Pregnancy and Childbirth</i> , 2015 , 15, 172	3.2	47
210	Altered expression of regulators of caspase activity within trophoblast of normal pregnancies and pregnancies complicated by preeclampsia. <i>Reproductive Sciences</i> , 2008 , 15, 1034-43	3	47
209	A structured review and exploration of the healthcare costs associated with stillbirth and a subsequent pregnancy in England and Wales. <i>BMC Pregnancy and Childbirth</i> , 2013 , 13, 236	3.2	46
208	The metabolome of human placental tissue: investigation of first trimester tissue and changes related to preeclampsia in late pregnancy. <i>Metabolomics</i> , 2012 , 8, 579-597	4.7	46
207	Analysis of the metabolic footprint and tissue metabolome of placental villous explants cultured at different oxygen tensions reveals novel redox biomarkers. <i>Placenta</i> , 2008 , 29, 691-8	3.4	45
206	Detection and management of decreased fetal movements in Australia and New Zealand: a survey of obstetric practice. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2009 , 49, 358-63 ¹⁻⁷	3.7	42
205	What investigation is appropriate following maternal perception of reduced fetal movements?. <i>Journal of Obstetrics and Gynaecology</i> , 2005 , 25, 648-50	1.3	40
204	Acupressure for the in-patient treatment of nausea and vomiting in early pregnancy: a randomized control trial. <i>American Journal of Obstetrics and Gynecology</i> , 2006 , 194, 815-20	6.4	37
203	Characterizing Villitis of Unknown Etiology and Inflammation in Stillbirth. <i>American Journal of Pathology</i> , 2016 , 186, 952-61	5.8	35
202	IFPA GBoR Than Award Lecture: Recognition of placental failure is key to saving babies' lives. <i>Placenta</i> , 2015 , 36 Suppl 1, S20-8	3.4	35
201	Is regional anaesthesia better than general anaesthesia for caesarean section?. <i>Journal of Obstetrics and Gynaecology</i> , 2006 , 26, 433-4	1.3	34
200	Exploring the intangible economic costs of stillbirth. <i>BMC Pregnancy and Childbirth</i> , 2015 , 15, 188	3.2	32

199	Seeking order amidst chaos: a systematic review of classification systems for causes of stillbirth and neonatal death, 2009-2014. <i>BMC Pregnancy and Childbirth</i> , 2016 , 16, 295	3.2	32
198	Stillbirth is associated with perceived alterations in fetal activity - findings from an international case control study. <i>BMC Pregnancy and Childbirth</i> , 2017 , 17, 369	3.2	30
197	Syncytial nuclear aggregates in normal placenta show increased nuclear condensation, but apoptosis and cytoskeletal redistribution are uncommon. <i>Placenta</i> , 2013 , 34, 449-55	3.4	29
196	Placental Features of Late-Onset Adverse Pregnancy Outcome. <i>PLoS ONE</i> , 2015 , 10, e0129117	3.7	29
195	Maternal prenatal depression is associated with decreased placental expression of the imprinted gene PEG3. <i>Psychological Medicine</i> , 2016 , 46, 2999-3011	6.9	29
194	Care in subsequent pregnancies following stillbirth: an international survey of parents. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018 , 125, 193-201	3.7	28
193	Alterations in maternally perceived fetal movement and their association with late stillbirth: findings from the Midland and North of England stillbirth case-control study. <i>BMJ Open</i> , 2018 , 8, e020031		28
192	An Individual Participant Data Meta-analysis of Maternal Going-to-Sleep Position, Interactions with Fetal Vulnerability, and the Risk of Late Stillbirth. <i>EClinicalMedicine</i> , 2019 , 10, 49-57	11.3	27
191	Post-mortem examination after stillbirth: views of UK-based practitioners. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2012 , 162, 33-7	2.4	27
190	The effect of Ramadan fasting during pregnancy on perinatal outcomes: a systematic review and meta-analysis. <i>BMC Pregnancy and Childbirth</i> , 2018 , 18, 421	3.2	27
189	Continuous objective recording of fetal heart rate and fetal movements could reliably identify fetal compromise, which could reduce stillbirth rates by facilitating timely management. <i>Medical Hypotheses</i> , 2014 , 83, 410-7	3.8	25
188	Gestational diabetes and the risk of late stillbirth: a case-control study from England, UK. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019 , 126, 973-982	3.7	24
187	A stochastic model for early placental development. <i>Journal of the Royal Society Interface</i> , 2014 , 11, 20140149	4.0	24
186	Identifying placental dysfunction in women with reduced fetal movements can be used to predict patients at increased risk of pregnancy complications. <i>Medical Hypotheses</i> , 2011 , 76, 17-20	3.8	24
185	Review: The effects of oxygen on normal and pre-eclamptic placental tissue--insights from metabolomics. <i>Placenta</i> , 2011 , 32 Suppl 2, S119-24	3.4	24
184	Placental PHLDA2 expression is increased in cases of fetal growth restriction following reduced fetal movements. <i>BMC Medical Genetics</i> , 2016 , 17, 17	2.1	23
183	The Midland and North of England Stillbirth Study (MiNESS). <i>BMC Pregnancy and Childbirth</i> , 2014 , 14, 171	3.2	22
182	Placental dysfunction is associated with altered microRNA expression in pregnant women with low folate status. <i>Molecular Nutrition and Food Research</i> , 2017 , 61, 1600646	5.9	21

181	Care of pregnant women with decreased fetal movements: Update of a clinical practice guideline for Australia and New Zealand. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2018 , 58, 463-468	1.7	20
180	Saving babies' lives project impact and results evaluation (SPiRE): a mixed methodology study. <i>BMC Pregnancy and Childbirth</i> , 2018 , 18, 43	3.2	20
179	A case of intrauterine growth restriction in association with placental mesenchymal dysplasia with abnormal placental lymphatic development. <i>Placenta</i> , 2009 , 30, 654-7	3.4	20
178	Classification systems for causes of stillbirth and neonatal death, 2009-2014: an assessment of alignment with characteristics for an effective global system. <i>BMC Pregnancy and Childbirth</i> , 2016 , 16, 269	3.2	20
177	Marvellous to mediocre: findings of national survey of UK practice and provision of care in pregnancies after stillbirth or neonatal death. <i>BMC Pregnancy and Childbirth</i> , 2016 , 16, 101	3.2	18
176	Do medical certificates of stillbirth provide accurate and useful information regarding the cause of death?. <i>Paediatric and Perinatal Epidemiology</i> , 2012 , 26, 117-23	2.7	18
175	Duration and method of tissue storage alters placental morphology - implications for clinical and research practice. <i>Placenta</i> , 2013 , 34, 1116-9	3.4	18
174	Healthcare and wider societal implications of stillbirth: a population-based cost-of-illness study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2018 , 125, 108-117	3.7	17
173	A randomised controlled trial comparing standard or intensive management of reduced fetal movements after 36 weeks gestation--a feasibility study. <i>BMC Pregnancy and Childbirth</i> , 2013 , 13, 95	3.2	17
172	Can promoting awareness of fetal movements and focusing interventions reduce fetal mortality? A stepped-wedge cluster randomised trial (AFFIRM). <i>BMJ Open</i> , 2017 , 7, e014813	3	17
171	Use of biochemical tests of placental function for improving pregnancy outcome. <i>The Cochrane Library</i> , 2015 , CD011202	5.2	17
170	Characteristics of a global classification system for perinatal deaths: a Delphi consensus study. <i>BMC Pregnancy and Childbirth</i> , 2016 , 16, 223	3.2	16
169	Studies of the dynamics of nuclear clustering in human syncytiotrophoblast. <i>Reproduction</i> , 2016 , 151, 657-71	3.8	15
168	Does altered oxygenation or reactive oxygen species alter cell turnover of BeWo choriocarcinoma cells?. <i>Reproductive BioMedicine Online</i> , 2009 , 18, 111-9	4	15
167	Third trimester placental volume and biometry measurement: A method-development study. <i>Placenta</i> , 2016 , 42, 51-8	3.4	15
166	Maternal sleep practices and stillbirth: Findings from an international case-control study. <i>Birth</i> , 2019 , 46, 344-354	3.1	14
165	Maternal perception of fetal movements in late pregnancy is affected by type and duration of fetal movement. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016 , 29, 2145-50	2	14
164	Analysis of syncytial nuclear aggregates in preeclampsia shows increased sectioning artefacts and decreased inter-villous bridges compared to healthy placentas. <i>Placenta</i> , 2013 , 34, 1251-4	3.4	14

163	Interventions for supporting parents' decisions about autopsy after stillbirth. <i>The Cochrane Library</i> , 2013 , CD009932	5.2	14
162	The effect of high glucose on lipid metabolism in the human placenta. <i>Scientific Reports</i> , 2019 , 9, 14114	4.9	13
161	Evaluation of the quality of guidelines for the management of reduced fetal movements in UK maternity units. <i>BMC Pregnancy and Childbirth</i> , 2015 , 15, 54	3.2	13
160	Understanding the associations and significance of fetal movements in overweight or obese pregnant women: a systematic review. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018 , 97, 13-24	3.8	13
159	The structure and utility of the placental pathology report. <i>Apmis</i> , 2018 , 126, 638-646	3.4	13
158	No. 369-Management of Pregnancy Subsequent to Stillbirth. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2018 , 40, 1669-1683	1.3	13
157	Antenatal placental assessment in the prediction of adverse pregnancy outcome after reduced fetal movement. <i>PLoS ONE</i> , 2018 , 13, e0206533	3.7	13
156	PARENTS 2 study protocol: pilot of Parents' Active Role and ENGagement in the review of Their Stillbirth/perinatal death. <i>BMJ Open</i> , 2018 , 8, e020164	3	12
155	Placental expression of anti-angiogenic proteins in mirror syndrome: a case report. <i>Placenta</i> , 2012 , 33, 528-31	3.4	12
154	Assessing the quality of bereavement care after perinatal death: development and piloting of a questionnaire to assess parents' experiences. <i>Journal of Obstetrics and Gynaecology</i> , 2017 , 37, 931-936	1.3	12
153	Biochemical tests of placental function versus ultrasound assessment of fetal size for stillbirth and small-for-gestational-age infants. <i>The Cochrane Library</i> , 2019 , 5, CD012245	5.2	12
152	Identification of the functional pathways altered by placental cell exposure to high glucose: lessons from the transcript and metabolite interactome. <i>Scientific Reports</i> , 2018 , 8, 5270	4.9	11
151	Universal third-trimester ultrasonic screening using fetal macrosomia in the prediction of adverse perinatal outcome: A systematic review and meta-analysis of diagnostic test accuracy. <i>PLoS Medicine</i> , 2020 , 17, e1003190	11.6	11
150	The kynurenine pathway; A new target for treating maternal features of preeclampsia?. <i>Placenta</i> , 2019 , 84, 44-49	3.4	10
149	Excessive fetal movements are a sign of fetal compromise which merits further examination. <i>Medical Hypotheses</i> , 2018 , 111, 19-23	3.8	10
148	An unusual cause of urinary retention in early pregnancy. <i>American Journal of Obstetrics and Gynecology</i> , 2004 , 191, 364-5	6.4	10
147	Care prior to and during subsequent pregnancies following stillbirth for improving outcomes. <i>The Cochrane Library</i> , 2018 , 12, CD012203	5.2	10
146	Umbilical cord characteristics and their association with adverse pregnancy outcomes: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2020 , 15, e0239630	3.7	9

145	The effect of senior obstetric presence on maternal and neonatal outcomes in UK NHS maternity units: a systematic review and meta-analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017 , 124, 1321-1330	3.7	8
144	Association of Supine Going-to-Sleep Position in Late Pregnancy With Reduced Birth Weight: A Secondary Analysis of an Individual Participant Data Meta-analysis. <i>JAMA Network Open</i> , 2019 , 2, e19126144	10.4	8
143	Increased placental macrophages and a pro-inflammatory profile in placentas and maternal serum in infants with a decreased growth rate in the third trimester of pregnancy. <i>American Journal of Reproductive Immunology</i> , 2020 , 84, e13267	3.8	8
142	A case of confined placental mosaicism with double trisomy associated with stillbirth. <i>Placenta</i> , 2011 , 32, 699-703	3.4	8
141	Prediction of stillbirth: an umbrella review of evaluation of prognostic variables. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 , 128, 238-250	3.7	8
140	Associations between social and behavioural factors and the risk of late stillbirth - findings from the Midland and North of England Stillbirth case-control study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 , 128, 704-713	3.7	8
139	Effects of hydroxychloroquine on the human placenta-Findings from in vitro experimental data and a systematic review. <i>Reproductive Toxicology</i> , 2019 , 87, 50-59	3.4	7
138	Professionals' views of fetal-monitoring support the development of devices to provide objective longer-term assessment of fetal wellbeing. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016 , 29, 1680-6	2	7
137	Investigations following stillbirth ¶which tests are most useful and cost effective?. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2011 , 96, Fa135-Fa135	4.7	7
136	Factors influencing health behaviour change during pregnancy: a systematic review and meta-synthesis. <i>Health Psychology Review</i> , 2021 , 15, 613-632	7.1	7
135	Reduced fetal movement intervention Trial-2 (ReMIT-2): protocol for a pilot randomised controlled trial of standard care informed by the result of a placental growth factor (PlGF) blood test versus standard care alone in women presenting with reduced fetal movement at or after 36 weeks gestation. <i>Trials</i> , 2018 , 19, 531	2.8	7
134	Breech presentation is associated with lower bone mass and area: findings from the Southampton Women's Survey. <i>Osteoporosis International</i> , 2018 , 29, 2275-2281	5.3	7
133	Research priorities and potential methodologies to inform care in subsequent pregnancies following stillbirth: a web-based survey of healthcare professionals, researchers and advocates. <i>BMJ Open</i> , 2019 , 9, e028735	3	6
132	Associations between symptoms of sleep-disordered breathing and maternal sleep patterns with late stillbirth: Findings from an individual participant data meta-analysis. <i>PLoS ONE</i> , 2020 , 15, e0230861	3.7	6
131	UNDERSTANDING THE PLACENTAL AETIOLOGY OF FETAL GROWTH RESTRICTION; COULD THIS LEAD TO PERSONALIZED MANAGEMENT STRATEGIES?. <i>Fetal and Maternal Medicine Review</i> , 2014 , 25, 95-116		6
130	Correlation between abnormal placental appearance at routine 2nd trimester ultrasound scan and histological examination of the placenta after birth. <i>Journal of Obstetrics and Gynaecology</i> , 2012 , 32, 760-3	1.3	6
129	The mitotic manipulation of cytotrophoblast differentiation in vitro. <i>Placenta</i> , 2007 , 28, 408-11	3.4	6
128	A case of isolated peripartum elevation of alkaline phosphatase in pregnancy complicated by gestational diabetes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2006 , 19, 311-3	2	6

127	A case of gestational diabetes arising following treatment with glucocorticosteroids for pemphigoid gestationis. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2005 , 18, 353-5	2	6
126	PARENTS 2 Study: a qualitative study of the views of healthcare professionals and stakeholders on parental engagement in the perinatal mortality review-from 'bottom of the pile' to joint learning. <i>BMJ Open</i> , 2019 , 8, e023792	3	6
125	A mixed-methods evaluation of continuous electronic fetal monitoring for an extended period. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018 , 97, 1515-1523	3.8	5
124	Women's experiences of continuous fetal monitoring - a mixed-methods systematic review. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017 , 96, 1404-1413	3.8	5
123	A novel in vitro model of villitis of unknown etiology demonstrates altered placental hormone and cytokine profile. <i>American Journal of Reproductive Immunology</i> , 2017 , 78, e12725	3.8	5
122	A high-throughput colorimetric-assay for monitoring glucose consumption by cultured trophoblast cells and placental tissue. <i>Placenta</i> , 2012 , 33, 949-51	3.4	5
121	Placental cell turnover in health and disease. <i>Reviews in Gynaecological and Perinatal Practice</i> , 2006 , 6, 80-86		5
120	The treatment of severe hypertension in pregnancy: a review of current practice and knowledge in West-Midlands maternity units. <i>Journal of Obstetrics and Gynaecology</i> , 2004 , 24, 897-8	1.3	5
119	A retrospective study to determine if umbilical cord pH correlates with duration of delay between delivery of the head and body in shoulder dystocia. <i>Journal of Obstetrics and Gynaecology</i> , 2004 , 24, 776-783	1.3	5
118	The use of levomepromazine in Hyperemesis Gravidarum resistant to drug therapy--a case series. <i>Reproductive Toxicology</i> , 2005 , 20, 569-72	3.4	5
117	Kynurenine Relaxes Arteries of Normotensive Women and Those With Preeclampsia. <i>Circulation Research</i> , 2021 , 128, 1679-1693	15.7	5
116	Can risk prediction models help us individualise stillbirth prevention? A systematic review and critical appraisal of published risk models. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021 , 128, 214-224	3.7	5
115	Hypoxia and oxidative stress induce sterile placental inflammation in vitro. <i>Scientific Reports</i> , 2021 , 11, 7281	4.9	5
114	Persistent inaccuracies in completion of medical certificates of stillbirth: A cross-sectional study. <i>Paediatric and Perinatal Epidemiology</i> , 2018 , 32, 474-481	2.7	5
113	The predictive value of signs and symptoms in predicting adverse maternal and perinatal outcomes in severe preeclampsia in a low-resource setting, findings from a cross-sectional study at Mpilo Central Hospital, Bulawayo, Zimbabwe. <i>Pregnancy Hypertension</i> , 2020 , 21, 77-83	2.6	4
112	The Collaborative IPD of Sleep and Stillbirth (Cribss): is maternal going-to-sleep position a risk factor for late stillbirth and does maternal sleep position interact with fetal vulnerability? An individual participant data meta-analysis study protocol. <i>BMJ Open</i> , 2018 , 8, e020323	3	4
111	"They told me all mothers have worries", stillborn mother's experiences of having a 'gut instinct' that something is wrong in pregnancy: Findings from an international case-control study. <i>Midwifery</i> , 2018 , 62, 171-176	2.8	4
110	Fetal blood sampling in early labour: is there an increased risk of operative delivery and fetal morbidity?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2011 , 118, 849-55	3.7	4

109	Assessment of the quality, content and perceived utility of local maternity guidelines in hospitals in England implementing the saving babies' lives care bundle to reduce stillbirth. <i>BMJ Open Quality</i> , 2020 , 9,	1.9	4
108	Cause of intrauterine and neonatal death in twin pregnancies (CoDiT): development of a novel classification system. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020 , 127, 1507-1513	3.7	3
107	Adverse pregnancy outcomes and subsequent development of connective tissue disease in the UK: an epidemiological study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020 , 127, 941-947	3.7	3
106	'Just an extra pair of hands'? A qualitative study of obstetric service users' and professionals' views towards 24/7 consultant presence on a single UK tertiary maternity unit. <i>BMJ Open</i> , 2018 , 8, e019977	3	3
105	The use of cold cots following perinatal death. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017 , 217, 179-180	2.4	3
104	Antiphospholipid Antibodies Alter Cell-Death-Regulating Lipid Metabolites in First and Third Trimester Human Placentae. <i>American Journal of Reproductive Immunology</i> , 2015 , 74, 181-99	3.8	3
103	Reduced fetal movements are associated with significant changes in placental structure and function. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2011 , 96, Fa56-Fa56	4.7	3
102	Immunomodulatory Therapy Reduces the Severity of Placental Lesions in Chronic Histiocytic Intervillositis. <i>Frontiers in Medicine</i> , 2021 , 8, 753220	4.9	3
101	The Perinatal Postmortem from a Clinician's Viewpoint 2015 , 1-13		3
100	Diagnostic accuracy of biochemical tests of placental function versus ultrasound assessment of fetal size for stillbirth and small-for-gestational-age infants. <i>The Cochrane Library</i> , 2016 ,	5.2	3
99	Early onset severe preeclampsia and eclampsia in a low-resource setting, Mpilo Central Hospital, Bulawayo, Zimbabwe. <i>BMC Research Notes</i> , 2019 , 12, 822	2.3	3
98	Placental Morphology and Cellular Characteristics in Stillbirths in Women With Diabetes and Unexplained Stillbirths. <i>Archives of Pathology and Laboratory Medicine</i> , 2021 , 145, 82-89	5	3
97	Chronic histiocytic intervillitis: A breakdown in immune tolerance comparable to allograft rejection?. <i>American Journal of Reproductive Immunology</i> , 2021 , 85, e13373	3.8	3
96	Can information regarding the index stillbirth determine risk of adverse outcome in a subsequent pregnancy? Findings from a single-center cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021 , 100, 1326-1335	3.8	3
95	Pandemic stress and SARS-CoV-2 infection are associated with pathological changes at the maternal-fetal interface. <i>Placenta</i> , 2021 , 115, 37-44	3.4	3
94	Cervical dilatation and grade of doctor affects the interval between decision and result of fetal scalp blood sampling in labour. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016 , 29, 2671-4	2	2
93	The role of maternal awareness of reduced fetal movements to reduce perinatal mortality remains unclear. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020 , 127, 838	3.7	2
92	Standard care informed by the result of a placental growth factor blood test versus standard care alone in women with reduced fetal movement at or after 36 weeks' gestation: a pilot randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2020 , 6, 23	1.9	2

91	Intra-placental arterial Doppler: A marker of fetoplacental vascularity in late-onset placental disease?. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020 , 99, 865-874	3.8	2
90	The ability of late pregnancy maternal tests to predict adverse pregnancy outcomes associated with placental dysfunction (specifically fetal growth restriction and pre-eclampsia): a protocol for a systematic review and meta-analysis of prognostic accuracy studies. <i>Systematic Reviews</i> , 2020 , 9, 78	3	2
89	Improved management of stillbirth using a care pathway. <i>International Journal of Health Governance</i> , 2018 , 23, 18-37	0.9	2
88	Women's experiences of being invited to participate in a case-control study of stillbirth - findings from the Midlands and North of England Stillbirth Study. <i>BMC Pregnancy and Childbirth</i> , 2018 , 18, 317	3.2	2
87	Comments: Influence of the prone position on a stretcher for pregnant women on maternal and fetal hemodynamic parameters and comfort in pregnancy. <i>Clinics</i> , 2019 , 74, e878	2.3	2
86	Peripartum and intrapartum assessment of the fetus. <i>Anaesthesia and Intensive Care Medicine</i> , 2013 , 14, 333-336	0.3	2
85	The placenta and adverse pregnancy outcomes [Opening the black box?]. <i>BMC Pregnancy and Childbirth</i> , 2015 , 15,	3.2	2
84	Reduced fetal movements. <i>BMC Pregnancy and Childbirth</i> , 2012 , 12,	3.2	2
83	Abnormalities of the placenta. <i>BMC Pregnancy and Childbirth</i> , 2012 , 12,	3.2	2
82	MANAGEMENT OF REDUCED FETAL MOVEMENTS. <i>Fetal and Maternal Medicine Review</i> , 2013 , 24, 201-231		2
81	Placentally-derived factors may be used to predict poor pregnancy outcome in reduced fetal movements. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2011 , 96, Fa12-Fa12	4.7	2
80	Vasculitic lesion involving the uterine cervix in a patient with anti-nuclear antibodies. <i>Journal of Obstetrics and Gynaecology</i> , 2004 , 24, 711-2	1.3	2
79	Investigating the significance and current state of knowledge and practice of absent or reduced fetal movements in low and lower middle-income countries: a scoping review. <i>Journal of Global Health Reports</i> ,3,	1.1	2
78	When the Fetus Goes Still and the Birth Is Tragic: The Role of the Placenta in Stillbirths. <i>Obstetrics and Gynecology Clinics of North America</i> , 2020 , 47, 183-196	3.3	2
77	Parents' experiences of care offered after stillbirth: An international online survey of high and middle-income countries. <i>Birth</i> , 2021 , 48, 366-374	3.1	2
76	Stillbirth rates, service outcomes and costs of implementing NHS England's Saving Babies' Lives care bundle in maternity units in England: A cohort study. <i>PLoS ONE</i> , 2021 , 16, e0250150	3.7	2
75	Fetal umbilical artery Doppler as a tool for universal third trimester screening: A systematic review and meta-analysis of diagnostic test accuracy. <i>Placenta</i> , 2021 , 108, 47-54	3.4	2
74	Care prior to and during subsequent pregnancies following stillbirth for improving outcomes. <i>The Cochrane Library</i> , 2016 ,	5.2	2

73	Evaluating the accuracy and precision of sonographic fetal weight estimation models in extremely early-onset fetal growth restriction. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020 , 99, 364-373	3.8	2
72	Care in pregnancies subsequent to stillbirth or perinatal death. <i>The Obstetrician and Gynaecologist</i> , 2021 , 23, 48-59	0.9	2
71	Professionals' Practices and Views regarding Neonatal Postmortem: Can We Improve Consent Rates by Improving Training?. <i>Neonatology</i> , 2019 , 115, 341-345	4	1
70	A missense mutation of ErbB2 produces a novel mouse model of stillbirth associated with a cardiac abnormality but lacking abnormalities of placental structure. <i>PLoS ONE</i> , 2020 , 15, e0233007	3.7	1
69	Verification of placental growth factor and soluble-fms-like tyrosine kinase 1 assay performance in late pregnancy and their diagnostic test accuracy in women with reduced fetal movement. <i>Annals of Clinical Biochemistry</i> , 2020 , 57, 223-233	2.2	1
68	Use of biochemical tests of placental function for improving pregnancy outcome 2014 ,		1
67	Metabolomics and Its Role in the Study of Mammalian Systems 2013 , 345-377		1
66	Parents' perspectives after stillbirth in the UK. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2011 , 96, Fa124-Fa125	4.7	1
65	The use of the birthing pool after a diagnosis of stillbirth. <i>Journal of Obstetrics and Gynaecology</i> , 2010 , 30, 200-1	1.3	1
64	OBSTETRIC MANAGEMENT OF TEENAGE PREGNANCY. <i>Fetal and Maternal Medicine Review</i> , 2006 , 17, 317-325		1
63	An evaluation of the use of an intra-operative uterine tourniquet during multiple myomectomy: does this reduce blood loss and the need for blood transfusion?. <i>Journal of Obstetrics and Gynaecology</i> , 2005 , 25, 382-3	1.3	1
62	A better understanding of the association between maternal perception of foetal movements and late stillbirth-findings from an individual participant data meta-analysis. <i>BMC Medicine</i> , 2021 , 19, 267	11.4	1
61	A systematic scoping review to identify the design and assess the performance of devices for antenatal continuous fetal monitoring. <i>PLoS ONE</i> , 2020 , 15, e0242983	3.7	1
60	Management of isolated hypertension in pregnancy 79-96		1
59	Prospective Evaluation of Maternal Sleep Position Through 30 Weeks of Gestation and Adverse Pregnancy Outcomes. <i>Obstetrics and Gynecology</i> , 2020 , 135, 218	4.9	1
58	Parents' Active Role and ENgagement in The review of their Stillbirth/perinatal death 2 (PARENTS 2) study: a mixed-methods study of implementation. <i>BMJ Open</i> , 2021 , 11, e044563	3	1
57	The CErebro Placental RAtio as indicator for delivery following perception of reduced fetal movements, protocol for an international cluster randomised clinical trial; the CEPRA study. <i>BMC Pregnancy and Childbirth</i> , 2021 , 21, 285	3.2	1
56	The problem with counting fetal movements. <i>Women and Birth</i> , 2020 , 33, e309	3.3	1

55	Associations between consumption of coffee and caffeinated soft drinks and late stillbirth-Findings from the Midland and North of England stillbirth case-control study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021 , 256, 471-477	2.4	1
54	Investigation of the outcome of pregnancies complicated by increased fetal movements and their relation to underlying causes - A prospective cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021 , 100, 91-100	3.8	1
53	Universal late pregnancy ultrasound screening to predict adverse outcomes in nulliparous women: a systematic review and cost-effectiveness analysis. <i>Health Technology Assessment</i> , 2021 , 25, 1-190	4.4	1
52	The potential role of the E SRRG pathway in placental dysfunction. <i>Reproduction</i> , 2021 , 161, R45-R60	3.8	1
51	Understanding pregnancy as a teachable moment for behaviour change: a comparison of the COM-B and teachable moments models.. <i>Health Psychology and Behavioral Medicine</i> , 2022 , 10, 41-59	2.2	1
50	Breech presentation is associated with lower adolescent tibial bone strength. <i>Osteoporosis International</i> , 2019 , 30, 1423-1432	5.3	0
49	Research Priority Setting Partnership for placental pathology.. <i>Placenta</i> , 2021 , 117, 154-155	3.4	0
48	Investigation of the critical factors required to improve the disclosure and discussion of harm with affected women and families: a study protocol for a qualitative, realist study in NHS maternity services (the DISCERN study).. <i>BMJ Open</i> , 2022 , 12, e048285	3	0
47	Protocol for the development of a core outcome set for stillbirth care research (iCHOOSE Study).. <i>BMJ Open</i> , 2022 , 12, e056629	3	0
46	Sexually dimorphic patterns in maternal circulating microRNAs in pregnancies complicated by fetal growth restriction. <i>Biology of Sex Differences</i> , 2021 , 12, 61	9.3	0
45	'Fetal side' of the placenta: anatomical mis-annotation of carbon particle 'transfer' across the human placenta. <i>Nature Communications</i> , 2021 , 12, 7049	17.4	0
44	A prospective cohort study providing insights for markers of adverse pregnancy outcome in older mothers. <i>BMC Pregnancy and Childbirth</i> , 2021 , 21, 706	3.2	0
43	The PLANES study: a protocol for a randomised controlled feasibility study of the placental growth factor (PLGF) blood test-informed care versus standard care alone for women with a small for gestational age fetus at or after 32 + 0 weeks' gestation. <i>Pilot and Feasibility Studies</i> , 2020 , 6, 179	1.9	0
42	Evaluating improvement interventions using routine data to support a learning health system: research design, data access, analysis and reporting. <i>BMJ Quality and Safety</i> , 2020 , 29, 696-700	5.4	0
41	Determinants of eclampsia in women with severe preeclampsia at Mpilo Central Hospital, Bulawayo, Zimbabwe. <i>Pregnancy Hypertension</i> , 2021 , 25, 235-239	2.6	0
40	Identification of factors associated with stillbirth in Zimbabwe - a cross sectional study. <i>BMC Pregnancy and Childbirth</i> , 2021 , 21, 662	3.2	0
39	Development of dynamic image analysis methods to measure vascularisation and syncytial nuclear aggregates in human placenta.. <i>Placenta</i> , 2022 , 120, 65-72	3.4	0
38	Awareness of fetal movements and care package to reduce fetal mortality (AFFIRM): a trial-based and model-based cost-effectiveness analysis from a stepped wedge, cluster-randomised trial.. <i>BMC Pregnancy and Childbirth</i> , 2022 , 22, 235	3.2	0

37	Development of a core outcome set (COS) for studies relating to awareness and clinical management of reduced fetal movement: study protocol. <i>Trials</i> , 2021 , 22, 894	2.8	o
36	Measures of anxiety, depression and stress in the antenatal and perinatal period following a stillbirth or neonatal death: a multicentre cohort study. <i>BMC Pregnancy and Childbirth</i> , 2021 , 21, 818	3.2	o
35	Real experiences which increase empathy: a preliminary exploration of the utility of an audio archive describing parents and clinicians' experiences of stillbirth. <i>Bereavement Care</i> , 2019 , 38, 33-41	0.4	
34	Interventions in Pregnancy to Reduce Risk of Stillbirth 2019 , 48-60		
33	Authors' reply re: The effect of senior obstetric presence on maternal and neonatal outcomes in UK NHS maternity units: a systematic review and meta-analysis. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017 , 124, 1910-1911	3.7	
32	Prior stillbirth is a risk factor for stillbirth in a subsequent pregnancy. <i>Evidence-Based Medicine</i> , 2015 , 20, 218		
31	Auscultation of the fetal heart in early pregnancy. <i>Archives of Gynecology and Obstetrics</i> , 2011 , 283 Suppl 1, 9-11	2.5	
30	Bladder perforation: a rare complication during diagnostic hysteroscopy. <i>Journal of Obstetrics and Gynaecology</i> , 2011 , 31, 88-9	1.3	
29	Maternal perception of altered fetal activity and the risk of late stillbirth. <i>Evidence-based Nursing</i> , 2012 , 15, 102-3	0.3	
28	Elevated bile acids associated with acute hepatitis A infection in the third trimester of pregnancy. <i>Journal of Obstetrics and Gynaecology</i> , 2009 , 29, 54-5	1.3	
27	Obstetric haemorrhage 107-119		
26	A case of fetal pericardial effusion in association with maternal hypertension and HIV infection. <i>Journal of Obstetrics and Gynaecology</i> , 2004 , 24, 89	1.3	
25	The teaching and use of a mnemonic to improve the management of shoulder dystocia. <i>Clinical Governance</i> , 2004 , 9, 253-255		
24	Constellations of Pathology in the Placenta and How They Relate to Clinical Conditions 2019 , 361-369		
23	Towards an end to stillbirths. <i>BMJ, The</i> , 2010 , 341, c5070	5.9	
22	Need to ensure that improvements in stillbirth rates are also achieved in high-risk groups. <i>Paediatric and Perinatal Epidemiology</i> , 2020 , 34, 1-2	2.7	
21	Evolving pattern of fetal movements throughout a healthy pregnancy. <i>BMJ Case Reports</i> , 2021 , 14,	0.9	
20	N 369 - Prise en charge de la grossesse après une mortinaissance. <i>Journal of Obstetrics and Gynaecology Canada</i> , 2018 , 40, 1684-1700	1.3	

- 19 Universal third-trimester ultrasonic screening using fetal macrosomia in the prediction of adverse perinatal outcome: A systematic review and meta-analysis of diagnostic test accuracy **2020**, 17, e1003190
- 18 Universal third-trimester ultrasonic screening using fetal macrosomia in the prediction of adverse perinatal outcome: A systematic review and meta-analysis of diagnostic test accuracy **2020**, 17, e1003190
- 17 Universal third-trimester ultrasonic screening using fetal macrosomia in the prediction of adverse perinatal outcome: A systematic review and meta-analysis of diagnostic test accuracy **2020**, 17, e1003190
- 16 Universal third-trimester ultrasonic screening using fetal macrosomia in the prediction of adverse perinatal outcome: A systematic review and meta-analysis of diagnostic test accuracy **2020**, 17, e1003190
- 15 Universal third-trimester ultrasonic screening using fetal macrosomia in the prediction of adverse perinatal outcome: A systematic review and meta-analysis of diagnostic test accuracy **2020**, 17, e1003190
- 14 Associations between symptoms of sleep-disordered breathing and maternal sleep patterns with late stillbirth: Findings from an individual participant data meta-analysis **2020**, 15, e0230861
- 13 Associations between symptoms of sleep-disordered breathing and maternal sleep patterns with late stillbirth: Findings from an individual participant data meta-analysis **2020**, 15, e0230861
- 12 Associations between symptoms of sleep-disordered breathing and maternal sleep patterns with late stillbirth: Findings from an individual participant data meta-analysis **2020**, 15, e0230861
- 11 Associations between symptoms of sleep-disordered breathing and maternal sleep patterns with late stillbirth: Findings from an individual participant data meta-analysis **2020**, 15, e0230861
- 10 A systematic scoping review to identify the design and assess the performance of devices for antenatal continuous fetal monitoring **2020**, 15, e0242983
- 9 A systematic scoping review to identify the design and assess the performance of devices for antenatal continuous fetal monitoring **2020**, 15, e0242983
- 8 A systematic scoping review to identify the design and assess the performance of devices for antenatal continuous fetal monitoring **2020**, 15, e0242983
- 7 A systematic scoping review to identify the design and assess the performance of devices for antenatal continuous fetal monitoring **2020**, 15, e0242983
- 6 A systematic scoping review to identify the design and assess the performance of devices for antenatal continuous fetal monitoring **2020**, 15, e0242983
- 5 A systematic scoping review to identify the design and assess the performance of devices for antenatal continuous fetal monitoring **2020**, 15, e0242983
- 4 Umbilical cord characteristics and their association with adverse pregnancy outcomes: A systematic review and meta-analysis **2020**, 15, e0239630
- 3 Umbilical cord characteristics and their association with adverse pregnancy outcomes: A systematic review and meta-analysis **2020**, 15, e0239630
- 2 Umbilical cord characteristics and their association with adverse pregnancy outcomes: A systematic review and meta-analysis **2020**, 15, e0239630

- 1 Umbilical cord characteristics and their association with adverse pregnancy outcomes: A systematic review and meta-analysis **2020**, 15, e0239630