

Florent Lacroix

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4456865/florent-lacroix-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

369
papers

13,166
citations

57
h-index

93
g-index

377
ext. papers

14,728
ext. citations

4.9
avg, IF

0.95
L-index

#	Paper	IF	Citations
369	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , 2020 , 80, 4	4.2	61
368	Measurement of single-diffractive dijet production in proton-proton collisions at with the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2020 , 80, 1164	4.2	0
367	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 773	4.2	0
366	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 305	4.2	2
365	Combined measurements of Higgs boson couplings in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 421	4.2	153
364	Search for supersymmetry in events with a photon, jets, $\bar{\nu}$ -jets, and missing transverse momentum in proton-proton collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 444	4.2	1
363	Measurement of the production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. <i>European Physical Journal C</i> , 2019 , 79, 368	4.2	27
362	Measurement of the energy density as a function of pseudorapidity in proton-proton collisions at ($\sqrt{s}=13$,text {TeV}). <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	7
361	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 280	4.2	12
360	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 364	4.2	18
359	Search for single production of vector-like quarks decaying to a top quark and a boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 90	4.2	6
358	Study of the underlying event in top quark pair production in collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 123	4.2	4
357	Search for rare decays of and Higgs bosons to and a photon in proton-proton collisions at = 13. <i>European Physical Journal C</i> , 2019 , 79, 94	4.2	7
356	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 20	4.2	4
355	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at ($\sqrt{s}=13$,text {TeV}). <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	6
354	Measurement of exclusive \bar{p} photoproduction in ultraperipheral pPb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 702	4.2	13
353	Measurement of exclusive photoproduction from protons in Pb collisions at. <i>European Physical Journal C</i> , 2019 , 79, 277	4.2	19

352	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at. <i>European Physical Journal C</i> , 2019 , 79, 564	4.2	20
351	Measurement of the top quark mass in the all-jets final state at and combination with the lepton+jets channel. <i>European Physical Journal C</i> , 2019 , 79, 313	4.2	13
350	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 969	4.2	1
349	Search for new physics in top quark production in dilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 886	4.2	6
348	Brightness and uniformity measurements of plastic scintillator tiles at the CERN H2 test beam. <i>Journal of Instrumentation</i> , 2018 , 13, P01002-P01002	1	
347	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at. <i>European Physical Journal C</i> , 2018 , 78, 242	4.2	4
346	Pseudorapidity distributions of charged hadrons in proton-lead collisions at ($\sqrt{s_{\mathrm{NN}}}=5.02$) and 8.16 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
345	Search for resonant and nonresonant Higgs boson pair production in the ($\overline{\mathrm{b}}\mathrm{ell}\nu\mathrm{ell}\nu$) final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	19
344	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at $\sqrt{s}=13$. <i>European Physical Journal C</i> , 2018 , 78, 291	4.2	17
343	Measurements of the production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2018 , 78, 165	4.2	29
342	Measurement of associated Z + charm production in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 287	4.2	11
341	Measurement of the inclusive ($\overline{\mathrm{t}}\mathrm{t}$) cross section in pp collisions at ($\sqrt{s}=5.02$) TeV using final states with at least one charged lepton. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
340	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	
339	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	2
338	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
337	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	45
336	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	40
335	Measurement of differential cross sections in the kinematic angular variable ϕ^* for inclusive Z boson production in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	2

334	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at ($\sqrt{s_{\mathrm{NN}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	8
333	Measurement of normalized differential ($\overline{\mathrm{t}}$) cross sections in the dilepton channel from pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	12
332	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	13
331	Search for ZZ resonances in the 2ℓ final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	3
330	Jet properties in PbPb and pp collisions at ($\sqrt{s_{\mathrm{NN}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	7
329	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 140	4-2	20
328	Measurements of the ($p \rightarrow Z$) production cross section and the ($Z \rightarrow 4\ell$) branching fraction, and constraints on anomalous triple gauge couplings at ($\sqrt{s} = 13, \text{TeV}$) 2018 , 78, 1		3
327	Search for natural and split supersymmetry in proton-proton collisions at ($\sqrt{s}=13$) TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	39
326	Measurement of the top quark mass with lepton+jets final states using collisions at. <i>European Physical Journal C</i> , 2018 , 78, 891	4-2	13
325	Search for third-generation scalar leptoquarks decaying to a top quark and a lepton at. <i>European Physical Journal C</i> , 2018 , 78, 707	4-2	23
324	Measurement of differential cross sections for boson production in association with jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 965	4-2	19
323	Studies of η and mesons including the observation of the decay in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 939	4-2	12
322	Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 697	4-2	9
321	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to $e\ell$ final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	3
320	Search for new physics in dijet angular distributions using proton-proton collisions at and constraints on dark matter and other models. <i>European Physical Journal C</i> , 2018 , 78, 789	4-2	19
319	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at ($\sqrt{s}=13$ ~TeV). <i>European Physical Journal C</i> , 2018 , 78, 1	4-2	4
318	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5-4	8
317	Measurement of the cross section in pp collisions at and validation of lepton analysis techniques. <i>European Physical Journal C</i> , 2018 , 78, 708	4-2	5

316	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
315	Measurement of the weak mixing angle using the forward-backward asymmetry of Drell-Yan events in collisions at 8. <i>European Physical Journal C</i> , 2018 , 78, 701	4.2	25
314	Measurement of prompt and nonprompt charmonium suppression in collisions at 5.02. <i>European Physical Journal C</i> , 2018 , 78, 509	4.2	37
313	Electroweak production of two jets in association with a Z boson in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>European Physical Journal C</i> , 2018 , 78, 1	4.2	12
312	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	28
311	Measurements of the [Formula: see text] production cross section in lepton+jets final states in pp collisions at 8 [Formula: see text] and ratio of 8 to 7 [Formula: see text] cross sections. <i>European Physical Journal C</i> , 2017 , 77, 15	4.2	19
310	Measurement of the [Formula: see text] production cross section using events in the [Formula: see text] final state in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 172	4.2	22
309	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at ($\sqrt{s}=8$) TeV and cross section ratios to 2.76 and 7 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	34
308	Search for electroweak production of charginos in final states with two leptons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
307	Measurement of the production cross section of a W boson in association with two b jets in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 92	4.2	7
306	Measurement of the WZ production cross section in pp collisions at [Formula: see text] and 8 [Formula: see text] and search for anomalous triple gauge couplings at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 236	4.2	21
305	Measurement of prompt and nonprompt [Formula: see text] production in [Formula: see text] and [Formula: see text] collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 269	4.2	26
304	A search for new phenomena in pp collisions at [Formula: see text] in final states with missing transverse momentum and at least one jet using the [Formula: see text] variable. <i>European Physical Journal C</i> , 2017 , 77, 294	4.2	21
303	Search for new physics in the monophoton final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
302	Measurement of double-differential cross sections for top quark pair production in pp collisions at [Formula: see text][Formula: see text] and impact on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 459	4.2	16
301	Measurement of the jet mass in highly boosted [Formula: see text] events from pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 467	4.2	14
300	Measurements of the associated production of a Z boson and b jets in pp collisions at. <i>European Physical Journal C</i> , 2017 , 77, 751	4.2	15
299	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at ($\sqrt{s}=8$) TeV using $H \rightarrow WW$ decays. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10

298	Charged-particle nuclear modification factors in PbPb and pPb collisions at ($\sqrt{s_{\mathrm{N};\mathrm{N}}}=5.02$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	64
297	Search for ($\overline{\mathrm{t}}$) resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	17
296	Search for associated production of dark matter with a Higgs boson decaying to ($\overline{\mathrm{b}}$) or $\mathrm{b}\bar{\mathrm{t}}$ ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	9
295	Observation of $\Upsilon(1S)$ pair production in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	29
294	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	26
293	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	8
292	Measurement of the semileptonic ($\overline{\mathrm{t}}$) + b production cross section in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	7
291	Measurements of the $pp \rightarrow W$ and $pp \rightarrow Z$ cross sections and limits on anomalous quartic gauge couplings at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	2
290	Search for new phenomena with the variable in the all-hadronic final state produced in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 710	4-2	54
289	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	11
288	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	19
287	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	9
286	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	15
285	Suppression and azimuthal anisotropy of prompt and nonprompt [Formula: see text] production in PbPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 252	4-2	58
284	Searches for pair production of third-generation squarks in [Formula: see text][Formula: see text] pp collisions. <i>European Physical Journal C</i> , 2017 , 77, 327	4-2	17
283	Measurement of the top quark mass using single top quark events in proton-proton collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2017 , 77, 354	4-2	8
282	Searches for invisible decays of the Higgs boson in pp collisions at (\sqrt{s}) = 7, 8, and 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	74
281	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5-4	19

280	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 845	4.2	22
279	Measurement of electroweak-induced production of $W\bar{W}$ with two jets in pp collisions at ($\sqrt{s}=8$) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
278	Searches for $W\gamma$ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
277	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	5
276	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18
275	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
274	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	20
273	Search for top squark pair production in pp collisions at ($\sqrt{s}=13$) TeV using single lepton events. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	25
272	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
271	Measurement of the ($\overline{\text{t}}\text{t}$) production cross section using events with one lepton and at least one jet in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	14
270	Search for a heavy resonance decaying to a top quark and a vector-like top quark at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
269	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 578	4.2	21
268	Search for top quark partners with charge 5/3 in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	3
267	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	21
266	Measurements of jet charge with dijet events in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
265	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
264	Search for new physics with dijet angular distributions in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11
263	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	46

262	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	35
261	Search for new phenomena with multiple charged leptons in proton-proton collisions at ($\sqrt{s}=13$) (TeV). <i>European Physical Journal C</i> , 2017 , 77, 1	4.2	2
260	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at. <i>European Physical Journal C</i> , 2017 , 77, 636	4.2	20
259	Search for high-mass $Z\gamma$ resonances in e^+e^- and $\mu^+\mu^-$ final states in proton-proton collisions at ($\sqrt{s}=8$) and 13 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
258	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying leptons and two jets in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18
257	Search for CP violation in ($\overline{t}t$) production and decay in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	4
256	Measurement of the triple-differential dijet cross section in proton-proton collisions at and constraints on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 746	4.2	8
255	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
254	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	10
253	Radioactive source calibration test of the CMS Hadron Endcap Calorimeter test wedge with Phase I upgrade electronics. <i>Journal of Instrumentation</i> , 2017 , 12, P12034-P12034	1	
252	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	77
251	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	16
250	Forward-backward asymmetry of Drell-Yan lepton pairs in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 325	4.2	13
249	Search for new physics in same-sign dilepton events in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 439	4.2	34
248	Measurement of dijet azimuthal decorrelation in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 536	4.2	6
247	Search for dark matter particles in proton-proton collisions at ($\sqrt{s}=8$) TeV using the razor variables. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	2
246	Search for s channel single top quark production in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	8
245	Measurement of inclusive jet production and nuclear modifications in pPb collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 372	4.2	24

244	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	15
243	Measurement of the ($\overline{\text{t}}\text{t}$) production cross section in the $e\bar{e}$ channel in proton-proton collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	30
242	Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
241	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	9
240	Evidence for exclusive $\text{B} \rightarrow \text{W} + \text{W} \bar{\nu}$ production and constraints on anomalous quartic gauge couplings in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	27
239	Search for supersymmetry in pp collisions at ($\sqrt{s}=13$) TeV in the single-lepton final state using the sum of masses of large-radius jets. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7
238	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 460	4.2	14
237	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	9
236	Phenomenological MSSM interpretation of CMS searches in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	11
235	Measurement of the mass of the top quark in decays with a J/ψ meson in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	5
234	Measurement of the inclusive jet cross section in pp collisions at ($\sqrt{s} = 2.76, \text{text \{TeV\}}$). <i>European Physical Journal C</i> , 2016 , 76, 1	4.2	17
233	Measurement of [Formula: see text] production with additional jet activity, including [Formula: see text] quark jets, in the dilepton decay channel using pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 379	4.2	20
232	Measurement of the differential cross section and charge asymmetry for inclusive [Formula: see text] production at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 469	4.2	37
231	Observation of top quark pairs produced in association with a vector boson in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	18
230	Search for $W \rightarrow tb$ in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	2
229	Correlations between jets and charged particles in PbPb and pp collisions at ($\sqrt{s_{\text{NN}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21
228	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	2
227	Search for excited leptons in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10

226	Measurement of the [Formula: see text] production cross section in the all-jets final state in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 128	4.2	21
225	Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , 2016 , 76, 155	4.2	250
224	Search for massive WH resonances decaying into the [Formula: see text] final state at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 237	4.2	19
223	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14
222	Measurement of top quark polarisation in t-channel single top quark production. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7
221	Search for heavy Majorana neutrinos in $e\bar{e}\mu^+\mu^+$ jets and $e\bar{e}\mu^+\mu^+$ jets events in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	28
220	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into $\mu\mu$ leptons in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
219	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 13	4.2	35
218	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at ($\sqrt{s}=13$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	7
217	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at ($\sqrt{s_{\mathrm{NN}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
216	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 451	4.2	36
215	Measurement of the [Formula: see text] cross section in pp collisions at [Formula: see text] TeV and limits on anomalous gauge couplings. <i>European Physical Journal C</i> , 2016 , 76, 401	4.2	38
214	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. <i>European Physical Journal C</i> , 2016 , 76, 371	4.2	25
213	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14
212	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an [Formula: see text] pair in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 317	4.2	9
211	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	4
210	Dose rate effects in the radiation damage of the plastic scintillators of the CMS hadron endcap calorimeter. <i>Journal of Instrumentation</i> , 2016 , 11, T10004-T10004	1	10
209	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at ($\sqrt{s_{\mathrm{NN}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21

208	Search for anomalous single top quark production in association with a photon in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	20
207	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	6
206	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5-4	10
205	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. <i>European Physical Journal C</i> , 2015 , 75, 251	4-2	55
204	Measurement of electroweak production of two jets in association with a Z boson in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 66	4-2	21
203	Measurements of differential and double-differential Drell-Yan cross sections in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 147	4-2	50
202	Search for decays of stopped long-lived particles produced in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 151	4-2	33
201	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	19
200	Measurement of the ratio of the production cross sections times branching fractions of $B \rightarrow J/\psi$ and $B \rightarrow J/\psi$ and $(\mathcal{B}(\mathcal{B} \rightarrow \mathcal{B}_c \rightarrow J/\psi) / \mathcal{B}(\mathcal{B} \rightarrow \mathcal{B}_c \rightarrow J/\psi))$ in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	13
199	Search for disappearing tracks in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	35
198	Study of Z production in PbPb and pp collisions at ($\sqrt{s_{\mathrm{NN}}}=2.76$) TeV in the dimuon and dielectron decay channels. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	18
197	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	69
196	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at ($\sqrt{s}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	6
195	Search for dark matter, extra dimensions, and unparticles in monojet events in proton-proton collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 235	4-2	250
194	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 288	4-2	37
193	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 237	4-2	48
192	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 302	4-2	4
191	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 325	4-2	24

190	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	22
189	Searches for supersymmetry using the M_{T2} variable in hadronic events produced in pp collisions at 8 TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	26
188	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	33
187	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	17
186	Search for a charged Higgs boson in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	61
185	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	11
184	Search for a light charged Higgs boson decaying to $(\overline{\text{charm}})$ in pp collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-37	5-4	33
183	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	16
182	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $(\sqrt{s}=8)$ TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	
181	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	73
180	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 212	4-2	399
179	Measurement of the $Z\gamma$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	7
178	Measurement of the inclusive 3-jet production differential cross section in proton-proton collisions at 7 TeV and determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , 2015 , 75, 186	4-2	41
177	Measurement of the differential cross section for top quark pair production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 542	4-2	98
176	Measurements of the [Formula: see text][Formula: see text] production cross sections in the [Formula: see text] channel in proton-proton collisions at [Formula: see text] and [Formula: see text] and combined constraints on triple gauge couplings. <i>European Physical Journal C</i> , 2015 , 75, 511	4-2	25
175	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5-4	18
174	Measurement of the (\overline{t}) production cross section in the dilepton channel in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	43
173	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $(\sqrt{s_{NN}}) = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	60

172	Measurement of associated W + charm production in pp collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	37
171	Search for new physics in events with same-sign dileptons and jets in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	38
170	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $(\sqrt{s_{\mathrm{NN}}}) = 5.02$ (,text {TeV}). <i>European Physical Journal C</i> , 2014 , 74, 1	4-2	67
169	Measurement of WZ and ZZ production in pp collisions at [Formula: see text] in final states with b-tagged jets. <i>European Physical Journal C</i> , 2014 , 74, 2973	4-2	16
168	Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. <i>European Physical Journal C</i> , 2014 , 74, 2980	4-2	131
167	Measurement of jet multiplicity distributions in [Formula: see text] production in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3014	4-2	11
166	Study of double parton scattering using W + 2-jet events in proton-proton collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	61
165	Event activity dependence of $(Y)(nS)$ production in $(\sqrt{\{s_{\mathrm{NN}}\}}) = 5.02$ TeV pPb and $(\sqrt{s}) = 2.76$ TeV pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	42
164	. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	18
163	Evidence for the 125 GeV Higgs boson decaying to a pair of τ leptons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	101
162	Search for $W \rightarrow tb$ decays in the lepton + jets final state in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	23
161	Measurement of the triple-differential cross section for photon + jets production in proton-proton collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	15
160	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	81
159	Measurement of the t-channel single-top-quark production cross section and of the $ V_{tb} $ CKM matrix element in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	48
158	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at $(\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	21
157	Search for pair production of excited top quarks in the lepton + jets final state. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	3
156	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	74
155	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at $(\sqrt{s}) = 8$ TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5-4	59

154	Measurement of the top-quark mass in all-jets [Formula: see text] events in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2014 , 74, 2758	4.2	21
153	Study of the production of charged pions, kaons, and protons in pPb collisions at [Formula: see text]5.02[Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 2847	4.2	71
152	Probing color coherence effects in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 2901	4.2	13
151	Search for heavy neutrinos and [Formula: see text] bosons with right-handed couplings in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3149	4.2	149
150	Measurement of top quark-antiquark pair production in association with a W or Z boson in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3060	4.2	29
149	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2014 , 74, 3129	4.2	29
148	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	70
147	Measurement of pseudorapidity distributions of charged particles in proton-proton collisions at ($\sqrt{s} = 8$) TeV by the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	37
146	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8 TeV. <i>European Physical Journal C</i> , 2014 , 74, 3036	4.2	183
145	Measurement of prompt J/ψ pair production in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	41
144	Observation of the diphoton decay of the Higgs boson and measurement of its properties. <i>European Physical Journal C</i> , 2014 , 74, 3076	4.2	239
143	Search for the associated production of the Higgs boson with a top-quark pair. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	45
142	Study of hadronic event-shape variables in multijet final states in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	3
141	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at ($\sqrt{s} = 8$) TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	15
140	Identification techniques for highly boosted W bosons that decay into hadrons. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	32
139	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	144
138	Measurement of the ($\overline{t}t$) production cross section in the dilepton channel in pp collisions at ($\sqrt{s} = 8$) TeV 2014 , 2014, 1		3
137	Search for the associated production of the Higgs boson with a top-quark pair 2014 , 2014, 1		6

136	Search for microscopic black holes in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	38
135	Measurement of the (Λ_{b}^0) lifetime in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	14
134	Searches for long-lived charged particles in pp collisions at (\sqrt{s}) =7 and 8 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	96
133	Study of exclusive two-photon production of $W+W$ in pp collisions at ($\sqrt{s}=7$) TeV and constraints on anomalous quartic gauge couplings. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	56
132	Observation of a new boson with mass near 125 GeV in pp collisions at ($\sqrt{s}=7$) and 8 TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	261
131	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	35
130	Studies of jet mass in dijet and W/Z + jet events. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	39
129	Measurement of the ($\overline{\text{t}}\text{t}$) production cross section in the all-jet final state in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	14
128	Measurement of the $X(3872)$ production cross section via decays to $J/\psi \eta$ in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	44
127	Study of the underlying event at forward rapidity in pp collisions at ($\sqrt{s}=0.9, 2.76, 7$ TeV). <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	39
126	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	15
125	Search for new physics in events with same-sign dileptons and b jets in pp collisions at ($\sqrt{s}=8$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	33
124	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	30
123	Search for exotic resonances decaying into WZ/ZZ in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	16
122	Search for supersymmetry in pp collisions at [Formula: see text] TeV in events with a single lepton, jets, and missing transverse momentum. <i>European Physical Journal C</i> , 2013 , 73, 2404	4-2	15
121	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2469	4-2	49
120	Measurement of the production cross section for ($Z\gamma \rightarrow \nu \overline{\nu}$) in pp collisions at ($\sqrt{s}=7$) TeV and limits on ZZ and $Z\text{triple}$ gauge boson couplings. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	12
119	Measurement of the W-boson helicity in top-quark decays from ($\overline{\text{t}}\text{t}$) production in lepton+jets events in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5-4	25

118	Search for supersymmetry in hadronic final states with missing transverse energy using the variables and b-quark multiplicity in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2568	4.2	82
117	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	10
116	Measurement of masses in the [Formula: see text] system by kinematic endpoints in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2494	4.2	37
115	Search for physics beyond the standard model in events with leptons, jets, and large transverse momentum imbalance in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2493	4.2	10
114	Measurement of the $(\bar{t}t)$ production cross section in the $\mu\mu$ jets channel in pp collisions at ($\sqrt{s}=7$ TeV). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	21
113	Jet and underlying event properties as a function of charged-particle multiplicity in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2674	4.2	24
112	Search for top-squark pair production in the single-lepton final state in pp collisions at ($\sqrt{s}=8$ TeV). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	162
111	Measurement of the differential and double-differential Drell-Yan cross sections in proton-proton collisions at ($\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	43
110	Measurement of the cross section and angular correlations for associated production of a Z boson with b hadrons in pp collisions at ($\sqrt{s}) = 7$ TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	26
109	Measurement of the ratio of the inclusive 3-jet cross section to the inclusive 2-jet cross section in pp collisions at ($\sqrt{s} = 7$ TeV) and first determination of the strong coupling constant in the TeV range. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	50
108	Measurement of the $W+W$ cross section in pp collisions at ($\sqrt{s} = 7$ TeV) and limits on anomalous WW and WWZ couplings. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	56
107	Search for narrow resonances and quantum black holes in inclusive and b-tagged dijet mass spectra from pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	37
106	Measurement of the ZZ production cross section and search for anomalous couplings in $2\mu\mu$ final states in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	39
105	Search for supersymmetry in final states with missing transverse energy and 0, 1, 2, or 3 b-quark jets in 7 TeV pp collisions using the variable β . <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	29
104	Search for heavy quarks decaying into a top quark and a W or Z boson using lepton + jets events in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	12
103	Measurement of the sum of WW and WZ production with W+dijet events in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2013 , 73, 2283	4.2	45
102	Measurement of differential top-quark-pair production cross sections in pp collisions at ($\sqrt{s} = 7$ TeV). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	102
101	Search for new physics in events with same-sign dileptons and b jets in pp collisions at ($\sqrt{s}=8$) TeV 2013 , 2013, 1		2

100	Study of high-p T charged particle suppression in PbPb compared to pp collisions at ($\sqrt{s_{\text{NN}}}=2.76\text{~TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	316
99	Centrality dependence of dihadron correlations and azimuthal anisotropy harmonics in PbPb collisions at ($\sqrt{s_{\text{NN}}}=2.76\text{~TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	158
98	Jet production rates in association with W and Z bosons in pp collisions at ($\sqrt{s}=7\text{~TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	37
97	Exclusive $\bar{b}b$ production in proton-proton collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	45
96	Measurement of the production cross section for pairs of isolated photons in pp collisions at ($\sqrt{s}=7\text{~TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	20
95	Inclusive b-jet production in pp collisions at ($\sqrt{s}=7\text{~TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	30
94	Search for quark compositeness in dijet angular distributions from pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	12
93	Suppression of non-prompt J/ψ and (Υ) (1S) in PbPb collisions at ($\sqrt{s_{\text{NN}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	184
92	Search for heavy bottom-like quarks in 4.9 fb $^{-1}$ of pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	44
91	Measurement of the cross section for production of ($\bar{b}X$) decaying to muons in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	3
90	Measurement of the $Z/\gamma + b$ -jet cross section in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	24
89	Shape, transverse size, and charged-hadron multiplicity of jets in pp collisions at ($\sqrt{s}=7\text{~TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	27
88	Search for anomalous production of multilepton events in pp collisions at ($\sqrt{s}=7\text{~TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	65
87	Search for a light charged Higgs boson in top quark decays in pp collisions at ($\sqrt{s}=7\text{~TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	101
86	Search for leptonic decays of W^\pm bosons in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	43
85	Search for stopped long-lived particles produced in pp collisions at ($\sqrt{s}=7\text{~TeV}$). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	17
84	Search for new physics in events with same-sign dileptons and b-tagged jets in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	24
83	Measurement of the underlying event activity in pp collisions at ($\sqrt{s}=0.9$) and 7 TeV with the novel jet-area/median approach. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	11

82	Search for anomalous ($\overline{t}t$) production in the highly-boosted all-hadronic final state. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	57
81	Search for dark matter and large extra dimensions in monojet events in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	155
80	Search for a fermiophobic Higgs boson in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	13
79	Search for supersymmetry in hadronic final states using M T2 in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	92
78	Measurement of jet fragmentation into charged particles in pp and PbPb collisions at ($\sqrt{s_{\mathrm{NN}}}=2.76$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	73
77	Measurement of the ($\overline{t}t$) production cross section in the dilepton channel in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	64
76	Search for exclusive or semi-exclusive $\mu\mu$ production and observation of exclusive and semi-exclusive $e+e\mu$ production in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	45
75	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	6
74	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	41
73	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	10
72	Search for resonant ($\overline{t}t$) production in lepton+jets events in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	25
71	Observation of Z decays to four leptons with the CMS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	30
70	Measurement of the single-top-quark t-channel cross section in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	70
69	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at ($\sqrt{s}=7$;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	12
68	Measurement of the top-quark mass in ($\overline{t}t$) events with lepton+jets final states in pp collisions at ($\sqrt{s}=7$) TeV. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5-4	30
67	Measurement of the underlying event in the Drell-Yan process in proton-proton collisions at ($\sqrt{s} = 7\text{--}7\text{TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4-2	30
66	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at ($\sqrt{s} = 0.9, 2.76, 7\text{--}7\text{TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4-2	133
65	A search for a doubly-charged Higgs boson in pp collisions at ($\sqrt{s} = 7\text{ TeV}$). <i>European Physical Journal C</i> , 2012 , 72, 1	4-2	111

64	Measurement of the top-quark mass in $(\overline{\text{t}}\text{t})$ events with dilepton final states in pp collisions at $(\sqrt{s}=7 \text{ TeV})$. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	36
63	Ratios of dijet production cross sections as a function of the absolute difference in rapidity between jets in proton-proton collisions at $(\sqrt{s} = 7 \text{ TeV})$. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	17
62	Measurement of the relative prompt production rate of t and $\overline{\text{t}}$ in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2012 , 72, 2251	4.2	46
61	Forward energy flow, central charged-particle multiplicities, and pseudorapidity gaps in W and Z boson events from pp collisions at $(\sqrt{s}= 7) \text{ TeV}$. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	11
60	J/ψ and $\psi(2S)$ production in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	69
59	Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow 2\ell 2\ell$ channel in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	24
58	Search for the standard model Higgs boson in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	11
57	Search for $(\text{B}^0 \rightarrow \ell^+ \ell^-)$ and $\text{B}^0 \rightarrow \ell^+ \ell^-$ decays. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	52
56	Search for a Higgs boson in the decay channel $H \rightarrow ZZ(*) \rightarrow q(\overline{q}) \mu\mu$ in pp collisions at $(\sqrt{s} = 7) \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	21
55	Search for microscopic black holes in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	34
54	Measurement of the inclusive production cross sections for forward jets and for dijet events with one forward and one central jet in pp collisions at $(\sqrt{s} = 7) \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	13
53	Measurement of the mass difference between top and antitop quarks. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	13
52	Prompt and non-prompt J/ψ production in pp collisions at $(\sqrt{s} = 7) \text{ TeV}$. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	118
51	Measurement of the $(\overline{\text{t}}\text{t})$ production cross section in pp collisions at $(\sqrt{s}=7) \text{ TeV}$ using the kinematic properties of events with leptons and jets. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	35
50	Charged particle multiplicities in pp interactions at $(\sqrt{s} = 0.9, 2.36, \text{ and } 7 \text{ TeV})$. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	89
49	Measurements of inclusive W and Z cross sections in pp collisions at $(\sqrt{s} = 7) \text{ TeV}$. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	104
48	Search for heavy stable charged particles in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	34
47	Inclusive b-hadron production cross section with muons in pp collisions at $(\sqrt{s} = 7 \text{ TeV})$. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	21

46	Measurement of ($\overline{B} B$) angular correlations based on secondary vertex reconstruction at ($\sqrt{s} = 7, \text{TeV}$). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	27
45	Measurement of the lepton charge asymmetry in inclusive W production in pp collisions at ($\sqrt{s} = 7, \text{TeV}$). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	38
44	Measurement of Bose-Einstein correlations in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	22
43	Strange particle production in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	78
42	Search for large extra dimensions in the diphoton final state at the Large Hadron Collider. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	21
41	Search for resonances in the dilepton mass distribution in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	32
40	Search for physics beyond the standard model in opposite-sign dilepton events in pp collisions at ($\sqrt{s} = 7, \text{TeV}$). <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	26
39	Search for new physics with same-sign isolated dilepton events with jets and missing transverse energy at the LHC. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	46
38	Search for supersymmetry in events with a lepton, a photon, and large missing transverse energy in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	10
37	Measurement of the ($t\bar{t}$) production cross section and the top quark mass in the dilepton channel in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	48
36	Long-range and short-range dihadron angular correlations in central PbPb collisions at ($\sqrt{s_{NN}} = 2.76$ TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	56
35	Search for light resonances decaying into pairs of muons as a signal of new physics. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	12
34	Search for supersymmetry in events with b jets and missing transverse momentum at the LHC. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	28
33	Search for same-sign top-quark pair production at ($\sqrt{s} = 7$) TeV and limits on flavour changing neutral currents in the top sector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	39
32	Charged particle transverse momentum spectra in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	44
31	Measurement of the inclusive Z cross section via decays to tau pairs in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	17
30	Dependence on pseudorapidity and on centrality of charged hadron production in PbPb collisions at ($\sqrt{s_{NN}} = 2.76$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	87
29	Search for new physics with jets and missing transverse momentum in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5-4	46

28	Search for supersymmetry in pp collisions at ($\sqrt{s} = 7$) TeV in events with a single lepton, jets, and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	32
27	Measurement of the underlying event activity at the LHC with ($\sqrt{s} = 7$) TeV and comparison with ($\sqrt{s} = 0.9$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	70
26	Measurement of the Drell-Yan cross section in pp collisions at ($\sqrt{s} = 7$) TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	32
25	Measurement of the inclusive W and Z production cross sections in pp collisions at ($\sqrt{s} = 7$) TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	121
24	Measurement of energy flow at large pseudorapidities in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	19
23	Measurement of energy flow at large pseudorapidities in pp collisions at ($\sqrt{s} = 0.9$) and 7 TeV 2011 , 2011, 1		5
22	Search for a resonance decaying into WZ boson pairs in pp collisions. <i>Physical Review Letters</i> , 2010 , 104, 061801	7.4	16
21	Search for the associated production of a b quark and a neutral supersymmetric Higgs boson that decays into tau pairs. <i>Physical Review Letters</i> , 2010 , 104, 151801	7.4	10
20	Measurement of the $t\bar{t}$ cross section using high-multiplicity jet events. <i>Physical Review D</i> , 2010 , 82,	4.9	11
19	First measurement of the underlying event activity at the LHC with ($\sqrt{s} = 0.9$) TeV. <i>European Physical Journal C</i> , 2010 , 70, 555-572	4.2	36
18	CMS tracking performance results from early LHC operation. <i>European Physical Journal C</i> , 2010 , 70, 116541192	4.2	99
17	Observation of long-range, near-side angular correlations in proton-proton collisions at the LHC. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	389
16	Measurement of $Z/\bar{\nu} + \text{jet} + X$ angular distributions in pp collisions at $s=1.96$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2010 , 682, 370-380	4.2	27
15	Measurement of the t-channel single top quark production cross section. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2010 , 682, 363-369	4.2	36
14	Search for single top quarks in the tau + jets channel using 4.8 fb of pp collision data. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2010 , 690, 5-14	4.2	11
13	Direct measurement of the mass difference between top and antitop quarks. <i>Physical Review Letters</i> , 2009 , 103, 132001	7.4	10
12	Measurement of dijet angular distributions at square root(s) = 1.96 TeV and searches for quark compositeness and extra spatial dimensions. <i>Physical Review Letters</i> , 2009 , 103, 191803	7.4	68
11	Direct measurement of the W boson width. <i>Physical Review Letters</i> , 2009 , 103, 231802	7.4	9

10	Measurement of trilinear gauge boson couplings from $WW+WZ \rightarrow l\bar{l}$ events in pp collisions at $s=1.96$ TeV. <i>Physical Review D</i> , 2009 , 80,	4.9	12
9	Search for resonant pair production of neutral long-lived particles decaying to $b\bar{b}$ in pp collisions at $\sqrt{s}=1.96$ TeV. <i>Physical Review Letters</i> , 2009 , 103, 071801	7.4	40
8	Measurement of the W boson mass. <i>Physical Review Letters</i> , 2009 , 103, 141801	7.4	35
7	Search for next-to-minimal supersymmetric Higgs bosons in the $h \rightarrow a\bar{a} \rightarrow \mu\mu\mu\mu$, $\mu\mu\tau\tau$ channels using pp collisions at $\sqrt{s} = 1.96$ TeV. <i>Physical Review Letters</i> , 2009 , 103, 061801	7.4	52
6	A novel method for modeling the recoil in W boson events at hadron colliders. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2009 , 609, 250-262	1.2	5
5	Search for squark production in events with jets, hadronically decaying tau leptons and missing transverse energy at $\sqrt{s} = 1.96$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2009 , 680, 24-33	4.2	7
4	Search for pair production of first-generation leptoquarks in pp collisions at $\sqrt{s} = 1.96$ TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2009 , 681, 224-232	4.2	20
3	Search for charged Higgs bosons in top quark decays. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2009 , 682, 278-286	4.2	92
2	Determination of the strong coupling constant from the inclusive jet cross section in pp collisions at $s=1.96$ TeV. <i>Physical Review D</i> , 2009 , 80,	4.9	43
1	Search for charged Higgs bosons in decays of top quarks. <i>Physical Review D</i> , 2009 , 80,	4.9	20