

Weiguo Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4459532/publications.pdf>

Version: 2024-02-01

77
papers

1,419
citations

279798

23
h-index

395702

33
g-index

77
all docs

77
docs citations

77
times ranked

997
citing authors

#	ARTICLE	IF	CITATIONS
1	A Theoretical Model for Predicting the Ultimate Strength of Superalloys in a Wide Temperature Range. <i>Advanced Engineering Materials</i> , 2022, 24, .	3.5	1
2	Modeling the effect of temperature on the yield strength of precipitation strengthening Ni-base superalloys. <i>International Journal of Plasticity</i> , 2019, 116, 143-158.	8.8	54
3	Segregation and mechanical properties of Si, Fe and Ti on the Al/Al ₂ X _{0.5} Zr (X = Cu, Zn, Ag) coherent interfaces: First-principles calculations. <i>Computational Materials Science</i> , 2018, 141, 325-340.	3.0	6
4	An ascending thermal shock study of ceramics: Size effects and the characterization method. <i>Materials Chemistry and Physics</i> , 2018, 203, 34-39.	4.0	5
5	A Theoretical Model for Predicting Fracture Strength and Critical Flaw Size of the ZrB ₂ -ZrC Composites at High Temperatures. <i>Applied Composite Materials</i> , 2018, 25, 635-646.	2.5	2
6	Modeling the temperature and test rate dependent fracture strength of zirconia and alumina single crystal fibers. <i>Composites Part B: Engineering</i> , 2018, 133, 26-34.	12.0	6
7	Modeling of temperature dependent yield strength for stainless steel considering nonlinear behavior and the effect of phase transition. <i>Construction and Building Materials</i> , 2018, 159, 147-154.	7.2	19
8	Temperature-dependent critical resolved shear stress model for (Cu–Au)–Co alloys in pure shear mode. <i>Philosophical Magazine</i> , 2018, 98, 251-261.	1.6	3
9	Temperature dependent first matrix cracking stress model for the unidirectional fiber reinforced ceramic composites. <i>Journal of the European Ceramic Society</i> , 2017, 37, 1305-1310.	5.7	18
10	The Phase Stability, Ductility and Hardness of MoN and NbN: First-Principles Study. <i>Journal of Electronic Materials</i> , 2017, 46, 1914-1925.	2.2	8
11	Characterization models for thermal shock resistance and fracture strength of ultra-high temperature ceramics at high temperatures. <i>Theoretical and Applied Fracture Mechanics</i> , 2017, 90, 1-13.	4.7	19
12	Temperature dependent fracture strength model for the laminated ZrB ₂ based composites. <i>Composite Structures</i> , 2017, 162, 39-46.	5.8	23
13	Temperature Dependent Residual Stress Models for Ultra-High-Temperature Ceramics on High Temperature Oxidation. <i>Applied Composite Materials</i> , 2017, 24, 879-891.	2.5	3
14	A theoretical model for yield strength anomaly of Ni-base superalloys at elevated temperature. <i>Journal of Alloys and Compounds</i> , 2017, 706, 340-343.	5.5	18
15	A novel temperature dependent yield strength model for metals considering precipitation strengthening and strain rate. <i>Computational Materials Science</i> , 2017, 129, 147-155.	3.0	35
16	Theoretical models and influencing factor analysis for the temperature-dependent tensile strength of ceramic fibers and their unidirectional composites. <i>Composite Structures</i> , 2017, 164, 23-31.	5.8	21
17	First-principles calculations on the stacking fault energy, surface energy and dislocation properties of NbCr ₂ and HfCr ₂ . <i>Computational Materials Science</i> , 2017, 140, 334-343.	3.0	13
18	A novel theoretical model for the temperature dependence of band gap energy in semiconductors. <i>Journal Physics D: Applied Physics</i> , 2017, 50, 40LT02.	2.8	28

#	ARTICLE	IF	CITATIONS
19	Determining fracture strength and critical flaw of the ZrB ₂ /SiC composites on high temperature oxidation using theoretical method. <i>Composites Part B: Engineering</i> , 2017, 129, 198-203.	12.0	18
20	Fracture strength of the particulate-reinforced ultra-high temperature ceramics based on a temperature dependent fracture toughness model. <i>Journal of the Mechanics and Physics of Solids</i> , 2017, 107, 365-378.	4.8	50
21	A novel theoretical model to predict the temperature-dependent fracture strength of ceramic materials. <i>Journal of the European Ceramic Society</i> , 2017, 37, 5071-5077.	5.7	30
22	Thermal shock resistance of ultra-high temperature ceramics under active cooling condition including the effects of external constraints. <i>Applied Thermal Engineering</i> , 2017, 110, 1247-1254.	6.0	12
23	First-principles study on the adhesive properties of Al/TiC interfaces: Revisited. <i>Computational Materials Science</i> , 2017, 126, 108-120.	3.0	23
24	Effects of mechanical shock on thermal shock behavior of ceramics in quenching experiments. <i>Ceramics International</i> , 2017, 43, 1584-1587.	4.8	12
25	Theoretical prediction of temperature dependent shear modulus of bulk metallic glasses. <i>Intermetallics</i> , 2017, 91, 86-89.	3.9	5
26	The Adhesive Properties of Coherent and Semicoherent NiAl/V Interfaces Within the Peierls-Nabarro Model. <i>Crystals</i> , 2016, 6, 32.	2.2	7
27	Thermal Shock Resistance of Chemical Vapour Deposited Zinc Sulfide at Elevated Temperatures. <i>Transactions of the Indian Ceramic Society</i> , 2016, 75, 215-219.	1.0	2
28	The Effects of Water Entry Postures on the Thermal Shock Behavior of Alumina. <i>International Journal of Applied Ceramic Technology</i> , 2016, 13, 56-60.	2.1	11
29	Theoretical prediction of temperature dependent yield strength for metallic materials. <i>International Journal of Mechanical Sciences</i> , 2016, 105, 273-278.	6.7	70
30	Tensile properties and temperature-dependent yield strength prediction of GH4033 wrought superalloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2016, 676, 165-172.	5.6	28
31	The structural stability, mechanical properties and stacking fault energy of Al ₃ Zr precipitates in Al-Cu-Zr alloys: HRTEM observations and first-principles calculations. <i>Journal of Alloys and Compounds</i> , 2016, 681, 96-108.	5.5	49
32	Structural stability, mechanical properties and stacking fault energies of TiAl ₃ alloyed with Zn, Cu, Ag: First-principles study. <i>Journal of Alloys and Compounds</i> , 2016, 666, 185-196.	5.5	47
33	The temperature-dependent fracture models for fiber-reinforced ceramic matrix composites. <i>Composite Structures</i> , 2016, 140, 534-539.	5.8	36
34	Phase stability, mechanical properties and electronic structure of TiAl alloying with W, Mo, Sc and Yb: First-principles study. <i>Journal of Alloys and Compounds</i> , 2016, 658, 689-696.	5.5	53
35	The transformation pathways for virtual long period stacking-ordered Mg: First-principles study. <i>Computational Materials Science</i> , 2016, 114, 1-12.	3.0	2
36	Influence of thermal shock damage on the flexure strength of alumina ceramic at different temperatures. <i>Materials Letters</i> , 2016, 173, 91-94.	2.6	17

#	ARTICLE	IF	CITATIONS
37	A Model for Determining Strength for Embedded Elliptical Crack in Ultra-high-temperature Ceramics. <i>Materials</i> , 2015, 8, 5018-5027.	2.9	0
38	Effects of In-Plane Geometric Shapes on Thermal Shock Resistance of Ultra-High Temperature Ceramic Components. <i>Transactions of the Indian Ceramic Society</i> , 2015, 74, 6-10.	1.0	1
39	Third Order Elastic Constants and Debye Temperature of MgB ₂ Under Different Pressure: First-Principles Methods. <i>Journal of Superconductivity and Novel Magnetism</i> , 2015, 28, 1483-1489.	1.8	7
40	The Core Structure and Peierls Stress of $\frac{1}{2}\langle 11\bar{2}0 \rangle$ Dislocations in MgB ₂ with Mg and B Vacancies. <i>Journal of Superconductivity and Novel Magnetism</i> , 2015, 28, 1743-1748.	1.8	1
41	Effects of mechanical boundary conditions on thermal shock resistance of ultra-high temperature ceramics. <i>Applied Mathematics and Mechanics (English Edition)</i> , 2015, 36, 201-210.	3.6	6
42	High temperature and pressure effects on the elastic properties of B2 intermetallics AgRE. <i>Open Physics</i> , 2015, 13, .	1.7	1
43	The mechanical and electronic properties of Al/TiC interfaces alloyed by Mg, Zn, Cu, Fe and Ti: First-principles study. <i>Physica Scripta</i> , 2015, 90, 035701.	2.5	13
44	Effects of microstructures and flaw evolution on the fracture strength of ZrB ₂ /MoSi ₂ composites under high temperatures. <i>Journal of Alloys and Compounds</i> , 2015, 644, 582-588.	5.5	19
45	First principles study on the phase stability and mechanical properties of MoSi ₂ alloyed with Al, Mg and Ge. <i>Intermetallics</i> , 2015, 67, 26-34.	3.9	24
46	A new temperature dependent fracture strength model for the ZrB ₂ /SiC composites. <i>Journal of the European Ceramic Society</i> , 2015, 35, 2957-2962.	5.7	62
47	First principle study on the temperature dependent elastic constants, anisotropy, generalized stacking fault energy and dislocation core of NiAl and FeAl. <i>Computational Materials Science</i> , 2015, 103, 116-125.	3.0	40
48	High Pressure Effects on the Properties of $\frac{1}{2}\langle 110 \rangle$ Dislocation in Superconducting ZnCNi ₃ and MgCNi ₃ Determined from First Principles Calculations Combined with an Improved Peierls-Nabarro Equation. <i>Journal of Superconductivity and Novel Magnetism</i> , 2015, 28, 2281-2291.	1.8	0
49	The direct uniaxial tensile strength of chemical vapor deposited zinc sulfide from room temperature to 600°C. <i>Materials Letters</i> , 2015, 158, 140-142.	2.6	6
50	Elastic properties of magnesium with virtual long-period stacking-ordered structure: First-principles study. <i>Computational Materials Science</i> , 2015, 110, 191-197.	3.0	9
51	Thermal shock study of ceramic materials subjected to heating using a simple developed test method. <i>Journal of Alloys and Compounds</i> , 2015, 626, 56-59.	5.5	13
52	Effect of the cooling medium temperature on the thermal shock resistance of ceramic materials. <i>Materials Letters</i> , 2015, 138, 216-218.	2.6	23
53	Temperature dependence of the three-point bending fracture behavior of soda-lime-silica glass with surface scratch. <i>Journal of Non-Crystalline Solids</i> , 2015, 409, 126-130.	3.1	16
54	The Temperature-Dependent Ideal Tensile Strength of ZrB ₂ , HfB ₂ , and TiB ₂ . <i>Journal of the American Ceramic Society</i> , 2015, 98, 190-196.	3.8	35

#	ARTICLE	IF	CITATIONS
55	Thermal Shock Resistance of Ultra-High-Temperature Ceramic Thermal Protection System. <i>Journal of Spacecraft and Rockets</i> , 2014, 51, 986-990.	1.9	12
56	Effect of temperature on elastic constants, generalized stacking fault energy and dislocation cores in MgO and CaO. <i>Computational Condensed Matter</i> , 2014, 1, 38-44.	2.1	13
57	A Constitutive Description for Shape Memory Alloys with the Growth of Martensite Band. <i>Materials</i> , 2014, 7, 576-590.	2.9	1
58	Heat Transfer and Failure Mode Analyses of Ultrahigh-Temperature Ceramic Thermal Protection System of Hypersonic Vehicles. <i>Mathematical Problems in Engineering</i> , 2014, 2014, 1-11.	1.1	4
59	Unified Thermal Shock Resistance of Ultra-High Temperature Ceramics Under Different Thermal Environments. <i>Journal of Thermal Stresses</i> , 2014, 37, 14-33.	2.0	27
60	Modeling of the temperature-dependent ideal tensile strength of solids. <i>Physica Scripta</i> , 2014, 89, 085803.	2.5	10
61	Tomographic reconstruction of damage images in hollow cylinders using Lamb waves. <i>Ultrasonics</i> , 2014, 54, 2015-2023.	3.9	18
62	Thermal shock resistance of ZnS wave-transparent ceramic considering the effects of constraint and pneumatic pressure. <i>Journal of the Ceramic Society of Japan</i> , 2014, 122, 688-694.	1.1	6
63	Thermal Shock Resistance of Ultra-High-Temperature Ceramics Under Aerodynamic Thermal Environments. <i>AIAA Journal</i> , 2013, 51, 840-848.	2.6	30
64	Theoretical Research on Thermal Shock Resistance of Ultra-High Temperature Ceramics Focusing on the Adjustment of Stress Reduction Factor. <i>Materials</i> , 2013, 6, 551-564.	2.9	6
65	A THERMO-DAMAGE STRENGTH MODEL FOR THE SiC-DEPLETED LAYER OF ULTRA-HIGH-TEMPERATURE CERAMICS ON HIGH TEMPERATURE OXIDATION. <i>International Journal of Applied Mechanics</i> , 2013, 05, 1350026.	2.2	8
66	Numerical Simulation for Thermal Shock Resistance of Thermal Protection Materials Considering Different Operating Environments. <i>Scientific World Journal</i> , The, 2013, 2013, 1-7.	2.1	1
67	A Thermodamage Strength Theoretical Model of Ceramic Materials Taking into Account the Effect of Residual Stress. <i>Advances in Materials Science and Engineering</i> , 2012, 2012, 1-7.	1.8	1
68	Effective thermal conductivity of ultra-high temperature ceramics with thermal contact resistance. <i>Physica Scripta</i> , 2012, 86, 055402.	2.5	6
69	Modelling the effect of temperature and damage on the fracture strength of ultra-high temperature ceramics. <i>International Journal of Fracture</i> , 2012, 176, 181-188.	2.2	23
70	Temperature-damage-dependent thermal shock resistance model for ultra-high temperature ceramics. <i>Engineering Fracture Mechanics</i> , 2012, 82, 9-16.	4.3	16
71	Thermal shock resistance of ultra-high temperature ceramics including the effects of thermal environment and external constraints. <i>Materials & Design</i> , 2012, 37, 211-214.	5.1	20
72	A Temperature-Damage-Dependent Fracture Strength Model for Ultra-High Temperature Ceramics. <i>Advanced Science Letters</i> , 2012, 5, 535-537.	0.2	0

#	ARTICLE	IF	CITATIONS
73	A Model of Temperature-Dependent Young's Modulus for Ultrahigh Temperature Ceramics. Research Letters in Physics, 2011, 2011, 1-3.	0.2	41
74	Numerical Simulation for Thermal Shock Resistance of Ultra-High Temperature Ceramics Considering the Effects of Initial Stress Field. Advances in Materials Science and Engineering, 2011, 2011, 1-7.	1.8	3
75	The temperature-dependent fracture strength model for ultra-high temperature ceramics. Acta Mechanica Sinica/Lixue Xuebao, 2010, 26, 235-239.	3.4	122
76	Thermal shock modeling of Ultra-High Temperature Ceramics under active cooling. Computers and Mathematics With Applications, 2009, 58, 2373-2378.	2.7	15
77	EFFECTS OF THERMAL ENVIRONMENTS ON THE THERMAL SHOCK RESISTANCE OF ULTRA-HIGH TEMPERATURE CERAMICS. Modern Physics Letters B, 2008, 22, 1375-1380.	1.9	6