

Steven B Harrod

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4460925/publications.pdf>

Version: 2024-02-01

20
papers

365
citations

840776

11
h-index

839539

18
g-index

24
all docs

24
docs citations

24
times ranked

363
citing authors

#	ARTICLE	IF	CITATIONS
1	Chronic SSRI treatment reverses HIV-1 protein-mediated synaptodendritic damage. <i>Journal of NeuroVirology</i> , 2021, 27, 403-421.	2.1	5
2	S-Equal mitigates motivational deficits and dysregulation associated with HIV-1. <i>Scientific Reports</i> , 2021, 11, 11870.	3.3	11
3	HIV-Associated Apathy/Depression and Neurocognitive Impairments Reflect Persistent Dopamine Deficits. <i>Cells</i> , 2021, 10, 2158.	4.1	18
4	HIV Infection and Neurocognitive Disorders in the Context of Chronic Drug Abuse: Evidence for Divergent Findings Dependent upon Prior Drug History. <i>Journal of NeuroImmune Pharmacology</i> , 2020, 15, 715-728.	4.1	20
5	A Hydrophobic Tissue Clearing Method for Rat Brain Tissue. <i>Journal of Visualized Experiments</i> , 2020, , .	0.3	2
6	Selective monoaminergic and histaminergic circuit dysregulation following long-term HIV-1 protein exposure. <i>Journal of NeuroVirology</i> , 2019, 25, 540-550.	2.1	25
7	Posterior ventral tegmental area-nucleus accumbens shell circuitry modulates response to novelty. <i>PLoS ONE</i> , 2019, 14, e0213088.	2.5	8
8	HIV-1 proteins dysregulate motivational processes and dopamine circuitry. <i>Scientific Reports</i> , 2018, 8, 7869.	3.3	37
9	The role of sensory modality in prepulse inhibition: An ontogenetic study. <i>Developmental Psychobiology</i> , 2016, 58, 211-222.	1.6	9
10	Intra-ventral tegmental area HIV-1 Tat1â€“86 attenuates nicotine-mediated locomotor sensitization and alters mesocorticolimbic ERK and CREB signaling in rats. <i>Frontiers in Microbiology</i> , 2015, 6, 540.	3.5	13
11	IV prenatal nicotine exposure increases the reinforcing efficacy of methamphetamine in adult rat offspring. <i>Drug and Alcohol Dependence</i> , 2014, 141, 92-98.	3.2	11
12	Intravenous gestational nicotine exposure results in increased motivation for sucrose reward in adult rat offspring. <i>Drug and Alcohol Dependence</i> , 2012, 124, 299-306.	3.2	21
13	Offspring of Prenatal IV Nicotine Exposure Exhibit Increased Sensitivity to the Reinforcing Effects of Methamphetamine. <i>Frontiers in Pharmacology</i> , 2012, 3, 116.	3.5	15
14	Gestational IV nicotine produces elevated brainâ€“derived neurotrophic factor in the mesocorticolimbic dopamine system of adolescent rat offspring. <i>Synapse</i> , 2011, 65, 1382-1392.	1.2	26
15	Persistent expression of methamphetamine-induced CTA in periadolescent rats. <i>Pharmacology Biochemistry and Behavior</i> , 2010, 96, 515-520.	2.9	4
16	Sex differences in tolerance to the locomotor depressant effects of lobeline in periadolescent rats. <i>Pharmacology Biochemistry and Behavior</i> , 2009, 94, 296-304.	2.9	10
17	Sex differences in nicotine levels following repeated intravenous injection in rats are attenuated by gonadectomy. <i>Pharmacology Biochemistry and Behavior</i> , 2007, 86, 32-36.	2.9	25
18	Home cage observations following acute and repeated IV cocaine in intact and gonadectomized rats. <i>Neurotoxicology and Teratology</i> , 2005, 27, 891-896.	2.4	7

#	ARTICLE	IF	CITATIONS
19	Acute and repeated intravenous cocaine-induced locomotor activity is altered as a function of sex and gonadectomy. <i>Pharmacology Biochemistry and Behavior</i> , 2005, 82, 170-181.	2.9	30
20	Sex differences and repeated intravenous nicotine: behavioral sensitization and dopamine receptors. <i>Pharmacology Biochemistry and Behavior</i> , 2004, 78, 581-592.	2.9	65