

Chung-Chiun Liu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4461144/chung-chiun-liu-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

151
papers

5,253
citations

40
h-index

65
g-index

162
ext. papers

6,059
ext. citations

7.1
avg, IF

5.96
L-index

#	Paper	IF	Citations
151	Innentitelbild: An Integrated Multi-Function Heterogeneous Biochemical Circuit for High-Resolution Electrochemistry-Based Genetic Analysis (<i>Angew. Chem.</i> 46/2020). <i>Angewandte Chemie</i> , 2020 , 132, 20426-20426	3.6	
150	Surpassing the detection limit and accuracy of the electrochemical DNA sensor through the application of CRISPR Cas systems. <i>Biosensors and Bioelectronics</i> , 2020 , 155, 112100	11.8	61
149	Phase-Regulated Sensing Mechanism of MoS Based Nanohybrids toward Point-of-Care Prostate Cancer Diagnosis. <i>Small</i> , 2020 , 16, e2000307	11	3
148	Immunoglobulin G-Based Steric Hindrance Assay for Protein Detection. <i>ACS Sensors</i> , 2020 , 5, 140-146	9.2	8
147	An Integrated Multi-Function Heterogeneous Biochemical Circuit for High-Resolution Electrochemistry-Based Genetic Analysis. <i>Angewandte Chemie</i> , 2020 , 132, 20726-20732	3.6	1
146	An Integrated Multi-Function Heterogeneous Biochemical Circuit for High-Resolution Electrochemistry-Based Genetic Analysis. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 20545-20551	16.4	13
145	Detection of Phenylketonuria Markers Using a ZIF-67 Encapsulated PtPd Alloy Nanoparticle (PtPd@ZIF-67)-Based Disposable Electrochemical Microsensor. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 20734-20742	9.5	25
144	A New Class of Low-Temperature Plasma-Activated, Inorganic Salt-Based Particle-Free Inks for Inkjet Printing Metals. <i>Advanced Materials Technologies</i> , 2019 , 4, 1900119	6.8	17
143	Recent Advances on Electrochemical Biosensing Strategies toward Universal Point-of-Care Systems. <i>Angewandte Chemie</i> , 2019 , 131, 12483-12496	3.6	30
142	Recent Advances on Electrochemical Biosensing Strategies toward Universal Point-of-Care Systems. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 12355-12368	16.4	87
141	Effects of Second Metal Oxides on Surface-Mediated Reduction of Contaminants by Fe(II) with Iron Oxide. <i>ACS Earth and Space Chemistry</i> , 2019 , 3, 680-687	3.2	6
140	Effects of MnO ₂ of different structures on activation of peroxymonosulfate for bisphenol A degradation under acidic conditions. <i>Chemical Engineering Journal</i> , 2019 , 370, 906-915	14.7	98
139	Dynamic Control of Peptide Strand Displacement Reaction Using Functional Biomolecular Domain for Biosensing. <i>ACS Sensors</i> , 2019 , 4, 1980-1985	9.2	6
138	Exploring the Trans-Cleavage Activity of CRISPR-Cas12a (cpf1) for the Development of a Universal Electrochemical Biosensor. <i>Angewandte Chemie</i> , 2019 , 131, 17560-17566	3.6	16
137	Exploring the Trans-Cleavage Activity of CRISPR-Cas12a (cpf1) for the Development of a Universal Electrochemical Biosensor. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 17399-17405	16.4	176
136	Strand Displacement Strategies for Biosensor Applications. <i>Trends in Biotechnology</i> , 2019 , 37, 1367-1382	15.1	31
135	Recent Developments of Electrochemical and Optical Biosensors for Antibody Detection. <i>International Journal of Molecular Sciences</i> , 2019 , 21,	6.3	17

134	Innentitelbild: Exploring the Trans-Cleavage Activity of CRISPR-Cas12a (cpf1) for the Development of a Universal Electrochemical Biosensor (Angew. Chem. 48/2019). <i>Angewandte Chemie</i> , 2019 , 131, 17242-17242	3.6	17
133	Neutral Charged Immunosensor Platform for Protein-based Biomarker Analysis with Enhanced Sensitivity. <i>ACS Sensors</i> , 2019 , 4, 161-169	9.2	17
132	Nanoparticle based simple electrochemical biosensor platform for profiling of protein-nucleic acid interactions. <i>Talanta</i> , 2019 , 195, 46-54	6.2	11
131	Highly sensitive electrochemical analysis of tunnel structured MnO ₂ nanoparticle-based sensors on the oxidation of nitrite. <i>Sensors and Actuators B: Chemical</i> , 2019 , 281, 746-750	8.5	33
130	Novel Fe ₂ O ₃ /BiVO ₄ heterojunctions for enhancing NO ₂ sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2018 , 268, 136-143	8.5	36
129	Synthesis of Co ₃ O ₄ /TiO ₂ composite by pyrolyzing ZIF-67 for detection of xylene. <i>Applied Surface Science</i> , 2018 , 435, 384-392	6.7	33
128	NiO hierarchical hollow microspheres doped Fe to enhance triethylamine sensing properties. <i>Materials Letters</i> , 2018 , 210, 305-308	3.3	13
127	A Cuprous Oxide Thin Film Non-Enzymatic Glucose Sensor Using Differential Pulse Voltammetry and Other Voltammetry Methods and a Comparison to Different Thin Film Electrodes on the Detection of Glucose in an Alkaline Solution. <i>Biosensors</i> , 2018 , 8,	5.9	18
126	Application of bioconjugation chemistry on biosensor fabrication for detection of TAR-DNA binding protein 43. <i>Biosensors and Bioelectronics</i> , 2018 , 117, 60-67	11.8	25
125	Bioconjugated, Single-Use Biosensor for the Detection of Biomarkers of Prostate Cancer. <i>ACS Omega</i> , 2018 , 3, 6411-6418	3.9	10
124	Construction of NiO@ZnSnO ₃ hierarchical microspheres decorated with NiO nanosheets for formaldehyde sensing. <i>Sensors and Actuators B: Chemical</i> , 2018 , 259, 908-916	8.5	34
123	Advanced fabrication of biosensor on detection of Glypican-1 using S-Acetylmercaptosuccinic anhydride (SAMSA) modification of antibody. <i>Scientific Reports</i> , 2018 , 8, 13541	4.9	8
122	Effect of MnO Phase Structure on the Oxidative Reactivity toward Bisphenol A Degradation. <i>Environmental Science & Technology</i> , 2018 , 52, 11309-11318	10.3	107
121	Surface functionalization of Co ₃ O ₄ hollow spheres with ZnO nanoparticles for modulating sensing properties of formaldehyde. <i>Sensors and Actuators B: Chemical</i> , 2017 , 245, 359-368	8.5	62
120	Facile preparation of SnO ₂ /NiO composites and enhancement of sensing performance to NO ₂ . <i>Sensors and Actuators B: Chemical</i> , 2017 , 249, 22-29	8.5	47
119	Highly effective and specific way for the trace analysis of carbaryl insecticides based on Au ₄₂ Rh ₅₈ alloy nanocrystals. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 7064-7071	13	15
118	A flexible sensor based on polyaniline hybrid using ZnO as template and sensing properties to triethylamine at room temperature. <i>Applied Surface Science</i> , 2017 , 399, 583-591	6.7	35
117	Facile preparation of polypyrrole-reduced graphene oxide hybrid for enhancing NH ₃ sensing at room temperature. <i>Sensors and Actuators B: Chemical</i> , 2017 , 241, 658-664	8.5	73

116	In Vitro Quantified Determination of β Amyloid 42 Peptides, a Biomarker of Neuro-Degenerative Disorders, in PBS and Human Serum Using a Simple, Cost-Effective Thin Gold Film Biosensor. <i>Biosensors</i> , 2017 , 7,	5.9	11
115	A Simple, Cost-Effective Sensor for Detecting Lead Ions in Water Using Under-Potential Deposited Bismuth Sub-Layer with Differential Pulse Voltammetry (DPV). <i>Sensors</i> , 2017 , 17,	3.8	14
114	A Single-Use, In Vitro Biosensor for the Detection of T-Tau Protein, A Biomarker of Neuro-Degenerative Disorders, in PBS and Human Serum Using Differential Pulse Voltammetry (DPV). <i>Biosensors</i> , 2017 , 7,	5.9	36
113	Detection of 17 β Estradiol in Environmental Samples and for Health Care Using a Single-Use, Cost-Effective Biosensor Based on Differential Pulse Voltammetry (DPV). <i>Biosensors</i> , 2017 , 7,	5.9	25
112	Preparation of reduced graphene oxide/Co ₃ O ₄ composites and sensing performance to toluene at low temperature. <i>RSC Advances</i> , 2016 , 6, 60109-60116	3.7	29
111	Single-Use Disposable Electrochemical Label-Free Immunosensor for Detection of Glycated Hemoglobin (HbA1c) Using Differential Pulse Voltammetry (DPV). <i>Sensors</i> , 2016 , 16,	3.8	26
110	Facile synthesis of β MoO ₃ nanorods with high sensitivity to CO and intrinsic sensing performance. <i>Materials Research Bulletin</i> , 2015 , 64, 252-256	5.1	29
109	Pt ₃₅ Cu ₆₅ nanoarchitecture: a highly durable and effective electrocatalyst towards methanol oxidation. <i>Nanotechnology</i> , 2015 , 26, 135706	3.4	8
108	Facile fabrication of 3D layer-by-layer graphene-gold nanorod hybrid architecture for hydrogen peroxide based electrochemical biosensor. <i>Sensing and Bio-Sensing Research</i> , 2015 , 3, 7-11	3.3	20
107	Monodisperse AuM (M=Pt, Rh, Pt) bimetallic nanocrystals for enhanced electrochemical detection of H ₂ O ₂ . <i>Sensors and Actuators B: Chemical</i> , 2015 , 207, 404-412	8.5	37
106	Improvement of TiO ₂ photocatalytic properties under visible light by WO ₃ /TiO ₂ and MoO ₃ /TiO ₂ composites. <i>Applied Surface Science</i> , 2015 , 338, 61-68	6.7	102
105	Three dimensional graphene foam supported platinum-ruthenium bimetallic nanocatalysts for direct methanol and direct ethanol fuel cell applications. <i>Journal of Power Sources</i> , 2014 , 256, 329-335	8.9	56
104	Carbon Felt Coated with Titanium Dioxide/Carbon Black Composite as Negative Electrode for Vanadium Redox Flow Battery. <i>Journal of the Electrochemical Society</i> , 2014 , 161, A1132-A1138	3.9	52
103	Reverse microemulsion in situ crystallizing growth of ZnO nanorods and application for NO ₂ sensor. <i>Sensors and Actuators B: Chemical</i> , 2014 , 190, 760-767	8.5	31
102	Integrated Pt ₂ Ni alloy@Pt core-shell nanoarchitectures with high electrocatalytic activity for oxygen reduction reaction. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 11400	13	25
101	Intrinsic characteristic and mechanism in enhancing H ₂ S sensing of Cd-doped β MoO ₃ nanobelts. <i>Sensors and Actuators B: Chemical</i> , 2014 , 204, 754-762	8.5	82
100	Sensing performance and mechanism of Fe-doped ZnO microflowers. <i>Sensors and Actuators B: Chemical</i> , 2014 , 195, 657-666	8.5	75
99	Trimetallic (aurod-pdshell-ptcluster) catalyst used as amperometric hydrogen peroxide sensor. <i>Biosensors</i> , 2014 , 4, 461-71	5.9	1

98	Preparation and characterization of three dimensional graphene foam supported platinum-ruthenium bimetallic nanocatalysts for hydrogen peroxide based electrochemical biosensors. <i>Biosensors and Bioelectronics</i> , 2014 , 52, 1-7	11.8	104
97	Bimetallic catalyst of PtIr nanoparticles with high electrocatalytic ability for hydrogen peroxide oxidation. <i>Sensors and Actuators B: Chemical</i> , 2014 , 190, 55-60	8.5	28
96	Fabrication of Ir nanoparticle-based biosensors by plasma electrochemical reduction for enzyme-free detection of hydrogen peroxide. <i>Catalysis Today</i> , 2013 , 211, 137-142	5.3	13
95	Sonochemical synthesis of hierarchically assembled tungsten oxides with excellent NO ₂ -sensing properties. <i>Materials Letters</i> , 2013 , 111, 32-34	3.3	15
94	Mechanism enhancing gas sensing and first-principle calculations of Al-doped ZnO nanostructures. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 11335	13	110
93	Dendritic platinum-decorated gold nanoparticles for non-enzymatic glucose biosensing. <i>Journal of Materials Chemistry B</i> , 2013 , 1, 5925-5932	7.3	20
92	Bimetallic PtM (M = Cu, Ni, Pd, and Rh) nanoporous for H ₂ O ₂ based amperometric biosensors. <i>Sensors and Actuators B: Chemical</i> , 2013 , 179, 209-214	8.5	65
91	Intrinsic sensing properties of the flower-like ZnO nanostructures. <i>Sensors and Actuators B: Chemical</i> , 2013 , 182, 747-754	8.5	51
90	Fabrication and application of amperometric glucose biosensor based on a novel PtPd bimetallic nanoparticle decorated multi-walled carbon nanotube catalyst. <i>Biosensors and Bioelectronics</i> , 2012 , 33, 75-81	11.8	114
89	Bimetallic PtM (M=Pt, Ir) nanoparticle decorated multi-walled carbon nanotube enzyme-free, mediator-less amperometric sensor for H ₂ O ₂ . <i>Biosensors and Bioelectronics</i> , 2012 , 33, 120-7	11.8	142
88	Effect of Calcination Temperature on NO_2 Sensing Properties for Quantum Size ZnO Crystals. <i>IEEE Sensors Journal</i> , 2012 , 12, 1122-1126	4	5
87	PtAu core/shell nanorods: preparation and applications as electrocatalysts for fuel cells. <i>Journal of Materials Chemistry</i> , 2012 , 22, 4641		39
86	Quantum-sized ZnO nanoparticles synthesized in aqueous medium for toxic gases detection. <i>Journal of Alloys and Compounds</i> , 2012 , 539, 205-209	5.7	18
85	Detection of Alpha-Methylacyl-CoA Racemase (AMACR), a Biomarker of Prostate Cancer, in Patient Blood Samples Using a Nanoparticle Electrochemical Biosensor. <i>Biosensors</i> , 2012 , 2, 377-87	5.9	19
84	Ultrasonic synthesis of MoO ₃ nanorods and their gas sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2012 , 174, 51-58	8.5	145
83	Low-temperature hydrothermal synthesis of WO ₃ nanorods and their sensing properties for NO ₂ . <i>Journal of Materials Chemistry</i> , 2012 , 22, 12643		189
82	Development of an electrochemical-based aspartate aminotransferase nanoparticle ir-C biosensor for screening of liver diseases. <i>Biosensors</i> , 2012 , 2, 234-44	5.9	5
81	Electrochemical based biosensors. <i>Biosensors</i> , 2012 , 2, 269-72	5.9	11

80	Three Dimensional PtRh Alloy Porous Nanostructures: Tuning the Atomic Composition and Controlling the Morphology for the Application of Direct Methanol Fuel Cells. <i>Advanced Functional Materials</i> , 2012 , 22, 3570-3575	15.6	96
79	Gas Sensing Properties of Quantum-Sized ZnO Nanoparticles for NO_2 . <i>IEEE Sensors Journal</i> , 2012 , 12, 1234-1238	4	9
78	Improvement of Amperometric Biosensor Performance for H_2O_2 Detection based on Bimetallic PtM (M = Ru, Au, and Ir) Nanoparticles. <i>International Journal of Electrochemistry</i> , 2012 , 2012, 1-8	2.4	29
77	Electron-transfer reactions at the plasma-liquid interface. <i>Journal of the American Chemical Society</i> , 2011 , 133, 17582-5	16.4	116
76	Bimetallic Pt-Ru Nanoparticle Catalyst for Hydrogen Peroxide Detection. <i>Journal of Nanotechnology</i> , 2011 , 2011, 1-6	3.5	10
75	Determination of alanine aminotransferase with an electrochemical nano ir-C biosensor for the screening of liver diseases. <i>Biosensors</i> , 2011 , 1, 107-17	5.9	15
74	Synthesis of quantum size ZnO crystals and their gas sensing properties for NO_2 . <i>Sensors and Actuators B: Chemical</i> , 2011 , 159, 97-102	8.5	37
73	Ab initio calculations of surface electronic states in indium oxide. <i>International Journal of Quantum Chemistry</i> , 2011 , 111, 1902-1906	2.1	7
72	Quantum-sized ZnO nanoparticles: Synthesis, characterization and sensing properties for NO_2 . <i>Journal of Materials Chemistry</i> , 2011 , 21, 12288		109
71	Smart Sensor Systems. <i>Electrochemical Society Interface</i> , 2010 , 19, 29-34	3.6	18
70	Detection of Adenosine Deaminase Activity with a Thick-Film Screen-Printed Ir/C Sensor to Detect Liver Disease. <i>Journal of the Electrochemical Society</i> , 2010 , 157, J130	3.9	1
69	Enzymatic determination of diglyceride using an iridium nano-particle based single use, disposable biosensor. <i>Sensors</i> , 2010 , 10, 5758-73	3.8	5
68	A thick-film sensor as a novel device for determination of polyphenols and their antioxidant capacity in white wine. <i>Sensors</i> , 2010 , 10, 1670-8	3.8	20
67	Microfabricated thin film impedance sensor & AC impedance measurements. <i>Sensors</i> , 2010 , 10, 5845-58	3.8	7
66	Solar-light photoamperometric and photocatalytic properties of quasi-transparent TiO_2 nanoporous thin films. <i>ACS Applied Materials & Interfaces</i> , 2010 , 2, 3075-82	9.5	23
65	Synthesis of 1-dimensional ZnO and its sensing property for CO. <i>Sensors and Actuators B: Chemical</i> , 2010 , 143, 620-628	8.5	71
64	Different morphologies of ZnO nanorods and their sensing property. <i>Sensors and Actuators B: Chemical</i> , 2010 , 146, 129-137	8.5	142
63	Thick-Film Carbon Dioxide Sensor via Anodic Adsorbate Stripping Technique and Its Structural Dependence. <i>Sensors</i> , 2009 , 9, 7203-16	3.8	5

62	The detection of alkaline phosphatase using an electrochemical biosensor in a single-step approach. <i>Sensors</i> , 2009 , 9, 8709-21	3.8	37
61	Flexible nerve stimulation electrode with iridium oxide sputtered on liquid crystal polymer. <i>IEEE Transactions on Biomedical Engineering</i> , 2009 , 56, 6-14	5	42
60	A single-use, disposable iridium-modified electrochemical biosensor for fructosyl valine for the glycosylated hemoglobin detection. <i>Sensors and Actuators B: Chemical</i> , 2009 , 137, 235-238	8.5	47
59	Determination of total bile acid levels using a thick-film screen-printed Ir/C sensor for the detection of liver disease. <i>Analyst, The</i> , 2009 , 134, 973-9	5	19
58	Novel Carbon Dioxide Microsensor Based on Tin Oxide Nanomaterial Doped With Copper Oxide. <i>IEEE Sensors Journal</i> , 2009 , 9, 235-236	4	22
57	Detection of triglyceride using an iridium nano-particle catalyst based amperometric biosensor. <i>Analyst, The</i> , 2008 , 133, 1757-63	5	27
56	An electrochemical biosensor of the ketone 3-Hydroxybutyrate for potential diabetic patient management. <i>Sensors and Actuators B: Chemical</i> , 2008 , 129, 818-825	8.5	26
55	Synthesis of ZnO/SnO ₂ nanocomposites by microemulsion and sensing properties for NO ₂ . <i>Sensors and Actuators B: Chemical</i> , 2008 , 134, 360-366	8.5	104
54	Sn/In/Ti nanocomposite sensor for CH ₄ detection. <i>Sensors and Actuators B: Chemical</i> , 2008 , 135, 1-6	8.5	49
53	Detection of lipoprotein-associated phospholipase A ₂ using a nano-iridium particle catalyst-based biosensor. <i>Sensors and Actuators B: Chemical</i> , 2008 , 134, 993-999	8.5	12
52	Methane gas-sensing and catalytic oxidation activity of SnO ₂ /TiO ₂ nanocomposites incorporating TiO ₂ . <i>Sensors and Actuators B: Chemical</i> , 2008 , 135, 7-12	8.5	59
51	Development of a screen-printed cholesterol biosensor: Comparing the performance of gold and platinum as the working electrode material and fabrication using a self-assembly approach. <i>Sensors and Actuators B: Chemical</i> , 2007 , 120, 417-425	8.5	50
50	An iridium nanoparticles dispersed carbon based thick film electrochemical biosensor and its application for a single use, disposable glucose biosensor. <i>Sensors and Actuators B: Chemical</i> , 2007 , 125, 106-113	8.5	50
49	Preparation, characterization and gas-sensing properties of SnO ₂ /TiO ₂ nanocomposite oxides. <i>Sensors and Actuators B: Chemical</i> , 2006 , 115, 316-321	8.5	69
48	A Planar-Structure Electrochemical Methanol Sensor for Direct Methanol Fuel Cells Applications. <i>Journal of the Electrochemical Society</i> , 2006 , 153, H138	3.9	1
47	. <i>IEEE Sensors Journal</i> , 2006 , 6, 187-202	4	8
46	Development of a dimethyl ether (DME) sensor using platinum nanoparticles and thick-film printing. <i>Biosensors and Bioelectronics</i> , 2006 , 22, 501-5	11.8	3
45	An amperometric uric acid biosensor based on modified Ir-C electrode. <i>Biosensors and Bioelectronics</i> , 2006 , 22, 482-8	11.8	90

44	An electrochemical tyrosinase-immobilized biosensor for albumin toward a potential total protein measurement. <i>Sensors and Actuators B: Chemical</i> , 2006 , 114, 357-363	8.5	9
43	Electrochemical characterization and in vivo biocompatibility of a thick-film printed sensor for continuous in vivo monitoring. <i>IEEE Sensors Journal</i> , 2005 , 5, 1147-1158	4	11
42	Development of a molecular imprinting thick film electrochemical sensor for cholesterol detection. <i>Sensors and Actuators B: Chemical</i> , 2005 , 110, 204-208	8.5	52
41	Size-selective recognition of catecholamines by molecular imprinting on silica-alumina gel. <i>Biosensors and Bioelectronics</i> , 2005 , 21, 901-7	11.8	56
40	Thin film trichloroethylene electrochemical sensor. <i>Biosensors and Bioelectronics</i> , 2004 , 20, 25-32	11.8	6
39	Amperometric acetylcholine sensor catalyzed by nickel anode electrode. <i>Biosensors and Bioelectronics</i> , 2004 , 20, 9-14	11.8	30
38	Chemical Microsensors. <i>Electrochemical Society Interface</i> , 2004 , 13, 22-27	3.6	8
37	Micro and nano scale metal oxide hollow particles produced by spray precipitation in a liquid-liquid system. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2003 , 359, 24-30	5.3	17
36	Development of a solid-state thick film calcium ion-selective electrode. <i>Sensors and Actuators B: Chemical</i> , 2003 , 96, 709-716	8.5	15
35	Nano-crystalline tungsten oxide NO ₂ sensor. <i>Sensors and Actuators B: Chemical</i> , 2003 , 94, 343-351	8.5	123
34	Development and Characterization of a Thick-Film Printed Zinc-Alkaline Battery. <i>Journal of the Electrochemical Society</i> , 2003 , 150, A922	3.9	15
33	Development of a silicon-based yttria-stabilized-zirconia (YSZ), amperometric oxygen sensor. <i>Sensors and Actuators B: Chemical</i> , 2002 , 85, 212-218	8.5	32
32	Silicon based microfabricated tin oxide gas sensor incorporating use of Hall effect measurement. <i>Sensors and Actuators B: Chemical</i> , 2001 , 81, 25-31	8.5	30
31	Development of a NASICON-based amperometric carbon dioxide sensor. <i>Sensors and Actuators B: Chemical</i> , 2000 , 62, 30-34	8.5	29
30	Studies on the biomedical sensor techniques for real-time and dynamic monitoring of respiratory gases, CO ₂ and O ₂ . <i>Sensors and Actuators B: Chemical</i> , 2000 , 65, 35-38	8.5	8
29	Non-invasive, real-time and dynamic monitoring of CO ₂ and O ₂ simultaneously using modulated potential pulse-amperometry/coulometry. <i>Sensors and Actuators B: Chemical</i> , 1998 , 52, 219-225	8.5	11
28	Application of nano-crystalline porous tin oxide thin film for CO sensing. <i>Sensors and Actuators B: Chemical</i> , 1998 , 52, 188-194	8.5	111
27	Applications of microfabrication and micromachining techniques to biotechnology. <i>Trends in Biotechnology</i> , 1997 , 15, 213-216	15.1	8

26	Development of a hypoxanthine biosensor based on immobilized xanthine oxidase chemically modified electrode. <i>Electroanalysis</i> , 1997 , 9, 372-377	3	32
25	A bienzyme sensor for the determination of hypoxanthine and inosine. <i>Electroanalysis</i> , 1997 , 9, 1174-1179	5	
24	Amperometric sensor for fish freshness based on immobilized multi-enzyme modified electrode. <i>Electroanalysis</i> , 1997 , 9, 1229-1233	3	9
23	Development of chemical sensors using microfabrication and micromachining techniques. <i>Materials Chemistry and Physics</i> , 1995 , 42, 87-90	4.4	14
22	pH measurements based on a palladium electrode. <i>Electroanalysis</i> , 1994 , 6, 245-249	3	8
21	Microfabricated thin-film microelectrode for amperometric determination of CO ₂ in the gas phase. <i>Sensors and Actuators B: Chemical</i> , 1994 , 21, 101-108	8.5	15
20	A solid polymer electrolyte-bases electrochemical carbon monoxide sensor. <i>Sensors and Actuators B: Chemical</i> , 1994 , 17, 165-168	8.5	39
19	A calorimetric combustible gas detector employing platinum film heaters. <i>Sensors and Actuators B: Chemical</i> , 1993 , 12, 91-94	8.5	10
18	Humidity effects on the stability of a solid polymer electrolyte oxygen sensor. <i>Sensors and Actuators B: Chemical</i> , 1993 , 10, 133-136	8.5	13
17	A pH sensor constructed with two types of optical fibers: the configuration and the initial results. <i>Sensors and Actuators B: Chemical</i> , 1993 , 10, 155-159	8.5	5
16	Development of chemical sensors using microfabrication and micromachining techniques. <i>Sensors and Actuators B: Chemical</i> , 1993 , 13, 1-6	8.5	48
15	Applications of microfabrication techniques in electrochemical sensor development. <i>Applied Biochemistry and Biotechnology</i> , 1993 , 41, 99-107	3.2	8
14	Electrochemical oxidation of L-ascorbic acid at the graphite electrode and its monitoring by a thick-film graphite sensor assembly. <i>Electroanalysis</i> , 1992 , 4, 191-197	3	19
13	Potentiometric response of PVC/crown ether membrane electrodes to nonionic organic compounds. <i>Sensors and Actuators B: Chemical</i> , 1991 , 5, 171-172	8.5	2
12	Development of a solid electrolyte sensor for oxygen in hot gases. <i>Sensors and Actuators B: Chemical</i> , 1991 , 3, 15-22	8.5	4
11	A Thin Film Solid State Microbattery for Use in Powering Microsensors. <i>Materials Research Society Symposia Proceedings</i> , 1990 , 210, 31		4
10	Amperometric determination of carbon dioxide using a gold electrode modified by the underpotential-deposited cadmium. <i>Electroanalysis</i> , 1990 , 2, 367-372	3	2
9	An optical fiber temperature sensor using a thermochromic solution. <i>Sensors and Actuators A: Physical</i> , 1990 , 24, 213-216	3.9	4

8	A thick-film calorimetric sensor for monitoring the concentration of combustible gases. <i>Sensors and Actuators</i> , 1989 , 19, 237-248		11
7	The electrochemical fluorination of acetyl fluoride. <i>Journal of Fluorine Chemistry</i> , 1987 , 35, 557-569	2.1	4
6	Cyclic voltammetric study of glucose oxidation on an oxide-covered platinum electrode in the presence of an underpotential-deposited thallium layer. <i>Bioelectrochemistry</i> , 1987 , 17, 59-70		10
5	A thick-film multiple component cathode three-electrode oxygen sensor. <i>IEEE Transactions on Biomedical Engineering</i> , 1986 , 33, 108-12	5	34
4	A Pd-PdO film potentiometric pH sensor. <i>IEEE Transactions on Biomedical Engineering</i> , 1986 , 33, 113-6	5	11
3	Electrochemical generation of ATP: A suggested experimental approach. <i>Journal of Molecular Catalysis</i> , 1980 , 8, 475-478		2
2	Electromotive Force Investigation of the Bismuth-Tellurium System. <i>Journal of the Electrochemical Society</i> , 1969 , 116, 1054	3.9	7
1	Three-Dimensional Graphene Bimetallic Nanocatalysts Foam for Energy Storage and Biosensing		277-324