

Alex Gatt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4461269/publications.pdf>

Version: 2024-02-01

69
papers

1,925
citations

361045

20
h-index

253896

43
g-index

70
all docs

70
docs citations

70
times ranked

2136
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Systematic review: portal vein thrombosis in cirrhosis. <i>Alimentary Pharmacology and Therapeutics</i> , 2010, 31, 366-374. | 1.9 | 261 |
| 2 | Thrombin generation testing in routine clinical practice: are we there yet?. <i>British Journal of Haematology</i> , 2008, 142, 889-903. | 1.2 | 189 |
| 3 | Enhanced thrombin generation in patients with cirrhosis-induced coagulopathy. <i>Journal of Thrombosis and Haemostasis</i> , 2010, 8, 1994-2000. | 1.9 | 170 |
| 4 | Patients with liver cirrhosis suffer from primary haemostatic defects? Fact or fiction?. <i>Journal of Hepatology</i> , 2011, 55, 1415-1427. | 1.8 | 161 |
| 5 | Evaluation of coagulation abnormalities in acute liver failure. <i>Journal of Hepatology</i> , 2012, 57, 780-786. | 1.8 | 160 |
| 6 | Inhibitor development in haemophilia according to concentrate. <i>Thrombosis and Haemostasis</i> , 2015, 113, 968-975. | 1.8 | 103 |
| 7 | Corn trypsin inhibitor in fluorogenic thrombin-generation measurements is only necessary at low tissue factor concentrations and influences the relationship between factor VIII coagulant activity and thrombogram parameters. <i>Blood Coagulation and Fibrinolysis</i> , 2008, 19, 183-189. | 0.5 | 89 |
| 8 | Thrombin generation assays are superior to traditional tests in assessing anticoagulation reversal in vitro. <i>Thrombosis and Haemostasis</i> , 2008, 100, 350-355. | 1.8 | 77 |
| 9 | Coagulation and fibrosis in chronic liver disease. <i>Gut</i> , 2008, 57, 1722-1727. | 6.1 | 58 |
| 10 | Alterations in coagulation following major liver resection. <i>Anaesthesia</i> , 2016, 71, 657-668. | 1.8 | 55 |
| 11 | Calibrated automated thrombin generation and modified thromboelastometry in haemophilia A. <i>Thrombosis Research</i> , 2009, 123, 895-901. | 0.8 | 51 |
| 12 | Hemostasis in patients with acute kidney injury secondary to acute liver failure. <i>Kidney International</i> , 2013, 84, 158-163. | 2.6 | 49 |
| 13 | Hyperhomocysteinemia and Venous Thrombosis. <i>Seminars in Hematology</i> , 2007, 44, 70-76. | 1.8 | 47 |
| 14 | Long-term outcomes of previously untreated myeloma patients: responses to induction chemotherapy and high-dose melphalan incorporated within a risk stratification model can help to direct the use of novel treatments. <i>British Journal of Haematology</i> , 2005, 129, 607-614. | 1.2 | 45 |
| 15 | Wide variation in thrombin generation in patients with atrial fibrillation and therapeutic International Normalized Ratio is not due to inflammation. <i>British Journal of Haematology</i> , 2008, 142, 946-952. | 1.2 | 41 |
| 16 | Hyperhomocysteinemia in women with advanced breast cancer. <i>International Journal of Laboratory Hematology</i> , 2007, 29, 421-425. | 0.7 | 36 |
| 17 | Optimizing warfarin reversal " an ex vivo study. <i>Journal of Thrombosis and Haemostasis</i> , 2009, 7, 1123-1127. | 1.9 | 29 |
| 18 | Thrombin generation assay identifies individual variability in responses to low molecular weight heparin in pregnancy: implications for anticoagulant monitoring. <i>British Journal of Haematology</i> , 2015, 168, 719-727. | 1.2 | 29 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | The effect of tissue factor concentration on calibrated automated thrombography in the presence of inhibitor bypass agents. <i>International Journal of Laboratory Hematology</i> , 2009, 31, 189-198. | 0.7 | 24 |
| 20 | Thrombin generation assays are superior to traditional tests in assessing anticoagulation reversal in vitro. <i>Thrombosis and Haemostasis</i> , 2008, 100, 350-5. | 1.8 | 20 |
| 21 | Biomarkers for the diagnosis of venous thromboembolism: D-dimer, thrombin generation, procoagulant phospholipid and soluble P-selectin. <i>Journal of Clinical Pathology</i> , 2018, 71, 1015-1022. | 1.0 | 18 |
| 22 | Inhibitor development in non-severe haemophilia across Europe. <i>Thrombosis and Haemostasis</i> , 2015, 114, 670-675. | 1.8 | 14 |
| 23 | From Vitamin K Antagonists to Liver International Normalized Ratio: A Historical Journey and Critical Perspective. <i>Seminars in Thrombosis and Hemostasis</i> , 2014, 40, 845-851. | 1.5 | 13 |
| 24 | Achieving a satisfactory clinical and biochemical response in antiphospholipid syndrome and severe thrombocytopenia with rituximab: two case reports. <i>Clinical Case Reports (discontinued)</i> , 2017, 5, 845-848. | 0.2 | 12 |
| 25 | Effect of anticoagulants on fibrin clot structure: A comparison between vitamin K antagonists and factor Xa inhibitors. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2020, 4, 1269-1281. | 1.0 | 12 |
| 26 | The European Haemophilia Network (EUHANET). <i>Blood Transfusion</i> , 2014, 12 Suppl 3, s515-8. | 0.3 | 11 |
| 27 | A comparative study using thrombin generation and three different ^{INR} methods in patients on Vitamin K antagonist treatment. <i>International Journal of Laboratory Hematology</i> , 2017, 39, 482-488. | 0.7 | 10 |
| 28 | Anticoagulation in splanchnic and cerebral vein thrombosis: An international vignette-based survey. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2020, 4, 1192-1202. | 1.0 | 10 |
| 29 | Alternatives to Warfarin-The Next Generation of Anticoagulants. <i>Cardiovascular Therapeutics</i> , 2011, 29, e80-e88. | 1.1 | 9 |
| 30 | The effect of DOACs on several oral and parenteral anticoagulants. <i>International Journal of Laboratory Hematology</i> , 2021, 43, O171-O175. | 0.7 | 9 |
| 31 | Fibrinogen measurement in liver disease: validation of the functional fibrinogen thromboelastography assay and a novel mathematical predictive model. <i>Blood Transfusion</i> , 2019, 17, 237-246. | 0.3 | 9 |
| 32 | Laryngeal Lymphoma: The High and Low Grades of Rare Lymphoma Involvement Sites. <i>Case Reports in Medicine</i> , 2014, 2014, 1-4. | 0.3 | 8 |
| 33 | Is there an Association between Thrombosis and Fibroids? A single centre experience and literature review. <i>International Journal of Laboratory Hematology</i> , 2013, 35, e13-6. | 0.7 | 7 |
| 34 | Reliability and validity of the Maltese version of the Perception of Anticoagulant Treatment Questionnaire (PACT-Q). <i>Patient Preference and Adherence</i> , 2019, Volume 13, 969-979. | 0.8 | 7 |
| 35 | Validation and psychometric properties of the Maltese version of the Duke Anticoagulation Satisfaction Scale (DASS). <i>Psychology Research and Behavior Management</i> , 2019, Volume 12, 741-752. | 1.3 | 7 |
| 36 | Flow cytometry and thromboelastography to assess platelet counts and coagulation in patients with haematological malignancies. <i>Blood Transfusion</i> , 2014, 12, 479-84. | 0.3 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Treatment of portal vein thrombosis: an updated narrative review. <i>Minerva Medica</i> , 2022, 112, . | 0.3 | 7 |
| 38 | Colchicine: An Effective Treatment for Refractory Malignant Pericardial Effusion. <i>Acta Haematologica</i> , 2000, 104, 217-219. | 0.7 | 6 |
| 39 | Between-batch variation of calibrator activity can significantly influence fluorogenic measurement of thrombin generation. <i>Journal of Thrombosis and Haemostasis</i> , 2006, 4, 2514-2516. | 1.9 | 6 |
| 40 | A feasibility study on the effects of Triton X-100 for the in vitro inactivation of Ebola virus on haematological assays. <i>Journal of Clinical Pathology</i> , 2016, 69, 637-642. | 1.0 | 6 |
| 41 | Protein C deficiency screening using a thrombin generation assay – An upgrade. <i>Thrombosis and Haemostasis</i> , 2007, 98, 691-692. | 1.8 | 5 |
| 42 | Does balanced haemostasis equate to normal coagulation in patients with acute liver failure?. <i>Liver International</i> , 2014, 34, 652-654. | 1.9 | 5 |
| 43 | Diagnostic accuracy of D-dimer in patients at high-risk for splanchnic vein thrombosis: A systematic review and meta-analysis. <i>Thrombosis Research</i> , 2021, 207, 102-112. | 0.8 | 5 |
| 44 | Anaphylactic reaction with prothrombin complex concentrate in a patient with IgA deficiency and anti-IgA antibodies. <i>Blood Coagulation and Fibrinolysis</i> , 2010, 21, 764-765. | 0.5 | 4 |
| 45 | Impaired platelet-dependent thrombin generation associated with thrombocytopenia is improved by prothrombin complex concentrates in vitro. <i>Research and Practice in Thrombosis and Haemostasis</i> , 2020, 4, 334-342. | 1.0 | 4 |
| 46 | Efficacy and safety of the direct oral anti-coagulants in patients with cerebral vein thrombosis: A systematic review and meta-analysis. <i>British Journal of Haematology</i> , 2022, 198, 165-182. | 1.2 | 4 |
| 47 | Primary immune thrombocytopenia in adults: clinical practice versus management guidelines. <i>Postgraduate Medical Journal</i> , 2017, 93, 645-646. | 0.9 | 3 |
| 48 | Estimating renal function in patients with atrial fibrillation: which dose of direct oral anticoagulants?. <i>Internal and Emergency Medicine</i> , 2018, 13, 1001-1004. | 1.0 | 3 |
| 49 | 250 EVALUATION OF HAEMOSTASIS IN ACUTE LIVER FAILURE: A COMPREHENSIVE STUDY USING TRADITIONAL PLASMATIC TESTS AND WHOLE BLOOD THROMBOELASTOGRAPHY. <i>Journal of Hepatology</i> , 2012, 56, S105. | 1.8 | 2 |
| 50 | Reply to: Platelet function in patients with cirrhosis. <i>Journal of Hepatology</i> , 2012, 56, 994-995. | 1.8 | 2 |
| 51 | Unusual case of primary pulmonary Hodgkin's lymphoma presenting with a continuous murmur. <i>BMJ Case Reports</i> , 2018, 2018, bcr-2018-225674. | 0.2 | 2 |
| 52 | The Owren INR in Liver Disease: A way towards standardisation?. <i>Thrombosis Research</i> , 2013, 132, 327-328. | 0.8 | 1 |
| 53 | Thrombin generation assays for optimizing low molecular weight heparin dosing in pregnant women at risk of thrombosis – response to Ismail <i>et al</i>. <i>British Journal of Haematology</i> , 2016, 172, 643-644. | 1.2 | 1 |
| 54 | Recipient CMV Seropositivity Predicts Relapse Post Allogeneic Transplantation in Children.. <i>Blood</i> , 2004, 104, 5140-5140. | 0.6 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | A Novel Protac [®] -Modified Thrombin Generation Assay To Identify Individuals at Higher Thrombotic Risk.. Blood, 2006, 108, 1472-1472. | 0.6 | 1 |
| 56 | More on: enhanced thrombin generation in patients with cirrhosis-induced coagulopathy. Journal of Thrombosis and Haemostasis, 2011, 9, 613-614. | 1.9 | 0 |
| 57 | PO45 A case of primary cardiac lymphoma with systemic involvement. Critical Reviews in Oncology/Hematology, 2012, 82, S26. | 2.0 | 0 |
| 58 | Coagulation following major liver resection - a reply. Anaesthesia, 2016, 71, 1119-1120. | 1.8 | 0 |
| 59 | Teaching an old dog new tricks?. British Journal of Haematology, 2019, 187, 416-417. | 1.2 | 0 |
| 60 | Anticoagulation control with the point-of-care INR: A retrospective pre-/post-analysis. Thrombosis Research, 2020, 196, 21-24. | 0.8 | 0 |
| 61 | ATYPICAL MULTIPLE MYELOMA PRESENTING IN THE ORAL CAVITY. A CASE REPORT. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2021, 132, e10. | 0.2 | 0 |
| 62 | Responses to Induction Chemotherapy and High Dose Melphalan Can Be Incorporated within a Risk Stratification Model and Help to Identify Myeloma Patients Who May Benefit from Novel Therapies.. Blood, 2004, 104, 2394-2394. | 0.6 | 0 |
| 63 | Reversal of Anticoagulation as Assessed by Thrombin Generation Measurement.. Blood, 2006, 108, 876-876. | 0.6 | 0 |
| 64 | Prothrombin Complex Concentrate for Warfarin Reversal: A Single Dose Is Effective for All INRs >4.5.. Blood, 2008, 112, 1985-1985. | 0.6 | 0 |
| 65 | Use of Prothrombin Complex Concentrate (Beriplex/Octaplex) in Acquired Bleeding Disorders: A Two-Year Single Centre Experience.. Blood, 2009, 114, 3160-3160. | 0.6 | 0 |
| 66 | Thrombin Generation Is a Sensitive Measure of Low Molecular Weight Heparin Anticoagulant Activity.. Blood, 2010, 116, 1099-1099. | 0.6 | 0 |
| 67 | PS1081 UTILITY OF BONE MARROW BIOPSY IN POSITRON EMISSION TOMOGRAPHY-STAGED PATIENTS WITH DIFFUSE LARGE B-CELL LYMPHOMA. HemaSphere, 2019, 3, 490. | 1.2 | 0 |
| 68 | Patients' satisfaction associated with portable coagulometers for warfarin monitoring: a cross-sectional study. Blood Transfusion, 2020, 18, 386-395. | 0.3 | 0 |
| 69 | Protein C deficiency screening using a thrombin generation assay - an upgrade. Thrombosis and Haemostasis, 2007, 98, 691-2. | 1.8 | 0 |