Mohammad Kazemi Arababadi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4462104/publications.pdf

Version: 2024-02-01

163 papers 2,685 citations

218381 26 h-index 37 g-index

169 all docs

169 docs citations

169 times ranked 3677 citing authors

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | The Biological Functions, Structure and Sources of CXCL10 and Its Outstanding Part in the Pathophysiology of Multiple Sclerosis. NeuroImmunoModulation, 2014, 21, 322-330. | 0.9 | 115 |
| 2 | Association of exon 9 but not intron 8 VDR polymorphisms with occult HBV infection in southâ€eastern Iranian patients. Journal of Gastroenterology and Hepatology (Australia), 2010, 25, 90-93. | 1.4 | 73 |
| 3 | Nephropathic complication of type-2 diabetes is following pattern of autoimmune diseases?. Diabetes Research and Clinical Practice, 2010, 87, 33-37. | 1.1 | 55 |
| 4 | Important roles played by TGFâ€Î² in hepatitis B infection. Journal of Medical Virology, 2014, 86, 102-108. | 2.5 | 54 |
| 5 | TLR3 plays significant roles against hepatitis B virus. Molecular Biology Reports, 2014, 41, 3279-3286. | 1.0 | 48 |
| 6 | Plasma Levels of CXCL1 (GRO- \hat{l} ±) and CXCL10 (IP-10) are Elevated in Type 2 Diabetic Patients: Evidence for the Involvement of Inflammation and Angiogenesis / Angiostasis in this Disease State. Clinical Laboratory, 2013, 59, 133-7. | 0.2 | 47 |
| 7 | Serum Levels of IL-10 and IL-17A in Occult HBV-Infected South-East Iranian Patients. Hepatitis Monthly, 2010, 10, 31-5. | 0.1 | 46 |
| 8 | The IL-10 Promoter Polymorphism at Position â^'592 is Correlated with Susceptibility to Occult HBV Infection. Inflammation, 2012, 35, 818-821. | 1.7 | 43 |
| 9 | Can Toll-Like Receptor (TLR) 2 be considered as a new target for immunotherapy against hepatitis B infection?. Human Immunology, 2014, 75, 549-554. | 1.2 | 43 |
| 10 | Toll-Like Receptor 4 and Hepatitis B Infection: Molecular Mechanisms and Pathogenesis. Viral Immunology, 2014, 27, 321-326. | 0.6 | 43 |
| 11 | Increased Circulating Levels of SDF-1 (CXCL12) in Type 2 Diabetic Patients Are Correlated to Disease State but Are Unrelated to Polymorphism of the SDF-1β Gene in the Iranian Population. Inflammation, 2012, 35, 900-904. | 1.7 | 40 |
| 12 | Current information on the immunologic status of occult hepatitis B infection. Transfusion, 2012, 52, 1819-1826. | 0.8 | 40 |
| 13 | CXCL10 Activities, Biological Structure, and Source Along with Its Significant Role Played in Pathophysiology of Type I Diabetes Mellitus. Inflammation, 2013, 36, 364-371. | 1.7 | 39 |
| 14 | Delayed post ischemic treatment with Rosiglitazone attenuates infarct volume, neurological deficits and neutrophilia after embolic stroke in rat. Brain Research, 2009, 1271, 121-127. | 1.1 | 38 |
| 15 | Non-association of IL-12 +1188 and IFN- \hat{l}^3 +874 polymorphisms with cytokines serum level in occult HBV infected patients. Saudi Journal of Gastroenterology, 2011, 17, 30. | 0.5 | 38 |
| 16 | Interleukin (IL)-10 Gene Polymorphisms Are Associated with Type 2 Diabetes With and Without Nephropathy: A Study of Patients from the Southeast Region of Iran. Inflammation, 2012, 35, 797-802. | 1.7 | 38 |
| 17 | Cytokine patterns after therapy with Avonex®, Rebif®, Betaferon®and CinnoVexâ,¢ in relapsing–remitting multiple sclerosis in Iranian patients. Biomarkers in Medicine, 2010, 4, 755-759. | 0.6 | 37 |
| 18 | Assessment of CXCL12 (SDF- $1\hat{1}\pm$) Polymorphisms and Its Serum Level in Posttransfusion Occult HBV-infected Patients in Southeastern Iran. Archives of Medical Research, 2010, 41, 338-342. | 1.5 | 36 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Is the CCR5 Î" 32 Mutation Associated with Immune System-Related Diseases?. Inflammation, 2013, 36, 633-642. | 1.7 | 36 |
| 20 | The plasma levels of the cytokines in opium-addicts and the effects of opium on the cytokines secretion by their lymphocytes. Immunology Letters, 2013, 152, 42-46. | 1.1 | 36 |
| 21 | TLR4 in Toxoplasmosis; friends or foe?. Microbial Pathogenesis, 2014, 69-70, 28-32. | 1.3 | 36 |
| 22 | Decreased expression of toll like receptor signaling molecules in chronic HBV infected patients. Human Immunology, 2014, 75, 15-19. | 1.2 | 35 |
| 23 | Differential Expression of <scp>CXC</scp> Chemokines <scp>CXCL</scp> 10 and <scp>CXCL</scp> 12 in Term and Preâ€term Neonates and Their Mothers. American Journal of Reproductive Immunology, 2012, 68, 338-344. | 1.2 | 30 |
| 24 | IL-17A in hepatitis B infection: friend or foe?. Archives of Virology, 2014, 159, 1883-1888. | 0.9 | 28 |
| 25 | The link between TLR7 signaling and hepatitis B virus infection. Life Sciences, 2016, 158, 63-69. | 2.0 | 28 |
| 26 | The Effects of IFN- \hat{l}^2 1a on the Expression of Inflammasomes and Apoptosis-Associated Speck-Like Proteins in Multiple Sclerosis Patients. Molecular Neurobiology, 2017, 54, 3031-3037. | 1.9 | 28 |
| 27 | Vitiligo and social acceptance. Clinical, Cosmetic and Investigational Dermatology, 2018, Volume 11, 383-386. | 0.8 | 28 |
| 28 | Decreased Expressions of Toll-Like Receptor 9 and Its Signaling Molecules in Chronic Hepatitis B Virus–Infected Patients. Archives of Pathology and Laboratory Medicine, 2013, 137, 1674-1679. | 1.2 | 27 |
| 29 | CCR5 Plays Important Roles in Hepatitis B Infection. Viral Immunology, 2014, 27, 2-6. | 0.6 | 27 |
| 30 | NK cells in hepatitis B virus infection: a potent target for immunotherapy. Archives of Virology, 2014, 159, 1555-1565. | 0.9 | 27 |
| 31 | The SDF-1 3′A Genetic Variation of the Chemokine SDF-1α (CXCL12) in Parallel with its Increased Circulating Levels is Associated with Susceptibility to MS: A Study on Iranian Multiple Sclerosis Patients. Journal of Molecular Neuroscience, 2012, 47, 431-436. | 1.1 | 26 |
| 32 | Atorvastatin, Losartan and Captopril Lead to Upregulation of TGF- $\hat{1}^2$, and Downregulation of IL-6 in Coronary Artery Disease and Hypertension. PLoS ONE, 2016, 11, e0168312. | 1.1 | 26 |
| 33 | IL-17A and IL-23: plausible risk factors to induce age-associated inflammation in Alzheimer's disease. Immunological Investigations, 2018, 47, 812-822. | 1.0 | 26 |
| 34 | Interleukin-4 gene polymorphisms in type 2 diabetic patients with nephropathy. Iranian Journal of Kidney Diseases, 2010, 4, 302-6. | 0.1 | 26 |
| 35 | Innate immunity related pathogen recognition receptors and chronic hepatitis B infection. Molecular Immunology, 2017, 90, 64-73. | 1.0 | 25 |
| 36 | No Detected Hepatitis B Virus-DNA in Thalassemic Patients Infected by Hepatitis C Virus in Kerman Province of Iran. Pakistan Journal of Biological Sciences, 2008, 11, 1738-1741. | 0.2 | 25 |

| # | Article | IF | CITATIONS |
|----|--|------------|-----------|
| 37 | Evaluation of circulating concentrations of CXCL1 (Gro- $\hat{l}\pm$), CXCL10 (IP-10) and CXCL12 (SDF-1) in ALL patients prior and post bone marrow transplantation. Pathology Research and Practice, 2012, 208, 615-619. | 1.0 | 24 |
| 38 | TGF- \hat{l}^2 in Toxoplasmosis: Friend or foe?. Cytokine, 2016, 86, 29-35. | 1.4 | 24 |
| 39 | Evaluation of NLRC4, NLRP1, and NLRP3, as Components of Inflammasomes, in Chronic Hepatitis B Virus-Infected Patients. Viral Immunology, 2016, 29, 496-501. | 0.6 | 24 |
| 40 | The study of the serum level of ILâ€4, TGFâ€Î², IFNâ€Î³, and ILâ€6 in overweight patients with and without diabete mellitus and hypertension. Journal of Cellular Biochemistry, 2019, 120, 4147-4157. | ?\$ 1.2 | 24 |
| 41 | The adapter proteins of TLRs, TRIF and MYD88, are upregulated in depressed individuals. International Journal of Psychiatry in Clinical Practice, 2014, 18, 41-44. | 1.2 | 23 |
| 42 | Altered expression of apoptotic genes in response to OCT4B1 suppression in human tumor cell lines. Tumor Biology, 2014, 35, 9999-10009. | 0.8 | 23 |
| 43 | Are RIG-1 and MDA5 Expressions Associated with Chronic HBV Infection?. Viral Immunology, 2015, 28, 504-508. | 0.6 | 23 |
| 44 | ASC provides a potential link between depression and inflammatory disorders: A clinical study of depressed Iranian medical students. Nordic Journal of Psychiatry, 2016, 70, 280-284. | 0.7 | 23 |
| 45 | Mutations within the HBc Gene of the Hepatitis B Virus: A Study on Iranian Patients. Clinical Laboratory, 2014, 60, 9-21. | 0.2 | 23 |
| 46 | Is CCR5-Î"32 mutation associated with diabetic nephropathy in type 2 diabetes?. Annals of Saudi Medicine, 2009, 29, 413-413. | 0.5 | 22 |
| 47 | Is the IL-10 Promoter Polymorphism at Position -592 Associated with Immune System-Related Diseases?. Inflammation, 2013, 36, 35-41. | 1.7 | 22 |
| 48 | TLR9: an important molecule in the fight against hepatitis B virus. Postgraduate Medical Journal, 2014, 90, 396-401. | 0.9 | 22 |
| 49 | Significant Roles Played by IL-10 in Chlamydia Infections. Inflammation, 2014, 37, 818-823. | 1.7 | 22 |
| 50 | Post-Transfusion Occult Hepatitis B (OBI): A Global Challenge for Blood Recipients and Health Authorities. Hepatitis Monthly, 2011, 11, 714-718. | 0.1 | 21 |
| 51 | Vitamin D and toll like receptors. Life Sciences, 2018, 203, 105-111. | 2.0 | 21 |
| 52 | Significant roles played by interleukin-10 in outcome of pregnancy. Iranian Journal of Basic Medical Sciences, 2016, 19, 119-24. | 1.0 | 21 |
| 53 | Epidemiology of Occult Hepatitis B Infection Among Thalassemic, Hemophilia, and Hemodialysis Patients. Hepatitis Monthly, 2012, 12, 315-319. | 0.1 | 20 |
| 54 | High serum levels of TGF-Î ² in Iranians with chronic HBV infection. Hepatitis Monthly, 2012, 12, e7581. | 0.1 | 20 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Reduced expression of TRIF in chronic HBV infected Iranian patients. Clinics and Research in Hepatology and Gastroenterology, 2013, 37, 491-495. | 0.7 | 20 |
| 56 | The roles played by TLR4 in the pathogenesis of multiple sclerosis; A systematic review article. Immunology Letters, 2020, 220, 63-70. | 1.1 | 20 |
| 57 | Association of interleukin-4 polymorphisms with multiple sclerosis in southeastern Iranian patients. Annals of Saudi Medicine, 2012, 32, 127-130. | 0.5 | 20 |
| 58 | Chronoinflammaging in Alzheimer; A systematic review on the roles of toll like receptor 2. Life Sciences, 2017, 171, 16-20. | 2.0 | 19 |
| 59 | Inhibition of transient receptor potential vanilloidâ€1 confers neuroprotection, reduces tumor necrosis factorâ€alpha, and increases ILâ€10 in a rat stroke model. Fundamental and Clinical Pharmacology, 2017, 31, 420-428. | 1.0 | 19 |
| 60 | Lack of Association Between Chemokine Receptor 5 (CCR5) Î32 Mutation and Pathogenesis of Asthma in Iranian Patients. Southern Medical Journal, 2011, 104, 422-425. | 0.3 | 18 |
| 61 | Post-transfusion-transmitted hepatitis C virus infection: a study on thalassemia and hemodialysis patients in southeastern Iran. Archives of Virology, 2011, 156, 1111-1115. | 0.9 | 18 |
| 62 | Serum Levels of the CC Chemokines CCL2, CCL5, and CCL11 in Food Allergic Children with Different Clinical Manifestations. Inflammation, 2013, 36, 561-566. | 1.7 | 18 |
| 63 | Vitamin B ₁₂ in Association with Antipsychotic Drugs Can Modulate the Expression of Pro-/Anti-Inflammatory Cytokines in Alzheimer Disease Patients. NeuroImmunoModulation, 2017, 24, 310-319. | 0.9 | 18 |
| 64 | Toll-like receptor 4 and breast cancer: an updated systematic review. Breast Cancer, 2019, 26, 265-271. | 1.3 | 18 |
| 65 | Interleukin-10 Serum Levels after Vaccination with In Vivo Prepared Toxoplasma gondii Excreted/Secreted Antigens. Oman Medical Journal, 2013, 28, 112-115. | 0.3 | 18 |
| 66 | Defective NF-kB Transcription Factor as the Mediator of Inflammatory Responses: A Study on Depressed Iranian Medical Students. Clinical Laboratory, 2013, 59, 827-30. | 0.2 | 18 |
| 67 | TRPV1 receptor-mediated expression of Toll-like receptors 2 and 4 following permanent middle cerebral artery occlusion in rats. Iranian Journal of Basic Medical Sciences, 2017, 20, 863-869. | 1.0 | 17 |
| 68 | Serum Levels of IL-6, IL-8, TNF- \hat{l} ±, and TGF- \hat{l} 2 in Chronic HBV-Infected Patients: Effect of Depression and Anxiety. Laboratory Medicine, 2018, 49, 41-46. | 0.8 | 16 |
| 69 | HBV-DNA in hemodialysis patients infected by HCV. Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia, 2009, 20, 398-401. | 0.4 | 16 |
| 70 | Peripheral Blood CD8+T Cells CCR5 Expression and Its î"32 Mutation in Iranian Patients with Occult Hepatitis B Infections. Laboratory Medicine, 2010, 41, 226-230. | 0.8 | 15 |
| 71 | Cytokines in Preterm Delivery. Laboratory Medicine, 2012, 43, 27-30. | 0.8 | 15 |
| 72 | CCR5 î" 32 mutation is not prevalent in Iranians with chronic HBV infection. Journal of Medical Virology, 2013, 85, 964-968. | 2.5 | 15 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Assessment of NK Cells Response to Hepatocyte Derived Chemotactic Agents. Pakistan Journal of Biological Sciences, 2008, 11, 1120-1125. | 0.2 | 15 |
| 74 | Increased Circulating Levels of CXC Chemokines is Correlated with Duration and Complications of the Disease in Type-1 Diabetes: A Study on Iranian Diabetic Patients. Clinical Laboratory, 2013, 59, 531-7. | 0.2 | 15 |
| 75 | Common HBV genotype in southeastern Iranian patients. Archives of Iranian Medicine, 2010, 13, 147-9. | 0.2 | 15 |
| 76 | No Association Between CCR5-î"32 Mutation and Multiple Sclerosis in Patients of Southeastern Iran. Laboratory Medicine, 2010, 41, 31-33. | 0.8 | 14 |
| 77 | Toll like receptor 4: an important molecule in recognition and induction of appropriate immune responses against Chlamydia infection. Comparative Immunology, Microbiology and Infectious Diseases, 2017, 51, 27-33. | 0.7 | 14 |
| 78 | Downregulation of CCR5 Expression on the Peripheral Blood CD8+ T Cells of Southeastern Iranian Patients with Chronic Hepatitis B Infection. Inflammation, 2013, 36, 136-40. | 1.7 | 13 |
| 79 | Effect of aqueous extract of Achillea millefolium on the development of experimental autoimmune encephalomyelitis in C57BL/6 mice. Indian Journal of Pharmacology, 2014, 46, 303. | 0.4 | 13 |
| 80 | Seminal Levels of IL-10, IL-12, and IL-17 in Men with Asymptomatic Chlamydia Infection. Inflammation, 2014, 37, 122-126. | 1.7 | 13 |
| 81 | The Possible Role of Toll-Like Receptor 4 in the Pathology of Stroke. NeuroImmunoModulation, 2016, 23, 131-136. | 0.9 | 13 |
| 82 | Role of maternal interleukin-8 (IL-8) in normal-term birth in the human. Reproduction, Fertility and Development, 2019, 31, 1049. | 0.1 | 13 |
| 83 | Prevalence of Hepatitis B Co-Infection among HIV Positive Patients: Narrative Review Article. Iranian Journal of Public Health, 2014, 43, 705-12. | 0.3 | 13 |
| 84 | T helper and B cell escape mutations within the HBc gene in patients with asymptomatic HBV infection: a study from the South-Eastern region of Iran. Clinical Laboratory, 2012, 58, 53-60. | 0.2 | 13 |
| 85 | Vitamin D Receptor Polymorphisms in Type 2 Diabetes in Southeastern Iranian Patients. Laboratory Medicine, 2011, 42, 32-34. | 0.8 | 12 |
| 86 | Evaluation of the effects of anti-psychotic drugs on the expression of CD68 on the peripheral blood monocytes of Alzheimer patients with psychotic symptoms. Life Sciences, 2017, 179, 73-79. | 2.0 | 12 |
| 87 | Vitamin D Status in Female Students and its Relation to Calcium Metabolism Markers, Lifestyles, and Polymorphism in Vitamin D Receptor. Clinical Laboratory, 2013, 59, 407-13. | 0.2 | 12 |
| 88 | Evaluation of CCR5 Expression on NK Cells in Iranian Patients With Occult Hepatitis B Infection. Laboratory Medicine, 2010, 41, 735-738. | 0.8 | 11 |
| 89 | Downregulation of ILâ€22 can be considered as a risk factor for onset of type 2 diabetes. Journal of Cellular Biochemistry, 2018, 119, 9254-9260. | 1.2 | 11 |
| 90 | TLR4: An Important Molecule Participating in Either Anti-Human Papillomavirus Immune Responses or Development of Its Related Cancers. Viral Immunology, 2019, 32, 417-423. | 0.6 | 11 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Severe Acute Respiratory Syndrome Coronavirus 2: The Role of the Main Components of the Innate Immune System. Inflammation, 2021, 44, 2151-2169. | 1.7 | 11 |
| 92 | Vitex Agnus Castus Extract Improves Learning and Memory and Increases the Transcription of Estrogen Receptor α in Hippocampus of Ovariectomized Rats. Basic and Clinical Neuroscience, 2015, 6, 185-92. | 0.3 | 11 |
| 93 | Occult hepatitis B virus (HBV) infection: a global challenge for medicine. Clinical Laboratory, 2012, 58, 1225-30. | 0.2 | 11 |
| 94 | Genetic variation of IL-12B (+1188 region) is associated with its decreased circulating levels and susceptibility to Type 2 diabetes. Biomarkers in Medicine, 2012, 6, 89-95. | 0.6 | 10 |
| 95 | Molecular and serological detection of acute and latent toxoplasmosis using real-time PCR and ELISA techniques in blood donors of rafsanjan city, iran, 2013. Iranian Journal of Parasitology, 2014, 9, 336-41. | 0.6 | 10 |
| 96 | Decreased Expressions of STING but not IRF3 Molecules in Chronic HBV Infected Patients. Archives of Iranian Medicine, 2015, 18, 351-4. | 0.2 | 10 |
| 97 | Is the IL-10 â^819 Polymorphism Associated with Visceral Leishmaniasis?. Inflammation, 2013, 36, 1513-1518. | 1.7 | 9 |
| 98 | Potential roles played by IL-6 in hepatitis B infection. Future Virology, 2014, 9, 431-438. | 0.9 | 8 |
| 99 | Lack of Correlation Between the CCR5-Δ32 Mutation and Acute Myeloid Leukemia in Iranian Patients. Indian Journal of Hematology and Blood Transfusion, 2015, 31, 29-31. | 0.3 | 8 |
| 100 | Interferon- \hat{l}^2 1a Modulates Expression of RAGE but Not S100A12 and Nuclear Factor-& amp; #x03BA; B in Multiple Sclerosis Patients. NeuroImmunoModulation, 2016, 23, 345-351. | 0.9 | 8 |
| 101 | Altered Expression of High Molecular Weight Heat Shock Proteins after OCT4B1 Suppression in Human Tumor Cell Lines. Cell Journal, 2016, 17, 608-16. | 0.2 | 8 |
| 102 | Evaluation of Excreted/Secreted Antigens Derived from Peritoneal of Toxoplasma Infected Small Mice to Detect IgG Against Toxoplasma. Pakistan Journal of Biological Sciences, 2009, 12, 530-533. | 0.2 | 8 |
| 103 | Post-Transfusion Occult Hepatitis B (OBI): A Global Challenge for Blood Recipients and Health Authorities. Hepatitis Monthly, 2011, 11, 714-718. | 0.1 | 8 |
| 104 | Morphine Reduces Expression of TRPV1 Receptors in the Amygdala but not in the Hippocampus of Male Rats. Iranian Journal of Medical Sciences, 2014, 39, 261-7. | 0.3 | 8 |
| 105 | A Diagnostic and Symptomatological Study on Trichomoniasis in Symptomatic Pregnant Women in Rafsanjan, South Central Iran in 2012-13. Iranian Journal of Parasitology, 2015, 10, 490-7. | 0.6 | 8 |
| 106 | Association of -592 region of IL-10 polymorphisms with asthma in south-eastern Iranian patients. Clinical Laboratory, 2012, 58, 267-71. | 0.2 | 8 |
| 107 | Comparison of serum levels of IL-6, IL-8, TGF- \hat{l}^2 and TNF- $\hat{l}\pm$ in coronary artery diseases, stable angina and participants with normal coronary artery. Cellular and Molecular Biology, 2018, 64, 1-6. | 0.3 | 8 |
| 108 | Serum Levels of IL-6, IL-10, IL-12, IL-17 and IFN- \hat{l}^3 and Their Association with Markers of Bone Metabolism in Vitamin D-Deficient Female Students. Inflammation, 2013, 36, 164-168. | 1.7 | 7 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Seminal Levels of Pro-inflammatory (CXCL1, CXCL9, CXCL10) and Homeostatic (CXCL12) Chemokines in Men With Asymptomatic Chlamydia trachomatis Infection. Jundishapur Journal of Microbiology, 2014, 7, e11152. | 0.2 | 7 |
| 110 | Ectopic expression of micro-RNA-1, 21 and 125a in peripheral blood immune cells is associated with chronic HBV infection. Molecular Biology Reports, 2014, 41, 4833-4837. | 1.0 | 7 |
| 111 | <i>IL-18</i> and <i>IL-12</i> Gene Polymorphisms: The Plausible Risk Factors for Chronic Hepatitis B. Viral Immunology, 2019, 32, 208-213. | 0.6 | 7 |
| 112 | Mesenchymal Stem Cells: The Potential Therapeutic Cell Therapy to Reduce Brain Stroke Side Effects. Journal of Stroke and Cerebrovascular Diseases, 2021, 30, 105668. | 0.7 | 7 |
| 113 | Topical Bee Venom Nano-emulsion Ameliorates Serum Level of Endothelin-1 in Collagen-Induced Rheumatoid Arthritis Model. BioNanoScience, 2021, 11, 810-815. | 1.5 | 7 |
| 114 | Polymorphisms within Fas gene are not associated with occult hepatitis B virus infection: Polymorphisms within Fas gene in occult HBV infection. Hepatitis Monthly, 2011, 11, 23-6. | 0.1 | 7 |
| 115 | Decreased Circulating Level in Parallel With Lack of Associated Genetic Variation in CXCL10 (IP-10) in Southeastern Post-Transfusion Occult HBV-Infected Patients. Laboratory Medicine, 2011, 42, 423-426. | 0.8 | 6 |
| 116 | Tactile learning in rodents: Neurobiology and neuropharmacology. Life Sciences, 2016, 147, 1-8. | 2.0 | 6 |
| 117 | Current Information Concerning Association of IL-12 and Hepatitis B Infection. Clinical Laboratory, 2014, 60, 185-91. | 0.2 | 6 |
| 118 | IL-17A plays an important role in induction of type 2 diabetes and its complications. Asian Pacific Journal of Tropical Disease, 2014, 4, 412-415. | 0.5 | 5 |
| 119 | Up-regulation of RIP1 and IPS-1 in chronic HBV infected patients. Genetics and Molecular Biology, 2019, 42, 337-343. | 0.6 | 5 |
| 120 | APLN/APJ pathway: The key regulator of macrophage functions. Life Sciences, 2019, 232, 116645. | 2.0 | 5 |
| 121 | Application of the <i>Leishmania infantum</i> ≥21â€kDa recombinant protein for the development of an immunochromatographic test. Parasite Immunology, 2020, 42, e12770. | 0.7 | 5 |
| 122 | lonizing radiation and toll like receptors: A systematic review article. Human Immunology, 2021, 82, 446-454. | 1.2 | 5 |
| 123 | Effects of Cigarette Smoke and Opium on the Expression of CD9, CD36, and CD68 at mRNA and Protein Levels in Human Macrophage Cell Line THP-1. Iranian Journal of Allergy, Asthma and Immunology, 2020, 19, 45-55. | 0.3 | 5 |
| 124 | All Eotaxins CCL11, CCL24 and CCL26 are Increased but to Various Extents in Pulmonary Tuberculosis Patients. Clinical Laboratory, 2014, 60, 93-7. | 0.2 | 5 |
| 125 | TLR9 in the Human Papilloma Virus Infections: Friend or Foe?. Viral Immunology, 2022, 35, 457-464. | 0.6 | 5 |
| 126 | The Cytotoxic T Lymphocyte Antigen-4 +49A/G Single Nucleotide Polymorphism Association With Visceral Leishmaniasis. Jundishapur Journal of Microbiology, 2014, 7, e12143. | 0.2 | 4 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Anxiety leads to up-regulation of CD36 on the monocytes of chronic hepatitis B-infected patients. International Journal of Psychiatry in Medicine, 2016, 51, 467-475. | 0.8 | 4 |
| 128 | Controversial issues regarding the roles of IL-10 and IFN- \hat{l}^3 in active/inactive chronic hepatitis B. World Journal of Gastrointestinal Pathophysiology, 2014, 5, 120. | 0.5 | 4 |
| 129 | Occult Hepatitis B Virus (HBV) Infection: a Global Challenge for Medicine. Clinical Laboratory, 2013, 59, | 0.2 | 4 |
| 130 | Opium induces apoptosis in jurkat cells. Addiction and Health, 2013, 5, 27-34. | 0.3 | 4 |
| 131 | The frequency of CCR5 promoter polymorphisms and CCR5 Î" 32 mutation in Iranian populations. Iranian Journal of Basic Medical Sciences, 2015, 18, 312-6. | 1.0 | 4 |
| 132 | TLR2, as a Pathogen Recognition Receptor, Plays Critical Roles in Hepatitis B Outcome. Viral Immunology, 2022, 35, 15-23. | 0.6 | 4 |
| 133 | Are Fas Ligand Polymorphisms Associated With Occult HBV Infection?. Laboratory Medicine, 2010, 41, 672-675. | 0.8 | 3 |
| 134 | The status of humoral immunity in occult HBV infection in south-eastern Iranian patients. Clinics and Research in Hepatology and Gastroenterology, 2011, 35, 309-314. | 0.7 | 3 |
| 135 | Differential Pattern of Cytokine Production by Depressed Medical Students; Evidence for Involvement of Cytokine Network in Pathology of Depression. Clinical Laboratory, 2014, 60, 435-40. | 0.2 | 3 |
| 136 | Expressions of ASC and caspase-1 but not AIM2 are disrupted in chronic HBV infected patients. Asian Pacific Journal of Tropical Disease, 2014, 4, 301-305. | 0.5 | 3 |
| 137 | Interleukin-6 and Tumor Growth Factor–β are Risk Factors for Idiopathic Epistaxis. Laboratory Medicine, 2018, 49, 329-341. | 0.8 | 3 |
| 138 | The effect of IFNâ€Î² 1a on expression of MDA5 and RIGâ€1 in multiple sclerosis patients. Biotechnology and Applied Biochemistry, 2021, 68, 267-271. | 1.4 | 3 |
| 139 | The Role of Interleukin-17A (IL-17A) in Depression. Iranian Red Crescent Medical Journal, 2016, 18, . | 0.5 | 3 |
| 140 | Levels of Transforming Growth Factor-Beta After Immunization of Mice With Toxoplasma gondii prepared Excretory/Secretory Proteins. Jundishapur Journal of Microbiology, 2015, 8, e17802. | 0.2 | 3 |
| 141 | Opium induces apoptosis in Jurkat cells via promotion of pro-apoptotic and inhibition of anti-apoptotic molecules. Iranian Journal of Basic Medical Sciences, 2016, 19, 215-20. | 1.0 | 3 |
| 142 | Controversial Report Regarding Seroprevalence of Hepatitis B and C Viruses Among Hemodialysis Patients In Kerman Province, South-East Iran. Hepatitis Monthly, 2013, 13, e7046. | 0.1 | 2 |
| 143 | Association of a Polymorphism Within Intron 8 But Not Exon 9 of the Vitamin D Receptor in Patients With Multiple Sclerosis of Southeastern Iranian Ethnicity. Laboratory Medicine, 2013, 44, 215-219. | 0.8 | 2 |
| 144 | Intensity of HLA-A2 Expression Significantly Decreased in Occult Hepatitis B Infection. Jundishapur Journal of Microbiology, 2014, 7, e10298. | 0.2 | 2 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 145 | The Association Between C424c/A Polymorphism Within the IL-25 Gene and Multiple Sclerosis. Iranian Red Crescent Medical Journal, 2016, 18, e25995. | 0.5 | 2 |
| 146 | Association of cord blood levels of IL-17A, but not TGF- \hat{l}^2 with pre-term neonate. Iranian Journal of Reproductive Medicine, 2015, 13, 345-50. | 0.8 | 2 |
| 147 | The effect of royal jelly and silver nanoparticles on liver and kidney inflammation. Avicenna Journal of Phytomedicine, 2021, 11, 218-223. | 0.1 | 2 |
| 148 | Opium May Affect Coronary Artery Disease by Inducing Inflammation but not through the Expression of CD9, CD36, and CD68. Journal of Investigative Medicine, 2022, 70, 1728-1735. | 0.7 | 2 |
| 149 | BRCA1Promoter Methylation Status in Ovarian Cancer. Laboratory Medicine, 2012, 43, 18-21. | 0.8 | 1 |
| 150 | The immune response against Toxoplasma gondii in BALB/c mice induced by mannose-modified nanoliposome of excreted/secreted antigens. Parasitology Research, 2021, 120, 2855-2861. | 0.6 | 1 |
| 151 | Depression Is Associated with Downregulation of IPS-1 in Chronic HBV-Infected Patients in a Sex-Dependent Manner. NeuroImmunoModulation, 2021, 28, 68-73. | 0.9 | 1 |
| 152 | Expression of CXC Chemokine, IP-10/Mob-1 is Regulated by Specific p38,CAMK-II, NFÃ f Å $1/2$ Ã,Â $^\circ$ B and Staurosporine Regulatory Pathways in Primary Hepatocytes. Research Journal of Immunology, 2008, 1, 21-28. | 0.7 | 1 |
| 153 | Epidemiological Study of Various HPV Strains in Cervical Fluid Samples in South-Eastern Iran, 2018–2020. Archives of Iranian Medicine, 2021, 24, 678-683. | 0.2 | 1 |
| 154 | The effect of depression and anxiety on expression levels of toll like receptor signaling molecules in chronic HBV infected patients. Medical Journal of the Islamic Republic of Iran, 2015, 29, 180. | 0.9 | 1 |
| 155 | Controversial Concepts Regarding T Helper 1 and T Helper 2 Cytokines in Hepatitis C Virus Infected Patients. Hepatitis Monthly, 2013, 13, e8067. | 0.1 | 0 |
| 156 | Murine leukocytes stimulation by Toxoplasma gondii antigens induces high level of IFN- \hat{l}^3 production. Comparative Clinical Pathology, 2020, 29, 533-537. | 0.3 | 0 |
| 157 | Expression of toll like receptors before and after coronary angiography with isomolar contrast among those with and without coronary atherosclerosis. Reviews in Cardiovascular Medicine, 2021, 22, 537. | 0.5 | 0 |
| 158 | Why Is Hormone Therapy Successful Strategy Against Coronavirus-19?. VirusDisease, 2021, 32, 388-389. | 1.0 | 0 |
| 159 | Brain magnetic resonance imaging without contrast significantly increased serum levels of IL-6, but not IL-10, IL-17A and TGF-Î ² . Brain Injury, 2021, 35, 1451-1456. | 0.6 | 0 |
| 160 | Author's Reply; Nucleic Acid Testing for the Detection of HBV DNA. Hepatitis Monthly, 2011, 11, 849-849. | 0.1 | 0 |
| 161 | IN REPLY: Associations between Hepatitis B Virus Core Gene Mutations, Immune Escape and Clinical Presentation. Clinical Laboratory, 2013, 59, . | 0.2 | 0 |
| 162 | The Effect of IFN- \hat{l}^2 1a on Biochemical Factors in Multiple Sclerosis Patients. Iranian Red Crescent Medical Journal, 2016, 19, . | 0.5 | 0 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | InterleukinÂ17A: A Potential Target for Its Plausible Roles in the Pathogenesis of Idiopathic Epistaxis Iranian Journal of Otorhinolaryngology, 2022, 34, 45-53. | 0.4 | 0 |