Mohammad Kazemi Arababadi

List of Publications by Citations

Source:

https://exaly.com/author-pdf/4462104/mohammad-kazemi-arababadi-publications-by-citations.pdf **Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

157 2,055 23 32 g-index

169 2,362 2.7 4.95 ext. papers ext. citations avg, IF L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 157 | The biological functions, structure and sources of CXCL10 and its outstanding part in the pathophysiology of multiple sclerosis. <i>NeuroImmunoModulation</i> , 2014 , 21, 322-30 | 2.5 | 67 |
| 156 | Association of exon 9 but not intron 8 VDR polymorphisms with occult HBV infection in south-eastern Iranian patients. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010 , 25, 90-3 | 4 | 58 |
| 155 | Nephropathic complication of type-2 diabetes is following pattern of autoimmune diseases?. <i>Diabetes Research and Clinical Practice</i> , 2010 , 87, 33-7 | 7.4 | 48 |
| 154 | TLR3 plays significant roles against hepatitis B virus. <i>Molecular Biology Reports</i> , 2014 , 41, 3279-86 | 2.8 | 44 |
| 153 | Serum Levels of IL-10 and IL-17A in Occult HBV-Infected South-East Iranian Patients. <i>Hepatitis Monthly</i> , 2010 , 10, 31-5 | 1.8 | 44 |
| 152 | Important roles played by TGF-lìn hepatitis B infection. Journal of Medical Virology, 2014, 86, 102-8 | 19.7 | 40 |
| 151 | Plasma levels of CXCL1 (GRO-alpha) and CXCL10 (IP-10) are elevated in type 2 diabetic patients: evidence for the involvement of inflammation and angiogenesis/angiostasis in this disease state. <i>Clinical Laboratory</i> , 2013 , 59, 133-7 | 2 | 40 |
| 150 | Can Toll-Like Receptor (TLR) 2 be considered as a new target for immunotherapy against hepatitis B infection?. <i>Human Immunology</i> , 2014 , 75, 549-54 | 2.3 | 37 |
| 149 | Current information on the immunologic status of occult hepatitis B infection. <i>Transfusion</i> , 2012 , 52, 1819-26 | 2.9 | 36 |
| 148 | Interleukin (IL)-10 gene polymorphisms are associated with type 2 diabetes with and without nephropathy: a study of patients from the southeast region of Iran. <i>Inflammation</i> , 2012 , 35, 797-802 | 5.1 | 34 |
| 147 | Increased circulating levels of SDF-1 (CXCL12) in type 2 diabetic patients are correlated to disease state but are unrelated to polymorphism of the SDF-1 Igene in the Iranian population. <i>Inflammation</i> , 2012 , 35, 900-4 | 5.1 | 34 |
| 146 | Cytokine patterns after therapy with Avonex [] , Rebif [] , Betaferon [] and CinnoVex [in relapsing-remitting multiple sclerosis in Iranian patients. <i>Biomarkers in Medicine</i> , 2010 , 4, 755-9 | 2.3 | 34 |
| 145 | Delayed post ischemic treatment with Rosiglitazone attenuates infarct volume, neurological deficits and neutrophilia after embolic stroke in rat. <i>Brain Research</i> , 2009 , 1271, 121-7 | 3.7 | 34 |
| 144 | The IL-10 promoter polymorphism at position -592 is correlated with susceptibility to occult HBV infection. <i>Inflammation</i> , 2012 , 35, 818-21 | 5.1 | 32 |
| 143 | Decreased expression of toll like receptor signaling molecules in chronic HBV infected patients. <i>Human Immunology</i> , 2014 , 75, 15-9 | 2.3 | 31 |
| 142 | CXCL10 activities, biological structure, and source along with its significant role played in pathophysiology of type I diabetes mellitus. <i>Inflammation</i> , 2013 , 36, 364-71 | 5.1 | 31 |
| 141 | Non-association of IL-12 +1188 and IFN-I-874 polymorphisms with cytokines serum level in occult HBV infected patients. <i>Saudi Journal of Gastroenterology</i> , 2011 , 17, 30-5 | 3 | 31 |

| 140 | TLR4 in Toxoplasmosis; friends or foe?. Microbial Pathogenesis, 2014, 69-70, 28-32 | 3.8 | 30 | |
|-----|---|-----|----|--|
| 139 | Toll-like receptor 4 and hepatitis B infection: molecular mechanisms and pathogenesis. <i>Viral Immunology</i> , 2014 , 27, 321-6 | 1.7 | 30 | |
| 138 | Is the CCR5 IB2 mutation associated with immune system-related diseases?. <i>Inflammation</i> , 2013 , 36, 633-42 | 5.1 | 30 | |
| 137 | Decreased expressions of Toll-like receptor 9 and its signaling molecules in chronic hepatitis B virus-infected patients. <i>Archives of Pathology and Laboratory Medicine</i> , 2013 , 137, 1674-9 | 5 | 26 | |
| 136 | Assessment of CXCL12 (SDF-1) polymorphisms and its serum level in posttransfusion occult HBV-infected patients in Southeastern Iran. <i>Archives of Medical Research</i> , 2010 , 41, 338-42 | 6.6 | 25 | |
| 135 | NK cells in hepatitis B virus infection: a potent target for immunotherapy. <i>Archives of Virology</i> , 2014 , 159, 1555-65 | 2.6 | 24 | |
| 134 | IL-17A in hepatitis B infection: friend or foe?. Archives of Virology, 2014, 159, 1883-8 | 2.6 | 23 | |
| 133 | Interleukin-4 gene polymorphisms in type 2 diabetic patients with nephropathy. <i>Iranian Journal of Kidney Diseases</i> , 2010 , 4, 302-6 | 0.9 | 23 | |
| 132 | The plasma levels of the cytokines in opium-addicts and the effects of opium on the cytokines secretion by their lymphocytes. <i>Immunology Letters</i> , 2013 , 152, 42-6 | 4.1 | 22 | |
| 131 | Altered expression of apoptotic genes in response to OCT4B1 suppression in human tumor cell lines. <i>Tumor Biology</i> , 2014 , 35, 9999-10009 | 2.9 | 21 | |
| 130 | Is the IL-10 promoter polymorphism at position -592 associated with immune system-related diseases?. <i>Inflammation</i> , 2013 , 36, 35-41 | 5.1 | 21 | |
| 129 | CCR5 plays important roles in hepatitis B infection. Viral Immunology, 2014, 27, 2-6 | 1.7 | 21 | |
| 128 | The SDF-1 3'a genetic variation of the chemokine SDF-1[(CXCL12) in parallel with its increased circulating levels is associated with susceptibility to MS: a study on Iranian multiple sclerosis patients. <i>Journal of Molecular Neuroscience</i> , 2012 , 47, 431-6 | 3.3 | 21 | |
| 127 | Is CCR5-Delta32 mutation associated with diabetic nephropathy in type 2 diabetes?. <i>Annals of Saudi Medicine</i> , 2009 , 29, 413 | 1.6 | 21 | |
| 126 | Differential expression of CXC chemokines CXCL10 and CXCL12 in term and pre-term neonates and their mothers. <i>American Journal of Reproductive Immunology</i> , 2012 , 68, 338-44 | 3.8 | 20 | |
| 125 | Evaluation of circulating concentrations of CXCL1 (Gro-II CXCL10 (IP-10) and CXCL12 (SDF-1) in ALL patients prior and post bone marrow transplantation. <i>Pathology Research and Practice</i> , 2012 , 208, 615-9 | 3.4 | 20 | |
| 124 | No detected hepatitis B virus-DNA in thalassemic patients infected by hepatitis C virus in Kerman province of Iran. <i>Pakistan Journal of Biological Sciences</i> , 2008 , 11, 1738-41 | 0.8 | 20 | |
| 123 | Evaluation of NLRC4, NLRP1, and NLRP3, as Components of Inflammasomes, in Chronic Hepatitis B Virus-Infected Patients. <i>Viral Immunology</i> , 2016 , 29, 496-501 | 1.7 | 19 | |

| 122 | Reduced expression of TRIF in chronic HBV infected Iranian patients. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2013 , 37, 491-5 | 2.4 | 19 |
|-----|--|-----|----|
| 121 | Are RIG-1 and MDA5 Expressions Associated with Chronic HBV Infection?. <i>Viral Immunology</i> , 2015 , 28, 504-8 | 1.7 | 19 |
| 120 | High Serum Levels of TGF-In Iranians With Chronic HBV Infection. Hepatitis Monthly, 2012, 12, e7581 | 1.8 | 19 |
| 119 | The Effects of IFN-[] a on the Expression of Inflammasomes and Apoptosis-Associated Speck-Like Proteins in Multiple Sclerosis Patients. <i>Molecular Neurobiology</i> , 2017 , 54, 3031-3037 | 6.2 | 18 |
| 118 | Chronoinflammaging in Alzheimer; A systematic review on the roles of toll like receptor 2. <i>Life Sciences</i> , 2017 , 171, 16-20 | 6.8 | 18 |
| 117 | Innate immunity related pathogen recognition receptors and chronic hepatitis B infection. <i>Molecular Immunology</i> , 2017 , 90, 64-73 | 4.3 | 18 |
| 116 | Significant roles played by IL-10 in Chlamydia infections. <i>Inflammation</i> , 2014 , 37, 818-23 | 5.1 | 18 |
| 115 | The link between TLR7 signaling and hepatitis B virus infection. <i>Life Sciences</i> , 2016 , 158, 63-9 | 6.8 | 18 |
| 114 | TLR9: an important molecule in the fight against hepatitis B virus. <i>Postgraduate Medical Journal</i> , 2014 , 90, 396-401 | 2 | 17 |
| 113 | Inhibition of transient receptor potential vanilloid-1 confers neuroprotection, reduces tumor necrosis factor-alpha, and increases IL-10 in a rat stroke model. <i>Fundamental and Clinical Pharmacology</i> , 2017 , 31, 420-428 | 3.1 | 16 |
| 112 | TGF-lìn Toxoplasmosis: Friend or foe?. <i>Cytokine</i> , 2016 , 86, 29-35 | 4 | 16 |
| 111 | ASC provides a potential link between depression and inflammatory disorders: A clinical study of depressed Iranian medical students. <i>Nordic Journal of Psychiatry</i> , 2016 , 70, 280-4 | 2.3 | 16 |
| 110 | Serum levels of the CC chemokines CCL2, CCL5, and CCL11 in food allergic children with different clinical manifestations. <i>Inflammation</i> , 2013 , 36, 561-6 | 5.1 | 16 |
| 109 | The adapter proteins of TLRs, TRIF and MYD88, are upregulated in depressed individuals. International Journal of Psychiatry in Clinical Practice, 2014, 18, 41-4 | 2.4 | 16 |
| 108 | Post-transfusion-transmitted hepatitis C virus infection: a study on thalassemia and hemodialysis patients in southeastern Iran. <i>Archives of Virology</i> , 2011 , 156, 1111-5 | 2.6 | 16 |
| 107 | Significant roles played by interleukin-10 in outcome of pregnancy. <i>Iranian Journal of Basic Medical Sciences</i> , 2016 , 19, 119-24 | 1.8 | 16 |
| 106 | Atorvastatin, Losartan and Captopril Lead to Upregulation of TGF-pand Downregulation of IL-6 in Coronary Artery Disease and Hypertension. <i>PLoS ONE</i> , 2016 , 11, e0168312 | 3.7 | 16 |
| 105 | HBV-DNA in hemodialysis patients infected by HCV. Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia, 2009, 20, 398-401 | 0.6 | 16 |

(2018-2011)

| 104 | Lack of association between chemokine receptor 5 (CCR5) B2 mutation and pathogenesis of asthma in Iranian patients. <i>Southern Medical Journal</i> , 2011 , 104, 422-5 | 0.6 | 15 |
|-----|--|------|----|
| 103 | Association of interleukin-4 polymorphisms with multiple sclerosis in southeastern Iranian patients. <i>Annals of Saudi Medicine</i> , 2012 , 32, 127-30 | 1.6 | 15 |
| 102 | Defective NF-kB transcription factor as the mediator of inflammatory responses: a study on depressed Iranian medical students. <i>Clinical Laboratory</i> , 2013 , 59, 827-30 | 2 | 15 |
| 101 | Vitamin D and toll like receptors. <i>Life Sciences</i> , 2018 , 203, 105-111 | 6.8 | 14 |
| 100 | Post-transfusion occult hepatitis B (OBI): a global challenge for blood recipients and health authorities. <i>Hepatitis Monthly</i> , 2011 , 11, 714-8 | 1.8 | 14 |
| 99 | Epidemiology of occult hepatitis B infection among thalassemic, hemophilia, and hemodialysis patients. <i>Hepatitis Monthly</i> , 2012 , 12, 315-9 | 1.8 | 14 |
| 98 | Cytokines in Preterm Delivery. <i>Laboratory Medicine</i> , 2012 , 43, 27-30 | 1.6 | 14 |
| 97 | Interleukin-10 Serum Levels after Vaccination with In Vivo Prepared Toxoplasma gondii Excreted/Secreted Antigens. <i>Oman Medical Journal</i> , 2013 , 28, 112-5 | 1.4 | 14 |
| 96 | Common HBV genotype in southeastern Iranian patients. <i>Archives of Iranian Medicine</i> , 2010 , 13, 147-9 | 2.4 | 14 |
| 95 | CCR5 B2 mutation is not prevalent in Iranians with chronic HBV infection. <i>Journal of Medical Virology</i> , 2013 , 85, 964-8 | 19.7 | 13 |
| 94 | No Association Between CCR5-B2 Mutation and Multiple Sclerosis in Patients of Southeastern Iran. <i>Laboratory Medicine</i> , 2010 , 41, 31-33 | 1.6 | 13 |
| 93 | The study of the serum level of IL-4, TGF-[IFN-[land IL-6 in overweight patients with and without diabetes mellitus and hypertension. <i>Journal of Cellular Biochemistry</i> , 2019 , 120, 4147-4157 | 4.7 | 13 |
| 92 | Serum Levels of IL-6, IL-8, TNF-Dand TGF-Dn Chronic HBV-Infected Patients: Effect of Depression and Anxiety. <i>Laboratory Medicine</i> , 2017 , 49, 41-46 | 1.6 | 12 |
| 91 | The Possible Role of Toll-Like Receptor 4 in the Pathology of Stroke. <i>NeuroImmunoModulation</i> , 2016 , 23, 131-136 | 2.5 | 12 |
| 90 | Assessment of NK cells response to hepatocyte derived chemotactic agents. <i>Pakistan Journal of Biological Sciences</i> , 2008 , 11, 1120-5 | 0.8 | 12 |
| 89 | T helper and B cell escape mutations within the HBc gene in patients with asymptomatic HBV infection: a study from the South-Eastern region of Iran. <i>Clinical Laboratory</i> , 2012 , 58, 53-60 | 2 | 12 |
| 88 | Vitiligo and social acceptance. Clinical, Cosmetic and Investigational Dermatology, 2018, 11, 383-386 | 2.9 | 11 |
| 87 | IL-17A and IL-23: plausible risk factors to induce age-associated inflammation in Alzheimer's disease. <i>Immunological Investigations</i> , 2018 , 47, 812-822 | 2.9 | 11 |

| 86 | Vitamin B12 in Association with Antipsychotic Drugs Can Modulate the Expression of Pro-/Anti-Inflammatory Cytokines in Alzheimer Disease Patients. <i>NeuroImmunoModulation</i> , 2017 , 24, 310-319 | 2.5 | 11 |
|----------------|---|-----|----|
| 85 | Downregulation of CCR5 expression on the peripheral blood CD8+ T cells of southeastern Iranian patients with chronic hepatitis B infection. <i>Inflammation</i> , 2013 , 36, 136-40 | 5.1 | 11 |
| 84 | Vitex Agnus Castus Extract Improves Learning and Memory and Increases the Transcription of Estrogen Receptor In Hippocampus of Ovariectomized Rats. <i>Basic and Clinical Neuroscience</i> , 2015 , 6, 185-92 | 1.4 | 11 |
| 83 | TRPV1 receptor-mediated expression of Toll-like receptors 2 and 4 following permanent middle cerebral artery occlusion in rats. <i>Iranian Journal of Basic Medical Sciences</i> , 2017 , 20, 863-869 | 1.8 | 11 |
| 82 | Vitamin D status in female students and its relation to calcium metabolism markers, lifestyles, and polymorphism in vitamin D receptor. <i>Clinical Laboratory</i> , 2013 , 59, 407-13 | 2 | 11 |
| 81 | Occult hepatitis B virus (HBV) infection: a global challenge for medicine. <i>Clinical Laboratory</i> , 2012 , 58, 1225-30 | 2 | 11 |
| 80 | Toll like receptor 4: an important molecule in recognition and induction of appropriate immune responses against Chlamydia infection. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2017 , 51, 27-33 | 2.6 | 10 |
| 79 | The roles played by TLR4 in the pathogenesis of multiple sclerosis; A systematic review article. <i>Immunology Letters</i> , 2020 , 220, 63-70 | 4.1 | 10 |
| 78 | Seminal levels of IL-10, IL-12, and IL-17 in men with asymptomatic chlamydia infection. <i>Inflammation</i> , 2014 , 37, 122-6 | 5.1 | 10 |
| 77 | Effect of aqueous extract of Achillea millefolium on the development of experimental autoimmune encephalomyelitis in C57BL/6 mice. <i>Indian Journal of Pharmacology</i> , 2014 , 46, 303-8 | 2.5 | 10 |
| 76 | Genetic variation of IL-12B (+1188 region) is associated with its decreased circulating levels and susceptibility to Type 2 diabetes. <i>Biomarkers in Medicine</i> , 2012 , 6, 89-95 | 2.3 | 10 |
| 75 | Peripheral Blood CD8+T Cells CCR5 Expression and Its B2 Mutation in Iranian Patients with Occult Hepatitis B Infections. <i>Laboratory Medicine</i> , 2010 , 41, 226-230 | 1.6 | 10 |
| 74 | Increased circulating levels of CXC chemokines is correlated with duration and complications of the disease in type-1 diabetes: a study on Iranian diabetic patients. <i>Clinical Laboratory</i> , 2013 , 59, 531-7 | 2 | 10 |
| 73 | Vitamin D Receptor Polymorphisms in Type 2 Diabetes in Southeastern Iranian Patients. <i>Laboratory Medicine</i> , 2011 , 42, 32-34 | 1.6 | 9 |
| 7 ² | Molecular and serological detection of acute and latent toxoplasmosis using real-time PCR and ELISA techniques in blood donors of rafsanjan city, iran, 2013. <i>Iranian Journal of Parasitology</i> , 2014 , 9, 336-41 | 0.8 | 9 |
| 71 | Prevalence of Hepatitis B Co-Infection among HIV Positive Patients: Narrative Review Article. <i>Iranian Journal of Public Health</i> , 2014 , 43, 705-12 | 0.7 | 9 |
| 7° | Decreased Expressions of STING but not IRF3 Molecules in Chronic HBV Infected Patients. <i>Archives of Iranian Medicine</i> , 2015 , 18, 351-4 | 2.4 | 9 |
| 69 | Potential roles played by IL-6 in hepatitis B infection. <i>Future Virology</i> , 2014 , 9, 431-438 | 2.4 | 8 |

| 68 | Toll-like receptor 4 and breast cancer: an updated systematic review. <i>Breast Cancer</i> , 2019 , 26, 265-271 | 3.4 | 8 |
|----|--|-----|---|
| 67 | Evaluation of the effects of anti-psychotic drugs on the expression of CD68 on the peripheral blood monocytes of Alzheimer patients with psychotic symptoms. <i>Life Sciences</i> , 2017 , 179, 73-79 | 6.8 | 7 |
| 66 | Lack of Correlation Between the CCR5-B2 Mutation and Acute Myeloid Leukemia in Iranian Patients. <i>Indian Journal of Hematology and Blood Transfusion</i> , 2015 , 31, 29-31 | 0.7 | 7 |
| 65 | Ectopic expression of micro-RNA-1, 21 and 125a in peripheral blood immune cells is associated with chronic HBV infection. <i>Molecular Biology Reports</i> , 2014 , 41, 4833-7 | 2.8 | 7 |
| 64 | Is the IL-10 -819 polymorphism associated with visceral leishmaniasis?. <i>Inflammation</i> , 2013 , 36, 1513-8 | 5.1 | 7 |
| 63 | Serum levels of IL-6, IL-10, IL-12, IL-17 and IFN-Dand their association with markers of bone metabolism in vitamin D-deficient female students. <i>Inflammation</i> , 2013 , 36, 164-8 | 5.1 | 7 |
| 62 | Polymorphisms within Fas gene are not associated with occult hepatitis B virus infection: Polymorphisms within Fas gene in occult HBV infection. <i>Hepatitis Monthly</i> , 2011 , 11, 23-6 | 1.8 | 7 |
| 61 | Morphine Reduces Expression of TRPV1 Receptors in the Amygdala but not in the Hippocampus of Male Rats. <i>Iranian Journal of Medical Sciences</i> , 2014 , 39, 261-7 | 1.2 | 7 |
| 60 | Post-Transfusion Occult Hepatitis B (OBI): A Global Challenge for Blood Recipients and Health Authorities. <i>Hepatitis Monthly</i> , 2011 , 11, 714-718 | 1.8 | 7 |
| 59 | Downregulation of IL-22 can be considered as a risk factor for onset of type 2 diabetes. <i>Journal of Cellular Biochemistry</i> , 2018 , 119, 9254-9260 | 4.7 | 7 |
| 58 | Association of -592 region of IL-10 polymorphisms with asthma in south-eastern Iranian patients. <i>Clinical Laboratory</i> , 2012 , 58, 267-71 | 2 | 7 |
| 57 | Comparison of serum levels of IL-6, IL-8, TGF-land TNF-lin coronary artery diseases, stable angina and participants with normal coronary artery. <i>Cellular and Molecular Biology</i> , 2018 , 64, 1-6 | 1.1 | 7 |
| 56 | Role of maternal interleukin-8 (IL-8) in normal-term birth in the human. <i>Reproduction, Fertility and Development</i> , 2019 , 31, 1049-1056 | 1.8 | 6 |
| 55 | TLR4: An Important Molecule Participating in Either Anti-Human Papillomavirus Immune Responses or Development of Its Related Cancers. <i>Viral Immunology</i> , 2019 , 32, 417-423 | 1.7 | 6 |
| 54 | Seminal Levels of Pro-inflammatory (CXCL1, CXCL9, CXCL10) and Homeostatic (CXCL12) Chemokines in Men With Asymptomatic Chlamydia trachomatis Infection. <i>Jundishapur Journal of Microbiology</i> , 2014 , 7, e11152 | 1.2 | 6 |
| 53 | A Diagnostic and Symptomatological Study on Trichomoniasis in Symptomatic Pregnant Women in Rafsanjan, South Central Iran in 2012-13. <i>Iranian Journal of Parasitology</i> , 2015 , 10, 490-7 | 0.8 | 6 |
| 52 | Evaluation of excreted/secreted antigens derived from peritoneal of toxoplasma infected small mice to detect IgG against Toxoplasma. <i>Pakistan Journal of Biological Sciences</i> , 2009 , 12, 530-3 | 0.8 | 6 |
| 51 | Current information concerning association of IL-12 and hepatitis B infection. <i>Clinical Laboratory</i> , 2014 , 60, 185-91 | 2 | 6 |

| 50 | Interferon-⊡a Modulates Expression of RAGE but Not S100A12 and Nuclear Factor-□B in Multiple Sclerosis Patients. <i>NeuroImmunoModulation</i> , 2016 , 23, 345-351 | 2.5 | 6 |
|----|--|-----|---|
| 49 | Tactile learning in rodents: Neurobiology and neuropharmacology. <i>Life Sciences</i> , 2016 , 147, 1-8 | 6.8 | 5 |
| 48 | IL-17A plays an important role in induction of type 2 diabetes and its complications. <i>Asian Pacific Journal of Tropical Disease</i> , 2014 , 4, 412-415 | | 5 |
| 47 | Evaluation of CCR5 Expression on NK Cells in Iranian Patients With Occult Hepatitis B Infection. <i>Laboratory Medicine</i> , 2010 , 41, 735-738 | 1.6 | 5 |
| 46 | Decreased Circulating Level in Parallel With Lack of Associated Genetic Variation in CXCL10 (IP-10) in Southeastern Post-Transfusion Occult HBV-Infected Patients. <i>Laboratory Medicine</i> , 2011 , 42, 423-426 | 1.6 | 5 |
| 45 | Altered Expression of High Molecular Weight Heat Shock Proteins after OCT4B1 Suppression in Human Tumor Cell Lines. <i>Cell Journal</i> , 2016 , 17, 608-16 | 2.4 | 5 |
| 44 | All eotaxins CCL11, CCL24 and CCL26 are increased but to various extents in pulmonary tuberculosis patients. <i>Clinical Laboratory</i> , 2014 , 60, 93-7 | 2 | 5 |
| 43 | and Gene Polymorphisms: The Plausible Risk Factors for Chronic Hepatitis B. <i>Viral Immunology</i> , 2019 , 32, 208-213 | 1.7 | 4 |
| 42 | The Cytotoxic T Lymphocyte Antigen-4 +49A/G Single Nucleotide Polymorphism Association With Visceral Leishmaniasis. <i>Jundishapur Journal of Microbiology</i> , 2014 , 7, e12143 | 1.2 | 4 |
| 41 | Opium induces apoptosis in jurkat cells. <i>Addiction and Health</i> , 2013 , 5, 27-34 | 0.9 | 4 |
| 40 | The frequency of CCR5 promoter polymorphisms and CCR5 B2 mutation in Iranian populations. <i>Iranian Journal of Basic Medical Sciences</i> , 2015 , 18, 312-6 | 1.8 | 4 |
| 39 | Anxiety leads to up-regulation of CD36 on the monocytes of chronic hepatitis B-infected patients. <i>International Journal of Psychiatry in Medicine</i> , 2016 , 51, 467-475 | 1 | 4 |
| 38 | Application of the Leishmania infantum 21-kDa recombinant protein for the development of an immunochromatographic test. <i>Parasite Immunology</i> , 2020 , 42, e12770 | 2.2 | 3 |
| 37 | Interleukin-6 and Tumor Growth Factor-Dare Risk Factors for Idiopathic Epistaxis. <i>Laboratory Medicine</i> , 2018 , 49, 329-341 | 1.6 | 3 |
| 36 | Expressions of ASC and caspase-1 but not AIM2 are disrupted in chronic HBV infected patients. Asian Pacific Journal of Tropical Disease, 2014 , 4, 301-305 | | 3 |
| 35 | Effects of Cigarette Smoke and Opium on the Expression of CD9, CD36, and CD68 at mRNA and Protein Levels in Human Macrophage Cell Line THP-1. <i>Iranian Journal of Allergy, Asthma and Immunology</i> , 2020 , 19, 45-55 | 1.1 | 3 |
| 34 | Opium induces apoptosis in Jurkat cells via promotion of pro-apoptotic and inhibition of anti-apoptotic molecules. <i>Iranian Journal of Basic Medical Sciences</i> , 2016 , 19, 215-20 | 1.8 | 3 |
| 33 | Controversial issues regarding the roles of IL-10 and IFN-In active/inactive chronic hepatitis B. World Journal of Gastrointestinal Pathophysiology, 2014 , 5, 120-1 | 3.2 | 3 |

| 32 | The Role of Interleukin-17A (IL-17A) in Depression. Iranian Red Crescent Medical Journal, 2016, 18, | 1.3 | 3 |
|----|--|-------------------|---|
| 31 | Levels of Transforming Growth Factor-Beta After Immunization of Mice With in vivo prepared Toxoplasma gondii Excretory/Secretory Proteins. <i>Jundishapur Journal of Microbiology</i> , 2015 , 8, e17802 | 1.2 | 3 |
| 30 | Up-regulation of RIP1 and IPS-1 in chronic HBV infected patients. <i>Genetics and Molecular Biology</i> , 2019 , 42, 337-343 | 2 | 2 |
| 29 | Intensity of HLA-A2 Expression Significantly Decreased in Occult Hepatitis B Infection. <i>Jundishapur Journal of Microbiology</i> , 2014 , 7, e10298 | 1.2 | 2 |
| 28 | Association of a Polymorphism Within Intron 8 But Not Exon 9 of the Vitamin D Receptor in Patients With Multiple Sclerosis of Southeastern Iranian Ethnicity. <i>Laboratory Medicine</i> , 2013 , 44, 215-2 | 1 § .6 | 2 |
| 27 | The status of humoral immunity in occult HBV infection in south-eastern Iranian patients. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2011 , 35, 309-14 | 2.4 | 2 |
| 26 | Are Fas Ligand Polymorphisms Associated With Occult HBV Infection?. <i>Laboratory Medicine</i> , 2010 , 41, 672-675 | 1.6 | 2 |
| 25 | Association of cord blood levels of IL-17A, but not TGF-I with pre-term neonate. <i>Iranian Journal of Reproductive Medicine</i> , 2015 , 13, 345-50 | | 2 |
| 24 | Mutations within the HBc gene of the hepatitis B virus: a study on Iranian patients. <i>Clinical Laboratory</i> , 2014 , 60, 9-21 | 2 | 2 |
| 23 | Ionizing radiation and toll like receptors: A systematic review article. <i>Human Immunology</i> , 2021 , 82, 446 | -454 | 2 |
| 22 | The effect of IFN-II a on expression of MDA5 and RIG-1 in multiple sclerosis patients. <i>Biotechnology and Applied Biochemistry</i> , 2021 , 68, 267-271 | 2.8 | 2 |
| 21 | Severe Acute Respiratory Syndrome Coronavirus 2: The Role of the Main Components of the Innate Immune System. <i>Inflammation</i> , 2021 , 44, 2151-2169 | 5.1 | 2 |
| 20 | APLN/APJ pathway: The key regulator of macrophage functions. <i>Life Sciences</i> , 2019 , 232, 116645 | 6.8 | 1 |
| 19 | Differential pattern of cytokine production by depressed medical students; evidence for involvement of cytokine network in pathology of depression. <i>Clinical Laboratory</i> , 2014 , 60, 435-40 | 2 | 1 |
| 18 | Controversial report regarding seroprevalence of hepatitis B and C viruses among hemodialysis patients in kerman province, South-East iran. <i>Hepatitis Monthly</i> , 2013 , 13, e7046 | 1.8 | 1 |
| 17 | BRCA1Promoter Methylation Status in Ovarian Cancer. <i>Laboratory Medicine</i> , 2012 , 43, 18-21 | 1.6 | 1 |
| 16 | The effect of depression and anxiety on expression levels of toll like receptor signaling molecules in chronic HBV infected patients. <i>Medical Journal of the Islamic Republic of Iran</i> , 2015 , 29, 180 | 1.1 | 1 |
| 15 | The effect of royal jelly and silver nanoparticles on liver and kidney inflammation. <i>Avicenna Journal of Phytomedicine</i> , 2021 , 11, 218-223 | 1.4 | 1 |

| 14 | Expression of CXC Chemokine, IP-10/Mob-1 is Regulated by Specific p38,CAMK-II, NF^ 🗓 🗓 B and Staurosporine Regulatory Pathways in Primary Hepatocytes. <i>Research Journal of Immunology</i> , 2008 , 1, 21-28 | O | 1 |
|----|---|------|---|
| 13 | The Association Between C424c/A Polymorphism Within the IL-25 Gene and Multiple Sclerosis. Iranian Red Crescent Medical Journal, 2016 , 18, e25995 | 1.3 | 1 |
| 12 | Mesenchymal Stem Cells: The Potential Therapeutic Cell Therapy to Reduce Brain Stroke Side Effects. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2021 , 30, 105668 | 2.8 | 1 |
| 11 | Topical Bee Venom Nano-emulsion Ameliorates Serum Level of Endothelin-1 in Collagen-Induced Rheumatoid Arthritis Model. <i>BioNanoScience</i> , 2021 , 11, 810-815 | 3.4 | 1 |
| 10 | The immune response against Toxoplasma gondii in BALB/c mice induced by mannose-modified nanoliposome of excreted/secreted antigens. <i>Parasitology Research</i> , 2021 , 120, 2855-2861 | 2.4 | 1 |
| 9 | Murine leukocytes stimulation by Toxoplasma gondii antigens induces high level of IFN-I production. <i>Comparative Clinical Pathology</i> , 2020 , 29, 533-537 | 0.9 | |
| 8 | Controversial concepts regarding T helper 1 and T helper 2 cytokines in hepatitis C virus infected patients. <i>Hepatitis Monthly</i> , 2013 , 13, e8067 | 1.8 | |
| 7 | Epidemiological Study of Various HPV Strains in Cervical Fluid Samples in South-Eastern Iran, 2018-2020. <i>Archives of Iranian Medicine</i> , 2021 , 24, 678-683 | 2.4 | |
| 6 | Author Reply; Nucleic Acid Testing for the Detection of HBV DNA. <i>Hepatitis Monthly</i> , 2011 , 11, 849-84 | 91.8 | |
| 5 | Why Is Hormone Therapy Successful Strategy Against Coronavirus-19?. VirusDisease, 2021 , 32, 1-2 | 3.4 | |
| 4 | Expression of toll like receptors before and after coronary angiography with isomolar contrast among those with and without coronary atherosclerosis. <i>Reviews in Cardiovascular Medicine</i> , 2021 , 22, 537-543 | 3.9 | |
| 3 | Brain magnetic resonance imaging without contrast significantly increased serum levels of IL-6, but not IL-10, IL-17A and TGF-[] <i>Brain Injury</i> , 2021 , 1-6 | 2.1 | |
| 2 | Depression Is Associated with Downregulation of IPS-1 in Chronic HBV-Infected Patients in a Sex-Dependent Manner. <i>NeuroImmunoModulation</i> , 2021 , 28, 68-73 | 2.5 | |
| 1 | Interleukin 17A: A Potential Target for Its Plausible Roles in the Pathogenesis of Idiopathic Epistaxis <i>Iranian Journal of Otorhinolaryngology</i> , 2022 , 34, 45-53 | 0.6 | |