

# Graham J Leggett

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4462154/graham-j-leggett-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

155  
papers

5,408  
citations

43  
h-index

65  
g-index

162  
ext. papers

5,740  
ext. citations

7  
avg, IF

5.64  
L-index

#	Paper	IF	Citations
155	Active control of strong plasmon-exciton coupling in biomimetic pigment-polymer antenna complexes grown by surface-initiated polymerisation from gold nanostructures.. <i>Chemical Science</i> , <b>2022</b> , 13, 2405-2417	9.4	3
154	Slow polymer diffusion on brush-patterned surfaces in aqueous solution. <i>Nanoscale</i> , <b>2019</b> , 11, 6052-6061	7.7	3
153	Turning the challenge of quantum biology on its head: biological control of quantum optical systems. <i>Faraday Discussions</i> , <b>2019</b> , 216, 57-71	3.6	7
152	Highly efficient fluoride extraction from simulant leachate of spent potlining via La-loaded chelating resin. An equilibrium study. <i>Journal of Hazardous Materials</i> , <b>2019</b> , 361, 200-209	12.8	27
151	Tools for Low-Dimensional Chemistry. <i>Langmuir</i> , <b>2019</b> , 35, 7589-7602	4	2
150	Salt Dependence of the Tribological Properties of a Surface-Grafted Weak Polycation in Aqueous Solution. <i>Tribology Letters</i> , <b>2018</b> , 66, 11	2.8	9
149	Fabrication of microstructured binary polymer brush "corrals" with integral pH sensing for studies of proton transport in model membrane systems. <i>Chemical Science</i> , <b>2018</b> , 9, 2238-2251	9.4	14
148	Blob Size Controls Diffusion of Free Polymer in a Chemically Identical Brush in Semidilute Solution. <i>Macromolecules</i> , <b>2018</b> , 51, 6312-6317	5.5	4
147	A synthetic biological quantum optical system. <i>Nanoscale</i> , <b>2018</b> , 10, 13064-13073	7.7	7
146	Augmenting light coverage for photosynthesis through YFP-enhanced charge separation at the Rhodobacter sphaeroides reaction centre. <i>Nature Communications</i> , <b>2017</b> , 8, 13972	17.4	29
145	Nanotribological Investigation of Polymer Brushes with Lithographically Defined and Systematically Varying Grafting Densities. <i>Langmuir</i> , <b>2017</b> , 33, 706-713	4	5
144	Nanotribological properties of nanostructured poly(cysteine methacrylate) brushes. <i>Soft Matter</i> , <b>2017</b> , 13, 2075-2084	3.6	7
143	Nanoscience and Nanotechnology Cross Borders. <i>ACS Nano</i> , <b>2017</b> , 11, 1123-1126	16.7	3
142	Micrometre and nanometre scale patterning of binary polymer brushes, supported lipid bilayers and proteins. <i>Chemical Science</i> , <b>2017</b> , 8, 4517-4526	9.4	18
141	Simple, Direct Routes to Polymer Brush Traps and Nanostructures for Studies of Diffusional Transport in Supported Lipid Bilayers. <i>Langmuir</i> , <b>2017</b> , 33, 3672-3679	4	4
140	Influence of salt on the solution dynamics of a phosphorylcholine-based polyzwitterion. <i>European Polymer Journal</i> , <b>2017</b> , 87, 449-457	5.2	4
139	From Monochrome to Technicolor: Simple Generic Approaches to Multicomponent Protein Nanopatterning Using Siloxanes with Photoremovable Protein-Resistant Protecting Groups. <i>Langmuir</i> , <b>2017</b> , 33, 8829-8837	4	8

138	Direct Imaging of Protein Organization in an Intact Bacterial Organelle Using High-Resolution Atomic Force Microscopy. <i>ACS Nano</i> , <b>2017</b> , 11, 126-133	16.7	38
137	Nano- and micro-patterning biotemplated magnetic CoPt arrays. <i>Nanoscale</i> , <b>2016</b> , 8, 11738-47	7.7	6
136	A novel design strategy for nanoparticles on nanopatterns: interferometric lithographic patterning of Mms6 biotemplated magnetic nanoparticles. <i>Journal of Materials Chemistry C</i> , <b>2016</b> , 4, 3948-3955	7.1	21
135	Fabrication of Nanometer- and Micrometer-Scale Protein Structures by Site-Specific Immobilization of Histidine-Tagged Proteins to Aminosiloxane Films with Photoremovable Protein-Resistant Protecting Groups. <i>Langmuir</i> , <b>2016</b> , 32, 1818-27	4	18
134	Effect of Salt on Phosphorylcholine-based Zwitterionic Polymer Brushes. <i>Langmuir</i> , <b>2016</b> , 32, 5048-57	4	58
133	Strong Coupling of Localized Surface Plasmons to Excitons in Light-Harvesting Complexes. <i>Nano Letters</i> , <b>2016</b> , 16, 6850-6856	11.5	43
132	Fabrication of Two-Component, Brush-on-Brush Topographical Microstructures by Combination of Atom-Transfer Radical Polymerization with Polymer End-Functionalization and Photopatterning. <i>Langmuir</i> , <b>2015</b> , 31, 5935-44	4	18
131	Fabrication of Self-Cleaning, Reusable Titania Templates for Nanometer and Micrometer Scale Protein Patterning. <i>ACS Nano</i> , <b>2015</b> , 9, 6262-70	16.7	16
130	Functionalised nanoscale coatings using layer-by-layer assembly for imparting antibacterial properties to polylactide-co-glycolide surfaces. <i>Acta Biomaterialia</i> , <b>2015</b> , 21, 35-43	10.8	45
129	Facile Formation of Highly Mobile Supported Lipid Bilayers on Surface-Quaternized pH-Responsive Polymer Brushes. <i>Macromolecules</i> , <b>2015</b> , 48, 3095-3103	5.5	16
128	Versatile thiol-based reactions for micrometer- and nanometer-scale photopatterning of polymers and biomolecules. <i>Journal of Materials Chemistry B</i> , <b>2015</b> , 3, 4431-4438	7.3	10
127	New poly(amino acid methacrylate) brush supports the formation of well-defined lipid membranes. <i>Langmuir</i> , <b>2015</b> , 31, 3668-77	4	16
126	Nanoscale Contact Mechanics between Two Grafted Polyelectrolyte Surfaces. <i>Macromolecules</i> , <b>2015</b> , 48, 6272-6279	5.5	25
125	Interference lithographic nanopatterning of plant and bacterial light-harvesting complexes on gold substrates. <i>Interface Focus</i> , <b>2015</b> , 5, 20150005	3.9	7
124	Frictional properties of a polycationic brush. <i>Soft Matter</i> , <b>2014</b> , 10, 2759-66	3.6	19
123	Fast, simple, combinatorial routes to the fabrication of reusable, plasmonically active gold nanostructures by interferometric lithography of self-assembled monolayers. <i>ACS Nano</i> , <b>2014</b> , 8, 7858-69	16.7	14
122	Correction to Relationship Between Molecular Contact Thermodynamics and Surface Contact Mechanics. <i>Langmuir</i> , <b>2014</b> , 30, 9623-9623	4	
121	Poly(glycerol monomethacrylate)-Poly(benzyl methacrylate) Diblock Copolymer Nanoparticles via RAFT Emulsion Polymerization: Synthesis, Characterization, and Interfacial Activity. <i>Macromolecules</i> , <b>2014</b> , 47, 5613-5623	5.5	135

120	Zwitterionic poly(amino acid methacrylate) brushes. <i>Journal of the American Chemical Society</i> , <b>2014</b> , 136, 9404-13	16.4	141
119	Spatial control over cross-linking dictates the pH-responsive behavior of poly(2-(tert-butylamino)ethyl methacrylate) brushes. <i>Langmuir</i> , <b>2014</b> , 30, 1391-400	4	15
118	Integration of energy and electron transfer processes in the photosynthetic membrane of <i>Rhodobacter sphaeroides</i> . <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , <b>2014</b> , 1837, 1769-80	4.6	80
117	Nanoscale contact mechanics of biocompatible polyzwitterionic brushes. <i>Langmuir</i> , <b>2013</b> , 29, 10684-92	4	29
116	Photocatalytic nanolithography of self-assembled monolayers and proteins. <i>ACS Nano</i> , <b>2013</b> , 7, 7610-8	16.7	25
115	The Relationship Between Contact Mechanics and Adhesion in Nanoscale Contacts Between Non-Polar Molecular Monolayers. <i>Tribology Letters</i> , <b>2013</b> , 50, 145-155	2.8	3
114	Fabrication of molecular nanopatterns at aluminium oxide surfaces by nanoshaving of self-assembled monolayers of alkylphosphonates. <i>Nanoscale</i> , <b>2013</b> , 5, 11125-31	7.7	21
113	Generic methods for micrometer- and nanometer-scale surface derivatization based on photochemical coupling of primary amines to monolayers of aryl azides on gold and aluminum oxide surfaces. <i>Langmuir</i> , <b>2013</b> , 29, 1083-92	4	11
112	Nanopatterned polymer brushes as switchable bioactive interfaces. <i>Nanoscale</i> , <b>2013</b> , 5, 3632-7	7.7	34
111	Micrometer and nanometer scale photopatterning of proteins on glass surfaces by photo-degradation of films formed from oligo(ethylene glycol) terminated silanes. <i>Biointerphases</i> , <b>2012</b> , 7, 54	1.8	11
110	Relationship between molecular contact thermodynamics and surface contact mechanics. <i>Langmuir</i> , <b>2012</b> , 28, 17709-17	4	20
109	The mechanics of nanometre-scale molecular contacts. <i>Faraday Discussions</i> , <b>2012</b> , 156, 325-41; discussion 413-34	3.6	14
108	Light-directed nanosynthesis: near-field optical approaches to integration of the top-down and bottom-up fabrication paradigms. <i>Nanoscale</i> , <b>2012</b> , 4, 1840-55	7.7	33
107	Micro- and nanostructured poly[oligo(ethylene glycol)methacrylate] brushes grown from photopatterned halogen initiators by atom transfer radical polymerization. <i>Biointerphases</i> , <b>2011</b> , 6, 8-15 <sup>1.8</sup>	1.8	30
106	Contact mechanics of nanometer-scale molecular contacts: correlation between adhesion, friction, and hydrogen bond thermodynamics. <i>Journal of the American Chemical Society</i> , <b>2011</b> , 133, 8625-32	16.4	28
105	DNA nanofabrication by scanning near-field photolithography of oligo(ethylene glycol) terminated SAMs: Controlled scan-rate dependent switching between head group oxidation and tail group degradation. <i>Journal of Materials Chemistry</i> , <b>2011</b> , 21, 14173		6
104	Use of engineered unique cysteine residues to facilitate oriented coupling of proteins directly to a gold substrate. <i>Photochemistry and Photobiology</i> , <b>2011</b> , 87, 1050-7	3.6	18
103	Large area nanopatterning of alkylphosphonate self-assembled monolayers on titanium oxide surfaces by interferometric lithography. <i>Nanoscale</i> , <b>2011</b> , 3, 2511-6	7.7	17

102	Effect of brush thickness and solvent composition on the friction force response of poly(2-(methacryloyloxy)ethylphosphorylcholine) brushes. <i>Langmuir</i> , <b>2011</b> , 27, 2514-21	4	70
101	Direct writing of metal nanostructures: lithographic tools for nanoplasmonics research. <i>ACS Nano</i> , <b>2011</b> , 5, 1575-9	16.7	11
100	Protein micro- and nanopatterning using aminosilanes with protein-resistant photolabile protecting groups. <i>Journal of the American Chemical Society</i> , <b>2011</b> , 133, 2749-59	16.4	38
99	Parallel scanning near-field photolithography in liquid: The Snomipede. <i>Microelectronic Engineering</i> , <b>2011</b> , 88, 2109-2112	2.5	5
98	The Snomipede: A parallel platform for scanning near-field photolithography. <i>Journal of Materials Research</i> , <b>2011</b> , 26, 2997-3008	2.5	5
97	Nanotribological characterization of human head hair by friction force microscopy in dry atmosphere and aqueous environment. <i>Biointerphases</i> , <b>2010</b> , 5, 60-8	1.8	7
96	Parallel scanning near-field photolithography: the snomipede. <i>Nano Letters</i> , <b>2010</b> , 10, 4375-80	11.5	71
95	Large-area nanopatterning of self-assembled monolayers of alkanethiolates by interferometric lithography. <i>Langmuir</i> , <b>2010</b> , 26, 13600-6	4	34
94	Sub-10 ohm resistance gold films prepared by removal of ligands from thiol-stabilized 6 nm gold nanoparticles. <i>Langmuir</i> , <b>2010</b> , 26, 4331-8	4	9
93	Fabrication of submicrometer biomolecular patterns by near-field exposure of plasma-polymerized tetraglyme films. <i>Langmuir</i> , <b>2010</b> , 26, 10203-9	4	13
92	Synthesis, monolayer formation, characterization, and nanometer-scale photolithographic patterning of conjugated oligomers bearing terminal thioacetates. <i>Langmuir</i> , <b>2010</b> , 26, 4449-58	4	7
91	Micro-/nano-patterning of DNA and rapid readout with SERS tags. <i>Chemical Communications</i> , <b>2010</b> , 46, 5292-4	5.8	27
90	Protein patterning by UV-induced photodegradation of poly(oligo(ethylene glycol) methacrylate) brushes. <i>Langmuir</i> , <b>2010</b> , 26, 9937-42	4	49
89	Morphological and quantitative frictional measurements of cotton fibres using friction force microscopy. <i>Journal of Materials Chemistry</i> , <b>2010</b> , 20, 8531		8
88	Biocompatible polymer brushes grown from model quartz fibres: synthesis, characterisation and in situ determination of frictional coefficient. <i>Soft Matter</i> , <b>2010</b> , 6, 1571	3.6	27
87	Nanoscale biomolecular structures on self-assembled monolayers generated from modular pegylated disulfides. <i>Chemistry - A European Journal</i> , <b>2010</b> , 16, 12234-43	4.8	11
86	Templated formation of giant polymer vesicles with controlled size distributions. <i>Nature Materials</i> , <b>2009</b> , 8, 507-11	27	176
85	Directed single molecule diffusion triggered by surface energy gradients. <i>ACS Nano</i> , <b>2009</b> , 3, 3235-43	16.7	36

84	Site-specific immobilization and micrometer and nanometer scale photopatterning of yellow fluorescent protein on glass surfaces. <i>Journal of the American Chemical Society</i> , <b>2009</b> , 131, 896-7	16.4	51
83	Photopatterning, etching, and derivatization of self-assembled monolayers of phosphonic acids on the native oxide of titanium. <i>Langmuir</i> , <b>2009</b> , 25, 10746-53	4	37
82	Quantitative investigation of the photodegradation of polyethylene terephthalate film by friction force microscopy, contact-angle goniometry, and X-ray photoelectron spectroscopy. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2009</b> , 1, 1688-97	9.5	45
81	Influence of molecular weight on friction force microscopy of polystyrene and poly(methyl methacrylate) films: correlation between coefficient of friction and chain entanglement. <i>Langmuir</i> , <b>2009</b> , 25, 2217-24	4	12
80	Micrometer- and nanometer-scale photopatterning using 2-nitrophenylpropyloxycarbonyl-protected aminosiloxane monolayers. <i>Journal of the American Chemical Society</i> , <b>2009</b> , 131, 1513-22	16.4	31
79	Quantitative kinetic measurements of the esterification of self-assembled monolayers of mercaptoundecanol by trifluoroacetic anhydride using friction force microscopy. <i>Langmuir</i> , <b>2009</b> , 25, 9182-8	4	9
78	A comparative investigation of methods for protein immobilization on self-assembled monolayers using glutaraldehyde, carbodiimide, and anhydride reagents. <i>Biointerphases</i> , <b>2008</b> , 3, 59-65	1.8	41
77	Optical nanolithography using a scanning near-field probe with an integrated light source. <i>Applied Physics Letters</i> , <b>2008</b> , 93, 213103	3.4	23
76	Photochemical fabrication of three-dimensional micro- and nano-structured surfaces from a C60 monoadduct. <i>Journal of Materials Chemistry</i> , <b>2008</b> , 18, 2016		7
75	Micrometer and nanometer scale patterning using the photo-fries rearrangement: toward selective execution of molecular transformations with nanoscale spatial resolution. <i>Langmuir</i> , <b>2008</b> , 24, 12420-5	4	19
74	Scanning Near-Field Photolithography <b>2008</b> , 3709-3720		
73	Influence of solvent environment and tip chemistry on the contact mechanics of tip-sample interactions in friction force microscopy of self-assembled monolayers of mercaptoundecanoic Acid and dodecanethiol. <i>Langmuir</i> , <b>2007</b> , 23, 4959-64	4	38
72	Micrometer and Nanometer Scale Photopatterning of Self-Assembled Monolayers of Phosphonic Acids on Aluminum Oxide. <i>Nano Letters</i> , <b>2007</b> , 7, 3753-3758	11.5	44
71	Directed formation of micro- and nanoscale patterns of functional light-harvesting LH2 complexes. <i>Journal of the American Chemical Society</i> , <b>2007</b> , 129, 14625-31	16.4	50
70	One-step photochemical introduction of nanopatterned protein-binding functionalities to oligo(ethylene glycol)-terminated self-assembled monolayers. <i>Journal of the American Chemical Society</i> , <b>2007</b> , 129, 14842-3	16.4	49
69	Generation of Molecular-Scale Compositional Gradients in Self-Assembled Monolayers. <i>Nano Letters</i> , <b>2007</b> , 7, 3747-3752	11.5	22
68	Fabrication of biomolecular nanostructures by scanning near-field photolithography of oligo(ethylene glycol)-terminated self-assembled monolayers. <i>Langmuir</i> , <b>2007</b> , 23, 7328-37	4	82
67	The influence of surface lubricity on the adhesion of <i>Navicula perminuta</i> and <i>Ulva linza</i> to alkanethiol self-assembled monolayers. <i>Journal of the Royal Society Interface</i> , <b>2007</b> , 4, 473-7	4.1	37

66	Bionanofabrication by Near-Field Optical Methods. <i>Nanobiotechnology</i> , <b>2007</b> , 3, 223-240		2
65	Fabrication of sub-diffraction-limit molecular structures by scanning near-field photolithography <b>2007</b> ,		1
64	Photo-deprotection patterning of self-assembled monolayers. <i>Journal of Experimental Nanoscience</i> , <b>2007</b> , 2, 279-290	1.9	6
63	Scanning near-field photolithography--surface photochemistry with nanoscale spatial resolution. <i>Chemical Society Reviews</i> , <b>2006</b> , 35, 1150-61	58.5	76
62	Friction force microscopy of alkylphosphonic acid and carboxylic acids adsorbed on the native oxide of aluminum. <i>Langmuir</i> , <b>2006</b> , 22, 9254-9	4	74
61	A mild etch for the fabrication of three-dimensional nanostructures in gold. <i>Journal of the American Chemical Society</i> , <b>2006</b> , 128, 392-3	16.4	26
60	Influence of the solvent environment on the contact mechanics of tip-sample interactions in friction force microscopy of poly(ethylene terephthalate) films. <i>Langmuir</i> , <b>2006</b> , 22, 4179-83	4	33
59	Fabrication of gold micro- and nanostructures by photolithographic exposure of thiol-stabilized gold nanoparticles. <i>Nano Letters</i> , <b>2006</b> , 6, 345-50	11.5	68
58	Fabrication of biological nanostructures by scanning near-field photolithography of chloromethylphenylsiloxane monolayers. <i>Nano Letters</i> , <b>2006</b> , 6, 29-33	11.5	70
57	Biological nanostructures: platforms for analytical chemistry at the sub-zeptomolar level. <i>Analyst, The</i> , <b>2005</b> , 130, 259-64	5	21
56	Friction force microscopy: towards quantitative analysis of molecular organisation with nanometre spatial resolution. <i>Physical Chemistry Chemical Physics</i> , <b>2005</b> , 7, 1107-20	3.6	59
55	Measurement of the kinetics of photo-oxidation of self-assembled monolayers using friction force microscopy. <i>Langmuir</i> , <b>2005</b> , 21, 3903-9	4	22
54	Photooxidation of self-assembled monolayers by exposure to light of wavelength 254 nm: a static SIMS study. <i>Journal of Physical Chemistry B</i> , <b>2005</b> , 109, 11247-56	3.4	70
53	Bionanotechnology <b>2005</b> , 419-445		
52	Photopatterning of self-assembled monolayers at 244 nm and applications to the fabrication of functional microstructures and nanostructures. <i>Nanotechnology</i> , <b>2005</b> , 16, 1798-1808	3.4	30
51	Nanowear of polystyrene surfaces: molecular entanglement and bundle formation. <i>Nanotechnology</i> , <b>2005</b> , 16, 675-682	3.4	33
50	Influence of mechanical properties on the nanowear of uniaxially oriented poly(ethylene terephthalate) film. <i>Wear</i> , <b>2004</b> , 256, 118-125	3.5	26
49	Nanopatterns and nanostructures at interfaces, Mulhouse, 12-15 October 2003. <i>ChemPhysChem</i> , <b>2004</b> , 5, 419-20	3.2	

48	Chemical force microscopy of mixed self-assembled monolayers of alkanethiols on gold: evidence for phase separation. <i>Langmuir</i> , <b>2004</b> , 20, 4109-15	4	74
47	Comparative Investigations of the Packing and Ambient Stability of Self-Assembled Monolayers of Alkanethiols on Gold and Silver by Friction Force Microscopy. <i>Journal of Physical Chemistry B</i> , <b>2004</b> , 108, 4723-4728	3.4	52
46	Matching the Resolution of Electron Beam Lithography by Scanning Near-Field Photolithography. <i>Nano Letters</i> , <b>2004</b> , 4, 1381-1384	11.5	128
45	Use of AFM to probe the adsorption strength and time-dependent changes of albumin on self-assembled monolayers. <i>Journal of Biomedical Materials Research Part B</i> , <b>2003</b> , 67, 548-58		43
44	Friction force microscopy of self-assembled monolayers: probing molecular organisation at the nanometre scale. <i>Analytica Chimica Acta</i> , <b>2003</b> , 479, 17-38	6.6	65
43	Protein adsorption and human osteoblast-like cell attachment and growth on alkylthiol on gold self-assembled monolayers. <i>Journal of Biomedical Materials Research Part B</i> , <b>2002</b> , 59, 84-99		159
42	Characterisation of the mechanical properties of plasma-polymerised coatings by nanoindentation and nanotribology. <i>Journal of Materials Science</i> , <b>2002</b> , 37, 4919-4927	4.3	19
41	Nanowear in scanning force microscopy: Information on deposits formed in and downstream of a hexane plasma. <i>Journal of Applied Physics</i> , <b>2002</b> , 91, 3841-3846	2.5	7
40	Nanoscale molecular patterns fabricated by using scanning near-field optical lithography. <i>Journal of the American Chemical Society</i> , <b>2002</b> , 124, 2414-5	16.4	119
39	Generation of Nanostructures by Scanning Near-Field Photolithography of Self-Assembled Monolayers and Wet Chemical Etching. <i>Nano Letters</i> , <b>2002</b> , 2, 1223-1227	11.5	66
38	Tapping mode and phase imaging of biaxially oriented polyester films. <i>Surface and Interface Analysis</i> , <b>2001</b> , 31, 39-45	1.5	9
37	Nanotribology of biaxially oriented poly(ethylene terephthalate) film. <i>Polymer</i> , <b>2001</b> , 42, 7025-7031	3.9	27
36	Scanning force microscopy of polyester: surface structure and adhesive properties. <i>Macromolecular Symposia</i> , <b>2001</b> , 167, 101-115	0.8	3
35	Friction Force Microscopy of Self-Assembled Monolayers: Influence of Adsorbate Alkyl Chain Length, Terminal Group Chemistry, and Scan Velocity. <i>Langmuir</i> , <b>2001</b> , 17, 1970-1974	4	154
34	Oxidation of self-assembled monolayers by UV light with a wavelength of 254 nm. <i>Journal of the American Chemical Society</i> , <b>2001</b> , 123, 4089-90	16.4	100
33	The effect of alkyl chain length and terminal group chemistry on the attachment and growth of murine 3T3 fibroblasts and primary human osteoblasts on self-assembled monolayers of alkanethiols on gold. <i>Journal of Materials Chemistry</i> , <b>2000</b> , 10, 133-139		28
32	Variation of Frictional Forces in Air with the Compositions of Heterogeneous Organic Surfaces. <i>Langmuir</i> , <b>2000</b> , 16, 735-739	4	55
31	Comparison of proliferation and growth of human keratinocytes on plasma copolymers of acrylic acid/1,7-octadiene and self-assembled monolayers. <i>Journal of Biomedical Materials Research Part B</i> , <b>1999</b> , 47, 379-87		44



30	Frictional, adhesive and mechanical properties of polyester films probed by scanning force microscopy <b>1999</b> , 27, 1084-1091		20
29	Friction and adhesion of mixed self-assembled monolayers studied by chemical force microscopy. <i>Physical Chemistry Chemical Physics</i> , <b>1999</b> , 1, 3345-3350	3.6	64
28	Static secondary ion mass spectrometry studies of self-assembled monolayers: electron beam degradation of alkanethiols on gold. <i>Journal of Materials Chemistry</i> , <b>1999</b> , 9, 923-928		34
27	Influence of Tail-Group Hydrogen Bonding on the Stabilities of Self-Assembled Monolayers of Alkylthiols on Gold. <i>Langmuir</i> , <b>1999</b> , 15, 1024-1032	4	109
26	Growth of human osteoblast-like cells on alkanethiol on gold self-assembled monolayers: the effect of surface chemistry. <i>Journal of Biomedical Materials Research Part B</i> , <b>1998</b> , 41, 431-42		87
25	Scanning force microscopy of polyester films: contact versus non-contact imaging and tip-induced wear experiments. <i>Polymer</i> , <b>1998</b> , 39, 5913-5921	3.9	16
24	A SEXAFS investigation of self-assembled monolayers on silver. <i>Surface Science</i> , <b>1998</b> , 397, 154-163	1.8	25
23	Correlation of friction, adhesion, wettability and surface chemistry after argon plasma treatment of poly(ethylene terephthalate). <i>Journal of Materials Chemistry</i> , <b>1998</b> , 8, 2845-2854		48
22	Static Secondary Ion Mass Spectrometry Studies of Self-Assembled Monolayers: Influence of Adsorbate Chain Length and Terminal Functional Group on Rates of Photooxidation of Alkanethiols on Gold. <i>Langmuir</i> , <b>1998</b> , 14, 4795-4801	4	94
21	Structure and Mechanism of Photooxidation of Self-assembled Monolayers of Alkylthiols on Silver Studied by XPS and Static SIMS. <i>Journal of Physical Chemistry B</i> , <b>1998</b> , 102, 174-184	3.4	106
20	Scanning force microscopy investigation of poly(ethylene terephthalate) modified by argon plasma treatment. <i>Journal of Materials Chemistry</i> , <b>1998</b> , 8, 1735-1742		63
19	Rates of attachment of fibroblasts to self-assembled monolayers formed by the adsorption of alkylthiols onto gold surfaces. <i>Journal of Materials Chemistry</i> , <b>1997</b> , 7, 435-441		55
18	Desorption of Butanethiol from Au(111) during Storage in Ultrahigh Vacuum: Effects on Surface Coverage and Stability toward Displacement by Solution-Phase Thiols. <i>Langmuir</i> , <b>1997</b> , 13, 3055-3058	4	19
17	Functionalization of Hydroxyl and Carboxylic Acid Terminated Self-Assembled Monolayers. <i>Langmuir</i> , <b>1997</b> , 13, 2740-2748	4	61
16	Scanning force microscopy of poly(ethylene terephthalate) surfaces: comparison of SEM with SFM topographical, lateral force and force modulation data. <i>Polymer</i> , <b>1997</b> , 38, 2617-2625	3.9	23
15	Fabrication of Cellular Wires on Micropatterned Monolayers of Short-Chain Alkanethiols on Gold. <i>Langmuir</i> , <b>1996</b> , 12, 5494-5497	4	13
14	Influence of Adsorbate Ordering on Rates of UV Photooxidation of Self-Assembled Monolayers. <i>The Journal of Physical Chemistry</i> , <b>1996</b> , 100, 6657-6662		132
13	Characterization of plasma-deposited styrene films by XPS and static SIMS. <i>Surface and Interface Analysis</i> , <b>1995</b> , 23, 22-28	1.5	35

12	Chemisorption of thiol compounds onto gold surfaces studied by static secondary ion mass spectrometry and relevance of data to ion formation mechanisms during sputtering. <i>Journal of the Chemical Society, Faraday Transactions</i> , <b>1993</b> , 89, 179		12
11	Surface studies by static secondary ion mass spectrometry: cluster ion formation studied by tandem mass-spectrometric techniques. <i>Journal of the Chemical Society, Faraday Transactions</i> , <b>1992</b> , 88, 297		40
10	A tandem SIMS study of poly(vinyl methyl ether). <i>Surface and Interface Analysis</i> , <b>1992</b> , 18, 210-216	1.5	6
9	The structure of the PET m/z 152 ion and implications for ion formation mechanisms in static SIMS. <i>Surface and Interface Analysis</i> , <b>1992</b> , 18, 637-639	1.5	5
8	Effects of damage during the SIMS analysis of poly(vinyl chloride) and poly(methyl methacrylate). <i>Applied Surface Science</i> , <b>1992</b> , 55, 105-115	6.7	41
7	An empirical model for ion formation from polymer surfaces during analysis by secondary ion mass spectrometry. <i>International Journal of Mass Spectrometry and Ion Processes</i> , <b>1992</b> , 122, 281-319		54
6	Application of tandem analyser to SIMS studies of hydrocarbon polymers. <i>Surface and Interface Analysis</i> , <b>1991</b> , 17, 737-744	1.5	11
5	Chapter 4. Static secondary ion mass spectrometry (SSIMS) – an emerging surface mass spectrometry. <i>Annual Reports on the Progress of Chemistry Section C</i> , <b>1991</b> , 88, 77		3
4	Role of electronic particle-surface interactions during the sputter degradation of polymers. <i>Analytical Chemistry</i> , <b>1991</b> , 63, 561-568	7.8	33
3	Applications of tandem quadrupole mass spectrometry in SIMS. <i>Surface and Interface Analysis</i> , <b>1990</b> , 16, 3-8	1.5	17
2	Collision target-gas effects during the tandem secondary-ion mass-spectrometric analysis of polymers. <i>Journal of the Chemical Society, Faraday Transactions</i> , <b>1990</b> , 86, 1863		13
1	Scanning Probe Microscopy		1