

# Suzanne N Morin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4462871/publications.pdf>

Version: 2024-02-01

145  
papers

4,765  
citations

109264

35  
h-index

114418

63  
g-index

149  
all docs

149  
docs citations

149  
times ranked

5305  
citing authors

#	ARTICLE	IF	CITATIONS
1	Diagnosis and Management of Osteonecrosis of the Jaw: A Systematic Review and International Consensus. <i>Journal of Bone and Mineral Research</i> , 2015, 30, 3-23.	3.1	957
2	Case-Based Review of Osteonecrosis of the Jaw (ONJ) and Application of the International Recommendations for Management From the International Task Force on ONJ. <i>Journal of Clinical Densitometry</i> , 2017, 20, 8-24.	0.5	185
3	Mortality rates after incident non-traumatic fractures in older men and women. <i>Osteoporosis International</i> , 2011, 22, 2439-2448.	1.3	178
4	Secondary Fracture Prevention: Consensus Clinical Recommendations from a Multistakeholder Coalition. <i>Journal of Bone and Mineral Research</i> , 2020, 35, 36-52.	3.1	146
5	Weight and body mass index predict bone mineral density and fractures in women aged 40 to 59 years. <i>Osteoporosis International</i> , 2009, 20, 363-370.	1.3	107
6	Fracture risk assessment without bone density measurement in routine clinical practice. <i>Osteoporosis International</i> , 2012, 23, 75-85.	1.3	102
7	The current economic burden of illness of osteoporosis in Canada. <i>Osteoporosis International</i> , 2016, 27, 3023-3032.	1.3	96
8	Longer Duration of Diabetes Strongly Impacts Fracture Risk Assessment: The Manitoba BMD Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 4489-4496.	1.8	92
9	HRpQCT Measures of Bone Microarchitecture Predict Fracture: Systematic Review and Meta-Analysis. <i>Journal of Bone and Mineral Research</i> , 2020, 35, 446-459.	3.1	92
10	Spine bone texture assessed by trabecular bone score (TBS) predicts osteoporotic fractures in men: The Manitoba Bone Density Program. <i>Bone</i> , 2014, 67, 10-14.	1.4	85
11	Does diabetes modify the effect of FRAX risk factors for predicting major osteoporotic and hip fracture?. <i>Osteoporosis International</i> , 2014, 25, 2817-2824.	1.3	79
12	Osteoporosis epidemiology 2013. <i>Current Opinion in Rheumatology</i> , 2014, 26, 440-446.	2.0	78
13	Estimated Lean Mass and Fat Mass Differentially Affect Femoral Bone Density and Strength Index but Are Not FRAX Independent Risk Factors for Fracture. <i>Journal of Bone and Mineral Research</i> , 2014, 29, 2511-2519.	3.1	74
14	Association between obesity and risk of fracture, bone mineral density and bone quality in adults: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2021, 16, e0252487.	1.1	66
15	Association of Mental Disorders and Related Medication Use With Risk for Major Osteoporotic Fractures. <i>JAMA Psychiatry</i> , 2017, 74, 641.	6.0	60
16	Trends in Operative and Nonoperative Hip Fracture Management 1990-2014: A Longitudinal Analysis of Manitoba Administrative Data. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 27-34.	1.3	58
17	Institutionalization following incident non-traumatic fractures in community-dwelling men and women. <i>Osteoporosis International</i> , 2012, 23, 2381-2386.	1.3	56
18	High bone mineral density is associated with high body mass index. <i>Osteoporosis International</i> , 2009, 20, 1267-1271.	1.3	55

#	ARTICLE	IF	CITATIONS
19	Performance of FRAX in Women with Breast Cancer Initiating Aromatase Inhibitor Therapy: A Registry-Based Cohort Study. <i>Journal of Bone and Mineral Research</i> , 2019, 34, 1428-1435.	3.1	52
20	Fracture risk following high-trauma versus low-trauma fracture: a registry-based cohort study. <i>Osteoporosis International</i> , 2020, 31, 1059-1067.	1.3	52
21	Population-Based Trends in Osteoporosis Management after New Initiations of Long-Term Systemic Glucocorticoids (1998â€“2008). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 1236-1242.	1.8	51
22	Loss of health related quality of life following low-trauma fractures in the elderly. <i>BMC Geriatrics</i> , 2016, 16, 84.	1.1	51
23	Calcium and Vitamin D Intake and Mortality: Results from the Canadian Multicentre Osteoporosis Study (CaMos). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 3010-3018.	1.8	49
24	The Importance of Previous Fracture Site on Osteoporosis Diagnosis and Incident Fractures in Women. <i>Journal of Bone and Mineral Research</i> , 2014, 29, 1675-1680.	3.1	49
25	Hip Axis Length Is a FRAX- and Bone Density-Independent Risk Factor for Hip Fracture in Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 2063-2070.	1.8	48
26	Major Osteoporotic to Hip Fracture Ratios in Canadian Men and Women With Swedish Comparisons: A Population-Based Analysis. <i>Journal of Bone and Mineral Research</i> , 2014, 29, 1067-1073.	3.1	46
27	Recommendations for preventing fracture in long-term care. <i>Cmaj</i> , 2015, 187, 1135-1144.	0.9	46
28	Adjusting Hip Fracture Probability in Men and Women Using Hip Axis Length: the Manitoba Bone Density Database. <i>Journal of Clinical Densitometry</i> , 2016, 19, 326-331.	0.5	46
29	Change in Bone Mineral Density Is an Indicator of Treatment-Related Antifracture Effect in Routine Clinical Practice. <i>Annals of Internal Medicine</i> , 2016, 165, 465.	2.0	43
30	Effects of obesity and diabetes on rate of bone density loss. <i>Osteoporosis International</i> , 2018, 29, 61-67.	1.3	42
31	Successful knowledge translation intervention in long-term care: final results from the vitamin D and osteoporosis study (ViDOS) pilot cluster randomized controlled trial. <i>Trials</i> , 2015, 16, 214.	0.7	41
32	Influence of recency and duration of glucocorticoid use on bone mineral density and risk of fractures: population-based cohort study. <i>Osteoporosis International</i> , 2013, 24, 2493-2498.	1.3	40
33	Densitometer-Specific Differences in the Correlation Between Body Mass Index and Lumbar Spine Trabecular Bone Score. <i>Journal of Clinical Densitometry</i> , 2017, 20, 233-238.	0.5	40
34	Mortality effects of timing alternatives for hip fracture surgery. <i>Cmaj</i> , 2018, 190, E923-E932.	0.9	40
35	Rate of Bone Density Change Does Not Enhance Fracture Prediction in Routine Clinical Practice. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 1211-1218.	1.8	38
36	Current level of technology use, health and eHealth literacy in older Canadians with a recent fractureâ€”a survey in orthopedic clinics. <i>Osteoporosis International</i> , 2020, 31, 1333-1340.	1.3	37

#	ARTICLE	IF	CITATIONS
37	Direct costs of fractures in Canada and trends 1996–2006: A population-based cost-of-illness analysis. <i>Journal of Bone and Mineral Research</i> , 2011, 26, 2419-2429.	3.1	35
38	Clinical performance of an updated trabecular bone score (TBS) algorithm in men and women: the Manitoba BMD cohort. <i>Osteoporosis International</i> , 2017, 28, 3199-3203.	1.3	34
39	Effectiveness of antiresorptive agents in the prevention of recurrent hip fractures. <i>Osteoporosis International</i> , 2007, 18, 1625-1632.	1.3	33
40	Performance of FRAX and FRAX-Based Treatment Thresholds in Women Aged 40 Years and Older: The Manitoba BMD Registry. <i>Journal of Bone and Mineral Research</i> , 2019, 34, 1419-1427.	3.1	33
41	Direct healthcare costs for 5 years post-fracture in Canada. <i>Osteoporosis International</i> , 2013, 24, 1697-1705.	1.3	32
42	Predictors of imminent non-vertebral fracture in elderly women with osteoporosis, low bone mass, or a history of fracture, based on data from the population-based Canadian Multicentre Osteoporosis Study (CaMos). <i>Archives of Osteoporosis</i> , 2019, 14, 53.	1.0	32
43	Prevalent vertebral fracture on bone density lateral spine (VFA) images in routine clinical practice predict incident fractures. <i>Bone</i> , 2019, 121, 72-79.	1.4	32
44	Objectively Verified Parental Hip Fracture Is an Independent Risk Factor for Fracture: a Linkage Analysis of 478,792 Parents and 261,705 Offspring. <i>Journal of Bone and Mineral Research</i> , 2016, 31, 1753-1759.	3.1	31
45	In-hospital mortality after hip fracture by treatment setting. <i>Cmaj</i> , 2016, 188, 1219-1225.	0.9	29
46	Assessment of femur geometrical parameters using EOS <sup>®</sup> imaging technology in patients with atypical femur fractures; preliminary results. <i>Bone</i> , 2016, 83, 184-189.	1.4	29
47	Time trends in hospital stay after hip fracture in Canada, 2004–2012: database study. <i>Archives of Osteoporosis</i> , 2016, 11, 13.	1.0	28
48	Fermented Milk Products and Bone Health in Postmenopausal Women: A Systematic Review of Randomized Controlled Trials, Prospective Cohorts, and Case-Control Studies. <i>Advances in Nutrition</i> , 2020, 11, 251-265.	2.9	28
49	Can Change in FRAX Score Be Used to “Treat to Target”? A Population-Based Cohort Study. <i>Journal of Bone and Mineral Research</i> , 2014, 29, 1074-1080.	3.1	27
50	Associations of Body Mass Index With Incident Fractures and Hip Structural Parameters in a Large Canadian Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 476-484.	1.8	26
51	Longitudinal assessment of health-related quality of life in osteoporosis: data from the population-based Canadian Multicentre Osteoporosis Study. <i>Osteoporosis International</i> , 2019, 30, 1635-1644.	1.3	26
52	Patient engagement in clinical guidelines development: input from >1000 members of the Canadian Osteoporosis Patient Network. <i>Osteoporosis International</i> , 2020, 31, 867-874.	1.3	26
53	Temporal Trends in Obesity, Osteoporosis Treatment, Bone Mineral Density, and Fracture Rates: A Population-Based Historical Cohort Study. <i>Journal of Bone and Mineral Research</i> , 2014, 29, 952-959.	3.1	25
54	Incident Fragility Fractures Have a Long-Term Negative Impact on Health-Related Quality of Life of Older People: The Canadian Multicentre Osteoporosis Study. <i>Journal of Bone and Mineral Research</i> , 2019, 34, 838-848.	3.1	25

#	ARTICLE	IF	CITATIONS
55	Temporal Trends in the Incidence of Osteoporotic Fractures. <i>Current Osteoporosis Reports</i> , 2013, 11, 263-269.	1.5	24
56	The Disconnect Between Better Quality of Glucocorticoid-induced Osteoporosis Preventive Care and Better Outcomes: A Population-based Cohort Study. <i>Journal of Rheumatology</i> , 2013, 40, 1736-1741.	1.0	24
57	Why Does Rate of Bone Density Loss Not Predict Fracture Risk?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 679-683.	1.8	24
58	Fracture prediction from self-reported falls in routine clinical practice: a registry-based cohort study. <i>Osteoporosis International</i> , 2019, 30, 2195-2203.	1.3	24
59	An interdisciplinary knowledge translation intervention in long-term care: Study protocol for the vitamin D and osteoporosis study (ViDOS) pilot cluster randomized controlled trial. <i>Implementation Science</i> , 2012, 7, 48.	2.5	22
60	Change in Trabecular Bone Score (TBS) With Antiresorptive Therapy Does Not Predict Fracture in Women: The Manitoba BMD Cohort. <i>Journal of Bone and Mineral Research</i> , 2017, 32, 618-623.	3.1	22
61	Fracture risk assessment in long-term care: a survey of long-term care physicians. <i>BMC Geriatrics</i> , 2013, 13, 109.	1.1	21
62	New Developments in Fracture Risk Assessment for Current Osteoporosis Reports. <i>Current Osteoporosis Reports</i> , 2020, 18, 115-129.	1.5	21
63	Dietary patterns in men and women are simultaneously determinants of altered glucose metabolism and bone metabolism. <i>Nutrition Research</i> , 2016, 36, 328-336.	1.3	20
64	FRAX for fracture prediction shorter and longer than 10 years: the Manitoba BMD registry. <i>Osteoporosis International</i> , 2017, 28, 2557-2564.	1.3	19
65	The diagnostic threshold for osteoporosis impedes fracture prevention in women at high risk for fracture: A registry-based cohort study. <i>Bone</i> , 2018, 114, 298-303.	1.4	19
66	Differences in fracture prevalence and in bone mineral density between Chinese and White Canadians: the Canadian Multicentre Osteoporosis Study (CaMos). <i>Archives of Osteoporosis</i> , 2020, 15, 147.	1.0	19
67	Assessment of site-specific X-ray procedure codes for fracture ascertainment: a registry-based cohort study. <i>Archives of Osteoporosis</i> , 2021, 16, 107.	1.0	19
68	Fracture prediction from FRAX for Canadian ethnic groups: a registry-based cohort study. <i>Osteoporosis International</i> , 2021, 32, 113-122.	1.3	18
69	Sex- and age-specific associations between income and incident major osteoporotic fractures in Canadian men and women: a population-based analysis. <i>Osteoporosis International</i> , 2015, 26, 59-65.	1.3	17
70	Perioperative corticosteroid administration: a systematic review and descriptive analysis. <i>Perioperative Medicine (London, England)</i> , 2018, 7, 10.	0.6	17
71	Vertebral Fracture Assessment Increases Use of Pharmacologic Therapy for Fracture Prevention in Clinical Practice. <i>Journal of Bone and Mineral Research</i> , 2019, 34, 2205-2212.	3.1	17
72	Loss in DXA-estimated total body lean mass but not fat mass predicts incident major osteoporotic fracture and hip fracture independently from FRAX: a registry-based cohort study. <i>Archives of Osteoporosis</i> , 2020, 15, 96.	1.0	17

#	ARTICLE	IF	CITATIONS
73	Differential risk of fracture attributable to type 2 diabetes mellitus according to skeletal site. <i>Bone</i> , 2022, 154, 116220.	1.4	17
74	Association of Bone Density Monitoring in Routine Clinical Practice With Anti-Osteoporosis Medication Use and Incident Fractures: A Matched Cohort Study. <i>Journal of Bone and Mineral Research</i> , 2019, 34, 1808-1814.	3.1	16
75	Measured height loss predicts incident clinical fractures independently from FRAX: a registry-based cohort study. <i>Osteoporosis International</i> , 2020, 31, 1079-1087.	1.3	16
76	Fracture prediction from repeat BMD measurements in clinical practice. <i>Osteoporosis International</i> , 2016, 27, 203-210.	1.3	15
77	Hospital mortality after hip fracture surgery in relation to length of stay by care delivery factors. <i>Medicine (United States)</i> , 2017, 96, e6683.	0.4	15
78	Performance of FRAX in clinical practice according to sex and osteoporosis definitions: the Manitoba BMD registry. <i>Osteoporosis International</i> , 2018, 29, 759-767.	1.3	15
79	Time to surgery after hip fracture across Canada by timing of admission. <i>Osteoporosis International</i> , 2018, 29, 653-663.	1.3	15
80	Persistence and compliance to osteoporosis therapy in a fracture liaison service: a prospective cohort study. <i>Archives of Osteoporosis</i> , 2019, 14, 87.	1.0	15
81	Incidental bilateral calcaneal fractures following overground walking with a wearable robotic exoskeleton in a wheelchair user with a chronic spinal cord injury: is zero risk possible?. <i>Osteoporosis International</i> , 2020, 31, 1007-1011.	1.3	15
82	Feasibility of using administrative data for identifying medical reasons to delay hip fracture surgery: a Canadian database study. <i>BMJ Open</i> , 2017, 7, e017869.	0.8	14
83	Agreement between physicians' and nurses' clinical decisions for the management of the fracture liaison service (4iFLS): the Lucky Bone™ program. <i>Osteoporosis International</i> , 2016, 27, 1569-1576.	1.3	13
84	Antiresorptive therapy and newly diagnosed diabetes in women: a historical cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2016, 18, 875-881.	2.2	13
85	Accuracy of Offspring-Reported Parental Hip Fractures: A Novel Population-Based Parent-Offspring Record Linkage Study. <i>American Journal of Epidemiology</i> , 2017, 185, 974-981.	1.6	13
86	Core principles for fracture prevention: North American Consensus from the National Osteoporosis Foundation, Osteoporosis Canada, and Academia Nacional de Medicina de Mexico. <i>Osteoporosis International</i> , 2020, 31, 2073-2076.	1.3	13
87	Performance of a Fracture Liaison Service in an Orthopaedic Setting. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020, 102, 486-494.	1.4	12
88	Clinical manifestations of osteogenesis imperfecta in adulthood: An integrative review of quantitative studies and case reports. <i>American Journal of Medical Genetics, Part A</i> , 2020, 182, 842-865.	0.7	12
89	Feasibility of administrative data for studying complications after hip fracture surgery. <i>BMJ Open</i> , 2017, 7, e015368.	0.8	11
90	Discharge destination following hip fracture in Canada among previously community-dwelling older adults, 2004-2012: database study. <i>Osteoporosis International</i> , 2019, 30, 1383-1394.	1.3	11

#	ARTICLE	IF	CITATIONS
91	Administrative healthcare data applied to fracture risk assessment. <i>Osteoporosis International</i> , 2019, 30, 565-571.	1.3	10
92	Comparison of treatment strategies and thresholds for optimizing fracture prevention in Canada: a simulation analysis. <i>Archives of Osteoporosis</i> , 2020, 15, 4.	1.0	10
93	Secondary Fracture Prevention: Consensus Clinical Recommendations from a Multistakeholder Coalition. <i>Journal of Orthopaedic Trauma</i> , 2020, 34, e125-e141.	0.7	10
94	Patient Healthcare Trajectory and its Impact on the Cost-Effectiveness of Fracture Liaison Services. <i>Journal of Bone and Mineral Research</i> , 2020, 36, 459-468.	3.1	10
95	Scoping review of potential quality indicators for hip fracture patient care. <i>BMJ Open</i> , 2017, 7, e014769.	0.8	9
96	Duration-Dependent Increase of Human Bone Matrix Mineralization in Long-Term Bisphosphonate Users with Atypical Femur Fracture. <i>Journal of Bone and Mineral Research</i> , 2020, 36, 1031-1041.	3.1	9
97	Predictive performance of the Garvan Fracture Risk Calculator: a registry-based cohort study. <i>Osteoporosis International</i> , 2022, 33, 541-548.	1.3	9
98	The Effect of Fracture Recency on Observed 10-Year Fracture Probability: A Registry-Based Cohort Study. <i>Journal of Bone and Mineral Research</i> , 2020, 37, 848-855.	3.1	9
99	Atypical femur fractures: a survey of current practices in orthopedic surgery. <i>Osteoporosis International</i> , 2017, 28, 3271-3276.	1.3	8
100	Rationale, study design, and descriptive data of the Lucky Bone <sup>®</sup> , <sup>†</sup> Fracture Liaison Service. <i>Archives of Osteoporosis</i> , 2019, 14, 19.	1.0	8
101	Objectively-Verified Parental Non-Hip Major Osteoporotic Fractures and Offspring Osteoporotic Fracture Risk: A Population-Based Familial Linkage Study. <i>Journal of Bone and Mineral Research</i> , 2017, 32, 716-721.	3.1	7
102	Total Hip Bone Area Affects Fracture Prediction With FRAX <sup>®</sup> in Canadian White Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 4242-4249.	1.8	7
103	Simulated effects of early menopausal bone mineral density preservation on long-term fracture risk: a feasibility study. <i>Osteoporosis International</i> , 2021, 32, 1313-1320.	1.3	7
104	Diminishing Value from Multiple Serial Bone Densitometry in Women Receiving Antiresorptive Medication for Osteoporosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, 2718-2725.	1.8	7
105	Long-term risk of subsequent major osteoporotic fracture and hip fracture in men and women: a population-based observational study with a 25-year follow-up. <i>Osteoporosis International</i> , 2021, 32, 2525-2532.	1.3	7
106	Effects of an Overground Walking Program With a Robotic Exoskeleton on Long-Term Manual Wheelchair Users With a Chronic Spinal Cord Injury: Protocol for a Self-Controlled Interventional Study. <i>JMIR Research Protocols</i> , 2020, 9, e19251.	0.5	7
107	Quality indicators for hip fracture patients: a scoping review protocol. <i>BMJ Open</i> , 2014, 4, e006543.	0.8	6
108	Toward a Meaningful Definition of Recovery After Hip Fracture: Comparing Two Definitions for Community-Dwelling Older Adults. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018, 99, 1108-1115.	0.5	6

#	ARTICLE	IF	CITATIONS
109	Evaluation of plasma and erythrocyte fatty acids C15:0, t-C16:1n-7 and C17:0 as biomarkers of dairy fat consumption in adolescents. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2019, 149, 24-29.	1.0	6
110	Reassessment Intervals for Transition From Low to High Fracture Risk Among Adults Older Than 50 Years. <i>JAMA Network Open</i> , 2020, 3, e1918954.	2.8	6
111	Impact of spine-hip discordance on fracture risk assessment and treatment qualification in Canada: the Manitoba BMD registry. <i>Archives of Osteoporosis</i> , 2020, 15, 85.	1.0	6
112	Time dependency in early major osteoporotic and hip re-fractures in women and men aged 50 years and older: a population-based observational study. <i>Osteoporosis International</i> , 2022, 33, 39-46.	1.3	6
113	A national health care data network is overdue. <i>Cmaj</i> , 2017, 189, E951-E951.	0.9	5
114	A population-based study of postfracture care in Manitoba, Canada 2000/2001-2014/2015. <i>Osteoporosis International</i> , 2019, 30, 2119-2127.	1.3	5
115	A 51-item calcium-focused food frequency questionnaire is a reliable tool to assess dietary calcium intake in postmenopausal women. <i>Nutrition Research</i> , 2017, 43, 33-42.	1.3	5
116	Performance of the Garvan Fracture Risk Calculator in Individuals with Diabetes: A Registry-Based Cohort Study. <i>Calcified Tissue International</i> , 2022, 110, 658-665.	1.5	5
117	Prevalence of Vertebral Fractures in Adults With Type 1 Diabetes: DenSiFy Study (Diabetes Spine) Tj ETQq1 1 0.784314 rgBT /Overlo	1.8	5
118	Feasibility of a clinical trial to assess the effect of dietary calciumv.supplemental calcium on vascular and bone markers in healthy postmenopausal women. <i>British Journal of Nutrition</i> , 2016, 116, 104-114.	1.2	4
119	Secondary Fracture Prevention: Consensus Clinical Recommendations From a Multistakeholder Coalition. <i>Orthopaedic Nursing</i> , 2020, 39, 145-161.	0.2	4
120	DÃ©terminants de la documentation de lâ€™Ã©valuation de la douleur dans les unitÃ©s de soins intensifs. <i>Canadian Journal of Anaesthesia</i> , 2021, 68, 1176-1184.	0.7	4
121	Variation in surgical demand and time to hip fracture repair: a Canadian database study. <i>BMC Health Services Research</i> , 2020, 20, 935.	0.9	3
122	Testing a theoretical model of imminent fracture risk in elderly women: an observational cohort analysis of the Canadian Multicentre Osteoporosis Study. <i>Osteoporosis International</i> , 2020, 31, 1145-1153.	1.3	3
123	Bone densitometry categories as a salient distracting feature in the modern clinical pathways of osteoporosis care: A retrospective 20-year cohort study. <i>Bone</i> , 2021, 145, 115861.	1.4	3
124	Factors Associated With Bone Density Monitoring While on Antiosteoporosis Treatment in Routine Clinical Practice: A Registry-Based Cohort Study. <i>Journal of Clinical Densitometry</i> , 2020, 23, 568-575.	0.5	3
125	Atypical femur fracture in a woman with osteogenesis imperfecta and multiple myeloma. <i>Journal of Musculoskeletal Neuronal Interactions</i> , 2018, 18, 375-381.	0.1	3
126	Time since prior fracture affects mortality at the time of clinical assessment: a registry-based cohort study. <i>Osteoporosis International</i> , 2022, 33, 1257-1264.	1.3	3



#	ARTICLE	IF	CITATIONS
127	Perioperative glucocorticoid stress dosing: a survey of anesthesiologists and general internists. <i>Canadian Journal of Anaesthesia</i> , 2018, 65, 1387-1389.	0.7	2
128	The association of objectively ascertained sibling fracture history with major osteoporotic fractures: a population-based cohort study. <i>Osteoporosis International</i> , 2021, 32, 681-688.	1.3	2
129	Methodological considerations for the measurement of arterial stiffness using applanation tonometry. <i>Journal of Hypertension</i> , 2021, 39, 428-436.	0.3	2
130	Apparent "Rapid Loss" After Short-Interval Bone Density Testing in Menopausal Women Is Usually a Measurement Artifact. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, 1662-1666.	1.8	2
131	Preliminary training volume and progression algorithm to tackle fragility fracture risk during exoskeleton-assisted overground walking in individuals with a chronic spinal cord injury. <i>Spinal Cord Series and Cases</i> , 2022, 8, 29.	0.3	2
132	Operationalising a conceptual framework for a contiguous hospitalisation episode to study associations between surgical timing and death after first hip fracture: a Canadian observational study. <i>BMJ Open</i> , 2018, 8, e020372.	0.8	1
133	Forearm bone density is not elevated in Inuit women with impaired fasting glucose or type 2 diabetes mellitus. <i>International Journal of Circumpolar Health</i> , 2019, 78, 1601056.	0.5	1
134	A comparison of fracture risk assessment tools. , 2021, , 1589-1609.		1
135	Association Between Parental Type 1 and Type 2 Diabetes Diagnosis and Major Osteoporotic Fracture Risk in Adult Offspring: A Population-Based Cohort Study. <i>Canadian Journal of Diabetes</i> , 2022, 46, 3-9.e3.	0.4	1
136	Divergent Patterns of Antifracture Medication Use Following Fracture on Therapy: A Population-Based Cohort Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, 491-499.	1.8	1
137	Trajectories of Follow-up Compliance in a Fracture Liaison Service and Their Predictors: A Longitudinal Group-Based Trajectory Analysis. <i>Health Services Research and Managerial Epidemiology</i> , 2021, 8, 233339282110470.	0.5	1
138	Evaluation of Increasing Dairy Intake on Bone Density in Post-pubertal Youth: A Randomized Controlled Trial Using Motivational Interviewing. <i>Journal of Nutrition</i> , 2022, , .	1.3	1
139	Change in Bone Mineral Density Is an Indicator of Treatment-Related Antifracture Effect. <i>Annals of Internal Medicine</i> , 2017, 166, 152.	2.0	0
140	Duration of corticosteroid use in chronic obstructive pulmonary disease exacerbations: improving prescribing practices on clinical teaching units with peer-to-peer teaching. <i>BMJ Open Quality</i> , 2018, 7, e000333.	0.4	0
141	Targeted bone density testing for optimizing fracture prevention in Canada. <i>Osteoporosis International</i> , 2020, 31, 1291-1297.	1.3	0
142	Response Letter to the Editor from Viola et al: "Diminishing Value From Multiple Serial Bone Densitometry in Women Receiving Antiresorptive Medication for Osteoporosis". <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e5279-e5280.	1.8	0
143	Tools for Assessing Fracture Risk and for Treatment Monitoring. , 2016, , 61-83.		0
144	What Do Older Canadians Think They Need to Walk Well?. <i>Physiotherapy Canada Physiotherapie Canada</i> , 0, , .	0.3	0

#	ARTICLE	IF	CITATIONS
145	Current Endocrinologist Practices in Skeletal Health Management of Patients With Diabetes: A Medical Record Review. Diabetes Care, 0, , .	4.3	0