

Suzanne N Morin

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4462871/suzanne-n-morin-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

136
papers

3,223
citations

30
h-index

52
g-index

149
ext. papers

4,044
ext. citations

4.7
avg, IF

5.26
L-index

#	Paper	IF	Citations
136	Diagnosis and management of osteonecrosis of the jaw: a systematic review and international consensus. <i>Journal of Bone and Mineral Research</i> , 2015 , 30, 3-23	6.3	680
135	Mortality rates after incident non-traumatic fractures in older men and women. <i>Osteoporosis International</i> , 2011 , 22, 2439-48	5.3	146
134	Case-Based Review of Osteonecrosis of the Jaw (ONJ) and Application of the International Recommendations for Management From the International Task Force on ONJ. <i>Journal of Clinical Densitometry</i> , 2017 , 20, 8-24	3.5	125
133	Fracture risk assessment without bone density measurement in routine clinical practice. <i>Osteoporosis International</i> , 2012 , 23, 75-85	5.3	87
132	Weight and body mass index predict bone mineral density and fractures in women aged 40 to 59 years. <i>Osteoporosis International</i> , 2009 , 20, 363-70	5.3	82
131	The current economic burden of illness of osteoporosis in Canada. <i>Osteoporosis International</i> , 2016 , 27, 3023-32	5.3	75
130	Longer Duration of Diabetes Strongly Impacts Fracture Risk Assessment: The Manitoba BMD Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 4489-4496	5.6	72
129	Does diabetes modify the effect of FRAX risk factors for predicting major osteoporotic and hip fracture?. <i>Osteoporosis International</i> , 2014 , 25, 2817-24	5.3	67
128	Spine bone texture assessed by trabecular bone score (TBS) predicts osteoporotic fractures in men: the Manitoba Bone Density Program. <i>Bone</i> , 2014 , 67, 10-4	4.7	67
127	Osteoporosis epidemiology 2013: implications for diagnosis, risk assessment, and treatment. <i>Current Opinion in Rheumatology</i> , 2014 , 26, 440-6	5.3	63
126	Secondary Fracture Prevention: Consensus Clinical Recommendations from a Multistakeholder Coalition. <i>Journal of Bone and Mineral Research</i> , 2020 , 35, 36-52	6.3	63
125	Estimated lean mass and fat mass differentially affect femoral bone density and strength index but are not FRAX independent risk factors for fracture. <i>Journal of Bone and Mineral Research</i> , 2014 , 29, 2511-9	6.3	59
124	Institutionalization following incident non-traumatic fractures in community-dwelling men and women. <i>Osteoporosis International</i> , 2012 , 23, 2381-6	5.3	47
123	High bone mineral density is associated with high body mass index. <i>Osteoporosis International</i> , 2009 , 20, 1267-71	5.3	46
122	Population-based trends in osteoporosis management after new initiations of long-term systemic glucocorticoids (1998-2008). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 1236-42	5.6	43
121	Calcium and vitamin D intake and mortality: results from the Canadian Multicentre Osteoporosis Study (CaMos). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 3010-8	5.6	40
120	Hip axis length is a FRAX- and bone density-independent risk factor for hip fracture in women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 2063-70	5.6	39

119	Loss of health related quality of life following low-trauma fractures in the elderly. <i>BMC Geriatrics</i> , 2016 , 16, 84	4.1	39
118	The importance of previous fracture site on osteoporosis diagnosis and incident fractures in women. <i>Journal of Bone and Mineral Research</i> , 2014 , 29, 1675-80	6.3	39
117	Association of Mental Disorders and Related Medication Use With Risk for Major Osteoporotic Fractures. <i>JAMA Psychiatry</i> , 2017 , 74, 641-648	14.5	38
116	Major osteoporotic to hip fracture ratios in canadian men and women with Swedish comparisons: a population-based analysis. <i>Journal of Bone and Mineral Research</i> , 2014 , 29, 1067-73	6.3	38
115	Recommendations for preventing fracture in long-term care. <i>Cmaj</i> , 2015 , 187, 1135-1144	3.5	36
114	Adjusting Hip Fracture Probability in Men and Women Using Hip Axis Length: the Manitoba Bone Density Database. <i>Journal of Clinical Densitometry</i> , 2016 , 19, 326-31	3.5	36
113	HR-pQCT Measures of Bone Microarchitecture Predict Fracture: Systematic Review and Meta-Analysis. <i>Journal of Bone and Mineral Research</i> , 2020 , 35, 446-459	6.3	36
112	Change in Bone Mineral Density Is an Indicator of Treatment-Related Antifracture Effect in Routine Clinical Practice: A Registry-Based Cohort Study. <i>Annals of Internal Medicine</i> , 2016 , 165, 465-472	8	33
111	Influence of recency and duration of glucocorticoid use on bone mineral density and risk of fractures: population-based cohort study. <i>Osteoporosis International</i> , 2013 , 24, 2493-8	5.3	33
110	Direct costs of fractures in Canada and trends 1996-2006: a population-based cost-of-illness analysis. <i>Journal of Bone and Mineral Research</i> , 2011 , 26, 2419-29	6.3	32
109	Mortality effects of timing alternatives for hip fracture surgery. <i>Cmaj</i> , 2018 , 190, E923-E932	3.5	30
108	Trends in Operative and Nonoperative Hip Fracture Management 1990-2014: A Longitudinal Analysis of Manitoba Administrative Data. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 27-34	5.6	30
107	Rate of bone density change does not enhance fracture prediction in routine clinical practice. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 1211-8	5.6	30
106	Successful knowledge translation intervention in long-term care: final results from the vitamin D and osteoporosis study (ViDOS) pilot cluster randomized controlled trial. <i>Trials</i> , 2015 , 16, 214	2.8	29
105	Fracture risk following high-trauma versus low-trauma fracture: a registry-based cohort study. <i>Osteoporosis International</i> , 2020 , 31, 1059-1067	5.3	29
104	Effectiveness of antiresorptive agents in the prevention of recurrent hip fractures. <i>Osteoporosis International</i> , 2007 , 18, 1625-32	5.3	29
103	Densitometer-Specific Differences in the Correlation Between Body Mass Index and Lumbar Spine Trabecular Bone Score. <i>Journal of Clinical Densitometry</i> , 2017 , 20, 233-238	3.5	26
102	Assessment of femur geometrical parameters using EOS imaging technology in patients with atypical femur fractures; preliminary results. <i>Bone</i> , 2016 , 83, 184-189	4.7	26

101	Direct healthcare costs for 5 years post-fracture in Canada: a long-term population-based assessment. <i>Osteoporosis International</i> , 2013 , 24, 1697-705	5.3	26
100	Clinical performance of an updated trabecular bone score (TBS) algorithm in men and women: the Manitoba BMD cohort. <i>Osteoporosis International</i> , 2017 , 28, 3199-3203	5.3	26
99	Prevalent vertebral fracture on bone density lateral spine (VFA) images in routine clinical practice predict incident fractures. <i>Bone</i> , 2019 , 121, 72-79	4.7	25
98	Performance of FRAX in Women with Breast Cancer Initiating Aromatase Inhibitor Therapy: A Registry-Based Cohort Study. <i>Journal of Bone and Mineral Research</i> , 2019 , 34, 1428-1435	6.3	24
97	In-hospital mortality after hip fracture by treatment setting. <i>Cmaj</i> , 2016 , 188, 1219-1225	3.5	24
96	Objectively Verified Parental Hip Fracture Is an Independent Risk Factor for Fracture: a Linkage Analysis of 478,792 Parents and 261,705 Offspring. <i>Journal of Bone and Mineral Research</i> , 2016 , 31, 1753-1759	6.3	23
95	Time trends in hospital stay after hip fracture in Canada, 2004-2012: database study. <i>Archives of Osteoporosis</i> , 2016 , 11, 13	2.9	23
94	Can change in FRAX score be used to "treat to target"? A population-based cohort study. <i>Journal of Bone and Mineral Research</i> , 2014 , 29, 1074-80	6.3	22
93	Effects of obesity and diabetes on rate of bone density loss. <i>Osteoporosis International</i> , 2018 , 29, 61-67	5.3	21
92	Associations of Body Mass Index With Incident Fractures and Hip Structural Parameters in a Large Canadian Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 476-84	5.6	21
91	Temporal trends in obesity, osteoporosis treatment, bone mineral density, and fracture rates: a population-based historical cohort study. <i>Journal of Bone and Mineral Research</i> , 2014 , 29, 952-9	6.3	21
90	Temporal trends in the incidence of osteoporotic fractures. <i>Current Osteoporosis Reports</i> , 2013 , 11, 263-3.4	5.4	21
89	Predictors of imminent non-vertebral fracture in elderly women with osteoporosis, low bone mass, or a history of fracture, based on data from the population-based Canadian Multicentre Osteoporosis Study (CaMos). <i>Archives of Osteoporosis</i> , 2019 , 14, 53	2.9	18
88	Performance of FRAX and FRAX-Based Treatment Thresholds in Women Aged 40 Years and Older: The Manitoba BMD Registry. <i>Journal of Bone and Mineral Research</i> , 2019 , 34, 1419-1427	6.3	18
87	Current level of technology use, health and eHealth literacy in older Canadians with a recent fracture-a survey in orthopedic clinics. <i>Osteoporosis International</i> , 2020 , 31, 1333-1340	5.3	18
86	Fracture risk assessment in long-term care: a survey of long-term care physicians. <i>BMC Geriatrics</i> , 2013 , 13, 109	4.1	18
85	An interdisciplinary knowledge translation intervention in long-term care: study protocol for the vitamin D and osteoporosis study (ViDOS) pilot cluster randomized controlled trial. <i>Implementation Science</i> , 2012 , 7, 48	8.4	18
84	The disconnect between better quality of glucocorticoid-induced osteoporosis preventive care and better outcomes: a population-based cohort study. <i>Journal of Rheumatology</i> , 2013 , 40, 1736-41	4.1	18

83	Dietary patterns in men and women are simultaneously determinants of altered glucose metabolism and bone metabolism. <i>Nutrition Research</i> , 2016 , 36, 328-336	4	16
82	Sex- and age-specific associations between income and incident major osteoporotic fractures in Canadian men and women: a population-based analysis. <i>Osteoporosis International</i> , 2015 , 26, 59-65	5.3	15
81	Why does rate of bone density loss not predict fracture risk?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 679-83	5.6	15
80	FRAX for fracture prediction shorter and longer than 10 years: the Manitoba BMD registry. <i>Osteoporosis International</i> , 2017 , 28, 2557-2564	5.3	14
79	Change in Trabecular Bone Score (TBS) With Antiresorptive Therapy Does Not Predict Fracture in Women: The Manitoba BMD Cohort. <i>Journal of Bone and Mineral Research</i> , 2017 , 32, 618-623	6.3	13
78	Incident Fragility Fractures Have a Long-Term Negative Impact on Health-Related Quality of Life of Older People: The Canadian Multicentre Osteoporosis Study. <i>Journal of Bone and Mineral Research</i> , 2019 , 34, 838-848	6.3	13
77	Vertebral Fracture Assessment Increases Use of Pharmacologic Therapy for Fracture Prevention in Clinical Practice. <i>Journal of Bone and Mineral Research</i> , 2019 , 34, 2205-2212	6.3	13
76	Hospital mortality after hip fracture surgery in relation to length of stay by care delivery factors: A database study. <i>Medicine (United States)</i> , 2017 , 96, e6683	1.8	13
75	The diagnostic threshold for osteoporosis impedes fracture prevention in women at high risk for fracture: A registry-based cohort study. <i>Bone</i> , 2018 , 114, 298-303	4.7	12
74	Fracture prediction from self-reported falls in routine clinical practice: a registry-based cohort study. <i>Osteoporosis International</i> , 2019 , 30, 2195-2203	5.3	12
73	Accuracy of Offspring-Reported Parental Hip Fractures: A Novel Population-Based Parent-Offspring Record Linkage Study. <i>American Journal of Epidemiology</i> , 2017 , 185, 974-981	3.8	11
72	Agreement between physicians and nurses' clinical decisions for the management of the fracture liaison service (FLS): the Lucky Bone program. <i>Osteoporosis International</i> , 2016 , 27, 1569-1576	5.3	11
71	Time to surgery after hip fracture across Canada by timing of admission. <i>Osteoporosis International</i> , 2018 , 29, 653-663	5.3	11
70	Fracture prediction from repeat BMD measurements in clinical practice. <i>Osteoporosis International</i> , 2016 , 27, 203-10	5.3	10
69	Antiresorptive therapy and newly diagnosed diabetes in women: a historical cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2016 , 18, 875-81	6.7	10
68	Feasibility of using administrative data for identifying medical reasons to delay hip fracture surgery: a Canadian database study. <i>BMJ Open</i> , 2017 , 7, e017869	3	10
67	Measured height loss predicts incident clinical fractures independently from FRAX: a registry-based cohort study. <i>Osteoporosis International</i> , 2020 , 31, 1079-1087	5.3	10
66	Patient engagement in clinical guidelines development: input from > 1000 members of the Canadian Osteoporosis Patient Network. <i>Osteoporosis International</i> , 2020 , 31, 867-874	5.3	10

65	New Developments in Fracture Risk Assessment for Current Osteoporosis Reports. <i>Current Osteoporosis Reports</i> , 2020 , 18, 115-129	5.4	10
64	Discharge destination following hip fracture in Canada among previously community-dwelling older adults, 2004-2012: database study. <i>Osteoporosis International</i> , 2019 , 30, 1383-1394	5.3	9
63	Performance of FRAX in clinical practice according to sex and osteoporosis definitions: the Manitoba BMD registry. <i>Osteoporosis International</i> , 2018 , 29, 759-767	5.3	9
62	Persistence and compliance to osteoporosis therapy in a fracture liaison service: a prospective cohort study. <i>Archives of Osteoporosis</i> , 2019 , 14, 87	2.9	9
61	Fermented Milk Products and Bone Health in Postmenopausal Women: A Systematic Review of Randomized Controlled Trials, Prospective Cohorts, and Case-Control Studies. <i>Advances in Nutrition</i> , 2020 , 11, 251-265	10	9
60	Feasibility of administrative data for studying complications after hip fracture surgery. <i>BMJ Open</i> , 2017 , 7, e015368	3	8
59	Association between obesity and risk of fracture, bone mineral density and bone quality in adults: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2021 , 16, e0252487	3.7	8
58	Rationale, study design, and descriptive data of the Lucky Bone Fracture Liaison Service. <i>Archives of Osteoporosis</i> , 2019 , 14, 19	2.9	8
57	Objectively-Verified Parental Non-Hip Major Osteoporotic Fractures and Offspring Osteoporotic Fracture Risk: A Population-Based Familial Linkage Study. <i>Journal of Bone and Mineral Research</i> , 2017 , 32, 716-721	6.3	7
56	Perioperative corticosteroid administration: a systematic review and descriptive analysis. <i>Perioperative Medicine (London, England)</i> , 2018 , 7, 10	2.8	7
55	Performance of a Fracture Liaison Service in an Orthopaedic Setting: A Report of Key Indicators and Improvement of Longitudinal Outcomes. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020 , 102, 486-494	5.6	7
54	Scoping review of potential quality indicators for hip fracture patient care. <i>BMJ Open</i> , 2017 , 7, e014769	3	6
53	Longitudinal assessment of health-related quality of life in osteoporosis: data from the population-based Canadian Multicentre Osteoporosis Study. <i>Osteoporosis International</i> , 2019 , 30, 1635-1644	5.3	6
52	Secondary Fracture Prevention: Consensus Clinical Recommendations from a Multistakeholder Coalition. <i>Journal of Orthopaedic Trauma</i> , 2020 , 34, e125-e141	3.1	6
51	Loss in DXA-estimated total body lean mass but not fat mass predicts incident major osteoporotic fracture and hip fracture independently from FRAX: a registry-based cohort study. <i>Archives of Osteoporosis</i> , 2020 , 15, 96	2.9	6
50	Comparison of treatment strategies and thresholds for optimizing fracture prevention in Canada: a simulation analysis. <i>Archives of Osteoporosis</i> , 2019 , 15, 4	2.9	6
49	Administrative healthcare data applied to fracture risk assessment. <i>Osteoporosis International</i> , 2019 , 30, 565-571	5.3	6
48	Total Hip Bone Area Affects Fracture Prediction With FRAX in Canadian White Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 4242-4249	5.6	5

47	Association of Bone Density Monitoring in Routine Clinical Practice With Anti-Osteoporosis Medication Use and Incident Fractures: A Matched Cohort Study. <i>Journal of Bone and Mineral Research</i> , 2019 , 34, 1808-1814	6.3	5
46	Incidental bilateral calcaneal fractures following overground walking with a wearable robotic exoskeleton in a wheelchair user with a chronic spinal cord injury: is zero risk possible?. <i>Osteoporosis International</i> , 2020 , 31, 1007-1011	5.3	5
45	Quality indicators for hip fracture patients: a scoping review protocol. <i>BMJ Open</i> , 2014 , 4, e006543	3	5
44	Evaluation of plasma and erythrocyte fatty acids C15:0, t-C16:1n-7 and C17:0 as biomarkers of dairy fat consumption in adolescents. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2019 , 149, 24-29	2.8	4
43	Clinical manifestations of osteogenesis imperfecta in adulthood: An integrative review of quantitative studies and case reports. <i>American Journal of Medical Genetics, Part A</i> , 2020 , 182, 842-865	2.5	4
42	Feasibility of a clinical trial to assess the effect of dietary calcium v. supplemental calcium on vascular and bone markers in healthy postmenopausal women. <i>British Journal of Nutrition</i> , 2016 , 116, 104-14	3.6	4
41	A population-based study of postfracture care in Manitoba, Canada 2000/2001-2014/2015. <i>Osteoporosis International</i> , 2019 , 30, 2119-2127	5.3	4
40	A 51-item calcium-focused food frequency questionnaire is a reliable tool to assess dietary calcium intake in postmenopausal women. <i>Nutrition Research</i> , 2017 , 43, 33-42	4	4
39	Reassessment Intervals for Transition From Low to High Fracture Risk Among Adults Older Than 50 Years. <i>JAMA Network Open</i> , 2020 , 3, e1918954	10.4	4
38	Core principles for fracture prevention: North American Consensus from the National Osteoporosis Foundation, Osteoporosis Canada, and Academia Nacional de Medicina de Mexico. <i>Osteoporosis International</i> , 2020 , 31, 2073-2076	5.3	4
37	Differences in fracture prevalence and in bone mineral density between Chinese and White Canadians: the Canadian Multicentre Osteoporosis Study (CaMos). <i>Archives of Osteoporosis</i> , 2020 , 15, 147	2.9	4
36	Assessment of site-specific X-ray procedure codes for fracture ascertainment: a registry-based cohort study. <i>Archives of Osteoporosis</i> , 2021 , 16, 107	2.9	4
35	Secondary Fracture Prevention: Consensus Clinical Recommendations From a Multistakeholder Coalition. <i>Orthopaedic Nursing</i> , 2020 , 39, 145-161	0.9	3
34	Toward a Meaningful Definition of Recovery After Hip Fracture: Comparing Two Definitions for Community-Dwelling Older Adults. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018 , 99, 1108-1115	2.8	3
33	Atypical femur fractures: a survey of current practices in orthopedic surgery. <i>Osteoporosis International</i> , 2017 , 28, 3271-3276	5.3	3
32	Atypical femur fracture in a woman with osteogenesis imperfecta and multiple myeloma. <i>Journal of Musculoskeletal Neuronal Interactions</i> , 2018 , 18, 375-381	1.3	3
31	Fracture prediction from FRAX for Canadian ethnic groups: a registry-based cohort study. <i>Osteoporosis International</i> , 2021 , 32, 113-122	5.3	3
30	Duration-Dependent Increase of Human Bone Matrix Mineralization in Long-Term Bisphosphonate Users with Atypical Femur Fracture. <i>Journal of Bone and Mineral Research</i> , 2021 , 36, 1031-1041	6.3	3

29	Predictive performance of the Garvan Fracture Risk Calculator: a registry-based cohort study. <i>Osteoporosis International</i> , 2021 , 1	5.3	2
28	Factors Associated With Bone Density Monitoring While on Antiosteoporosis Treatment in Routine Clinical Practice: A Registry-Based Cohort Study. <i>Journal of Clinical Densitometry</i> , 2020 , 23, 568-575	3.5	2
27	Variation in surgical demand and time to hip fracture repair: a Canadian database study. <i>BMC Health Services Research</i> , 2020 , 20, 935	2.9	2
26	Diminishing Value from Multiple Serial Bone Densitometry in Women Receiving Antiresorptive Medication for Osteoporosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, 2718-2725	5.6	2
25	Long-term risk of subsequent major osteoporotic fracture and hip fracture in men and women: a population-based observational study with a 25-year follow-up. <i>Osteoporosis International</i> , 2021 , 32, 2525-2532	5.3	2
24	Simulated effects of early menopausal bone mineral density preservation on long-term fracture risk: a feasibility study. <i>Osteoporosis International</i> , 2021 , 32, 1313-1320	5.3	2
23	Patient Healthcare Trajectory and its Impact on the Cost-Effectiveness of Fracture Liaison Services. <i>Journal of Bone and Mineral Research</i> , 2021 , 36, 459-468	6.3	2
22	Perioperative glucocorticoid stress dosing: a survey of anesthesiologists and general internists. <i>Canadian Journal of Anaesthesia</i> , 2018 , 65, 1387-1389	3	2
21	Differential risk of fracture attributable to type 2 diabetes mellitus according to skeletal site. <i>Bone</i> , 2022 , 154, 116220	4.7	2
20	Impact of spine-hip discordance on fracture risk assessment and treatment qualification in Canada: the Manitoba BMD registry. <i>Archives of Osteoporosis</i> , 2020 , 15, 85	2.9	1
19	Testing a theoretical model of imminent fracture risk in elderly women: an observational cohort analysis of the Canadian Multicentre Osteoporosis Study. <i>Osteoporosis International</i> , 2020 , 31, 1145-1153	5.3	1
18	Effects of an Overground Walking Program With a Robotic Exoskeleton on Long-Term Manual Wheelchair Users With a Chronic Spinal Cord Injury: Protocol for a Self-Controlled Interventional Study. <i>JMIR Research Protocols</i> , 2020 , 9, e19251	2	1
17	Methodological considerations for the measurement of arterial stiffness using applanation tonometry. <i>Journal of Hypertension</i> , 2021 , 39, 428-436	1.9	1
16	The association of objectively ascertained sibling fracture history with major osteoporotic fractures: a population-based cohort study. <i>Osteoporosis International</i> , 2021 , 32, 681-688	5.3	1
15	Operationalising a conceptual framework for a contiguous hospitalisation episode to study associations between surgical timing and death after first hip fracture: a Canadian observational study. <i>BMJ Open</i> , 2018 , 8, e020372	3	1
14	Forearm bone density is not elevated in Inuit women with impaired fasting glucose or type 2 diabetes mellitus. <i>International Journal of Circumpolar Health</i> , 2019 , 78, 1601056	1.7	0
13	Time since prior fracture affects mortality at the time of clinical assessment: a registry-based cohort study.. <i>Osteoporosis International</i> , 2022 , 1	5.3	0
12	Performance of the Garvan Fracture Risk Calculator in Individuals with Diabetes: A Registry-Based Cohort Study.. <i>Calcified Tissue International</i> , 2022 , 1	3.9	0

11	Bone densitometry categories as a salient distracting feature in the modern clinical pathways of osteoporosis care: A retrospective 20-year cohort study. <i>Bone</i> , 2021 , 145, 115861	4.7	○
10	A comparison of fracture risk assessment tools 2021 , 1589-1609		○
9	Time dependency in early major osteoporotic and hip re-fractures in women and men aged 50 years and older: a population-based observational study. <i>Osteoporosis International</i> , 2021 , 1	5.3	○
8	Targeted bone density testing for optimizing fracture prevention in Canada. <i>Osteoporosis International</i> , 2020 , 31, 1291-1297	5.3	
7	Duration of corticosteroid use in chronic obstructive pulmonary disease exacerbations: improving prescribing practices on clinical teaching units with peer-to-peer teaching. <i>BMJ Open Quality</i> , 2018 , 7, e000333	1.9	
6	Change in Bone Mineral Density Is an Indicator of Treatment-Related Antifracture Effect. <i>Annals of Internal Medicine</i> , 2017 , 166, 152-153	8	
5	Trajectories of Follow-up Compliance in a Fracture Liaison Service and Their Predictors: A Longitudinal Group-Based Trajectory Analysis. <i>Health Services Research and Managerial Epidemiology</i> , 2021 , 8, 23333928211047024	1.4	
4	Tools for Assessing Fracture Risk and for Treatment Monitoring 2016 , 61-83		
3	Determinants of pain assessment documentation in intensive care units. <i>Canadian Journal of Anaesthesia</i> , 2021 , 68, 1176-1184	3	
2	Response Letter to the Editor From Viola et al: "Diminishing Value From Multiple Serial Bone Densitometry in Women Receiving Antiresorptive Medication for Osteoporosis". <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e5279-e5280	5.6	
1	Preliminary training volume and progression algorithm to tackle fragility fracture risk during exoskeleton-assisted overground walking in individuals with a chronic spinal cord injury.. <i>Spinal Cord Series and Cases</i> , 2022 , 8, 29	1.4	