

Suzanne N Morin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4462871/suzanne-n-morin-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

136
papers

3,223
citations

30
h-index

52
g-index

149
ext. papers

4,044
ext. citations

4.7
avg, IF

5.26
L-index

#	Paper	IF	Citations
136	Time since prior fracture affects mortality at the time of clinical assessment: a registry-based cohort study.. <i>Osteoporosis International</i> , 2022 , 1	5.3	0
135	Performance of the Garvan Fracture Risk Calculator in Individuals with Diabetes: A Registry-Based Cohort Study.. <i>Calcified Tissue International</i> , 2022 , 1	3.9	0
134	Differential risk of fracture attributable to type 2 diabetes mellitus according to skeletal site. <i>Bone</i> , 2022 , 154, 116220	4.7	2
133	Preliminary training volume and progression algorithm to tackle fragility fracture risk during exoskeleton-assisted overground walking in individuals with a chronic spinal cord injury.. <i>Spinal Cord Series and Cases</i> , 2022 , 8, 29	1.4	
132	Methodological considerations for the measurement of arterial stiffness using applanation tonometry. <i>Journal of Hypertension</i> , 2021 , 39, 428-436	1.9	1
131	Predictive performance of the Garvan Fracture Risk Calculator: a registry-based cohort study. <i>Osteoporosis International</i> , 2021 , 1	5.3	2
130	Trajectories of Follow-up Compliance in a Fracture Liaison Service and Their Predictors: A Longitudinal Group-Based Trajectory Analysis. <i>Health Services Research and Managerial Epidemiology</i> , 2021 , 8, 23333928211047024	1.4	
129	Diminishing Value from Multiple Serial Bone Densitometry in Women Receiving Antiresorptive Medication for Osteoporosis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, 2718-2725	5.6	2
128	Bone densitometry categories as a salient distracting feature in the modern clinical pathways of osteoporosis care: A retrospective 20-year cohort study. <i>Bone</i> , 2021 , 145, 115861	4.7	0
127	Determinants of pain assessment documentation in intensive care units. <i>Canadian Journal of Anaesthesia</i> , 2021 , 68, 1176-1184	3	
126	Association between obesity and risk of fracture, bone mineral density and bone quality in adults: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2021 , 16, e0252487	3.7	8
125	Long-term risk of subsequent major osteoporotic fracture and hip fracture in men and women: a population-based observational study with a 25-year follow-up. <i>Osteoporosis International</i> , 2021 , 32, 2525-2532	5.3	2
124	Fracture prediction from FRAX for Canadian ethnic groups: a registry-based cohort study. <i>Osteoporosis International</i> , 2021 , 32, 113-122	5.3	3
123	The association of objectively ascertained sibling fracture history with major osteoporotic fractures: a population-based cohort study. <i>Osteoporosis International</i> , 2021 , 32, 681-688	5.3	1
122	Simulated effects of early menopausal bone mineral density preservation on long-term fracture risk: a feasibility study. <i>Osteoporosis International</i> , 2021 , 32, 1313-1320	5.3	2
121	Patient Healthcare Trajectory and its Impact on the Cost-Effectiveness of Fracture Liaison Services. <i>Journal of Bone and Mineral Research</i> , 2021 , 36, 459-468	6.3	2
120	A comparison of fracture risk assessment tools 2021 , 1589-1609		0

119	Duration-Dependent Increase of Human Bone Matrix Mineralization in Long-Term Bisphosphonate Users with Atypical Femur Fracture. <i>Journal of Bone and Mineral Research</i> , 2021 , 36, 1031-1041	6.3	3
118	Assessment of site-specific X-ray procedure codes for fracture ascertainment: a registry-based cohort study. <i>Archives of Osteoporosis</i> , 2021 , 16, 107	2.9	4
117	Response Letter to the Editor From Viola et al: "Diminishing Value From Multiple Serial Bone Densitometry in Women Receiving Antiresorptive Medication for Osteoporosis". <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e5279-e5280	5.6	
116	Time dependency in early major osteoporotic and hip re-fractures in women and men aged 50 years and older: a population-based observational study. <i>Osteoporosis International</i> , 2021 , 1	5.3	0
115	Secondary Fracture Prevention: Consensus Clinical Recommendations from a Multistakeholder Coalition. <i>Journal of Orthopaedic Trauma</i> , 2020 , 34, e125-e141	3.1	6
114	Impact of spine-hip discordance on fracture risk assessment and treatment qualification in Canada: the Manitoba BMD registry. <i>Archives of Osteoporosis</i> , 2020 , 15, 85	2.9	1
113	Fracture risk following high-trauma versus low-trauma fracture: a registry-based cohort study. <i>Osteoporosis International</i> , 2020 , 31, 1059-1067	5.3	29
112	Secondary Fracture Prevention: Consensus Clinical Recommendations From a Multistakeholder Coalition. <i>Orthopaedic Nursing</i> , 2020 , 39, 145-161	0.9	3
111	Loss in DXA-estimated total body lean mass but not fat mass predicts incident major osteoporotic fracture and hip fracture independently from FRAX: a registry-based cohort study. <i>Archives of Osteoporosis</i> , 2020 , 15, 96	2.9	6
110	Testing a theoretical model of imminent fracture risk in elderly women: an observational cohort analysis of the Canadian Multicentre Osteoporosis Study. <i>Osteoporosis International</i> , 2020 , 31, 1145-1153	5.3	1
109	Clinical manifestations of osteogenesis imperfecta in adulthood: An integrative review of quantitative studies and case reports. <i>American Journal of Medical Genetics, Part A</i> , 2020 , 182, 842-865	2.5	4
108	Current level of technology use, health and eHealth literacy in older Canadians with a recent fracture-a survey in orthopedic clinics. <i>Osteoporosis International</i> , 2020 , 31, 1333-1340	5.3	18
107	Targeted bone density testing for optimizing fracture prevention in Canada. <i>Osteoporosis International</i> , 2020 , 31, 1291-1297	5.3	
106	Incidental bilateral calcaneal fractures following overground walking with a wearable robotic exoskeleton in a wheelchair user with a chronic spinal cord injury: is zero risk possible?. <i>Osteoporosis International</i> , 2020 , 31, 1007-1011	5.3	5
105	Fermented Milk Products and Bone Health in Postmenopausal Women: A Systematic Review of Randomized Controlled Trials, Prospective Cohorts, and Case-Control Studies. <i>Advances in Nutrition</i> , 2020 , 11, 251-265	10	9
104	Effects of an Overground Walking Program With a Robotic Exoskeleton on Long-Term Manual Wheelchair Users With a Chronic Spinal Cord Injury: Protocol for a Self-Controlled Interventional Study. <i>JMIR Research Protocols</i> , 2020 , 9, e19251	2	1
103	Measured height loss predicts incident clinical fractures independently from FRAX: a registry-based cohort study. <i>Osteoporosis International</i> , 2020 , 31, 1079-1087	5.3	10
102	Factors Associated With Bone Density Monitoring While on Antiosteoporosis Treatment in Routine Clinical Practice: A Registry-Based Cohort Study. <i>Journal of Clinical Densitometry</i> , 2020 , 23, 568-575	3.5	2

101	Reassessment Intervals for Transition From Low to High Fracture Risk Among Adults Older Than 50 Years. <i>JAMA Network Open</i> , 2020 , 3, e1918954	10.4	4
100	Patient engagement in clinical guidelines development: input from > 1000 members of the Canadian Osteoporosis Patient Network. <i>Osteoporosis International</i> , 2020 , 31, 867-874	5.3	10
99	Performance of a Fracture Liaison Service in an Orthopaedic Setting: A Report of Key Indicators and Improvement of Longitudinal Outcomes. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020 , 102, 486-494	5.6	7
98	Variation in surgical demand and time to hip fracture repair: a Canadian database study. <i>BMC Health Services Research</i> , 2020 , 20, 935	2.9	2
97	Core principles for fracture prevention: North American Consensus from the National Osteoporosis Foundation, Osteoporosis Canada, and Academia Nacional de Medicina de Mexico. <i>Osteoporosis International</i> , 2020 , 31, 2073-2076	5.3	4
96	Differences in fracture prevalence and in bone mineral density between Chinese and White Canadians: the Canadian Multicentre Osteoporosis Study (CaMos). <i>Archives of Osteoporosis</i> , 2020 , 15, 147	2.9	4
95	Secondary Fracture Prevention: Consensus Clinical Recommendations from a Multistakeholder Coalition. <i>Journal of Bone and Mineral Research</i> , 2020 , 35, 36-52	6.3	63
94	HR-pQCT Measures of Bone Microarchitecture Predict Fracture: Systematic Review and Meta-Analysis. <i>Journal of Bone and Mineral Research</i> , 2020 , 35, 446-459	6.3	36
93	New Developments in Fracture Risk Assessment for Current Osteoporosis Reports. <i>Current Osteoporosis Reports</i> , 2020 , 18, 115-129	5.4	10
92	Evaluation of plasma and erythrocyte fatty acids C15:0, t-C16:1n-7 and C17:0 as biomarkers of dairy fat consumption in adolescents. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2019 , 149, 24-29	2.8	4
91	Association of Bone Density Monitoring in Routine Clinical Practice With Anti-Osteoporosis Medication Use and Incident Fractures: A Matched Cohort Study. <i>Journal of Bone and Mineral Research</i> , 2019 , 34, 1808-1814	6.3	5
90	Performance of FRAX in Women with Breast Cancer Initiating Aromatase Inhibitor Therapy: A Registry-Based Cohort Study. <i>Journal of Bone and Mineral Research</i> , 2019 , 34, 1428-1435	6.3	24
89	Longitudinal assessment of health-related quality of life in osteoporosis: data from the population-based Canadian Multicentre Osteoporosis Study. <i>Osteoporosis International</i> , 2019 , 30, 1635-1644	5.3	6
88	Predictors of imminent non-vertebral fracture in elderly women with osteoporosis, low bone mass, or a history of fracture, based on data from the population-based Canadian Multicentre Osteoporosis Study (CaMos). <i>Archives of Osteoporosis</i> , 2019 , 14, 53	2.9	18
87	Performance of FRAX and FRAX-Based Treatment Thresholds in Women Aged 40 Years and Older: The Manitoba BMD Registry. <i>Journal of Bone and Mineral Research</i> , 2019 , 34, 1419-1427	6.3	18
86	Discharge destination following hip fracture in Canada among previously community-dwelling older adults, 2004-2012: database study. <i>Osteoporosis International</i> , 2019 , 30, 1383-1394	5.3	9
85	Forearm bone density is not elevated in Inuit women with impaired fasting glucose or type 2 diabetes mellitus. <i>International Journal of Circumpolar Health</i> , 2019 , 78, 1601056	1.7	0
84	Incident Fragility Fractures Have a Long-Term Negative Impact on Health-Related Quality of Life of Older People: The Canadian Multicentre Osteoporosis Study. <i>Journal of Bone and Mineral Research</i> , 2019 , 34, 838-848	6.3	13

83	Fracture prediction from self-reported falls in routine clinical practice: a registry-based cohort study. <i>Osteoporosis International</i> , 2019 , 30, 2195-2203	5.3	12
82	Vertebral Fracture Assessment Increases Use of Pharmacologic Therapy for Fracture Prevention in Clinical Practice. <i>Journal of Bone and Mineral Research</i> , 2019 , 34, 2205-2212	6.3	13
81	Persistence and compliance to osteoporosis therapy in a fracture liaison service: a prospective cohort study. <i>Archives of Osteoporosis</i> , 2019 , 14, 87	2.9	9
80	A population-based study of postfracture care in Manitoba, Canada 2000/2001-2014/2015. <i>Osteoporosis International</i> , 2019 , 30, 2119-2127	5.3	4
79	Comparison of treatment strategies and thresholds for optimizing fracture prevention in Canada: a simulation analysis. <i>Archives of Osteoporosis</i> , 2019 , 15, 4	2.9	6
78	Rationale, study design, and descriptive data of the Lucky Bone Fracture Liaison Service. <i>Archives of Osteoporosis</i> , 2019 , 14, 19	2.9	8
77	Administrative healthcare data applied to fracture risk assessment. <i>Osteoporosis International</i> , 2019 , 30, 565-571	5.3	6
76	Prevalent vertebral fracture on bone density lateral spine (VFA) images in routine clinical practice predict incident fractures. <i>Bone</i> , 2019 , 121, 72-79	4.7	25
75	Performance of FRAX in clinical practice according to sex and osteoporosis definitions: the Manitoba BMD registry. <i>Osteoporosis International</i> , 2018 , 29, 759-767	5.3	9
74	Toward a Meaningful Definition of Recovery After Hip Fracture: Comparing Two Definitions for Community-Dwelling Older Adults. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018 , 99, 1108-1115	2.8	3
73	Effects of obesity and diabetes on rate of bone density loss. <i>Osteoporosis International</i> , 2018 , 29, 61-67	5.3	21
72	Duration of corticosteroid use in chronic obstructive pulmonary disease exacerbations: improving prescribing practices on clinical teaching units with peer-to-peer teaching. <i>BMJ Open Quality</i> , 2018 , 7, e000333	1.9	
71	The diagnostic threshold for osteoporosis impedes fracture prevention in women at high risk for fracture: A registry-based cohort study. <i>Bone</i> , 2018 , 114, 298-303	4.7	12
70	Mortality effects of timing alternatives for hip fracture surgery. <i>Cmaj</i> , 2018 , 190, E923-E932	3.5	30
69	Perioperative corticosteroid administration: a systematic review and descriptive analysis. <i>Perioperative Medicine (London, England)</i> , 2018 , 7, 10	2.8	7
68	Atypical femur fracture in a woman with osteogenesis imperfecta and multiple myeloma. <i>Journal of Musculoskeletal Neuronal Interactions</i> , 2018 , 18, 375-381	1.3	3
67	Time to surgery after hip fracture across Canada by timing of admission. <i>Osteoporosis International</i> , 2018 , 29, 653-663	5.3	11
66	Operationalising a conceptual framework for a contiguous hospitalisation episode to study associations between surgical timing and death after first hip fracture: a Canadian observational study. <i>BMJ Open</i> , 2018 , 8, e020372	3	1

65	Perioperative glucocorticoid stress dosing: a survey of anesthesiologists and general internists. <i>Canadian Journal of Anaesthesia</i> , 2018 , 65, 1387-1389	3	2
64	Association of Mental Disorders and Related Medication Use With Risk for Major Osteoporotic Fractures. <i>JAMA Psychiatry</i> , 2017 , 74, 641-648	14.5	38
63	Accuracy of Offspring-Reported Parental Hip Fractures: A Novel Population-Based Parent-Offspring Record Linkage Study. <i>American Journal of Epidemiology</i> , 2017 , 185, 974-981	3.8	11
62	Objectively-Verified Parental Non-Hip Major Osteoporotic Fractures and Offspring Osteoporotic Fracture Risk: A Population-Based Familial Linkage Study. <i>Journal of Bone and Mineral Research</i> , 2017 , 32, 716-721	6.3	7
61	Feasibility of administrative data for studying complications after hip fracture surgery. <i>BMJ Open</i> , 2017 , 7, e015368	3	8
60	FRAX for fracture prediction shorter and longer than 10 years: the Manitoba BMD registry. <i>Osteoporosis International</i> , 2017 , 28, 2557-2564	5.3	14
59	Scoping review of potential quality indicators for hip fracture patient care. <i>BMJ Open</i> , 2017 , 7, e014769	3	6
58	Case-Based Review of Osteonecrosis of the Jaw (ONJ) and Application of the International Recommendations for Management From the International Task Force on ONJ. <i>Journal of Clinical Densitometry</i> , 2017 , 20, 8-24	3.5	125
57	Densitometer-Specific Differences in the Correlation Between Body Mass Index and Lumbar Spine Trabecular Bone Score. <i>Journal of Clinical Densitometry</i> , 2017 , 20, 233-238	3.5	26
56	Change in Trabecular Bone Score (TBS) With Antiresorptive Therapy Does Not Predict Fracture in Women: The Manitoba BMD Cohort. <i>Journal of Bone and Mineral Research</i> , 2017 , 32, 618-623	6.3	13
55	Total Hip Bone Area Affects Fracture Prediction With FRAX [®] in Canadian White Women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 4242-4249	5.6	5
54	Hospital mortality after hip fracture surgery in relation to length of stay by care delivery factors: A database study. <i>Medicine (United States)</i> , 2017 , 96, e6683	1.8	13
53	Change in Bone Mineral Density Is an Indicator of Treatment-Related Antifracture Effect. <i>Annals of Internal Medicine</i> , 2017 , 166, 152-153	8	
52	Clinical performance of an updated trabecular bone score (TBS) algorithm in men and women: the Manitoba BMD cohort. <i>Osteoporosis International</i> , 2017 , 28, 3199-3203	5.3	26
51	Atypical femur fractures: a survey of current practices in orthopedic surgery. <i>Osteoporosis International</i> , 2017 , 28, 3271-3276	5.3	3
50	Feasibility of using administrative data for identifying medical reasons to delay hip fracture surgery: a Canadian database study. <i>BMJ Open</i> , 2017 , 7, e017869	3	10
49	Trends in Operative and Nonoperative Hip Fracture Management 1990-2014: A Longitudinal Analysis of Manitoba Administrative Data. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 27-34	5.6	30
48	A 51-item calcium-focused food frequency questionnaire is a reliable tool to assess dietary calcium intake in postmenopausal women. <i>Nutrition Research</i> , 2017 , 43, 33-42	4	4

47	Fracture prediction from repeat BMD measurements in clinical practice. <i>Osteoporosis International</i> , 2016 , 27, 203-10	5.3	10
46	Change in Bone Mineral Density Is an Indicator of Treatment-Related Antifracture Effect in Routine Clinical Practice: A Registry-Based Cohort Study. <i>Annals of Internal Medicine</i> , 2016 , 165, 465-472	8	33
45	In-hospital mortality after hip fracture by treatment setting. <i>Cmaj</i> , 2016 , 188, 1219-1225	3.5	24
44	Agreement between physicians and nurses' clinical decisions for the management of the fracture liaison service (4iFLS): the Lucky Bone program. <i>Osteoporosis International</i> , 2016 , 27, 1569-1576	5.3	11
43	The current economic burden of illness of osteoporosis in Canada. <i>Osteoporosis International</i> , 2016 , 27, 3023-32	5.3	75
42	Loss of health related quality of life following low-trauma fractures in the elderly. <i>BMC Geriatrics</i> , 2016 , 16, 84	4.1	39
41	Feasibility of a clinical trial to assess the effect of dietary calcium v. supplemental calcium on vascular and bone markers in healthy postmenopausal women. <i>British Journal of Nutrition</i> , 2016 , 116, 104-14	3.6	4
40	Objectively Verified Parental Hip Fracture Is an Independent Risk Factor for Fracture: a Linkage Analysis of 478,792 Parents and 261,705 Offspring. <i>Journal of Bone and Mineral Research</i> , 2016 , 31, 1753-9	6.3	23
39	Antiresorptive therapy and newly diagnosed diabetes in women: a historical cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2016 , 18, 875-81	6.7	10
38	Assessment of femur geometrical parameters using EOS imaging technology in patients with atypical femur fractures; preliminary results. <i>Bone</i> , 2016 , 83, 184-189	4.7	26
37	Associations of Body Mass Index With Incident Fractures and Hip Structural Parameters in a Large Canadian Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 476-84	5.6	21
36	Dietary patterns in men and women are simultaneously determinants of altered glucose metabolism and bone metabolism. <i>Nutrition Research</i> , 2016 , 36, 328-336	4	16
35	Adjusting Hip Fracture Probability in Men and Women Using Hip Axis Length: the Manitoba Bone Density Database. <i>Journal of Clinical Densitometry</i> , 2016 , 19, 326-31	3.5	36
34	Tools for Assessing Fracture Risk and for Treatment Monitoring 2016 , 61-83		
33	Time trends in hospital stay after hip fracture in Canada, 2004-2012: database study. <i>Archives of Osteoporosis</i> , 2016 , 11, 13	2.9	23
32	Longer Duration of Diabetes Strongly Impacts Fracture Risk Assessment: The Manitoba BMD Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 4489-4496	5.6	72
31	Sex- and age-specific associations between income and incident major osteoporotic fractures in Canadian men and women: a population-based analysis. <i>Osteoporosis International</i> , 2015 , 26, 59-65	5.3	15
30	Successful knowledge translation intervention in long-term care: final results from the vitamin D and osteoporosis study (ViDOS) pilot cluster randomized controlled trial. <i>Trials</i> , 2015 , 16, 214	2.8	29

29	Recommendations for preventing fracture in long-term care. <i>Cmaj</i> , 2015 , 187, 1135-1144	3.5	36
28	Hip axis length is a FRAX- and bone density-independent risk factor for hip fracture in women. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 2063-70	5.6	39
27	Diagnosis and management of osteonecrosis of the jaw: a systematic review and international consensus. <i>Journal of Bone and Mineral Research</i> , 2015 , 30, 3-23	6.3	680
26	Why does rate of bone density loss not predict fracture risk?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 679-83	5.6	15
25	Estimated lean mass and fat mass differentially affect femoral bone density and strength index but are not FRAX independent risk factors for fracture. <i>Journal of Bone and Mineral Research</i> , 2014 , 29, 2511-9	6.3	59
24	Temporal trends in obesity, osteoporosis treatment, bone mineral density, and fracture rates: a population-based historical cohort study. <i>Journal of Bone and Mineral Research</i> , 2014 , 29, 952-9	6.3	21
23	Does diabetes modify the effect of FRAX risk factors for predicting major osteoporotic and hip fracture?. <i>Osteoporosis International</i> , 2014 , 25, 2817-24	5.3	67
22	Spine bone texture assessed by trabecular bone score (TBS) predicts osteoporotic fractures in men: the Manitoba Bone Density Program. <i>Bone</i> , 2014 , 67, 10-4	4.7	67
21	Quality indicators for hip fracture patients: a scoping review protocol. <i>BMJ Open</i> , 2014 , 4, e006543	3	5
20	Can change in FRAX score be used to "treat to target"? A population-based cohort study. <i>Journal of Bone and Mineral Research</i> , 2014 , 29, 1074-80	6.3	22
19	The importance of previous fracture site on osteoporosis diagnosis and incident fractures in women. <i>Journal of Bone and Mineral Research</i> , 2014 , 29, 1675-80	6.3	39
18	Major osteoporotic to hip fracture ratios in canadian men and women with Swedish comparisons: a population-based analysis. <i>Journal of Bone and Mineral Research</i> , 2014 , 29, 1067-73	6.3	38
17	Osteoporosis epidemiology 2013: implications for diagnosis, risk assessment, and treatment. <i>Current Opinion in Rheumatology</i> , 2014 , 26, 440-6	5.3	63
16	Direct healthcare costs for 5 years post-fracture in Canada: a long-term population-based assessment. <i>Osteoporosis International</i> , 2013 , 24, 1697-705	5.3	26
15	Fracture risk assessment in long-term care: a survey of long-term care physicians. <i>BMC Geriatrics</i> , 2013 , 13, 109	4.1	18
14	Temporal trends in the incidence of osteoporotic fractures. <i>Current Osteoporosis Reports</i> , 2013 , 11, 263-9	5.4	21
13	Influence of recency and duration of glucocorticoid use on bone mineral density and risk of fractures: population-based cohort study. <i>Osteoporosis International</i> , 2013 , 24, 2493-8	5.3	33
12	Calcium and vitamin D intake and mortality: results from the Canadian Multicentre Osteoporosis Study (CaMos). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 3010-8	5.6	40

11	The disconnect between better quality of glucocorticoid-induced osteoporosis preventive care and better outcomes: a population-based cohort study. <i>Journal of Rheumatology</i> , 2013 , 40, 1736-41	4.1	18
10	Fracture risk assessment without bone density measurement in routine clinical practice. <i>Osteoporosis International</i> , 2012 , 23, 75-85	5.3	87
9	Institutionalization following incident non-traumatic fractures in community-dwelling men and women. <i>Osteoporosis International</i> , 2012 , 23, 2381-6	5.3	47
8	An interdisciplinary knowledge translation intervention in long-term care: study protocol for the vitamin D and osteoporosis study (ViDOS) pilot cluster randomized controlled trial. <i>Implementation Science</i> , 2012 , 7, 48	8.4	18
7	Rate of bone density change does not enhance fracture prediction in routine clinical practice. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 1211-8	5.6	30
6	Population-based trends in osteoporosis management after new initiations of long-term systemic glucocorticoids (1998-2008). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 1236-42	5.6	43
5	Mortality rates after incident non-traumatic fractures in older men and women. <i>Osteoporosis International</i> , 2011 , 22, 2439-48	5.3	146
4	Direct costs of fractures in Canada and trends 1996-2006: a population-based cost-of-illness analysis. <i>Journal of Bone and Mineral Research</i> , 2011 , 26, 2419-29	6.3	32
3	Weight and body mass index predict bone mineral density and fractures in women aged 40 to 59 years. <i>Osteoporosis International</i> , 2009 , 20, 363-70	5.3	82
2	High bone mineral density is associated with high body mass index. <i>Osteoporosis International</i> , 2009 , 20, 1267-71	5.3	46
1	Effectiveness of antiresorptive agents in the prevention of recurrent hip fractures. <i>Osteoporosis International</i> , 2007 , 18, 1625-32	5.3	29