Michael Stowasser

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4463057/michael-stowasser-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

138
papers

9,237
h-index

94
g-index

150
ext. papers

10,703
ext. citations

5.4
avg, IF

L-index

#	Paper	IF	Citations
138	Detecting primary aldosteronism in Australian primary care: a prospective study <i>Medical Journal of Australia</i> , 2022 ,	4	2
137	Diagnosis and treatment of primary aldosteronism. Lancet Diabetes and Endocrinology, the, 2021, 9, 876	- 89 21	7
136	The Cl/HCO exchanger pendrin is downregulated during oral co-administration of exogenous mineralocorticoid and KCl in patients with primary aldosteronism. <i>Journal of Human Hypertension</i> , 2021 , 35, 837-848	2.6	4
135	ClearSightIfinger cuff versus invasive arterial pressure measurement in patients with body mass index above 45 kg/m. <i>BMC Anesthesiology</i> , 2021 , 21, 152	2.4	3
134	The mineralocorticoid receptor-an emerging player in metabolic syndrome?. <i>Journal of Human Hypertension</i> , 2021 , 35, 117-123	2.6	8
133	Relationship Between the Aldosterone-to-Renin Ratio and Blood Pressure in Young Adults: A Longitudinal Study. <i>Hypertension</i> , 2021 , 78, 387-396	8.5	О
132	Effects of Ramipril on the Aldosterone/Renin Ratio and the Aldosterone/Angiotensin II Ratio in Patients With Primary Aldosteronism. <i>Hypertension</i> , 2020 , 76, 488-496	8.5	6
131	Biochemical, Histopathological, and Genetic Characterization of Posture-Responsive and Unresponsive APAs. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	9
130	Measurement of Equilibrium Angiotensin II in the Diagnosis of Primary Aldosteronism. <i>Clinical Chemistry</i> , 2020 , 66, 483-492	5.5	10
129	Controversies and advances in adrenal venous sampling in the diagnostic workup of primary aldosteronism. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2020 , 34, 101400	6.5	10
128	Diagnosis of Primary Aldosteronism by Seated Saline Suppression Test-Variability Between Immunoassay and HPLC-MS/MS. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	17
127	The Role of Exercise in Patients with Obesity and Hypertension. <i>Current Hypertension Reports</i> , 2020 , 22, 77	4.7	7
126	Exercise and sport science australia position stand update on exercise and hypertension. <i>Journal of Human Hypertension</i> , 2019 , 33, 837-843	2.6	24
125	Pathogenesis of Familial Hyperaldosteronism Type II: New Concepts Involving Anion Channels. <i>Current Hypertension Reports</i> , 2019 , 21, 31	4.7	12
124	The interplay of renal potassium and sodium handling in blood pressure regulation: critical role of the WNK-SPAK-NCC pathway. <i>Journal of Human Hypertension</i> , 2019 , 33, 508-523	2.6	16
123	Response to Letter to the Editor: "Comparison of Seated With Recumbent Saline Suppression Testing for the Diagnosis of Primary Aldosteronism". <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 2344-2345	5.6	
122	Mineralocorticoid antagonism enhances brown adipose tissue function in humans: A randomized placebo-controlled cross-over study. <i>Diabetes, Obesity and Metabolism,</i> 2019 , 21, 509-516	6.7	22

Primary Aldosteronism; Epidemiology and Screening 2019, 598-606 О 121 CLCN2 chloride channel mutations in familial hyperaldosteronism type II. Nature Genetics, 2018, 50, 349-36.4 120 117 A young man with severe hypertension. BMJ, The, 2018, 362, k2935 119 5.9 O Cellular and Genetic Causes of Idiopathic Hyperaldosteronism. Hypertension, 2018, 72, 874-880 118 8.5 87 Aldosterone LC-MS/MS Assay-Specific Threshold Values in Screening and Confirmatory Testing for 5.6 117 22 Primary Aldosteronism. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 3965-3973 Comparison of Seated With Recumbent Saline Suppression Testing for the Diagnosis of Primary 116 5.6 39 Aldosteronism. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 4113-4124 In Primary Aldosteronism, Mineralocorticoids Influence Exosomal Sodium-Chloride Cotransporter 38 115 12.7 Abundance. Journal of the American Society of Nephrology: JASN, 2017, 28, 56-63 New Advances in the Diagnostic Workup of Primary Aldosteronism. Journal of the Endocrine Society, 114 8 0.4 **2017**, 1, 149-161 Screening for Endocrine Hypertension: An Endocrine Society Scientific Statement. Endocrine 113 27.2 55 Reviews, 2017, 38, 103-122 Effect of Moxonidine on the Aldosterone/Renin Ratio in Healthy Male Volunteers. Journal of 112 5.6 13 Clinical Endocrinology and Metabolism, 2017, 102, 2039-2043 Outcomes after adrenalectomy for unilateral primary aldosteronism: an international consensus on outcome measures and analysis of remission rates in an international cohort. Lancet Diabetes and 111 18.1 355 Endocrinology, the, 2017, 5, 689-699 Effect of Combined Hormonal Replacement Therapy on the Aldosterone/Renin Ratio in 110 5.6 14 Postmenopausal Women. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 2329-2334 Potassium Channel Mutations and Human Disease: Focus on Adrenal Hypertension 2017, 503-516 109 Targeted LOWering of Central Blood Pressure in patients with hypertension: Baseline recruitment, rationale and design of a randomized controlled trial (The LOW CBP study). Contemporary Clinical 108 6 2.3 *Trials*, **2017**, 62, 37-42 Can Screening and Confirmatory Testing in the Management of Patients with Primary 107 3.1 17 Aldosteronism be Improved?. Hormone and Metabolic Research, 2017, 49, 915-921 Guiding Hypertension Management Using Central Blood Pressure: Effect of Medication Withdrawal 106 6 2.3 on Left Ventricular Function. American Journal of Hypertension, 2016, 29, 319-25 Primary Aldosteronism: Changing Definitions and New Concepts of Physiology and 105 83 47.9 Pathophysiology Both Inside and Outside the Kidney. Physiological Reviews, 2016, 96, 1327-84 Comparison of Central Blood Pressure Estimated by a Cuff-Based Device With Radial Tonometry. 104 2.3 17 American Journal of Hypertension, 2016, 29, 1173-8

103	Does ACTH improve the diagnostic performance of adrenal vein sampling for subtyping primary aldosteronism?. <i>Clinical Endocrinology</i> , 2016 , 85, 703-709	3.4	35
102	The Management of Primary Aldosteronism: Case Detection, Diagnosis, and Treatment: An Endocrine Society Clinical Practice Guideline. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 1889-916	5.6	1240
101	OS 35-04 THE AA2-RATIO. Journal of Hypertension, 2016, 34, e400	1.9	1
100	Resistant Hypertension and Chronic Kidney Disease: a Dangerous Liaison. <i>Current Hypertension Reports</i> , 2016 , 18, 36	4.7	14
99	Blood Pressure Variability and Prediction of Target Organ Damage in Patients With Uncomplicated Hypertension. <i>American Journal of Hypertension</i> , 2016 , 29, 1046-54	2.3	19
98	Does contralateral suppression at adrenal venous sampling predict outcome following unilateral adrenalectomy for primary aldosteronism? A retrospective study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 1477-84	5.6	64
97	The utility of renal venous renin studies in selection of patients with renal artery stenosis for angioplasty: a retrospective study. <i>Journal of Hypertension</i> , 2015 , 33, 1931-8; discussion 1938	1.9	3
96	Should aldosterone suppression tests be conducted during a particular phase of the menstrual cycle, and, if so, which phase? Results of a preliminary study. <i>Clinical Endocrinology</i> , 2015 , 83, 303-7	3.4	21
95	Does concomitant autonomous adrenal cortisol overproduction have the potential to confound the interpretation of adrenal venous sampling in primary aldosteronism?. <i>Clinical Endocrinology</i> , 2015 , 83, 456-61	3.4	20
94	Update in primary aldosteronism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 1-10	5.6	29
93	Use of plasma metanephrine to aid adrenal venous sampling in combined aldosterone and cortisol over-secretion. <i>Endocrinology, Diabetes and Metabolism Case Reports</i> , 2015 , 2015, 150075	1.4	10
92	Aldosterone excess and resistant hypertension: investigation and treatment. <i>Current Hypertension Reports</i> , 2014 , 16, 439	4.7	11
91	Seated saline suppression testing for the diagnosis of primary aldosteronism: a preliminary study. Journal of Clinical Endocrinology and Metabolism, 2014 , 99, 2745-53	5.6	79
90	Detection of mutations in KLHL3 and CUL3 in families with FHHt (familial hyperkalaemic hypertension or GordonB syndrome). <i>Clinical Science</i> , 2014 , 126, 721-6	6.5	38
89	Role for germline mutations and a rare coding single nucleotide polymorphism within the KCNJ5 potassium channel in a large cohort of sporadic cases of primary aldosteronism. <i>Hypertension</i> , 2014 , 63, 783-9	8.5	48
88	The AldosteroneRenin Ratio: Role and Problems 2014 , 109-126		1
87	Familial Hyperaldosteronism Type II 2014 , 87-97		
86	Quality-of-Life Aspects of Primary Aldosteronism 2014 , 197-207		

(2011-2013)

85	The renaissance of primary aldosteronism: what has it taught us?. <i>Heart Lung and Circulation</i> , 2013 , 22, 412-20	1.8	8
84	Diagnosis and management of primary aldosteronism: an updated review. <i>Annals of Medicine</i> , 2013 , 45, 375-83	1.5	93
83	A randomized trial of dietary sodium restriction in CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2013 , 24, 2096-103	12.7	202
82	Repeating adrenal vein sampling when neither aldosterone/cortisol ratio exceeds peripheral yields a high incidence of aldosterone-producing adenoma. <i>Journal of Hypertension</i> , 2013 , 31, 2005-9	1.9	21
81	Primary aldosteronism and potassium channel mutations. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2013 , 20, 170-9	4	6
80	Increased dietary sodium is related to severity of obstructive sleep apnea in patients with resistant hypertension and hyperaldosteronism. <i>Chest</i> , 2013 , 143, 978-983	5.3	41
79	Calibrators for measuring aldosterone by liquid chromatography-tandem mass spectrometry. <i>Clinica Chimica Acta</i> , 2012 , 413, 346-7	6.2	5
78	The Adrenal Vein Sampling International Study (AVIS) for identifying the major subtypes of primary aldosteronism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 1606-14	5.6	243
77	Adverse cardiovascular outcomes of corticosteroid excess. <i>Endocrinology</i> , 2012 , 153, 5137-42	4.8	22
76	Somatic mutations affecting the selectivity filter of KCNJ5 are frequent in 2 large unselected collections of adrenal aldosteronomas. <i>Hypertension</i> , 2012 , 59, 587-91	8.5	120
75	Improving the success and reliability of adrenal venous sampling: focus on intraprocedural cortisol measurement. <i>Clinical Chemistry</i> , 2012 , 58, 1275-7	5.5	13
74	Primary aldosteronism in 2011: Towards a better understanding of causation and consequences. <i>Nature Reviews Endocrinology</i> , 2011 , 8, 70-2	15.2	10
73	Familial or genetic primary aldosteronism and Gordon syndrome. <i>Endocrinology and Metabolism Clinics of North America</i> , 2011 , 40, 343-68, viii	5.5	23
72	Effect of contraceptives on aldosterone/renin ratio may vary according to the components of contraceptive, renin assay method, and possibly route of administration. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 1797-804	5.6	61
71	Quality of life in patients with bilateral primary aldosteronism before and during treatment with spironolactone and/or amiloride, including a comparison with our previously published results in those with unilateral disease treated surgically. <i>Journal of Clinical Endocrinology and Metabolism</i> ,	5.6	74
70	2011 , 96, 2904-11 Cardiac dimensions are largely determined by dietary salt in patients with primary aldosteronism: results of a case-control study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 2813-20	5.6	56
69	What is new in the management of resistant hypertension?. <i>Therapy: Open Access in Clinical Medicine</i> , 2011 , 8, 261-273		2
68	Effects of two selective serotonin reuptake inhibitor antidepressants, sertraline and escitalopram, on aldosterone/renin ratio in normotensive depressed male patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 1039-45	5.6	36

67	Are women more at risk of false-positive primary aldosteronism screening and unnecessary suppression testing than men?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, E340-6	5.6	68
66	Improved quality of life, blood pressure, and biochemical status following laparoscopic adrenalectomy for unilateral primary aldosteronism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 1360-4	5.6	120
65	Effect of atenolol on aldosterone/renin ratio calculated by both plasma Renin activity and direct Renin concentration in healthy male volunteers. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 3201-6	5.6	38
64	Impact of different diagnostic criteria during adrenal vein sampling on reproducibility of subtype diagnosis in patients with primary aldosteronism. <i>Hypertension</i> , 2010 , 55, 667-73	8.5	116
63	Simultaneous measurement of aldosterone and cortisol by high-performance liquid chromatography-tandem mass spectrometry: application to dehydration-rehydration studies. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2010, 878, 119	3.2 5-8	27
62	Laboratory investigation of primary aldosteronism. Clinical Biochemist Reviews, 2010 , 31, 39-56	7.3	55
61	Activity assays and immunoassays for plasma Renin and prorenin: information provided and precautions necessary for accurate measurement. <i>Clinical Chemistry</i> , 2009 , 55, 867-77	5.5	145
60	Commentary. Clinical Chemistry, 2009, 55, 2097	5.5	
59	Update in primary aldosteronism. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 3623-30	5.6	86
58	Role of unilateral adrenalectomy in bilateral primary aldosteronism: a 22-year single center experience. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 2437-45	5.6	106
57	Elevated serum interleukin 6 levels in normotensive individuals with familial hyperaldosteronism type 1. <i>Hypertension</i> , 2009 , 53, e31-2	8.5	16
56	Measurement of aldosterone in human plasma by semiautomated HPLC-tandem mass spectrometry. <i>Clinical Chemistry</i> , 2009 , 55, 1155-62	5.5	96
55	Case detection, diagnosis, and treatment of patients with primary aldosteronism: an endocrine society clinical practice guideline. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 3266-81	5.6	1231
54	Further evidence for linkage of familial hyperaldosteronism type II at chromosome 7p22 in Italian as well as Australian and South American families. <i>Journal of Hypertension</i> , 2008 , 26, 1577-82	1.9	71
53	Primary aldosteronism: the case for screening. <i>Nature Clinical Practice Nephrology</i> , 2007 , 3, 582-3		16
52	Aldosterone excess, hypertension, and chromosome 7p22: evidence continues to mount. <i>Hypertension</i> , 2007 , 49, 761-2	8.5	4
51	Genetic Forms of Primary Aldosteronism. <i>High Blood Pressure and Cardiovascular Prevention</i> , 2007 , 14, 75-81	2.9	2
50	Monogenic mineralocorticoid hypertension. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2006 , 20, 401-20	6.5	15

(2001-2006)

No evidence for coding region mutations in the retinoblastoma-associated Kruppel-associated box protein gene (RBaK) causing familial hyperaldosteronism type II. <i>Clinical Endocrinology</i> , 2006 , 65, 829-3	1 ^{3.4}	12
Familial hyperaldosteronism type II is linked to the chromosome 7p22 region but also shows predicted heterogeneity. <i>Journal of Hypertension</i> , 2005 , 23, 1477-84	1.9	72
Evidence for abnormal left ventricular structure and function in normotensive individuals with familial hyperaldosteronism type I. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 5070-6	5.6	183
Effect of aldosterone antagonism on myocardial dysfunction in hypertensive patients with diastolic heart failure. <i>Circulation</i> , 2004 , 110, 558-65	16.7	231
Genomic structure of the human gene for protein kinase A regulatory subunit R1-beta (PRKAR1B) on 7p22: no evidence for mutations in familial hyperaldosteronism type II in a large affected kindred. <i>Clinical Endocrinology</i> , 2004 , 61, 716-23	3.4	16
Increased diagnosis of primary aldosteronism, including surgically correctable forms, in centers from five continents. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 1045-50	5.6	745
Primary aldosteronismcareful investigation is essential and rewarding. <i>Molecular and Cellular Endocrinology</i> , 2004 , 217, 33-9	4.4	145
The Aldosterone???Renin Ratio in Screening for Primary Aldosteronism 2004 , 14, 267-276		26
High rate of detection of primary aldosteronism, including surgically treatable forms, after Phon-selectivePscreening of hypertensive patients. <i>Journal of Hypertension</i> , 2003 , 21, 2149-57	1.9	191
Primary aldosteronism. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2003 , 17, 591-605	6.5	53
Primary aldosteronism: from genesis to genetics. <i>Trends in Endocrinology and Metabolism</i> , 2003 , 14, 310)-8 .8	44
A Randomised Controlled Trial of Medication Liaison Services Patient Outcomes. <i>Journal of Pharmacy Practice and Research</i> , 2002 , 32, 133-140	0.7	70
A Randomised Controlled Trial of Medication Liaison Services Acceptance and Use by Health Professionals. <i>Journal of Pharmacy Practice and Research</i> , 2002 , 32, 221-226	0.7	10
Primary aldosteronism: rare bird or common cause of secondary hypertension?. <i>Current Hypertension Reports</i> , 2001 , 3, 230-9	4.7	31
Prevalence and diagnostic workup of primary aldosteronism: new knowledge and new approaches. <i>Nephrology</i> , 2001 , 6, 119-126	2.2	20
New perspectives on the role of aldosterone excess in cardiovascular disease. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2001 , 28, 783-91	3	50
Familial varieties of primary aldosteronism. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2001 , 28, 1087-90	3	26
Primary aldosteronism: are we diagnosing and operating on too few patients?. World Journal of Surgery, 2001 , 25, 941-7	3.3	77
	protein gene (RBaK) causing familial hyperaldosteronism type II. Clinical Endocrinology, 2006, 65, 829-3 Familial hyperaldosteronism type II is linked to the chromosome 7p22 region but also shows predicted heterogeneity. Journal of Hypertension, 2005, 23, 1477-84 Evidence for abnormal left ventricular structure and function in normotensive individuals with familial hyperaldosteronism type I. Journal of Clinical Endocrinology and Metabolism, 2005, 90, 5070-6 Effect of aldosterone antagonism on myocardial dysfunction in hypertensive patients with diastolic heart failure. Circulation, 2004, 110, 558-65 Genomic structure of the human gene for protein kinase A regulatory subunit R1-beta (PRKAR1B) on 7p22: no evidence for mutations in familial hyperaldosteronism type II in a large affected kindred. Clinical Endocrinology, 2004, 61, 716-23 Increased diagnosis of primary aldosteronism, including surgically correctable forms, in centers from five continents. Journal of Clinical Endocrinology and Metabolism, 2004, 89, 1045-50 Primary aldosteronism-careful investigation is essential and rewarding. Molecular and Cellular Endocrinology, 2004, 217, 33-9 The Aldosterone???Renin Ratio in Screening for Primary Aldosteronism 2004, 14, 267-276 High rate of detection of primary aldosteronism, including surgically treatable forms, after thon-selectivePscreening of hypertensive patients. Journal of Hypertension, 2003, 21, 2149-57 Primary aldosteronism: Best Practice and Research in Clinical Endocrinology and Metabolism, 2003, 17, 591-605 Primary aldosteronism: from genesis to genetics. Trends in Endocrinology and Metabolism, 2003, 14, 310 A Randomised Controlled Trial of Medication Liaison Services Ratient Outcomes. Journal of Pharmacy Practice and Research, 2002, 32, 133-140 A Randomised Controlled Trial of Medication Liaison Services Ratient Outcomes. Journal of Pharmacy Practice and Research, 2002, 32, 221-226 Primary aldosteronism: rare bird or common cause of secondary hypertension?. Current Hypertension Reports, 2	protein gene (RBaK) causing familial hyperaldosteronism type II. Clinical Endocrinology, 2006, 65, 829-31 ³⁴ Familial hyperaldosteronism type II is linked to the chromosome 7p.22 region but also shows predicted heterogeneity. Journal of Hypertension, 2005, 23, 1477-84 1.9 Evidence for abnormal left ventricular structure and function in normotensive individuals with familial hyperaldosteronism type I. Journal of Clinical Endocrinology and Metabolism, 2005, 90, 5070-6 Effect of aldosterone antagonism on myocardial dysfunction in hypertensive patients with diastolic heart failure. Circulation, 2004, 110, 558-65 Genomic structure of the human gene for protein kinase A regulatory subunit R1-beta (PRKAR1B) on 7p.22: no evidence for mutations in familial hyperaldosteronism type II in a large affected kindred. Clinical Endocrinology, 2004, 61, 716-23 Increased diagnosis of primary aldosteronism, including surgically correctable forms, in centers from five continents. Journal of Clinical Endocrinology and Metabolism, 2004, 89, 1045-50 Primary aldosteronism-careful investigation is essential and rewarding. Molecular and Cellular Endocrinology, 2004, 217, 33-9 The Aldosterone???Renin Ratio in Screening for Primary Aldosteronism 2004, 14, 267-276 High rate of detection of primary aldosteronism, including surgically treatable forms, after Ron-selectivePscreening of hypertensive patients. Journal of Hypertension, 2003, 21, 2149-57 Primary aldosteronism: Best Practice and Research in Clinical Endocrinology and Metabolism, 2003, 14, 310-8.8 A Randomised Controlled Trial of Medication Liaison Services action and Metabolism, 2003, 14, 310-8.8 A Randomised Controlled Trial of Medication Liaison Services acceptance and Use by Health Professionals. Journal of Pharmacy Practice and Research, 2002, 32, 221-226 Primary aldosteronism: are bird or common cause of secondary hypertension?. Current Hypertension Reports, 2001, 3, 230-9 Prevalence and diagnostic workup of primary aldosteronism: new knowledge and new approaches

31	Diagnosis and management of primary aldosteronism. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2001 , 2, 156-69	3	132
30	Familial hyperaldosteronism. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2001 , 78, 215-29	5.1	79
29	How common is adrenal-based mineralocorticoid hypertension?. <i>Current Opinion in Endocrinology, Diabetes and Obesity,</i> 2000 , 7, 143-150		5
28	Primary aldosteronism: learning from the study of familial varieties. <i>Journal of Hypertension</i> , 2000 , 18, 1165-76	1.9	60
27	Severity of hypertension in familial hyperaldosteronism type I: relationship to gender and degree of biochemical disturbance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000 , 85, 2160-6	5.6	47
26	Treatment of familial hyperaldosteronism type I: only partial suppression of adrenocorticotropin required to correct hypertension. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000 , 85, 3313-8	5.6	66
25	Biochemical evidence of aldosterone overproduction and abnormal regulation in normotensive individuals with familial hyperaldosteronism type I. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999 , 84, 4031-6	5.6	38
24	Success of surgery for primary aldosteronism judged by residual autonomous aldosterone production. <i>World Journal of Surgery</i> , 1998 , 22, 1243-5	3.3	67
23	Familial forms broaden the horizons for primary aldosteronism. <i>Trends in Endocrinology and Metabolism</i> , 1998 , 9, 220-7	8.8	34
22	Expression of 11betaHSD-2 in human adrenal cortical carcinoma and adenoma. <i>Endocrine Research</i> , 1998 , 24, 875-6	1.9	8
21	Familial hyperaldosteronism type II: description of a large kindred and exclusion of the aldosterone synthase (CYP11B2) gene. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1998 , 83, 3214-8	5.6	62
20	In familial hyperaldosteronism type I, hybrid gene-induced aldosterone production dominates that induced by wild-type genes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997 , 82, 3670-6	5.6	16
19	Laparoscopic adrenalectomy. World Journal of Surgery, 1996, 20, 758-60; discussion 761	3.3	81
18	Production of 18-oxo-cortisol in subtypes of primary aldosteronism. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1996 , 23, 591-3	3	32
17	Different allelic patterns at chromosome 11q13 in paired aldosterone-producing tumours and blood DNA. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1996 , 23, 594-6	3	10
16	Hybrid gene or hybrid steroids in the detection and screening for familial hyperaldosteronism type I. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1995 , 22, 444-6	3	6
15	Plasma aldosterone response to ACTH in subtypes of primary aldosteronism. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1995 , 22, 460-2	3	20
14	Analysis of the renin gene in patients with aldosterone-producing adenomas by polymerase chain reaction-single stranded conformational polymorphisms and long polymerase chain reaction. Clinical and Experimental Pharmacology and Physiology 1995, 22, 484-6	3	2

LIST OF PUBLICATIONS

13	the adrenal on computerized tomography scanning. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1995 , 22, 490-2	3	14
12	Primary aldosteronismsome genetic, morphological, and biochemical aspects of subtypes. <i>Steroids</i> , 1995 , 60, 35-41	2.8	53
11	Allelic losses on chromosome band 11q13 in aldosterone-producing adrenal tumors. <i>Genes Chromosomes and Cancer</i> , 1995 , 12, 73-5	5	39
10	Reduced renal extraction of atrial natriuretic peptide in primary aldosteronism. <i>Hypertension</i> , 1995 , 26, 624-7	8.5	2
9	Genetics of primary aldosteronism. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1994 , 21, 915-8	3	7
8	Renal extraction of atrial natriuretic peptide in unilateral renal artery stenosis. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1994 , 21, 211-4	3	3
7	Renin gene polymorphism associated with aldosterone responsiveness to the renin-angiotensin system in patients with aldosterone-producing adenomas. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1994 , 21, 215-8	3	13
6	An association of primary aldosteronism and adrenaline-secreting phaeochromocytoma. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1994 , 21, 219-22	3	23
5	Cortisol production by aldosterone-producing adenomas in vitro. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1993 , 20, 292-5	3	10
4	Evidence that primary aldosteronism may not be uncommon: 12% incidence among antihypertensive drug trial volunteers. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1993 , 20, 296-8	3	146
3	Angiotensin-responsive aldosterone-producing adenomas: postoperative disappearance of aldosterone response to angiotensin. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1993 , 20, 306-9	3	15
2	Familial hyperaldosteronism type II: five families with a new variety of primary aldosteronism. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1992 , 19, 319-22	3	107
1	Clinical and pathological diversity of primary aldosteronism, including a new familial variety. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1991 , 18, 283-6	3	106