

# Anindya Dutta

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4463577/publications.pdf>

Version: 2024-02-01

202  
papers

32,163  
citations

6254

80  
h-index

4228

174  
g-index

278  
all docs

278  
docs citations

278  
times ranked

36004  
citing authors

#	ARTICLE	IF	CITATIONS
1	HPV E6- <i>USP46</i> Mediated <i>Cdt2</i> Stabilization Reduces <i>Set8</i> Mediated H4K20-Methylation to Induce Gene Expression Changes. <i>Cancers</i> , 2022, 14, 30.	3.7	3
2	Distinct <i>MUNC</i> lncRNA structural domains regulate transcription of different promyogenic factors. <i>Cell Reports</i> , 2022, 38, 110361.	6.4	13
3	Integrated bioinformatic pipeline using whole-exome and RNAseq data to identify germline variants correlated with cancer. <i>STAR Protocols</i> , 2022, 3, 101273.	1.2	0
4	<i>TRMT6/61A</i> -dependent base methylation of tRNA-derived fragments regulates gene-silencing activity and the unfolded protein response in bladder cancer. <i>Nature Communications</i> , 2022, 13, 2165.	12.8	43
5	Function and Therapeutic Implications of tRNA Derived Small RNAs. <i>Frontiers in Molecular Biosciences</i> , 2022, 9, 888424.	3.5	10
6	tRForest: a novel random forest-based algorithm for tRNA-derived fragment target prediction. <i>NAR Genomics and Bioinformatics</i> , 2022, 4, .	3.2	3
7	Germline Variants That Affect Tumor Progression. <i>Trends in Genetics</i> , 2021, 37, 433-443.	6.7	14
8	<i>Chk1</i> promotes non-homologous end joining in G1 through direct phosphorylation of <i>ASF1A</i> . <i>Cell Reports</i> , 2021, 34, 108680.	6.4	8
9	ATAC-Seq-based Identification of Extrachromosomal Circular DNA in Mammalian Cells and Its Validation Using Inverse PCR and FISH. <i>Bio-protocol</i> , 2021, 11, e4003.	0.4	8
10	Germline variants predictive of tumor mutational burden and immune checkpoint inhibitor efficacy. <i>IScience</i> , 2021, 24, 102248.	4.1	7
11	De-stressing the T cells in need. <i>Science</i> , 2021, 372, 683-684.	12.6	0
12	MicroDNA levels are dependent on MMEJ, repressed by c-NHEJ pathway, and stimulated by DNA damage. <i>Nucleic Acids Research</i> , 2021, 49, 11787-11799.	14.5	29
13	The tumor-suppressive long noncoding RNA <i>DRAIC</i> inhibits protein translation and induces autophagy by activating <i>AMPK</i> . <i>Journal of Cell Science</i> , 2021, 134, .	2.0	18
14	Identification and characterization of extrachromosomal circular DNA in maternal plasma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 1658-1665.	7.1	106
15	Long Noncoding RNA <i>DRAIC</i> Inhibits Prostate Cancer Progression by Interacting with <i>IKK</i> to Inhibit <i>NF-<math>\kappa</math>B</i> Activation. <i>Cancer Research</i> , 2020, 80, 950-963.	0.9	51
16	Targeted CRISPR screening identifies <i>PRMT5</i> as synthetic lethality combinatorial target with gemcitabine in pancreatic cancer cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 28068-28079.	7.1	48
17	Noncanonical Roles of tRNAs: tRNA Fragments and Beyond. <i>Annual Review of Genetics</i> , 2020, 54, 47-69.	7.6	126
18	ATAC-seq identifies thousands of extrachromosomal circular DNA in cancer and cell lines. <i>Science Advances</i> , 2020, 6, eaba2489.	10.3	106

#	ARTICLE	IF	CITATIONS
19	The pan-cancer landscape of prognostic germline variants in 10,582 patients. <i>Genome Medicine</i> , 2020, 12, 15.	8.2	22
20	tRNA-derived fragments and microRNAs in the maternal-fetal interface of a mouse maternal-immune-activation autism model. <i>RNA Biology</i> , 2020, 17, 1183-1195.	3.1	30
21	<i>miR-206</i> family is important for mitochondrial and muscle function, but not essential for myogenesis in vitro. <i>FASEB Journal</i> , 2020, 34, 7687-7702.	0.5	17
22	A human cancer cell line initiates DNA replication normally in the absence of ORC5 and ORC2 proteins. <i>Journal of Biological Chemistry</i> , 2020, 295, 16949-16959.	3.4	15
23	Efficient Search of Circular Repeats and MicroDNA Reintegration in DNA Sequences. , 2020, , .		0
24	Angiogenin generates specific stress-induced tRNA halves and is not involved in tRF-3â€‘mediated gene silencing. <i>Journal of Biological Chemistry</i> , 2019, 294, 16930-16941.	3.4	109
25	Small extrachromosomal circular DNAs, microDNA, produce short regulatory RNAs that suppress gene expression independent of canonical promoters. <i>Nucleic Acids Research</i> , 2019, 47, 4586-4596.	14.5	95
26	The Germline Variants rs61757955 and rs34988193 Are Predictive of Survival in Lower Grade Glioma Patients. <i>Molecular Cancer Research</i> , 2019, 17, 1075-1086.	3.4	7
27	A Prognostic Signature for Lower Grade Gliomas Based on Expression of Long Non-Coding RNAs. <i>Molecular Neurobiology</i> , 2019, 56, 4786-4798.	4.0	71
28	Discoveries of Extrachromosomal Circles of DNA in Normal and Tumor Cells. <i>Trends in Genetics</i> , 2018, 34, 270-278.	6.7	167
29	The Deubiquitinase USP46 Is Essential for Proliferation and Tumor Growth of HPV-Transformed Cancers. <i>Molecular Cell</i> , 2018, 72, 823-835.e5.	9.7	48
30	tRNA fragments (tRFs) guide Ago to regulate gene expression post-transcriptionally in a Dicer-independent manner. <i>Rna</i> , 2018, 24, 1093-1105.	3.5	276
31	MUNC, an Enhancer RNA Upstream from the <i>MYOD</i> Gene, Induces a Subgroup of Myogenic Transcripts in <i>trans</i> Independently of MyoD. <i>Molecular and Cellular Biology</i> , 2018, 38, .	2.3	32
32	<i>LINC00152</i> Promotes Invasion through a 3â€‘-Hairpin Structure and Associates with Prognosis in Glioblastoma. <i>Molecular Cancer Research</i> , 2018, 16, 1470-1482.	3.4	44
33	Normal and Cancerous Tissues Release Extrachromosomal Circular DNA (eccDNA) into the Circulation. <i>Molecular Cancer Research</i> , 2017, 15, 1197-1205.	3.4	165
34	ASF1a Promotes Non-homologous End Joining Repair by Facilitating Phosphorylation of MDC1 by ATM at Double-Strand Breaks. <i>Molecular Cell</i> , 2017, 68, 61-75.e5.	9.7	33
35	Regulation of Mammalian DNA Replication via the Ubiquitin-Proteasome System. <i>Advances in Experimental Medicine and Biology</i> , 2017, 1042, 421-454.	1.6	18
36	Expression of lncRNAs in Low-Grade Gliomas and Glioblastoma Multiforme: An In Silico Analysis. <i>PLoS Medicine</i> , 2016, 13, e1002192.	8.4	71

#	ARTICLE	IF	CITATIONS
37	Biogenesis and Function of Transfer RNA-Related Fragments (tRFs). Trends in Biochemical Sciences, 2016, 41, 679-689.	7.5	371
38	A Pro-metastatic tRNA Pathway. Cell, 2016, 165, 1314-1315.	28.9	2
39	Biological Processes Discovered by High-Throughput Sequencing. American Journal of Pathology, 2016, 186, 722-732.	3.8	12
40	Two subunits of human ORC are dispensable for DNA replication and proliferation. ELife, 2016, 5, .	6.0	36
41	Anindya Dutta. Current Biology, 2015, 25, R1112-R1114.	3.9	0
42	The AAA+ proteins Pontin and Reptin enter adult age: from understanding their basic biology to the identification of selective inhibitors. Frontiers in Molecular Biosciences, 2015, 2, 17.	3.5	37
43	The Acetyltransferase Tip60 Is a Critical Regulator of the Differentiation-Dependent Amplification of Human Papillomaviruses. Journal of Virology, 2015, 89, 4668-4675.	3.4	42
44	The lncRNA <i>DRAIC</i> / <i>PCAT29</i> Locus Constitutes a Tumor-Suppressive Nexus. Molecular Cancer Research, 2015, 13, 828-838.	3.4	119
45	tRFdb: a database for transfer RNA fragments. Nucleic Acids Research, 2015, 43, D141-D145.	14.5	216
46	MCM8-9 complex promotes resection of double-strand break ends by MRE11-RAD50-NBS1 complex. Nature Communications, 2015, 6, 7744.	12.8	86
47	Initiation of replication in <i>Xenopus</i> egg extracts at a spatially defined origin. Cell Cycle, 2015, 14, 2391-2391.	2.6	0
48	Production of Extrachromosomal MicroDNAs Is Linked to Mismatch Repair Pathways and Transcriptional Activity. Cell Reports, 2015, 11, 1749-1759.	6.4	135
49	Sequential replication-coupled destruction at G1/S ensures genome stability. Genes and Development, 2015, 29, 1734-1746.	5.9	48
50	MUNC, a Long Noncoding RNA That Facilitates the Function of MyoD in Skeletal Myogenesis. Molecular and Cellular Biology, 2015, 35, 498-513.	2.3	125
51	A pan-cancer analysis of prognostic genes. PeerJ, 2015, 3, e1499.	2.0	32
52	CRL4Cdt2 E3 Ubiquitin Ligase and Proliferating Cell Nuclear Antigen (PCNA) Cooperate to Degrade Thymine DNA Glycosylase in S Phase. Journal of Biological Chemistry, 2014, 289, 23056-23064.	3.4	47
53	<b>Long non-coding RNAs as emerging regulators of differentiation, development, and disease</b> . Transcription, 2014, 5, e944014.	3.1	287
54	Meta-analysis of tRNA derived RNA fragments reveals that they are evolutionarily conserved and associate with AGO proteins to recognize specific RNA targets. BMC Biology, 2014, 12, 78.	3.8	455

#	ARTICLE	IF	CITATIONS
55	ATR checkpoint kinase and CRL1 <sup>TRCP</sup> collaborate to degrade ASF1a and thus repress genes overlapping with clusters of stalled replication forks. <i>Genes and Development</i> , 2014, 28, 875-887.	5.9	27
56	14-3-3 Proteins Play a Role in the Cell Cycle by Shielding Cdt2 from Ubiquitin-Mediated Degradation. <i>Molecular and Cellular Biology</i> , 2014, 34, 4049-4061.	2.3	46
57	Multiple receptor tyrosine kinases converge on microRNA-134 to control KRAS, STAT5B, and glioblastoma. <i>Cell Death and Differentiation</i> , 2014, 21, 720-734.	11.2	69
58	The <i>H19</i> long noncoding RNA gives rise to microRNAs miR-675-3p and miR-675-5p to promote skeletal muscle differentiation and regeneration. <i>Genes and Development</i> , 2014, 28, 491-501.	5.9	432
59	Regulation of several androgen-induced genes through the repression of the miR-99a/let-7c/miR-125b-2 miRNA cluster in prostate cancer cells. <i>Oncogene</i> , 2014, 33, 1448-1457.	5.9	86
60	A New lncRNA, APTR, Associates with and Represses the CDKN1A/p21 Promoter by Recruiting Polycomb Proteins. <i>PLoS ONE</i> , 2014, 9, e95216.	2.5	76
61	Novel Anti-Apoptotic MicroRNAs 582-5p and 363 Promote Human Glioblastoma Stem Cell Survival via Direct Inhibition of Caspase 3, Caspase 9, and Bim. <i>PLoS ONE</i> , 2014, 9, e96239.	2.5	95
62	Overcoming Platinum Resistance in Preclinical Models of Ovarian Cancer Using the Neddylation Inhibitor MLN4924. <i>Molecular Cancer Therapeutics</i> , 2013, 12, 1958-1967.	4.1	60
63	MicroRNAs induced in melanoma treated with combination targeted therapy of Temsirolimus and Bevacizumab. <i>Journal of Translational Medicine</i> , 2013, 11, 218.	4.4	22
64	RVBs Are Required for Assembling a Functional TIP60 Complex. <i>Molecular and Cellular Biology</i> , 2013, 33, 1164-1174.	2.3	39
65	Tip60 degradation by adenovirus relieves transcriptional repression of viral transcriptional activator E1A. <i>Oncogene</i> , 2013, 32, 5017-5025.	5.9	54
66	The miR-99 family regulates the DNA damage response through its target SNF2H. <i>Oncogene</i> , 2013, 32, 1164-1172.	5.9	123
67	CRL1-FBXO11 Promotes Cdt2 Ubiquitylation and Degradation and Regulates Pr-Set7/Set8-Mediated Cellular Migration. <i>Molecular Cell</i> , 2013, 49, 1147-1158.	9.7	78
68	Defective nuclear import of Tpr in Progeria reflects the Ran sensitivity of large cargo transport. <i>Journal of Cell Biology</i> , 2013, 201, 541-557.	5.2	58
69	Deubiquitination of Tip60 by USP7 Determines the Activity of the p53-Dependent Apoptotic Pathway. <i>Molecular and Cellular Biology</i> , 2013, 33, 3309-3320.	2.3	68
70	The MCM8-MCM9 Complex Promotes RAD51 Recruitment at DNA Damage Sites To Facilitate Homologous Recombination. <i>Molecular and Cellular Biology</i> , 2013, 33, 1632-1644.	2.3	100
71	Chromosomal structural variations during progression of a prostate epithelial cell line to a malignant metastatic state inactivate the NF2, NIPSNAP1, UGT2B17, and LPIN2 genes. <i>Cancer Biology and Therapy</i> , 2013, 14, 840-852.	3.4	15
72	Degradation of p12 Subunit by CRL4Cdt2 E3 Ligase Inhibits Fork Progression after DNA Damage. <i>Journal of Biological Chemistry</i> , 2013, 288, 30509-30514.	3.4	32

#	ARTICLE	IF	CITATIONS
73	Genomic Instability in Cancer. Cold Spring Harbor Perspectives in Biology, 2013, 5, a012914-a012914.	5.5	142
74	Regulation of TGF- $\beta$ 2 signaling, exit from the cell cycle, and cellular migration through cullin cross-regulation: SCF-FBXO11 turns off CRL4-Cdt2. Cell Cycle, 2013, 12, 2175-2182.	2.6	17
75	Human Pimpol1: a novel guardian of stalled replication forks. EMBO Reports, 2013, 14, 1032-1033.	4.5	7
76	miR-26a is required for skeletal muscle differentiation and regeneration in mice. Genes and Development, 2012, 26, 2180-2191.	5.9	200
77	Non-micro-short RNAs: the new kids on the block. Molecular Biology of the Cell, 2012, 23, 4664-4667.	2.1	7
78	Notch3 and Mef2c Proteins Are Mutually Antagonistic via Mkp1 Protein and miR-1/206 MicroRNAs in Differentiating Myoblasts. Journal of Biological Chemistry, 2012, 287, 40360-40370.	3.4	87
79	MicroRNAs regulate and provide robustness to the myogenic transcriptional network. Current Opinion in Pharmacology, 2012, 12, 383-388.	3.5	34
80	The role of microRNAs in glioma initiation and progression. Frontiers in Bioscience - Landmark, 2012, 17, 700.	3.0	94
81	Extrachromosomal MicroDNAs and Chromosomal Microdeletions in Normal Tissues. Science, 2012, 336, 82-86.	12.6	232
82	miR-99 Family of MicroRNAs Suppresses the Expression of Prostate-Specific Antigen and Prostate Cancer Cell Proliferation. Cancer Research, 2011, 71, 1313-1324.	0.9	217
83	MicroRNA-378 Targets the Myogenic Repressor MyoR during Myoblast Differentiation. Journal of Biological Chemistry, 2011, 286, 19431-19438.	3.4	147
84	Molecular Requirements for Transformation of Fallopian Tube Epithelial Cells into Serous Carcinoma. Neoplasia, 2011, 13, 899-916.	5.3	66
85	Nuclear Scaffold Attachment Sites within ENCODE Regions Associate with Actively Transcribed Genes. PLoS ONE, 2011, 6, e17912.	2.5	23
86	DNA Replication: Mammalian Treslin-TopBP1 Interaction Mirrors Yeast Sld3-Dpb11. Current Biology, 2011, 21, R638-R640.	3.9	17
87	Bubble-chip analysis of human origin distributions demonstrates on a genomic scale significant clustering into zones and significant association with transcription. Genome Research, 2011, 21, 377-389.	5.5	78
88	Selective Ubiquitylation of p21 and Cdt1 by UBCH8 and UBE2G Ubiquitin-Conjugating Enzymes via the CRL4-Cdt2 Ubiquitin Ligase Complex. Molecular and Cellular Biology, 2011, 31, 3136-3145.	2.3	44
89	The effect of the intra-S-phase checkpoint on origins of replication in human cells. Genes and Development, 2011, 25, 621-633.	5.9	67
90	The SKP1-Cul1-F-box and Leucine-rich Repeat Protein 4 (SCF-FbxL4) Ubiquitin Ligase Regulates Lysine Demethylase 4A (KDM4A)/Jumonji Domain-containing 2A (JMJD2A) Protein. Journal of Biological Chemistry, 2011, 286, 30462-30470.	3.4	54

#	ARTICLE	IF	CITATIONS
91	Rad18 emerges as a critical regulator of the Fanconi anemia pathway. <i>Cell Cycle</i> , 2011, 10, 2415-2415.	2.6	5
92	CRL4 <sup>Cdt2</sup> . <i>Cell Cycle</i> , 2011, 10, 241-249.	2.6	140
93	miR-206 and -486 Induce Myoblast Differentiation by Downregulating Pax7. <i>Molecular and Cellular Biology</i> , 2011, 31, 203-214.	2.3	363
94	Evaluation of EVI1 and EVI1s (p324) as potential therapeutic targets in ovarian cancer. <i>Gynecologic Oncology</i> , 2010, 118, 189-195.	1.4	24
95	MiR-322/424 and -503 Are Induced during Muscle Differentiation and Promote Cell Cycle Quiescence and Differentiation by Down-Regulation of Cdc25A. <i>Molecular Biology of the Cell</i> , 2010, 21, 2138-2149.	2.1	189
96	NEDD8-Targeting Drug MLN4924 Elicits DNA Rereplication by Stabilizing Cdt1 in S Phase, Triggering Checkpoint Activation, Apoptosis, and Senescence in Cancer Cells. <i>Cancer Research</i> , 2010, 70, 10310-10320.	0.9	245
97	CRL4Cdt2 E3 Ubiquitin Ligase Monoubiquitinates PCNA to Promote Translesion DNA Synthesis. <i>Molecular Cell</i> , 2010, 37, 143-149.	9.7	135
98	Destabilization of TIP60 by Human Papillomavirus E6 Results in Attenuation of TIP60-Dependent Transcriptional Regulation and Apoptotic Pathway. <i>Molecular Cell</i> , 2010, 38, 700-711.	9.7	115
99	CRL4Cdt2 Regulates Cell Proliferation and Histone Gene Expression by Targeting PR-Set7/Set8 for Degradation. <i>Molecular Cell</i> , 2010, 40, 9-21.	9.7	244
100	Genomic Study of Replication Initiation in Human Chromosomes Reveals the Influence of Transcription Regulation and Chromatin Structure on Origin Selection. <i>Molecular Biology of the Cell</i> , 2010, 21, 393-404.	2.1	151
101	Detection of DNA fusion junctions for BCR-ABL translocations by Anchored ChromPET. <i>Genome Medicine</i> , 2010, 2, 70.	8.2	25
102	A novel class of small RNAs: tRNA-derived RNA fragments (tRFs). <i>Genes and Development</i> , 2009, 23, 2639-2649.	5.9	914
103	Yeast genome analysis identifies chromosomal translocation, gene conversion events and several sites of Ty element insertion. <i>Nucleic Acids Research</i> , 2009, 37, 6454-6465.	14.5	12
104	Surface Treatment of Pure and PEG-4000 Blended Fibroin Films and their Characterizations as Matrices for <i>in vitro</i> Fibroblast Culture. <i>Journal of Biomaterials Applications</i> , 2009, 23, 497-517.	2.4	5
105	The Deubiquitinating Enzyme BAP1 Regulates Cell Growth via Interaction with HCF-1. <i>Journal of Biological Chemistry</i> , 2009, 284, 34179-34188.	3.4	224
106	The Evolution of Guanylyl Cyclases as Multidomain Proteins: Conserved Features of Kinase-Cyclase Domain Fusions. <i>Journal of Molecular Evolution</i> , 2009, 68, 587-602.	1.8	37
107	p21 in cancer: intricate networks and multiple activities. <i>Nature Reviews Cancer</i> , 2009, 9, 400-414.	28.4	2,192
108	MicroRNAs in Cancer. <i>Annual Review of Pathology: Mechanisms of Disease</i> , 2009, 4, 199-227.	22.4	1,218

#	ARTICLE	IF	CITATIONS
109	RVB1/RVB2: Running Rings around Molecular Biology. <i>Molecular Cell</i> , 2009, 34, 521-533.	9.7	202
110	Microarray Analysis of DNA Replication Timing. <i>Methods in Molecular Biology</i> , 2009, 556, 191-203.	0.9	8
111	Architecture of the Pontin/Reptin Complex, Essential in the Assembly of Several Macromolecular Complexes. <i>Structure</i> , 2008, 16, 1511-1520.	3.3	63
112	The Immortal Strand Hypothesis: How Could It Work?. <i>Cell</i> , 2008, 133, 21-23.	28.9	37
113	PCNA-dependent regulation of p21 ubiquitylation and degradation via the CRL4 <sup>Cdt2</sup> ubiquitin ligase complex. <i>Genes and Development</i> , 2008, 22, 2496-2506.	5.9	334
114	Human Cdt1 Lacking the Evolutionarily Conserved Region That Interacts with MCM2-7 Is Capable of Inducing Re-replication. <i>Journal of Biological Chemistry</i> , 2008, 283, 6817-6825.	3.4	29
115	Human Rvb1/Tip49 Is Required for the Histone Acetyltransferase Activity of Tip60/NuA4 and for the Downregulation of Phosphorylation on H2AX after DNA Damage. <i>Molecular and Cellular Biology</i> , 2008, 28, 2690-2700.	2.3	142
116	Pan-S replication patterns and chromosomal domains defined by genome-tiling arrays of ENCODE genomic areas. <i>Genome Research</i> , 2007, 17, 865-876.	5.5	94
117	Autocatalytic Phosphorylation of CDK2 at the Activating Thr160. <i>Cell Cycle</i> , 2007, 6, 843-852.	2.6	32
118	Mcm10 and And-1/CTF4 recruit DNA polymerase $\delta$ to chromatin for initiation of DNA replication. <i>Genes and Development</i> , 2007, 21, 2288-2299.	5.9	181
119	The APC/C inhibitor, Emi1, is essential for prevention of rereplication. <i>Genes and Development</i> , 2007, 21, 184-194.	5.9	170
120	UBE2T, the Fanconi Anemia Core Complex, and FANCD2 Are Recruited Independently to Chromatin: a Basis for the Regulation of FANCD2 Monoubiquitination. <i>Molecular and Cellular Biology</i> , 2007, 27, 8421-8430.	2.3	79
121	ATR Pathway Is the Primary Pathway for Activating G2/M Checkpoint Induction After Re-replication. <i>Journal of Biological Chemistry</i> , 2007, 282, 30357-30362.	3.4	55
122	The tumor suppressor microRNA <i>let-7</i> represses the HMGA2 oncogene. <i>Genes and Development</i> , 2007, 21, 1025-1030.	5.9	1,066
123	APC/C—the master controller of origin licensing?. <i>Cell Division</i> , 2007, 2, 8.	2.4	31
124	Chaotic license for genetic instability and cancer. <i>Nature Genetics</i> , 2007, 39, 10-11.	21.4	17
125	Identification and analysis of functional elements in 1% of the human genome by the ENCODE pilot project. <i>Nature</i> , 2007, 447, 799-816.	27.8	4,709
126	Mechanisms to control rereplication and implications for cancer. <i>Current Opinion in Cell Biology</i> , 2007, 19, 663-671.	5.4	109



#	ARTICLE	IF	CITATIONS
127	The Origin Recognition Complex Localizes to Telomere Repeats and Prevents Telomere-Circle Formation. <i>Current Biology</i> , 2007, 17, 1989-1995.	3.9	78
128	Regulation of S Phase. , 2006, 42, 31-63.		9
129	Muscle-specific microRNA miR-206 promotes muscle differentiation. <i>Journal of Cell Biology</i> , 2006, 174, 677-687.	5.2	710
130	UBE2T Is the E2 in the Fanconi Anemia Pathway and Undergoes Negative Autoregulation. <i>Molecular Cell</i> , 2006, 23, 589-596.	9.7	244
131	p130-Angiomotin associates to actin and controls endothelial cell shape. <i>FEBS Journal</i> , 2006, 273, 2000-2011.	4.7	95
132	Activation of Fanconi Anemia Pathway in Cells with Re-Replicated DNA. <i>Cell Cycle</i> , 2006, 5, 2306-2309.	2.6	10
133	CDK2-Activating Kinase (CAK): More Questions than Answers. <i>Cell Cycle</i> , 2006, 5, 1123-1124.	2.6	7
134	Targeted Comparative RNA Interference Analysis Reveals Differential Requirement of Genes Essential for Cell Proliferation. <i>Molecular Biology of the Cell</i> , 2006, 17, 4837-4845.	2.1	15
135	An ATR- and BRCA1-Mediated Fanconi Anemia Pathway Is Required for Activating the G <sub>2</sub> /M Checkpoint and DNA Damage Repair upon Rereplication. <i>Molecular and Cellular Biology</i> , 2006, 26, 4601-4611.	2.3	78
136	PCNA Is a Cofactor for Cdt1 Degradation by CUL4/DDB1-mediated N-terminal Ubiquitination. <i>Journal of Biological Chemistry</i> , 2006, 281, 6246-6252.	3.4	215
137	Proliferating Human Cells Hypomorphic for Origin Recognition Complex 2 and Pre-replicative Complex Formation Have a Defect in p53 Activation and Cdk2 Kinase Activation. <i>Journal of Biological Chemistry</i> , 2006, 281, 6253-6260.	3.4	27
138	Differential efficacy of 3-hydroxy-3-methylglutaryl CoA reductase inhibitors on the cell cycle of prostate cancer cells. <i>Molecular Cancer Therapeutics</i> , 2006, 5, 2310-2316.	4.1	116
139	MicroRNAs: small but potent oncogenes or tumor suppressors. <i>Current Opinion in Investigational Drugs</i> , 2006, 7, 560-4.	2.3	62
140	Preventing re-replication of chromosomal DNA. <i>Nature Reviews Molecular Cell Biology</i> , 2005, 6, 476-486.	37.0	601
141	DNA replication and progression through S phase. <i>Oncogene</i> , 2005, 24, 2827-2843.	5.9	175
142	Geminin-Cdt1 balance is critical for genetic stability. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2005, 569, 111-121.	1.0	75
143	Degradation of Cdt1 during S Phase Is Skp2-independent and Is Required for Efficient Progression of Mammalian Cells through S Phase. <i>Journal of Biological Chemistry</i> , 2005, 280, 23416-23423.	3.4	97
144	Acute Reduction of an Origin Recognition Complex (ORC) Subunit in Human Cells Reveals a Requirement of ORC for Cdk2 Activation. <i>Journal of Biological Chemistry</i> , 2005, 280, 27624-27630.	3.4	77

#	ARTICLE	IF	CITATIONS
145	DNA Replication and Genomic Instability. , 2005, 570, 249-279.		23
146	Cellular Checkpoint Mechanisms Monitoring Proper Initiation of DNA Replication. Journal of Biological Chemistry, 2005, 280, 6253-6256.	3.4	22
147	Depletion of Human Micro-RNA miR-125b Reveals That It Is Critical for the Proliferation of Differentiated Cells but Not for the Down-regulation of Putative Targets during Differentiation. Journal of Biological Chemistry, 2005, 280, 16635-16641.	3.4	299
148	Recruitment of ORC or CDC6 to DNA is sufficient to create an artificial origin of replication in mammalian cells. Genes and Development, 2005, 19, 2827-2836.	5.9	64
149	Nuclear localization of RFC40 by Rf1: A link between cellular signaling and proliferation. Cancer Biology and Therapy, 2005, 4, 444-445.	3.4	0
150	Temporal profile of replication of human chromosomes. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 6419-6424.	7.1	105
151	Right Place, Right Time, and Only Once: Replication Initiation in Metazoans. Cell, 2005, 123, 13-24.	28.9	278
152	Expression of PACT and EIF2C2, Implicated in RNAi and MicroRNA pathways, in various human cell lines. Korean Journal of Biological Sciences, 2004, 8, 213-220.	0.1	0
153	Rereplication by Depletion of Geminin Is Seen Regardless of p53 Status and Activates a G2/M Checkpoint. Molecular and Cellular Biology, 2004, 24, 7140-7150.	2.3	218
154	The destruction box of human Geminin is critical for proliferation and tumor growth in human colon cancer cells. Oncogene, 2004, 23, 58-70.	5.9	34
155	A Dimerized Coiled-Coil Domain and an Adjoining Part of Geminin Interact with Two Sites on Cdt1 for Replication Inhibition. Molecular Cell, 2004, 15, 245-258.	9.7	73
156	Rvb1p/Rvb2p Recruit Arp5p and Assemble a Functional Ino80 Chromatin Remodeling Complex. Molecular Cell, 2004, 16, 465-477.	9.7	179
157	Inhibition of cdk2 Activating Phosphorylation by Mevastatin. Journal of Biological Chemistry, 2003, 278, 4840-4846.	3.4	50
158	A p53-Dependent Checkpoint Pathway Prevents Rereplication. Molecular Cell, 2003, 11, 997-1008.	9.7	379
159	A p53-Dependent Checkpoint Pathway Prevents Rereplication. Molecular Cell, 2003, 11, 1415.	9.7	3
160	Small RNAs with Imperfect Match to Endogenous mRNA Repress Translation. Journal of Biological Chemistry, 2003, 278, 44312-44319.	3.4	355
161	p21-dependent Inhibition of Colon Cancer Cell Growth by Mevastatin Is Independent of Inhibition of G1 Cyclin-dependent Kinases. Journal of Biological Chemistry, 2003, 278, 43586-43594.	3.4	76
162	Geminin and p53: Deterrents to Re-replication in Human Cancer Cells. Cell Cycle, 2003, 2, 282-285.	2.6	15

#	ARTICLE	IF	CITATIONS
163	Expression of Geminin as a Marker of Cell Proliferation in Normal Tissues and Malignancies. American Journal of Pathology, 2002, 161, 267-273.	3.8	108
164	Xenopus Mcm10 Binds to Origins of DNA Replication after Mcm2-7 and Stimulates Origin Binding of Cdc45. Molecular Cell, 2002, 9, 233-240.	9.7	170
165	DNA Replication in Eukaryotic Cells. Annual Review of Biochemistry, 2002, 71, 333-374.	11.1	1,589
166	Replication from oriP of Epstein-Barr Virus Requires Human ORC and Is Inhibited by Geminin. Cell, 2001, 106, 287-296.	28.9	263
167	Human DNA replication initiation factors, ORC and MCM, associate with oriP of Epstein-Barr virus. Proceedings of the National Academy of Sciences of the United States of America, 2001, 98, 10085-10089.	7.1	187
168	Multiple Mechanisms Regulate Subcellular Localization of Human CDC6. Journal of Biological Chemistry, 2001, 276, 26947-26954.	3.4	77
169	Architecture of the Human Origin Recognition Complex. Journal of Biological Chemistry, 2001, 276, 29067-29071.	3.4	99
170	Rvb1p and Rvb2p Are Essential Components of a Chromatin Remodeling Complex That Regulates Transcription of over 5% of Yeast Genes. Journal of Biological Chemistry, 2001, 276, 16279-16288.	3.4	103
171	A Bipartite Substrate Recognition Motif for Cyclin-dependent Kinases. Journal of Biological Chemistry, 2001, 276, 1993-1997.	3.4	116
172	Mutational Analysis of the Cy Motif from p21 Reveals Sequence Degeneracy and Specificity for Different Cyclin-Dependent Kinases. Molecular and Cellular Biology, 2001, 21, 4868-4874.	2.3	74
173	Requirement of CDC45 for Postimplantation Mouse Development. Molecular and Cellular Biology, 2001, 21, 4598-4603.	2.3	36
174	Evaluation of Cyclin Expression in Testicular Germ Cell Tumors: Cyclin E Correlates with Tumor Type, Advanced Clinical Stage, and Pulmonary Metastasis. Modern Pathology, 2000, 13, 667-672.	5.5	25
175	Subsets of Human Origin Recognition Complex (ORC) Subunits Are Expressed in Non-proliferating Cells and Associate with Non-ORC Proteins. Journal of Biological Chemistry, 2000, 275, 35233-35241.	3.4	46
176	Identification and Characterization of the Human ORC6 Homolog. Journal of Biological Chemistry, 2000, 275, 34983-34988.	3.4	69
177	Proteasome Inhibitors Alter the Orderly Progression of DNA Synthesis during S-Phase in HeLa Cells and Lead to Rereplication of DNA. Experimental Cell Research, 2000, 261, 271-283.	2.6	20
178	Inhibition of Eukaryotic DNA Replication by Geminin Binding to Cdt1. Science, 2000, 290, 2309-2312.	12.6	660
179	latheo Encodes a Subunit of the Origin Recognition Complex and Disrupts Neuronal Proliferation and Adult Olfactory Memory When Mutant. Neuron, 1999, 23, 45-54.	8.1	104
180	BH-protocadherin-c, a member of the cadherin superfamily, interacts with protein phosphatase 1 alpha through its intracellular domain. FEBS Letters, 1999, 460, 93-98.	2.8	52

#	ARTICLE	IF	CITATIONS
181	In Vitro Analysis of SV 40 DNA Replication. Current Protocols in Cell Biology, 1999, 2, Unit 11.5.	2.3	0
182	The Evolutionarily Conserved Zinc Finger Motif in the Largest Subunit of Human Replication Protein A Is Required for DNA Replication and Mismatch Repair but Not for Nucleotide Excision Repair. Journal of Biological Chemistry, 1998, 273, 1453-1461.	3.4	130
183	An Eukaryotic RuvB-like Protein (RUVBL1) Essential for Growth. Journal of Biological Chemistry, 1998, 273, 27786-27793.	3.4	120
184	ORC5L, a New Member of the Human Origin Recognition Complex, Is Deleted in Uterine Leiomyomas and Malignant Myeloid Diseases. Journal of Biological Chemistry, 1998, 273, 27137-27145.	3.4	67
185	Human CDC6/Cdc18 Associates with Orc1 and Cyclin-cdk and Is Selectively Eliminated from the Nucleus at the Onset of S Phase. Molecular and Cellular Biology, 1998, 18, 2758-2767.	2.3	245
186	The Human Homolog of Saccharomyces cerevisiae CDC45. Journal of Biological Chemistry, 1998, 273, 18205-18209.	3.4	50
187	p21 <sup>CIP1</sup> and Cdc25A: Competition between an Inhibitor and an Activator of Cyclin-Dependent Kinases. Molecular and Cellular Biology, 1997, 17, 4338-4345.	2.3	96
188	Identification of HsORC4, a Member of the Human Origin of Replication Recognition Complex. Journal of Biological Chemistry, 1997, 272, 28247-28251.	3.4	69
189	INITIATION OF DNA REPLICATION IN EUKARYOTIC CELLS. Annual Review of Cell and Developmental Biology, 1997, 13, 293-332.	9.4	379
190	p21 <sup>Cip1</sup> /Waf1 disrupts the recruitment of human Fen1 by proliferating-cell nuclear antigen into the DNA replication complex.. Proceedings of the National Academy of Sciences of the United States of America, 1996, 93, 11597-11602.	7.1	122
191	Dissection of Functional Domains of the Human DNA Replication Protein Complex Replication Protein A. Journal of Biological Chemistry, 1996, 271, 17190-17198.	3.4	77
192	Phosphorylation of human replication protein A by the DNA-dependent protein kinase is involved in the modulation of DNA replication. Nucleic Acids Research, 1996, 24, 3107-3112.	14.5	51
193	A 39 Amino Acid Fragment of the Cell Cycle Regulator p21 Is Sufficient to Bind PCNA and Partially Inhibit DNA Replication in vivo. Nucleic Acids Research, 1996, 24, 1727-1733.	14.5	73
194	Cyclin-Binding Motifs Are Essential for the Function of p21 <sup>CIP1</sup> . Molecular and Cellular Biology, 1996, 16, 4673-4682.	2.3	305
195	SV40-Based in Vitro DNA Replication Assay. , 1996, , 175-185.		1
196	Rpa4, a Homolog of the 34-Kilodalton Subunit of the Replication Protein A Complex. Molecular and Cellular Biology, 1995, 15, 3119-3128.	2.3	47
197	Cyclins as markers of tumor proliferation: immunocytochemical studies in breast cancer.. Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 5386-5390.	7.1	169
198	Separate domains of p21 involved in the inhibition of Cdk kinase and PCNA. Nature, 1995, 374, 386-388.	27.8	545

#	ARTICLE	IF	CITATIONS
199	Inhibition of DNA replication factor RPA by p53. Nature, 1993, 365, 79-82.	27.8	373
200	Trans-plication factors?. Current Biology, 1993, 3, 709-712.	3.9	10
201	Noncoding RNAs in Glioblastoma. , 0, , 95-130.		19
202	Characterization of novel small non-coding RNAs and their modifications in bladder cancer using an updated small RNA-seq workflow. Frontiers in Molecular Biosciences, 0, 9, .	3.5	3