

Marta de Antonio Ferrer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4463963/publications.pdf>

Version: 2024-02-01

57
papers

3,411
citations

159358

30
h-index

143772

57
g-index

61
all docs

61
docs citations

61
times ranked

4890
citing authors

#	ARTICLE	IF	CITATIONS
1	Body mass index and outcomes in ischaemic versus non-ischaemic heart failure across the spectrum of ejection fraction. <i>European Journal of Preventive Cardiology</i> , 2020, , 204748732092761.	0.8	21
2	Mini Nutritional Assessment Short Form is a morbi-mortality predictor in outpatients with heart failure and mid-range left ventricular ejection fraction. <i>Clinical Nutrition</i> , 2020, 39, 3395-3401.	2.3	21
3	Long-term LVEF trajectories in patients with type 2 diabetes and heart failure: diabetic cardiomyopathy may underlie functional decline. <i>Cardiovascular Diabetology</i> , 2020, 19, 38.	2.7	9
4	Pulmonary hypertension and right ventricular dysfunction in heart failure: prognosis and 15-year prospective longitudinal trajectories in survivors. <i>European Journal of Heart Failure</i> , 2020, 22, 1214-1225.	2.9	17
5	Use of intravenous iron in patients with iron deficiency and chronic heart failure: Real-world evidence. <i>European Journal of Internal Medicine</i> , 2020, 80, 91-98.	1.0	10
6	Trends in modes of death in heart failure over the last two decades: less sudden death but cancer deaths on the rise. <i>European Journal of Heart Failure</i> , 2019, 21, 1259-1266.	2.9	46
7	A bio-clinical approach for prediction of sudden cardiac death in outpatients with heart failure: The ST2-SCD score. <i>International Journal of Cardiology</i> , 2019, 293, 148-152.	0.8	16
8	Heart Failure With Preserved Ejection Fraction Infrequently Evolves Toward a Reduced Phenotype in Long-Term Survivors. <i>Circulation: Heart Failure</i> , 2019, 12, e005652.	1.6	53
9	Mini nutritional assessment is a better predictor of mortality than subjective global assessment in heart failure out-patients. <i>Clinical Nutrition</i> , 2019, 38, 2740-2746.	2.3	30
10	Limitación al flujo arterial en pacientes con insuficiencia cardíaca: prevalencia y factores asociados. <i>Medicina Clínica</i> , 2019, 153, 191-195.	0.3	1
11	Bio-profiling and bio-prognostication of chronic heart failure with mid-range ejection fraction. <i>International Journal of Cardiology</i> , 2018, 257, 188-192.	0.8	32
12	Impact of a "stent for life"™ initiative on post-ST elevation myocardial infarction heart failure: a 15-year heart failure clinic experience. <i>ESC Heart Failure</i> , 2018, 5, 101-105.	1.4	2
13	Barcelona Bio-HF Calculator Version 2.0: incorporation of angiotensin II receptor blocker neprilysin inhibitor (ARNI) and risk for heart failure hospitalization. <i>European Journal of Heart Failure</i> , 2018, 20, 938-940.	2.9	20
14	Prognostic value of circulating microRNAs on heart failure-related morbidity and mortality in two large diverse cohorts of general heart failure patients. <i>European Journal of Heart Failure</i> , 2018, 20, 67-75.	2.9	63
15	Circulating monocyte subsets and heart failure prognosis. <i>PLoS ONE</i> , 2018, 13, e0204074.	1.1	8
16	Benzodiazepine Use and Long-Term Mortality in Real-Life Chronic Heart Failure Outpatients: A Cohort Analysis. <i>Psychotherapy and Psychosomatics</i> , 2018, 87, 372-374.	4.0	7
17	Importance of iron deficiency in patients with chronic heart failure as a predictor of mortality and hospitalizations: insights from an observational cohort study. <i>BMC Cardiovascular Disorders</i> , 2018, 18, 206.	0.7	18
18	Advanced interatrial block predicts new-onset atrial fibrillation and ischemic stroke in patients with heart failure: The "Bayes' Syndrome-HF" study. <i>International Journal of Cardiology</i> , 2018, 271, 174-180.	0.8	71

#	ARTICLE	IF	CITATIONS
19	Dynamic Trajectories of Left Ventricular Ejection Fraction in Heart Failure. <i>Journal of the American College of Cardiology</i> , 2018, 72, 591-601.	1.2	132
20	Predictive biomarkers for death and rehospitalization in comorbid frail elderly heart failure patients. <i>BMC Geriatrics</i> , 2018, 18, 109.	1.1	33
21	Telomere attrition in heart failure: a flow-FISH longitudinal analysis of circulating monocytes. <i>Journal of Translational Medicine</i> , 2018, 16, 35.	1.8	6
22	Depression as Measured by PHQ-9 Versus Clinical Diagnosis as an Independent Predictor of Long-Term Mortality in a Prospective Cohort of Medical Inpatients. <i>Psychosomatic Medicine</i> , 2017, 79, 273-282.	1.3	30
23	Recovered heart failure with reduced ejection fraction and outcomes: a prospective study. <i>European Journal of Heart Failure</i> , 2017, 19, 1615-1623.	2.9	149
24	Clinical characteristics, one-year change in ejection fraction and long-term outcomes in patients with heart failure with mid-range ejection fraction: a multicentre prospective observational study in Catalonia (Spain). <i>BMJ Open</i> , 2017, 7, e018719.	0.8	40
25	Multi-Biomarker Profiling and Recurrent Hospitalizations in Heart Failure. <i>Frontiers in Cardiovascular Medicine</i> , 2016, 3, 37.	1.1	12
26	No benefit from the obesity paradox for diabetic patients with heart failure. <i>European Journal of Heart Failure</i> , 2016, 18, 851-858.	2.9	49
27	Impact of diabetes on the predictive value of heart failure biomarkers. <i>Cardiovascular Diabetology</i> , 2016, 15, 151.	2.7	51
28	Weight Loss in Obese Patients With Heart Failure. <i>Journal of the American Heart Association</i> , 2016, 5, e002468.	1.6	59
29	Cin�tica de la hemoglobina y pron�stico a largo plazo en insuficiencia cardiaca. <i>Revista Espanola De Cardiologia</i> , 2016, 69, 820-826.	0.6	13
30	The real-life value of ST2 monitoring during heart failure decompensation: impact on long-term readmission and mortality. <i>Biomarkers</i> , 2016, 21, 225-232.	0.9	9
31	Prediction of survival and magnitude of reverse remodeling using the ST2-R2 score in heart failure: A multicenter study. <i>International Journal of Cardiology</i> , 2016, 204, 242-247.	0.8	26
32	Aging and Heart Rate in Heart Failure: Clinical Implications for Long-term Mortality. <i>Mayo Clinic Proceedings</i> , 2015, 90, 765-772.	1.4	12
33	Biomarker-assist score for reverse remodeling prediction in heart failure: The ST2-R2 score. <i>International Journal of Cardiology</i> , 2015, 184, 337-343.	0.8	92
34	Validaci�n de la Barcelona Bio-Heart Failure Risk Calculator en una cohorte de Boston. <i>Revista Espanola De Cardiologia</i> , 2015, 68, 80-81.	0.6	4
35	ST2 Pathogenetic Profile in Ambulatory Heart Failure Patients. <i>Journal of Cardiac Failure</i> , 2015, 21, 355-361.	0.7	31
36	Soluble Nprilysin Is Predictive of Cardiovascular Death and Heart Failure Hospitalization in Heart Failure Patients. <i>Journal of the American College of Cardiology</i> , 2015, 65, 657-665.	1.2	137

#	ARTICLE	IF	CITATIONS
37	Body mass index, body fat, and nutritional status of patients with heart failure: The PLICA study. <i>Clinical Nutrition</i> , 2015, 34, 1233-1238.	2.3	42
38	Development of a Novel Heart Failure Risk Tool: The Barcelona Bio-Heart Failure Risk Calculator (BCN) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	1.9	97
39	Long-term Prognostic Value for Patients with Chronic Heart Failure of Estimated Glomerular Filtration Rate Calculated with the New CKD-EPI Equations Containing Cystatin C. <i>Clinical Chemistry</i> , 2014, 60, 481-489.	1.5	28
40	Renal function largely influences Galectin-3 prognostic value in heart failure. <i>International Journal of Cardiology</i> , 2014, 177, 171-177.	0.8	52
41	Educational level and self-care behaviour in patients with heart failure before and after nurse educational intervention. <i>European Journal of Cardiovascular Nursing</i> , 2014, 13, 459-465.	0.4	28
42	Head-to-Head Comparison of 2 Myocardial Fibrosis Biomarkers for Long-Term Heart Failure Risk Stratification. <i>Journal of the American College of Cardiology</i> , 2014, 63, 158-166.	1.2	222
43	Fragility is a key determinant of survival in heart failure patients. <i>International Journal of Cardiology</i> , 2014, 175, 62-66.	0.8	45
44	Myocardial Injury after Noncardiac Surgery. <i>Anesthesiology</i> , 2014, 120, 564-578.	1.3	740
45	Depression, antidepressants, and long-term mortality in heart failure. <i>International Journal of Cardiology</i> , 2013, 167, 1217-1225.	0.8	62
46	Quality of life monitoring in ambulatory heart failure patients: temporal changes and prognostic value. <i>European Journal of Heart Failure</i> , 2013, 15, 103-109.	2.9	42
47	Combined Use of the Novel Biomarkers High-Sensitivity Troponin T and ST2 for Heart Failure Risk Stratification vs Conventional Assessment. <i>Mayo Clinic Proceedings</i> , 2013, 88, 234-243.	1.4	57
48	Soluble ST2 Serum Concentration and Renal Function in Heart Failure. <i>Journal of Cardiac Failure</i> , 2013, 19, 768-775.	0.7	87
49	The obesity paradox in heart failure: Is etiology a key factor?. <i>International Journal of Cardiology</i> , 2013, 166, 601-605.	0.8	52
50	Head-to-head comparison of high-sensitivity troponin T and sensitive-contemporary troponin I regarding heart failure risk stratification. <i>Clinica Chimica Acta</i> , 2013, 426, 18-24.	0.5	34
51	Effect of Fragility on Quality of Life in Patients With Heart Failure. <i>American Journal of Cardiology</i> , 2013, 112, 1785-1789.	0.7	22
52	Combined use of high-sensitivity ST2 and NTproBNP to improve the prediction of death in heart failure. <i>European Journal of Heart Failure</i> , 2012, 14, 32-38.	2.9	130
53	Statins in Heart Failure: The Paradox Between Large Randomized Clinical Trials and Real Life. <i>Mayo Clinic Proceedings</i> , 2012, 87, 555-560.	1.4	55
54	Combined use of high-sensitivity cardiac troponin T and N-terminal pro-B type natriuretic peptide improves measurements of performance over established mortality risk factors in chronic heart failure. <i>American Heart Journal</i> , 2012, 163, 821-828.	1.2	54

#	ARTICLE	IF	CITATIONS
55	Estimated Glomerular Filtration Rate and Prognosis in Heart Failure. Journal of the American College of Cardiology, 2012, 59, 1709-1715.	1.2	121
56	Limited Value of Cystatin-C over Estimated Glomerular Filtration Rate for Heart Failure Risk Stratification. PLoS ONE, 2012, 7, e51234.	1.1	14
57	Endothelial progenitor cell capturing stent and short dual antiplatelet therapy in patients on chronic anti-vitamin k regimen undergoing percutaneous coronary interventions: long-term outcomes of a single centre registry. EuroIntervention, 2011, 6, 831-837.	1.4	9