Gilda Maria Barbaro Del Negro

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/4465160/publications.pdf

Version: 2024-02-01

68 papers	1,413 citations	257450 24 h-index	377865 34 g-index
71 all docs	71 docs citations	71 times ranked	1578 citing authors

#	Article	IF	Citations
1	Hospital malnutrition and inflammatory response in critically ill children and adolescents admitted to a tertiary intensive care unit. Clinics, 2008, 63, 357-362.	1.5	89
2	An Azole-Resistant Candida parapsilosis Outbreak: Clonal Persistence in the Intensive Care Unit of a Brazilian Teaching Hospital. Frontiers in Microbiology, 2018, 9, 2997.	3.5	83
3	Antigen-Specific Immunosuppression in Paracoccidioidomycosis. American Journal of Tropical Medicine and Hygiene, 1996, 54, 7-12.	1.4	65
4	The sensitivity, specificity and efficiency values of some serological tests used in the diagnosis of paracoccidioidomycosis. Revista Do Instituto De Medicina Tropical De Sao Paulo, 1991, 33, 277-280.	1.1	53
5	Differential antibody isotype expression to the major Paracoccidioides brasiliensis antigen in juvenile and adult form paracoccidioidomycosis. Microbes and Infection, 1999, 1, 273-278.	1.9	53
6	A multiplex nested PCR for the detection and identification of Candida species in blood samples of critically ill paediatric patients. BMC Infectious Diseases, 2014, 14, 406.	2.9	49
7	Isolation and characterization of aParacoccidioides brasiliensisstrain from a dogfood probably contaminated with soil in UberlÃ¢ndia, Brazil. Medical Mycology, 1990, 28, 253-256.	0.7	46
8	Candida haemuloniiComplex Species, Brazil, January 2010â€“March 2015. Emerging Infectious Diseases, 2016, 22, 561-563.	4.3	44
9	Evaluation of tests for antibody response in the follow-up of patients with acute and chronic forms of paracoccidioidomycosis. Journal of Medical Microbiology, 2000, 49, 37-46.	1.8	44
10	Significant Performance Variation Among PCR Systems in Diagnosing Congenital Toxoplasmosis in SÃ£o Paulo, Brazil: Analysis of 467 Amniotic Fluid Samples. Clinics, 2009, 64, 171-176.	1.5	41
11	Microbial colonization affects the efficiency of photovoltaic panels in a tropical environment. Journal of Environmental Management, 2015, 157, 160-167.	7.8	41
12	IgG, IgM and IgA antibody response for the diagnosis and follow-up of paracoccidioidomycosis: comparison of counterimmunoelectrophoresis and complement fixation. Medical Mycology, 1997, 35, 213-217.	0.7	39
13	Serological Diagnosis of Paracoccidioidomycosis: High Rate of Inter-laboratorial Variability among Medical Mycology Reference Centers. PLoS Neglected Tropical Diseases, 2014, 8, e3174.	3.0	36
14	Severe acute paracoccidioidomycosis in children. Pediatric Infectious Disease, 1994, 13, 510-515.	0.8	34
15	Myocarditis in children and detection of viruses in myocardial tissue: Implications for immunosuppressive therapy. International Journal of Cardiology, 2011, 148, 204-208.	1.7	34
16	Identification of Candida haemulonii Complex Species: Use of ClinProToolsTM to Overcome Limitations of the Bruker BiotyperTM, VITEK MSTM IVD, and VITEK MSTM RUO Databases. Frontiers in Microbiology, 2016, 7, 940.	3.5	32
17	Rapid identification of moulds and arthroconidial yeasts from positive blood cultures by MALDI-TOF mass spectrometry. Medical Mycology, 2016, 54, 885-889.	0.7	32
18	Usefulness of matrix-assisted laser desorption ionisationâ€“time-of-flight mass spectrometry for identifying clinical Trichosporon isolates. Clinical Microbiology and Infection, 2014, 20, 784-790.	6.0	30

#	Article	IF	Citations
19	Matrix-Assisted Laser Desorption Ionizationâ€“Time of Flight Mass Spectrometry for Differentiation of the Dimorphic Fungal Species Paracoccidioides brasiliensis and Paracoccidioides lutzii. Journal of Clinical Microbiology, 2015, 53, 1383-1386.	3.9	29
20	The new mutation L321F in Candida albicans ERG11 gene may be associated with fluconazole resistance. Revista Iberoamericana De Micologia, 2013, 30, 209-212.	0.9	27
21	Severe Anemia, Panserositis, and Cryptogenic Hepatitis in an HIV Patient Infected withBartonella henselae. Ultrastructural Pathology, 2007, 31, 373-377.	0.9	26
22	PARACOCCIDIOIDOMYCOSIS: AN EPIDEMIOLOGIC SURVEY IN A PEDIATRIC POPULATION FROM THE BRAZILIAN AMAZON USING SKIN TESTS. American Journal of Tropical Medicine and Hygiene, 2004, 71, 82-86.	1.4	26
23	Paracoccidioidomycosis in a patient with HIV infection: immunological study. Transactions of the Royal Society of Tropical Medicine and Hygiene, 1990, 84, 151-152.	1.8	25
24	Lack of reactivity of paracoccidioidomycosis sera in the double immunodiffusion test with the gp43 antigen: report of two cases. Medical Mycology, 1995, 33, 113-116.	0.7	21
25	First report of a clinical isolate of Candida haemulonii in Brazil. Clinics, 2012, 67, 1229-1231.	1.5	21
26	Detection of paracoccidioidomycosis circulating antigen by the immunoelectroosmophoresis-immunodiffusion technique: preliminary report. Revista Do Instituto De Medicina Tropical De Sao Paulo, 1987, 29, 327-328.	1.1	21
27	Antibody isotypes to a Paracoccidioides brasiliensis somatic antigen in sub-acute and chronic form paracoccidioidomycosis. Journal of Medical Microbiology, 2001, 50, 127-134.	1.8	20
28	Candida duobushaemulonii: an emerging rare pathogenic yeast isolated from recurrent vulvovaginal candidiasis in Brazil. Memorias Do Instituto Oswaldo Cruz, 2016, 111, 407-410.	1.6	20
29	Immunodeficiency secondary to juvenile paracoccidioidomycosis: associated infections. Mycopathologia, 1992, 120, 23-28.	3.1	15
30	Paracoccidioides brasiliensis: a mycologic and immunochemical study of a sample isolated from an armadillo (Dasipus novencinctus). Revista Do Instituto De Medicina Tropical De Sao Paulo, 1995, 37, 43-49.	1.1	14
31	Invasive <scp>T</scp>richosporon infection in solid organ transplant patients: a report of two cases identified using <scp>IGS</scp>1 ribosomal <scp>DNA</scp> sequencing and a review of the literature. Transplant Infectious Disease, 2014, 16, 135-140.	1.7	14
32	Blood donor infected with Bartonella henselae. Transfusion Medicine, 2010, 20, 280-282.	1.1	12
33	Candida blankii: an emergent opportunistic yeast with reduced susceptibility to antifungals. Emerging Microbes and Infections, 2018, 7, 1-3.	6.5	12
34	Polymorphism in Mitochondrial Group I Introns among Cryptococcus neoformans and Cryptococcus gattii Genotypes and Its Association with Drug Susceptibility. Frontiers in Microbiology, 2018, 9, 86.	3.5	12
35	Immunochemical study of aParacoccidioides brasiliensispolysaccharide-like antigen. Medical Mycology, 1995, 33, 379-383.	0.7	11
36	Anti-Idiotypic Antibodies in Patients with Different Clinical Forms of Paracoccidioidomycosis. Vaccine Journal, 2000, 7, 175-181.	2.6	11

#	Article	IF	Citations
37	Detection of Bartonella henselae DNA in clinical samples including peripheral blood of immune competent and immune compromised patients by three nested amplifications. Revista Do Instituto De Medicina Tropical De Sao Paulo, 2013, 55, 1-6.	1.1	11
38	Hemodialysis and Kidney Transplantation as Predisposing Conditions to Onychomycosis. Nephron, 2017, 137, 38-46.	1.8	11
39	Epstein-Barr virus nuclear antigen-2 detection and typing in immunocompromised children correlated with lymphoproliferative disorder biopsy findings. Brazilian Journal of Infectious Diseases, 2008, 12, 186-191.	0.6	10
40	Accuracy of the QuantiFERON-TB Gold in Tube for diagnosing tuberculosis in a young pediatric population previously vaccinated with Bacille Calmette-Guerin. Revista Paulista De Pediatria, 2014, 32, 04-10.	1.0	10
41	Coccidioidomycosis in Brazil. A case report. Revista Do Instituto De Medicina Tropical De Sao Paulo, 1997, 39, 299-304.	1.1	9
42	Does the Capsule Interfere with Performance of Matrix-Assisted Laser Desorption Ionizationâ€“Time of Flight Mass Spectrometry for Identification of Cryptococcus neoformans and Cryptococcus gattii?. Journal of Clinical Microbiology, 2016, 54, 474-477.	3.9	9
43	Identification and differentiation of Candida species from pediatric patients by random amplified polymorphic DNA. Revista Da Sociedade Brasileira De Medicina Tropical, 2008, 41, 1-5.	0.9	8
44	Evaluating VITEK MS for the identification of clinically relevant Aspergillus species. Medical Mycology, 2020, 58, 322-327.	0.7	8
45	Evaluation of the MALDI-TOF VITEK MSâ„¢ system for the identification of Candida parapsilosis, C. orthopsilosis and C. metapsilosis from bloodstream infections. Journal of Microbiological Methods, 2014, 105, 105-108.	1.6	7
46	A Real Time PCR strategy for the detection and quantification of Candida albicans in human blood. Revista Do Instituto De Medicina Tropical De Sao Paulo, 2020, 62, e9.	1.1	7
47	Atypical disseminated cutaneous histoplasmosis in an immunocompetent child, caused by an "aberrant" variant of Histoplasma capsulatum var. capsulatum. Revista Do Instituto De Medicina Tropical De Sao Paulo, 1999, 41, 195-202.	1.1	6
48	Frequency of the deltaF508 mutation in 108 cystic fibrosis patients in SÃ£o Paulo: comparison with reported Brazilian data. Clinics, 2005, 60, 131-4.	1.5	6
49	Is the S405F mutation in Candida albicans ERG11 gene sufficient to confer resistance to fluconazole?. Journal De Mycologie Medicale, 2014, 24, 241-242.	1.5	6
50	Evaluation of VITEK 2 for discriminating Trichosporon species: misidentification of Trichosporon nonâ€“T. asahii. Diagnostic Microbiology and Infectious Disease, 2014, 80, 59-61.	1.8	6
51	Systemic and localized infection by Candida species in patients with rheumatic diseases receiving anti-TNF therapy. Revista Brasileira De Reumatologia, 2016, 56, 478-482.	0.7	6
52	Identification and antifungal susceptibility of Candida species isolated from the urine of patients in a university hospital in Brazil. Revista Do Instituto De Medicina Tropical De Sao Paulo, 2017, 59, e75.	1.1	6
53	Case Report: Misleading Serological Diagnosis of Paracoccidioidomycosis in a Young Patient with the Acute Form Disease: Paracoccidioides brasiliensis or Paracoccidioides lutzii?. American Journal of Tropical Medicine and Hygiene, 2018, 98, 1082-1085.	1.4	6
54	Factors associated with hyperglycemia and low insulin levels in children undergoing cardiac surgery with cardiopulmonary bypass who received a single high dose of methylprednisolone. Clinics, 2013, 68, 85-92.	1.5	6

#	Article	IF	Citations
55	Dual candidemia detected by nested polymerase chain reaction in two critically ill children. Medical Mycology, 2010, 48, 1116-1120.	0.7	5
56	Trichosporon inkinas an Emergent Pathogen in Patients With Severe Pemphigus. JAMA Dermatology, 2015, 151, 642.	4.1	5
57	Lack of efficacy of echinocandins against high metabolic activity biofilms of Candida parapsilosis clinical isolates. Brazilian Journal of Microbiology, 2020, 51, 1129-1133.	2.0	5
58	Paracoccidioides brasiliensis: A MYCOLOGIC AND IMMUNOCHEMICAL STUDY OF TWO STRAINS. Revista Do Instituto De Medicina Tropical De Sao Paulo, 1999, 41, 79-86.	1.1	4
59	Rhizopus arrhizus and Fusarium solani Concomitant Infection in an Immunocompromised Host. Mycopathologia, 2016, 181, 125-129.	3.1	4
60	Radiometric detection of metabolic activity of Paracoccidioides brasiliensis and its susceptibility to amphotericin B and diethylstilbestrol. Revista Do Instituto De Medicina Tropical De Sao Paulo, 1987, 29, 289-294.	1.1	3
61	Performance of a Real Time PCR for Pneumocystis jirovecii Identification in Induced Sputum of AIDS Patients: Differentiation between Pneumonia and Colonization. Journal of Fungi (Basel, Switzerland), 2022, 8, 222.	3.5	3
62	Detection of EBV-DNA in serum samples of an immunosuppressed child during a three years follow-up: association of clinical and PCR data with active infection. Revista Do Instituto De Medicina Tropical De Sao Paulo, 2005, 47, 99-102.	1.1	2
63	Rhino-orbito-cerebral mucormycosis caused by Rhizopus microsporus var. microsporus in a diabetic patient with COVID-19. Anais Brasileiros De Dermatologia, 2022, , .	1.1	2
64	Diagnosis of neonatal group B Streptococcus sepsis by nested-PCR of residual urine samples. Brazilian Journal of Microbiology, 2008, 39, 21-24.	2.0	1
65	Viability and molecular authentication of Coccidioides spp. isolates from the Instituto de Medicina Tropical de SÃ£o Paulo culture collection, Brazil. Revista Do Instituto De Medicina Tropical De Sao Paulo, 2013, 55, 7-11.	1.1	1
66	Bartonella henselae AS A PUTATIVE CAUSE OF CONGENITAL CHOLESTASIS. Revista Do Instituto De Medicina Tropical De Sao Paulo, 2016, 58, 56.	1.1	1
67	SSCP is not suitable as screening technique to detect mutations in ERG11 gene from Candida species. Revista Iberoamericana De Micologia, 2015, 32, 284-285.	0.9	0
68	Mediadores prÃ³-inflamatÃ³rios e antinflamatÃ³rios na sepse neonatal: associaÃ§Ã£o entre homeostase e evoluÃ§Ã£o clÃnica. Journal of Human Growth and Development, 2008, 18, 135.	0.6	0