

Alberto Pupi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4465241/publications.pdf>

Version: 2024-02-01

119
papers

6,246
citations

87723

38
h-index

69108

77
g-index

122
all docs

122
docs citations

122
times ranked

8493
citing authors

#	ARTICLE	IF	CITATIONS
1	Cerebral amyloid load determination in a clinical setting: interpretation of amyloid biomarker discordances aided by tau and neurodegeneration measurements. <i>Neurological Sciences</i> , 2021, , 1.	0.9	0
2	Neural correlates of naming errors across different neurodegenerative diseases. <i>Neurology</i> , 2020, 95, e2816-e2830.	1.5	19
3	Challenges in Alzheimer's Disease Diagnostic Work-Up: Amyloid Biomarker Incongruences. <i>Journal of Alzheimer's Disease</i> , 2020, 77, 203-217.	1.2	3
4	Clinical and neuroimaging profiles to identify C9orf72 Δ FTD patients and serum Neurofilament to monitor the progression and the severity of the disease. <i>Neurology and Clinical Neuroscience</i> , 2019, 7, 326-333.	0.2	1
5	β -Adrenoceptor as a potential immunosuppressor agent in melanoma. <i>British Journal of Pharmacology</i> , 2019, 176, 2509-2524.	2.7	49
6	Mediterranean diet and 3-year Alzheimer brain biomarker changes in middle-aged adults. <i>Neurology</i> , 2018, 90, e1789-e1798.	1.5	186
7	Biomarkers study in atypical dementia: proof of a diagnostic work-up. <i>Neurological Sciences</i> , 2018, 39, 1203-1210.	0.9	3
8	Contribution of Bilingualism to Cognitive Reserve of an Italian Literature Professor at High Risk for Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2018, 66, 1389-1395.	1.2	8
9	The use of Deauville 5-point score could reduce the risk of false-positive fluorodeoxyglucose-positron emission tomography in the posttherapy evaluation of patients with primary bone lymphomas. <i>World Journal of Nuclear Medicine</i> , 2018, 17, 157-165.	0.3	3
10	Myocardial blood flow and left ventricular functional reserve in hypertrophic cardiomyopathy: a ^{13}N gated PET study. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2017, 44, 866-875.	3.3	29
11	Design and synthesis of bicyclic acetals as Beta Secretase (BACE1) inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2017, 25, 5077-5083.	1.4	11
12	Synthesis of Novel c(AmpRGD)-Sunitinib Dual Conjugates as Molecular Tools Targeting the $\alpha_v\beta_3$ Integrin/VEGFR2 Couple and Impairing Tumor-Associated Angiogenesis. <i>Journal of Medicinal Chemistry</i> , 2017, 60, 248-262.	2.9	36
13	Sex differences in Alzheimer risk. <i>Neurology</i> , 2017, 89, 1382-1390.	1.5	177
14	Association of the New Variant Tyr424Asp at TBK1 Gene with Amyotrophic Lateral Sclerosis and Cognitive Decline. <i>Journal of Alzheimer's Disease</i> , 2017, 61, 41-46.	1.2	3
15	Triazole RGD antagonist reverts TGF β 1-induced endothelial-to-mesenchymal transition in endothelial precursor cells. <i>Molecular and Cellular Biochemistry</i> , 2017, 424, 99-110.	1.4	10
16	Low Florbetapir PET Uptake and Normal A β 1-42 Cerebrospinal Fluid in an APP Ala713Thr Mutation Carrier. <i>Journal of Alzheimer's Disease</i> , 2017, 57, 697-703.	1.2	5
17	Perimenopause and emergence of an Alzheimer's bioenergetic phenotype in brain and periphery. <i>PLoS ONE</i> , 2017, 12, e0185926.	1.1	95
18	Cerebral metabolic rate of glucose quantification with the aortic image-derived input function and Patlak method. <i>Nuclear Medicine Communications</i> , 2016, 37, 849-859.	0.5	3

#	ARTICLE	IF	CITATIONS
19	Segmental quantitative myocardial perfusion with PET for the detection of significant coronary artery disease in patients with stable angina. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 1522-1529.	3.3	18
20	Rethinking on the concept of biomarkers in preclinical Alzheimer's disease. <i>Neurological Sciences</i> , 2016, 37, 663-672.	0.9	52
21	Synthesis and preclinical evaluation of a novel, selective ¹¹¹ In-labelled aminoproline-RGD-peptide for non-invasive melanoma tumor imaging. <i>MedChemComm</i> , 2015, 6, 2175-2183.	3.5	11
22	A PPAR-gamma agonist attenuates pulmonary injury induced by irradiation in a murine model. <i>Lung Cancer</i> , 2015, 90, 405-409.	0.9	21
23	Radiosynthesis and micro-SPECT analysis of triazole-based RGD integrin ligands as non-peptide molecular imaging probes for angiogenesis. <i>Bioorganic and Medicinal Chemistry</i> , 2015, 23, 1112-1122.	1.4	12
24	Recommendations from the Italian Interdisciplinary Working Group (AIMN, AIP, SINDEM) for the utilization of amyloid imaging in clinical practice. <i>Neurological Sciences</i> , 2015, 36, 1075-1081.	0.9	35
25	Nutrient patterns and brain biomarkers of Alzheimer's disease in cognitively normal individuals. <i>Journal of Nutrition, Health and Aging</i> , 2015, 19, 413-423.	1.5	124
26	Validation of pixel-wise parametric mapping of myocardial blood flow with ¹³ NH ₃ PET in patients with hypertrophic cardiomyopathy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 1581-1588.	3.3	12
27	Prostate-specific antigen kinetics parameters are predictive of positron emission tomography features worsening in patients with biochemical relapse after prostate cancer treatment with radical intent: Results from a longitudinal cohort study. <i>Scandinavian Journal of Urology</i> , 2014, 48, 259-267.	0.6	5
28	Brain. <i>PET Clinics</i> , 2014, 9, 129-140.	1.5	103
29	Early short-term doxycycline therapy in patients with acute myocardial infarction and left ventricular dysfunction to prevent the ominous progression to adverse remodelling: the TIPTOP trial. <i>European Heart Journal</i> , 2014, 35, 184-191.	1.0	102
30	Predictive factors of [¹⁸ F]-Choline PET/CT in 170 patients with increasing PSA after primary radical treatment. <i>Journal of Cancer Research and Clinical Oncology</i> , 2013, 139, 521-528.	1.2	32
31	Back to the future: the absolute quantification of cerebral metabolic rate of glucose. <i>Clinical and Translational Imaging</i> , 2013, 1, 289-296.	1.1	9
32	Looking at my body. Similarities and differences between anorexia nervosa patients and controls in body image visual processing. <i>European Psychiatry</i> , 2013, 28, 427-435.	0.1	52
33	Detection of infarct size safety threshold for left ventricular ejection fraction impairment in acute myocardial infarction successfully treated with primary percutaneous coronary intervention. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013, 40, 542-547.	3.3	3
34	SBP ratio in exercise stress testing. <i>Journal of Cardiovascular Medicine</i> , 2013, 14, 714-718.	0.6	0
35	Interaction of caudate dopamine depletion and brain metabolic changes with cognitive dysfunction in early Parkinson's disease. <i>Neurobiology of Aging</i> , 2012, 33, 206.e29-206.e39.	1.5	71
36	¹²⁵ I-Radiolabeled Morpholine-Containing Arginine-Glycine-Aspartate (RGD) Ligand of $\alpha_3\beta_1$ Integrin As a Molecular Imaging Probe for Angiogenesis. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 5024-5033.	2.9	26

#	ARTICLE	IF	CITATIONS
37	Sokoloff and Patlak methods for CMRglu quantification with aortic image-derived input function: A feasibility study. , 2011, , .		0
38	Structural brain changes in normal individuals with a maternal history of Alzheimer's. <i>Neurobiology of Aging</i> , 2011, 32, 2325.e17-2325.e26.	1.5	47
39	Functional neuroimaging in anorexia nervosa: A clinical approach. <i>European Psychiatry</i> , 2011, 26, 176-182.	0.1	60
40	PET/CT in diagnosis of dementia. <i>Annals of the New York Academy of Sciences</i> , 2011, 1228, 81-92.	1.8	69
41	PET/CT in diagnosis of movement disorders. <i>Annals of the New York Academy of Sciences</i> , 2011, 1228, 93-108.	1.8	42
42	Prognostic implications of post-stress ejection fraction decrease detected by gated SPECT in the absence of stress-induced perfusion abnormalities. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 485-490.	3.3	21
43	Relationship between infarct size and severity measured by gated SPECT and long-term left ventricular remodelling after acute myocardial infarction. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2011, 38, 1124-1131.	3.3	27
44	Maternal transmission of Alzheimer's disease: Prodromal metabolic phenotype and the search for genes. <i>Human Genomics</i> , 2010, 4, 170.	1.4	77
45	Pre-Clinical Detection of Alzheimer's Disease Using FDG-PET, with or without Amyloid Imaging. <i>Journal of Alzheimer's Disease</i> , 2010, 20, 843-854.	1.2	230
46	Predictive potential of pre-operative functional neuroimaging in patients treated with subthalamic stimulation. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 12-22.	3.3	2
47	Brain metabolic correlates of dopaminergic degeneration in de novo idiopathic Parkinson's disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 537-544.	3.3	35
48	Reliability of myocardial perfusion gated SPECT for the reproducible evaluation of resting left ventricular functional parameters in long-term follow-up. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 1722-1729.	3.3	8
49	Cyclic DGR-peptidomimetic containing a bicyclic reverse turn inducer as a selective $\alpha_5\beta_1$ integrin ligand. <i>Amino Acids</i> , 2010, 38, 329-337.	1.2	11
50	Evaluation of the influence of age and gender on the relationships between infarct size, infarct severity, and left ventricular ejection fraction in patients successfully treated with primary percutaneous coronary intervention. <i>Journal of Nuclear Cardiology</i> , 2010, 17, 444-449.	1.4	5
51	Feasibility of an accurate assessment of myocardial salvage by comparing functional and perfusion abnormalities in post-reperfusion gated SPECT. <i>Journal of Nuclear Cardiology</i> , 2010, 17, 825-830.	1.4	7
52	Click-Chemistry-Derived Triazole Ligands of Arginine-Glycine-Aspartate (RGD) Integrins with a Broad Capacity To Inhibit Adhesion of Melanoma Cells and Both in Vitro and in Vivo Angiogenesis. <i>Journal of Medicinal Chemistry</i> , 2010, 53, 7119-7128.	2.9	49
53	Abnormal response to mental stress in patients with Takotsubo cardiomyopathy detected by gated single photon emission computed tomography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2010, 37, 765-772.	3.3	13
54	Human striatal neuroblasts develop and build a striatal-like structure into the brain of Huntington's disease patients after transplantation. <i>Experimental Neurology</i> , 2010, 222, 30-41.	2.0	74

#	ARTICLE	IF	CITATIONS
55	Relationship between atrial fibrillation and blunted hyperemic myocardial blood flow in patients with hypertrophic cardiomyopathy. <i>Journal of Nuclear Cardiology</i> , 2009, 16, 92-96.	1.4	25
56	Morpholine-based RGD-cyclopentapeptides as $\alpha_5\beta_1$ integrin ligands: Role of configuration towards receptor binding affinity. <i>Bioorganic and Medicinal Chemistry</i> , 2009, 17, 1542-1549.	1.4	25
57	Estimate of myocardial salvage in late presentation acute myocardial infarction by comparing functional and perfusion abnormalities in predischARGE gated SPECT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008, 35, 906-911.	3.3	12
58	Is 16-frame really superior to 8-frame gated SPECT for the assessment of left ventricular volumes and ejection fraction? Comparison of two simultaneously acquired gated SPECT studies. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008, 35, 2059-2065.	3.3	18
59	Clinical correlation of the binding potential with 123I-FP-CIT in de novo idiopathic Parkinson's disease patients. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2008, 35, 2220-2226.	3.3	8
60	Role of whole-body 18F-choline PET/CT in disease detection in patients with biochemical relapse after radical treatment for prostate cancer. <i>Radiologia Medica</i> , 2008, 113, 895-904.	4.7	141
61	Relationship of sustained brain natriuretic peptide release after reperfused acute myocardial infarction with gated SPECT infarct measurements and its connection with collagen turnover and left ventricular remodeling. <i>Journal of Nuclear Cardiology</i> , 2008, 15, 644-654.	1.4	4
62	Brain Glucose Hypometabolism and Oxidative Stress in Preclinical Alzheimer's Disease. <i>Annals of the New York Academy of Sciences</i> , 2008, 1147, 180-195.	1.8	462
63	PET positivity with bone marrow biopsy revealing sarcoidosis in a patient in whom bone marrow metastases had been suspected. <i>British Journal of Haematology</i> , 2008, 143, 306-306.	1.2	14
64	Multicenter Standardized ¹⁸ F-FDG PET Diagnosis of Mild Cognitive Impairment, Alzheimer's Disease, and Other Dementias. <i>Journal of Nuclear Medicine</i> , 2008, 49, 390-398.	2.8	637
65	Assessment of the Influence of Atrial Fibrillation on Gated SPECT Perfusion Data by Comparison with Simultaneously Acquired Nongated SPECT Data. <i>Journal of Nuclear Medicine</i> , 2008, 49, 1283-1287.	2.8	4
66	Spatial Relationship Between Coronary Microvascular Dysfunction and Delayed Contrast Enhancement in Patients with Hypertrophic Cardiomyopathy. <i>Journal of Nuclear Medicine</i> , 2008, 49, 1090-1096.	2.8	68
67	¹⁸ F-FDG PET Database of Longitudinally Confirmed Healthy Elderly Individuals Improves Detection of Mild Cognitive Impairment and Alzheimer's Disease. <i>Journal of Nuclear Medicine</i> , 2007, 48, 1129-1134.	2.8	68
68	Critical Update and Emerging Trends in Imatinib Treatment for Gastrointestinal Stromal Tumor. <i>Reviews on Recent Clinical Trials</i> , 2007, 2, 43-48.	0.4	3
69	Influence of the postexercise acquisition delay on the detection of functional abnormalities in sestamibi-gated SPECT. <i>Journal of Nuclear Cardiology</i> , 2007, 14, 334-340.	1.4	7
70	Quantitation, regional vulnerability, and kinetic modeling of brain glucose metabolism in mild Alzheimer's disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 1467-1479.	3.3	47
71	Are there adaptive changes in the human brain of patients with Parkinson's disease treated with long-term deep brain stimulation of the subthalamic nucleus? A 4-year follow-up study with regional cerebral blood flow SPECT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2007, 34, 1646-1657.	3.3	11
72	Metabolic correlates of executive dysfunction. <i>Journal of Neurology</i> , 2007, 254, 1052-1065.	1.8	29

#	ARTICLE	IF	CITATIONS
73	Multiple Effects of Somatostatin Analogs Verified in Three Cases of Metastasized Neuroendocrine Tumors of the Gastroenteropancreatic System. <i>Tumori</i> , 2006, 92, 170-174.	0.6	5
74	3-Aza-6,8-dioxabicyclo[3.2.1]octanes as new enantiopure heteroatom-rich tropane-like ligands of human dopamine transporter. <i>Bioorganic and Medicinal Chemistry</i> , 2006, 14, 5110-5120.	1.4	6
75	Visual rating of medial temporal lobe metabolism in mild cognitive impairment and Alzheimer's disease using FDG-PET. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2006, 33, 210-221.	3.3	75
76	ST-Segment Analysis to Predict Infarct Size and Functional Outcome in Acute Myocardial Infarction Treated With Primary Coronary Intervention and Adjunctive Abciximab Therapy. <i>American Journal of Cardiology</i> , 2006, 97, 48-54.	0.7	28
77	Orbitofrontal Dysfunction Related to Both Apathy and Disinhibition in Frontotemporal Dementia. <i>Dementia and Geriatric Cognitive Disorders</i> , 2006, 21, 373-379.	0.7	172
78	Hypometabolism exceeds atrophy in presymptomatic early-onset familial Alzheimer's disease. <i>Journal of Nuclear Medicine</i> , 2006, 47, 1778-86.	2.8	195
79	PET is better than perfusion SPECT for early diagnosis of Alzheimer's disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2005, 32, 1466-1472.	3.3	11
80	Toward the Validation of Functional Neuroimaging as a Potential Biomarker for Alzheimer's Disease: Implications for Drug Development. <i>Molecular Imaging and Biology</i> , 2005, 7, 59-68.	1.3	17
81	Heterogeneity of Brain Glucose Metabolism in Mild Cognitive Impairment and Clinical Progression to Alzheimer Disease. <i>Archives of Neurology</i> , 2005, 62, 1728.	4.9	269
82	A randomized trial comparing clopidogrel versus ticlopidine therapy in patients undergoing infarct artery stenting for acute myocardial infarction with abciximab as adjunctive therapy. <i>American Heart Journal</i> , 2005, 150, 220.e1-220.e5.	1.2	18
83	Gated SPECT evaluation of outcome after abciximab-supported primary infarct artery stenting for acute myocardial infarction: the scintigraphic data of the abciximab and carbostent evaluation (ACE) randomized trial. <i>Journal of Nuclear Medicine</i> , 2005, 46, 722-7.	2.8	10
84	Brain networks underlying the clinical effects of long-term subthalamic stimulation for Parkinson's disease: a 4-year follow-up study with rCBF SPECT. <i>Journal of Nuclear Medicine</i> , 2005, 46, 1444-54.	2.8	36
85	Urinary endothelin-1 excretion according to morpho-functional damage lateralization in reflux nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 1774-1778.	0.4	12
86	Age and ApoE genotype interaction in Alzheimer's disease: an FDG-PET study. <i>Psychiatry Research - Neuroimaging</i> , 2004, 130, 141-151.	0.9	39
87	Relationship of infarct size and severity versus left ventricular ejection fraction and volumes obtained from 99mTc-sestamibi gated single-photon emission computed tomography in patients treated with primary percutaneous coronary intervention. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2004, 31, 969-74.	3.3	35
88	Use of 99mTc-sestamibi gated SPECT to assess the influence of anterograde flow before primary coronary angioplasty on tissue salvage and functional recovery in acute myocardial infarction. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2004, 31, 1378-85.	3.3	6
89	Kinetic Parameter Estimation From Renal Measurements With a Three-Headed SPECT System: A Simulation Study. <i>IEEE Transactions on Medical Imaging</i> , 2004, 23, 363-373.	5.4	22
90	P2-152 Basal frontal/temporal hypometabolism and depressive symptoms in highly educated Alzheimer's disease patients. <i>Neurobiology of Aging</i> , 2004, 25, S268.	1.5	0

#	ARTICLE	IF	CITATIONS
91	Myocardial perfusion imaging using gated SPECT in heart failure patients undergoing cardiac resynchronization therapy. <i>Journal of Nuclear Medicine</i> , 2004, 45, 164-8.	2.8	51
92	Functional interactions of the entorhinal cortex: an 18F-FDG PET study on normal aging and Alzheimer's disease. <i>Journal of Nuclear Medicine</i> , 2004, 45, 382-92.	2.8	58
93	Gated SPECT evaluation of the relationship between admission troponin I, myocardial salvage, and functional recovery in acute myocardial infarction treated by abciximab and early primary angioplasty. <i>Journal of Nuclear Medicine</i> , 2004, 45, 739-44.	2.8	4
94	SPECT semiquantitative analysis of adrenocortical (131)I-6 beta iodomethyl-norcholesterol uptake to discriminate subclinical and preclinical functioning adrenal incidentaloma. <i>Journal of Nuclear Medicine</i> , 2003, 44, 1057-64.	2.8	22
95	Effects of long-term Donepezil therapy on rCBF of Alzheimer's patients. <i>Clinical Neurophysiology</i> , 2002, 113, 1241-1248.	0.7	89
96	Predicting revascularization outcome in patients with coronary artery disease and left ventricular dysfunction (data from the SEMINATOR study). <i>American Journal of Cardiology</i> , 2002, 89, 1369-1373.	0.7	15
97	Comparison of dobutamine echocardiography and 99mTc-sestamibi tomography for prediction of left ventricular ejection fraction outcome after acute myocardial infarction treated with successful primary coronary angioplasty. <i>Journal of Nuclear Medicine</i> , 2002, 43, 8-14.	2.8	83
98	Changes in regional cerebral blood flow caused by deep-brain stimulation of the subthalamic nucleus in Parkinson's disease. <i>Journal of Nuclear Medicine</i> , 2002, 43, 725-32.	2.8	56
99	Brain perfusion follow-up in Alzheimer's patients during treatment with acetylcholinesterase inhibitors. <i>Journal of Nuclear Medicine</i> , 2002, 43, 983-90.	2.8	77
100	Using SPM as a diagnostic help with HMPAO-SPECT in Alzheimer's disease. <i>NeuroImage</i> , 2001, 13, 1044.	2.1	191
101	Technetium-99m sestamibi imaging to predict left ventricular ejection fraction outcome after revascularisation in patients with chronic coronary artery disease and left ventricular dysfunction: comparison between baseline and nitrate-enhanced imaging. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2001, 28, 680-687.	2.2	27
102	Synthesis and preliminary biological characterization of a new potential 125I-Radioligand for dopamine and serotonin receptors. <i>Bioorganic and Medicinal Chemistry</i> , 2001, 9, 3197-3206.	1.4	10
103	Use of technetium-99m hexamethylpropylene amine oxime SPET for the study of cerebral blood flow reactivity after acetazolamide infusion in patients with Behçet's disease. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2000, 27, 700-706.	3.3	8
104	Prognostic implications of Tc-99m sestamibi viability imaging and subsequent therapeutic strategy in patients with chronic coronary artery disease and left ventricular dysfunction. <i>Journal of the American College of Cardiology</i> , 2000, 36, 739-745.	1.2	69
105	Prediction of post-revascularization functional recovery of asynergic myocardium using quantitative thallium-201 rest-redistribution tomography: has the reverse redistribution pattern an independent significance?. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1998, 25, 594-600.	3.3	3
106	First-Pass Cerebral Extraction of Benzamide-Derivative Radiotracers for SPECT. <i>Nuclear Medicine and Biology</i> , 1998, 25, 289-293.	0.3	1
107	High-performance computing and networking as tools for accurate emission computed tomography reconstruction. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1997, 24, 390-397.	2.2	6
108	Regional cerebral blood flow measured by microsphere technique in experimental animals: Technical notes for the use of albumin microspheres in rats. <i>Nuclear Medicine and Biology</i> , 1997, 24, 693-697.	0.3	2

#	ARTICLE	IF	CITATIONS
109	World Wide Web interface for advanced SPECT reconstruction algorithms implemented on a remote massively parallel computer. <i>International Journal of Medical Informatics</i> , 1997, 47, 125-138.	1.6	9
110	High-performance computing and networking as tools for accurate emission computed tomography reconstruction. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1997, 24, 390-397.	3.3	1
111	Quantitative comparison between 99mTc-HMPAO and 99mTc-ECD: measurement of arterial input and brain retention. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1994, 21, 124-30.	2.2	16
112	Serum amylase and tissue polypeptide antigen as biochemical indicators of salivary gland injury during iodine-131 therapy. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1994, 21, 1121-5.	2.2	18
113	Brain perfusion abnormalities in drug-naive, lactate-sensitive panic patients: A SPECT study. <i>Biological Psychiatry</i> , 1993, 33, 505-512.	0.7	133
114	A brain phantom for studying contrast recovery in emission computerized tomography. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1990, 17, 15-20.	2.2	9
115	Evaluation of technetium 99m cyclobutylpropylene amine oxime as a potential brain perfusion imaging agent for SPET. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1990, 17, 242-247.	2.2	5
116	Usefulness of the Trh Test in the Management of Patients with Differentiated Thyroid Cancer. <i>Tumori</i> , 1986, 72, 597-600.	0.6	1
117	Papillary carcinoma of the thyroid. A clinicopathologic study of 241 cases treated at the University of Florence, Italy. <i>Cancer</i> , 1985, 55, 805-828.	2.0	613
118	Prognostic value of the 131I whole-body scan in postsurgical therapy for differentiated thyroid cancer. <i>Cancer</i> , 1983, 52, 439-441.	2.0	6
119	Brain scintigraphy with 99mTc-citrate and 99mTc-DTPA: A clinical comparison of the results. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1982, 7, 184-186.	2.2	2