

# Antonio Dell'Anno

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4466336/publications.pdf>

Version: 2024-02-01

171  
papers

9,830  
citations

30070

54  
h-index

43889

91  
g-index

179  
all docs

179  
docs citations

179  
times ranked

9997  
citing authors

#	ARTICLE	IF	CITATIONS
1	Exponential Decline of Deep-Sea Ecosystem Functioning Linked to Benthic Biodiversity Loss. <i>Current Biology</i> , 2008, 18, 1-8.	3.9	641
2	Major viral impact on the functioning of benthic deep-sea ecosystems. <i>Nature</i> , 2008, 454, 1084-1087.	27.8	366
3	Extracellular DNA Plays a Key Role in Deep-Sea Ecosystem Functioning. <i>Science</i> , 2005, 309, 2179-2179.	12.6	309
4	Marine viruses and global climate change. <i>FEMS Microbiology Reviews</i> , 2011, 35, 993-1034.	8.6	297
5	The first metazoa living in permanently anoxic conditions. <i>BMC Biology</i> , 2010, 8, 30.	3.8	262
6	Assessing the trophic state and eutrophication of coastal marine systems: a new approach based on the biochemical composition of sediment organic matter. <i>Marine Pollution Bulletin</i> , 2002, 44, 611-622.	5.0	255
7	Simultaneous Recovery of Extracellular and Intracellular DNA Suitable for Molecular Studies from Marine Sediments. <i>Applied and Environmental Microbiology</i> , 2005, 71, 46-50.	3.1	227
8	Quantity and bioavailability of sediment organic matter as signatures of benthic trophic status. <i>Marine Ecology - Progress Series</i> , 2009, 375, 41-52.	1.9	201
9	Damage and degradation rates of extracellular DNA in marine sediments: implications for the preservation of gene sequences. <i>Molecular Ecology</i> , 2008, 17, 3939-3951.	3.9	193
10	Determination of Virus Abundance in Marine Sediments. <i>Applied and Environmental Microbiology</i> , 2001, 67, 1384-1387.	3.1	183
11	Biodiversity response to climate change in a warm deep sea. <i>Ecology Letters</i> , 2004, 7, 821-828.	6.4	164
12	Comparison of Two Fingerprinting Techniques, Terminal Restriction Fragment Length Polymorphism and Automated Ribosomal Intergenic Spacer Analysis, for Determination of Bacterial Diversity in Aquatic Environments. <i>Applied and Environmental Microbiology</i> , 2006, 72, 5982-5989.	3.1	163
13	Implementing and Innovating Marine Monitoring Approaches for Assessing Marine Environmental Status. <i>Frontiers in Marine Science</i> , 2016, 3, .	2.5	163
14	The deep-sea under global change. <i>Current Biology</i> , 2017, 27, R461-R465.	3.9	150
15	Preservation, origin and genetic imprint of extracellular DNA in permanently anoxic deep-sea sediments. <i>Molecular Ecology</i> , 2011, 20, 642-654.	3.9	148
16	Ecological variables for developing a global deep-ocean monitoring and conservation strategy. <i>Nature Ecology and Evolution</i> , 2020, 4, 181-192.	7.8	142
17	Degradation and Turnover of Extracellular DNA in Marine Sediments: Ecological and Methodological Considerations. <i>Applied and Environmental Microbiology</i> , 2004, 70, 4384-4386.	3.1	139
18	DNA extraction procedure: a critical issue for bacterial diversity assessment in marine sediments. <i>Environmental Microbiology</i> , 2006, 8, 308-320.	3.8	135

#	ARTICLE	IF	CITATIONS
19	Higher Abundance of Bacteria than of Viruses in Deep Mediterranean Sediments. <i>Applied and Environmental Microbiology</i> , 2002, 68, 1468-1472.	3.1	124
20	A depocenter of organic matter at 7800m depth in the SE Pacific Ocean. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2003, 50, 1411-1420.	1.4	124
21	Enzymatically hydrolyzable protein and carbohydrate sedimentary pools as indicators of the trophic state of detritus sink systems: A case study in a Mediterranean coastal lagoon. <i>Estuaries and Coasts</i> , 2003, 26, 641-650.	1.7	123
22	A bacterial community-based index to assess the ecological status of estuarine and coastal environments. <i>Marine Pollution Bulletin</i> , 2017, 114, 679-688.	5.0	120
23	Deep-sea ecosystem response to climate changes: the eastern Mediterranean case study. <i>Trends in Ecology and Evolution</i> , 2001, 16, 505-510.	8.7	117
24	Marine Microbial-Derived Molecules and Their Potential Use in Cosmeceutical and Cosmetic Products. <i>Marine Drugs</i> , 2017, 15, 118.	4.6	114
25	Nucleic Acid (DNA, RNA) Quantification and RNA/DNA Ratio Determination in Marine Sediments: Comparison of Spectrophotometric, Fluorometric, and HighPerformance Liquid Chromatography Methods and Estimation of Detrital DNA. <i>Applied and Environmental Microbiology</i> , 1998, 64, 3238-3245.	3.1	110
26	Virus-mediated archaeal hecatomb in the deep seafloor. <i>Science Advances</i> , 2016, 2, e1600492.	10.3	107
27	High bacterial biodiversity increases degradation performance of hydrocarbons during bioremediation of contaminated harbor marine sediments. <i>Environmental Pollution</i> , 2012, 167, 85-92.	7.5	105
28	Measuring Species Richness Based on Microbial Community Fingerprints: the Emperor Has No Clothes. <i>Applied and Environmental Microbiology</i> , 2007, 73, 2399-2401.	3.1	100
29	Quantification, base composition, and fate of extracellular DNA in marine sediments. <i>Limnology and Oceanography</i> , 2002, 47, 899-905.	3.1	97
30	Metagenetic tools for the census of marine meiofaunal biodiversity: An overview. <i>Marine Genomics</i> , 2015, 24, 11-20.	1.1	93
31	Bioremediation of contaminated marine sediments can enhance metal mobility due to changes of bacterial diversity. <i>Water Research</i> , 2015, 68, 637-650.	11.3	92
32	Organic matter composition of the continental shelf and bathyal sediments of the Cretan Sea (NE Tj ETQq0 0 0 rgBTj/Overlock 10 Tf 50	3.2	91
33	Viruses, prokaryotes and DNA in the sediments of a deep-hypersaline anoxic basin (DHAB) of the Mediterranean Sea. <i>Environmental Microbiology</i> , 2005, 7, 586-592.	3.8	89
34	Assessment of biotechnological strategies for the valorization of metal bearing wastes. <i>Waste Management</i> , 2012, 32, 949-956.	7.4	87
35	Organic matter composition in coastal sediments at Terra Nova Bay (Ross Sea) during summer 1995. <i>Polar Biology</i> , 2000, 23, 288-293.	1.2	86
36	Identifying Toxic Impacts of Metals Potentially Released during Deep-Sea Mining – A Synthesis of the Challenges to Quantifying Risk. <i>Frontiers in Marine Science</i> , 0, 4, .	2.5	84

#	ARTICLE	IF	CITATIONS
37	Enzymatically hydrolysed protein and carbohydrate pools in deep-sea sediments: estimates of the potentially bioavailable fraction and methodological considerations. <i>Marine Ecology - Progress Series</i> , 2000, 196, 15-23.	1.9	79
38	Virus decomposition provides an important contribution to benthic deep-sea ecosystem functioning. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E2014-9.	7.1	77
39	Heterotrophic Nanoflagellates, Bacteria, and Labile Organic Compounds in Continental Shelf and Deep-Sea Sediments of the Eastern Mediterranean. <i>Microbial Ecology</i> , 1998, 35, 244-255.	2.8	75
40	Connecting marine productivity to sea-spray via nanoscale biological processes: Phytoplankton Dance or Death Disco?. <i>Scientific Reports</i> , 2015, 5, 14883.	3.3	75
41	Transfer of labile organic matter and microbes from the ocean surface to the marine aerosol: an experimental approach. <i>Scientific Reports</i> , 2017, 7, 11475.	3.3	75
42	Bioremediation of marine sediments contaminated by hydrocarbons: Experimental analysis and kinetic modeling. <i>Journal of Hazardous Materials</i> , 2010, 182, 403-407.	12.4	74
43	Auto- and heterotrophic acidophilic bacteria enhance the bioremediation efficiency of sediments contaminated by heavy metals. <i>Chemosphere</i> , 2009, 74, 1321-1326.	8.2	70
44	Unveiling the Biodiversity of Deep-Sea Nematodes through Metabarcoding: Are We Ready to Bypass the Classical Taxonomy?. <i>PLoS ONE</i> , 2015, 10, e0144928.	2.5	70
45	Dark inorganic carbon fixation sustains the functioning of benthic deep-sea ecosystems. <i>Global Biogeochemical Cycles</i> , 2013, 27, 212-221.	4.9	69
46	Extracellular DNA can preserve the genetic signatures of present and past viral infection events in deep hypersaline anoxic basins. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2014, 281, 20133299.	2.6	69
47	Multiple impacts of microplastics can threaten marine habitat-forming species. <i>Communications Biology</i> , 2021, 4, 431.	4.4	69
48	Bioavailability of organic matter in the sediments of the Porcupine Abyssal Plain, northeastern Atlantic. <i>Marine Ecology - Progress Series</i> , 2001, 220, 25-32.	1.9	66
49	Bacterial diversity in deep Mediterranean sediments: relationship with the active bacterial fraction and substrate availability. <i>Environmental Microbiology</i> , 2004, 6, 745-753.	3.8	65
50	Does bioleaching represent a biotechnological strategy for remediation of contaminated sediments?. <i>Science of the Total Environment</i> , 2016, 563-564, 302-319.	8.0	65
51	Environmental DNA metabarcoding for benthic monitoring: A review of sediment sampling and DNA extraction methods. <i>Science of the Total Environment</i> , 2022, 818, 151783.	8.0	62
52	Towards a better quantitative assessment of the relevance of deep-sea viruses, Bacteria and Archaea in the functioning of the ocean seafloor. <i>Aquatic Microbial Ecology</i> , 2015, 75, 81-90.	1.8	60
53	Bacterial response to seasonal changes in labile organic matter composition on the continental shelf and bathyal sediments of the Cretan Sea. <i>Progress in Oceanography</i> , 2000, 46, 345-366.	3.2	59
54	Structural and functional properties of sympagic communities in the annual sea ice at Terra Nova Bay (Ross Sea, Antarctica). <i>Polar Biology</i> , 2000, 23, 137-146.	1.2	57

#	ARTICLE	IF	CITATIONS
55	Bioremediation of petroleum hydrocarbons in anoxic marine sediments: Consequences on the speciation of heavy metals. <i>Marine Pollution Bulletin</i> , 2009, 58, 1808-1814.	5.0	57
56	The dark portion of the Mediterranean Sea is a bioreactor of organic matter cycling. <i>Global Biogeochemical Cycles</i> , 2012, 26, .	4.9	56
57	Bacteria, Fungi and Microalgae for the Bioremediation of Marine Sediments Contaminated by Petroleum Hydrocarbons in the Omics Era. <i>Microorganisms</i> , 2021, 9, 1695.	3.6	55
58	Impact of bioavailable heavy metals on bacterial activities in coastal marine sediments. <i>World Journal of Microbiology and Biotechnology</i> , 2003, 19, 93-100.	3.6	54
59	Multiple human pressures in coastal habitats: variation of meiofaunal assemblages associated with sewage discharge in a post-industrial area. <i>Science of the Total Environment</i> , 2019, 655, 1218-1231.	8.0	54
60	Macroecological drivers of archaea and bacteria in benthic deep-sea ecosystems. <i>Science Advances</i> , 2016, 2, e1500961.	10.3	52
61	Viral infection plays a key role in extracellular DNA dynamics in marine anoxic systems. <i>Limnology and Oceanography</i> , 2007, 52, 508-516.	3.1	51
62	Biochemical composition of pico-, nano- and micro-particulate organic matter and bacterioplankton biomass in the oligotrophic Cretan Sea (NE Mediterranean). <i>Progress in Oceanography</i> , 2000, 46, 279-310.	3.2	50
63	Environmental hazard assessment of a marine mine tailings deposit site and potential implications for deep-sea mining. <i>Environmental Pollution</i> , 2017, 228, 169-178.	7.5	50
64	Fluxes of phytopigments and labile organic matter to the deep ocean in the NE Atlantic Ocean. <i>Progress in Oceanography</i> , 2001, 50, 89-104.	3.2	49
65	Viral decay and viral production rates in continental-shelf and deep-sea sediments of the Mediterranean Sea. <i>FEMS Microbiology Ecology</i> , 2010, 72, 208-218.	2.7	49
66	Potential impact of global climate change on benthic deep-sea microbes. <i>FEMS Microbiology Letters</i> , 2017, 364, .	1.8	49
67	The deep sea: The new frontier for ecological restoration. <i>Marine Policy</i> , 2019, 108, 103642.	3.2	48
68	Towards a marine strategy for the deep Mediterranean Sea: Analysis of current ecological status. <i>Marine Policy</i> , 2020, 112, 103781.	3.2	46
69	Nucleic acid concentrations (DNA, RNA) in the continental and deep-sea sediments of the eastern Mediterranean: relationships with seasonally varying organic inputs and bacterial dynamics. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 1999, 46, 1077-1094.	1.4	44
70	Exo-enzymatic activities and dissolved organic pools in relation with mucilage development in the Northern Adriatic Sea. <i>Science of the Total Environment</i> , 2005, 353, 189-203.	8.0	44
71	The challenge of proving the existence of metazoan life in permanently anoxic deep-sea sediments. <i>BMC Biology</i> , 2016, 14, 43.	3.8	43
72	Biogeochemistry, grain size and mineralogy of the central and southern Adriatic Sea sediments: a review. <i>Chemistry and Ecology</i> , 2010, 26, 19-44.	1.6	42

#	ARTICLE	IF	CITATIONS
73	Major consequences of an intense dense shelf water cascading event on deep-sea benthic trophic conditions and meiofaunal biodiversity. <i>Biogeosciences</i> , 2013, 10, 2659-2670.	3.3	42
74	A submarine volcanic eruption leads to a novel microbial habitat. <i>Nature Ecology and Evolution</i> , 2017, 1, 144.	7.8	42
75	Extracellular DNA as a genetic recorder of microbial diversity in benthic deep-sea ecosystems. <i>Scientific Reports</i> , 2018, 8, 1839.	3.3	41
76	Effects of prokaryotic diversity changes on hydrocarbon degradation rates and metal partitioning during bioremediation of contaminated anoxic marine sediments. <i>Marine Pollution Bulletin</i> , 2012, 64, 1688-1698.	5.0	40
77	Functional response to food limitation can reduce the impact of global change in the deep-sea benthos. <i>Global Ecology and Biogeography</i> , 2017, 26, 1008-1021.	5.8	40
78	The Pillars of Hercules as a bathymetric barrier to gene flow promoting isolation in a global deep-sea shark ( <i>Cetorhynchus maximus</i> ). <i>Molecular Ecology</i> , 2015, 24, 6061-6079.	3.9	39
79	Biosurfactant-induced remediation of contaminated marine sediments: Current knowledge and future perspectives. <i>Marine Environmental Research</i> , 2018, 137, 196-205.	2.5	39
80	Benthic deep-sea fungi in submarine canyons of the Mediterranean Sea. <i>Progress in Oceanography</i> , 2018, 168, 57-64.	3.2	39
81	Small-Scale Distribution of Bacteria, Enzymatic Activities, and Organic Matter in Coastal Sediments. <i>Microbial Ecology</i> , 2001, 42, 177-185.	2.8	38
82	Integrated characterization and risk management of marine sediments: The case study of the industrialized Bagnoli area (Naples, Italy). <i>Marine Environmental Research</i> , 2020, 160, 104984.	2.5	38
83	Influence of biogeochemical interactions on metal bioleaching performance in contaminated marine sediment. <i>Water Research</i> , 2013, 47, 5139-5152.	11.3	36
84	Assessing viral taxonomic composition in benthic marine ecosystems: reliability and efficiency of different bioinformatic tools for viral metagenomic analyses. <i>Scientific Reports</i> , 2016, 6, 28428.	3.3	36
85	Degradation of Hydrocarbons and Heavy Metal Reduction by Marine Bacteria in Highly Contaminated Sediments. <i>Microorganisms</i> , 2020, 8, 1402.	3.6	34
86	A new molecular approach based on qPCR for the quantification of fecal bacteria in contaminated marine sediments. <i>Journal of Biotechnology</i> , 2012, 157, 446-453.	3.8	33
87	Chemical and biological strategies for the mobilisation of metals/semi-metals in contaminated dredged sediments: experimental analysis and environmental impact assessment. <i>Chemistry and Ecology</i> , 2013, 29, 415-426.	1.6	33
88	Highly Contaminated Marine Sediments Can Host Rare Bacterial Taxa Potentially Useful for Bioremediation. <i>Frontiers in Microbiology</i> , 2021, 12, 584850.	3.5	33
89	Viral infections stimulate the metabolism and shape prokaryotic assemblages in submarine mud volcanoes. <i>ISME Journal</i> , 2012, 6, 1250-1259.	9.8	32
90	Early diagenesis and trophic role of extracellular DNA in different benthic ecosystems. <i>Limnology and Oceanography</i> , 2007, 52, 1710-1717.	3.1	31

#	ARTICLE	IF	CITATIONS
91	Chemical contamination can promote turnover diversity of benthic prokaryotic assemblages: The case study of the Bagnoli-Coroglio bay (southern Tyrrhenian Sea). <i>Marine Environmental Research</i> , 2020, 160, 105040.	2.5	31
92	Impact of historical contamination on meiofaunal assemblages: The case study of the Bagnoli-Coroglio Bay (southern Tyrrhenian Sea). <i>Marine Environmental Research</i> , 2020, 156, 104907.	2.5	31
93	Seasonal changes and biochemical composition of the labile organic matter flux in the Cretan Sea. <i>Progress in Oceanography</i> , 2000, 46, 259-278.	3.2	30
94	Imbalance between phytoplankton production and bacterial carbon demand in relation to mucilage formation in the Northern Adriatic Sea. <i>Science of the Total Environment</i> , 2005, 353, 162-177.	8.0	30
95	Determination of viral production in aquatic sediments using the dilution-based approach. <i>Nature Protocols</i> , 2009, 4, 1013-1022.	12.0	30
96	Pelagic-Benthic Coupling of Nucleic Acids in an Abyssal Location of the Northeastern Atlantic Ocean. <i>Applied and Environmental Microbiology</i> , 1999, 65, 4451-4457.	3.1	28
97	Biochemical composition and early diagenesis of organic matter in coastal sediments of the NW Adriatic Sea influenced by riverine inputs. <i>Chemistry and Ecology</i> , 2008, 24, 75-85.	1.6	27
98	Impact of aquaculture on benthic virus-prokaryote interactions in the Mediterranean Sea. <i>Water Research</i> , 2013, 47, 1156-1168.	11.3	27
99	Seasonal variation in the biochemical composition of deep-sea nematodes: bioenergetic and methodological considerations. <i>Marine Ecology - Progress Series</i> , 1999, 179, 273-283.	1.9	27
100	Microbial loop malfunctioning in the annual sea ice at Terra Nova Bay (Antarctica). <i>Polar Biology</i> , 2009, 32, 337-346.	1.2	26
101	High potential for temperate viruses to drive carbon cycling in chemoautotrophy-dominated shallow-water hydrothermal vents. <i>Environmental Microbiology</i> , 2017, 19, 4432-4446.	3.8	24
102	Marine Fungi: Biotechnological Perspectives from Deep-Hypersaline Anoxic Basins. <i>Diversity</i> , 2019, 11, 113.	1.7	24
103	Population biology of <i>Hirondellea</i> sp. nov. (Amphipoda: Gammaridea: Lysianassoidea) from the Atacama Trench (south-east Pacific Ocean). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2002, 82, 419-425.	0.8	23
104	Impact of CO <sub>2</sub> leakage from sub-seabed carbon dioxide capture and storage (CCS) reservoirs on benthic virus-prokaryote interactions and functions. <i>Frontiers in Microbiology</i> , 2015, 6, 935.	3.5	22
105	Microbial assemblages associated with sinking particles in the Porcupine Abyssal Plain (NE Atlantic) Tj ETQq1 1 0.784314 rgBT <sub>21</sub> /Overlo	3.2	21
106	Biochemical composition and trophic strategies of the amphipod <i>Eurythenes gryllus</i> at hadal depths (Atacama Trench, South Pacific). <i>Chemistry and Ecology</i> , 2003, 19, 441-449.	1.6	21
107	A high biodiversity mitigates the impact of ocean acidification on hard-bottom ecosystems. <i>Scientific Reports</i> , 2020, 10, 2948.	3.3	21
108	Improvement of Bioremediation Performance for the Degradation of Petroleum Hydrocarbons in Contaminated Sediments. <i>Applied and Environmental Soil Science</i> , 2011, 2011, 1-8.	1.7	20

#	ARTICLE	IF	CITATIONS
109	From virus isolation to metagenome generation for investigating viral diversity in deep-sea sediments. <i>Scientific Reports</i> , 2017, 7, 8355.	3.3	20
110	Diversity, Ecological Role and Biotechnological Potential of Antarctic Marine Fungi. <i>Journal of Fungi</i> (Basel, Switzerland), 2021, 7, 391.	3.5	20
111	Anthropogenic noise and biological sounds in a heavily industrialized coastal area (Gulf of Naples). <i>Tj ETQq1 1 0.784314 rgBT /Overlock 2.5</i>	2.5	20
112	Enhanced viral activity and dark CO <sub>2</sub> fixation rates under oxygen depletion: the case study of the marine Lake Rogoznica. <i>Environmental Microbiology</i> , 2016, 18, 4511-4522.	3.8	19
113	Viruses, prokaryotes and biochemical composition of organic matter in different types of mucilage aggregates. <i>Aquatic Microbial Ecology</i> , 2007, 49, 15-23.	1.8	19
114	Biogeochemistry and algal communities in the annual sea ice at Terra Nova Bay (Ross Sea, Antarctica). <i>Chemistry and Ecology</i> , 2004, 20, 43-55.	1.6	18
115	Viral Infections Boost Prokaryotic Biomass Production and Organic C Cycling in Hadal Trench Sediments. <i>Frontiers in Microbiology</i> , 2019, 10, 1952.	3.5	18
116	Pelagic-Benthic Coupling and Diagenesis of Nucleic Acids in a Deep-Sea Continental Margin and an Open-Slope System of the Eastern Mediterranean. <i>Applied and Environmental Microbiology</i> , 2005, 71, 6070-6076.	3.1	17
117	Restoration of <i>Cymodocea nodosa</i> seagrass meadows: efficiency and ecological implications. <i>Restoration Ecology</i> , 2021, 29, e13313.	2.9	17
118	Impact of historical sulfide mine tailings discharge on meiofaunal assemblages (Portmán Bay). <i>Tj ETQq0 0 0 rgBT /Overlock 8.0 Tf 50 38</i>	8.0	16
119	Trophic state of benthic deep-sea ecosystems from two different continental margins off Iberia. <i>Biogeosciences</i> , 2013, 10, 2945-2957.	3.3	15
120	Quantification of Viral and Prokaryotic Production Rates in Benthic Ecosystems: A Methods Comparison. <i>Frontiers in Microbiology</i> , 2016, 7, 1501.	3.5	15
121	CO <sub>2</sub> leakage from carbon dioxide capture and storage (CCS) systems affects organic matter cycling in surface marine sediments. <i>Marine Environmental Research</i> , 2016, 122, 158-168.	2.5	15
122	Development of an Eco-Sustainable Solution for the Second Life of Decommissioned Oil and Gas Platforms: The Mineral Accretion Technology. <i>Sustainability</i> , 2020, 12, 3742.	3.2	15
123	Marine archaea and archaeal viruses under global change. <i>F1000Research</i> , 2017, 6, 1241.	1.6	14
124	Drivers of Bacterial $\alpha$ - and $\beta$ -Diversity Patterns and Functioning in Subsurface Hadal Sediments. <i>Frontiers in Microbiology</i> , 2019, 10, 2609.	3.5	14
125	Dynamics of a biofouling community in finfish aquaculture: a case study from the South Adriatic Sea. <i>Biofouling</i> , 2019, 35, 696-709.	2.2	14
126	High diversity of benthic bacterial and archaeal assemblages in deep-Mediterranean canyons and adjacent slopes. <i>Progress in Oceanography</i> , 2019, 171, 154-161.	3.2	14



#	ARTICLE	IF	CITATIONS
127	Detecting human-knapped flint with marine high-resolution reflection seismics: A preliminary study of new possibilities for subsea mapping of submerged Stone Age sites. <i>Underwater Technology</i> , 2018, 35, 35-49.	0.3	13
128	High fungal-mediated leaching efficiency of valuable metals from deep-sea polymetallic nodules. <i>Environmental Technology and Innovation</i> , 2020, 20, 101037.	6.1	13
129	Ecological assessment of anthropogenic impact in marine ecosystems: The case of Bagnoli Bay. <i>Marine Environmental Research</i> , 2020, 158, 104953.	2.5	13
130	Changes in coral forest microbiomes predict the impact of marine heatwaves on habitat-forming species down to mesophotic depths. <i>Science of the Total Environment</i> , 2022, 823, 153701.	8.0	13
131	Sensitivity of foraminiferal-based indices to evaluate the ecological quality status of marine coastal benthic systems: A case study of the Gulf of Manfredonia (southern Adriatic Sea). <i>Marine Pollution Bulletin</i> , 2021, 163, 111933.	5.0	12
132	Fungi Can Be More Effective than Bacteria for the Bioremediation of Marine Sediments Highly Contaminated with Heavy Metals. <i>Microorganisms</i> , 2022, 10, 993.	3.6	12
133	Mesoscale variability of organic matter composition in nw adriatic sediments. <i>Chemistry and Ecology</i> , 2003, 19, 33-45.	1.6	11
134	Assessing the efficiency and eco-sustainability of bioremediation strategies for the reclamation of highly contaminated marine sediments. <i>Marine Environmental Research</i> , 2020, 162, 105101.	2.5	11
135	Phytopigment and DNA determinations in long-time formalin-preserved trap samples. <i>Marine Ecology - Progress Series</i> , 1999, 191, 71-77.	1.9	11
136	Diversity and spatial distribution of metal-reducing bacterial assemblages in groundwaters of different redox conditions. <i>International Microbiology</i> , 2009, 12, 153-9.	2.4	11
137	Limited impact of beach nourishment on macrofaunal recruitment/settlement in a site of community interest in coastal area of the Adriatic Sea (Mediterranean Sea). <i>Marine Pollution Bulletin</i> , 2018, 128, 259-266.	5.0	10
138	Particulate nucleic acid dynamics in a highly oligotrophic system:the Cretan Sea (Eastern Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 302 Td (	1.9	10
139	Sulphur-oxidising bacteria isolated from deep caves improve the removal of arsenic from contaminated harbour sediments. <i>Chemistry and Ecology</i> , 2017, 33, 103-113.	1.6	9
140	Acoustic Mapping of Submerged Stone Age Sitesâ€™A HALD Approach. <i>Remote Sensing</i> , 2021, 13, 445.	4.0	9
141	Vitellogenesis in the deep-sea shark <i>Centroscymnus coelolepis</i> . <i>Chemistry and Ecology</i> , 2006, 22, 335-345.	1.6	7
142	Biogeochemical Interactions In The Application Of Biotechnological Strategies To Marine Sediments Contaminated With Metals. <i>Nova Biotechnologica Et Chimica</i> , 2015, 14, 12-31.	0.1	7
143	Patterns and environmental drivers of diversity and community composition of macrofauna in the Kveithola Trough (NW Barents Sea). <i>Journal of Sea Research</i> , 2019, 153, 101780.	1.6	7
144	High rates of viral lysis stimulate prokaryotic turnover and C recycling in bathypelagic waters of a Ligurian canyon (Mediterranean Sea). <i>Progress in Oceanography</i> , 2019, 171, 70-75.	3.2	6

#	ARTICLE	IF	CITATIONS
145	Metagenome-assembled genome (MAG) of <i>Oceanaulis alexandrii</i> NP7 isolated from Mediterranean Sea polluted marine sediments and its bioremediation potential. <i>G3: Genes, Genomes, Genetics</i> , 2021, 11, .	1.8	6
146	The Paradox of an Unpolluted Coastal Site Facing a Chronically Contaminated Industrial Area. <i>Frontiers in Marine Science</i> , 2022, 8, .	2.5	6
147	Multiple declines and recoveries of Adriatic seagrass meadows over forty years of investigation. <i>Marine Pollution Bulletin</i> , 2020, 161, 111804.	5.0	5
148	Reply to: Ecological variables for deep-ocean monitoring must include microbiota and meiofauna for effective conservation. <i>Nature Ecology and Evolution</i> , 2021, 5, 30-31.	7.8	5
149	Bioremediation of sediments contaminated with polycyclic aromatic hydrocarbons: the technological innovation patented review. <i>International Journal of Environmental Science and Technology</i> , 2022, 19, 5697-5720.	3.5	5
150	Molecular Tools for the Analysis of DNA in Marine Environments. , 0, , 105-126.		4
151	Viral metagenomics: a new and complementary tool for environmental quality assessment. <i>Chemistry and Ecology</i> , 2012, 28, 497-501.	1.6	4
152	Degradation kinetics of butyltin compounds during the bioremediation of contaminated harbour sediments. <i>Chemistry and Ecology</i> , 2014, 30, 393-402.	1.6	4
153	Marine Fungi as Potential Eco-Sustainable Resource for Precious Metals Recovery from Electronic Waste. <i>Waste and Biomass Valorization</i> , 0, , 1.	3.4	3
154	Local Environmental Conditions Promote High Turnover Diversity of Benthic Deep-Sea Fungi in the Ross Sea (Antarctica). <i>Journal of Fungi (Basel, Switzerland)</i> , 2022, 8, 65.	3.5	3
155	Pollutant Pb burden in Mediterranean <i>Centroscymnus coelolepis</i> deep-sea sharks. <i>Marine Pollution Bulletin</i> , 2022, 174, 113245.	5.0	3
156	Impact of resuspended mine tailings on benthic biodiversity and ecosystem processes: The case study of Portmán Bay, Western Mediterranean Sea, Spain. <i>Environmental Pollution</i> , 2022, 301, 119021.	7.5	3
157	Bioremediation of Dredged Sediments Polluted by Heavy Metals. <i>Advanced Materials Research</i> , 2007, 20-21, 307-310.	0.3	2
158	Cytotoxic effects induced by hexachlorobenzene in <i>Squilla mantis</i> (L.) (Crustacea,) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 Td</i>	4.0	2
159	Biohydrometallurgy as a Remediation Strategy for Marine Sediments Contaminated by Heavy Metals. <i>Advanced Materials Research</i> , 2009, 71-73, 669-672.	0.3	2
160	Monitoring groundwater characteristics by means of a multi-parametric probe and sampling device. , 2009, , .		2
161	Investigations of deep, submerged Stone Age settlements covered by sea-floor sediments: Preliminary methodological considerations. , 2013, , .		2
162	Rapid response of benthic deep-sea microbes (viruses and prokaryotes) to an intense dense shelf water cascading event in a submarine canyon of the NW Mediterranean Sea. <i>Progress in Oceanography</i> , 2018, 168, 35-42.	3.2	2

#	ARTICLE	IF	CITATIONS
163	In Vitro Evaluation of Antioxidant Potential of the Invasive Seagrass <i>Halophila stipulacea</i> . <i>Marine Drugs</i> , 2021, 19, 37.	4.6	2
164	Where is the climate?. <i>Trends in Ecology and Evolution</i> , 2002, 17, 14.	8.7	1
165	Molecular approaches for the assessment of fecal bacterial contamination in marine harbor sediments. <i>Journal of Biotechnology</i> , 2010, 150, 221-222.	3.8	1
166	Consequences of anaerobic biotreatments of contaminated sediments on metal mobility. <i>International Journal of Environmental Science and Technology</i> , 2015, 12, 2143-2152.	3.5	1
167	New Insights for Early Warning and Countermeasures to Aquatic Pollution. , 2020, , 431-445.		1
168	Acoustic Detection and Mapping of Submerged Stone Age Sites with Knapped Flint. , 2022, , 901-933.		1
169	Metazoan life in anoxic marine sediments. , 2020, , 89-100.		0
170	Genome Sequence of an <i>Alkaliphilus</i> Species Isolated from Historically Contaminated Sediments of the Gulf of Naples (Mediterranean Sea). <i>Microbiology Resource Announcements</i> , 2021, 10, .	0.6	0
171	Bioremediation of contaminated marine sediments: examples of successful applications. , 2014, , .		0