

Giovanni Targher

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4466641/publications.pdf>

Version: 2024-02-01

536
papers

44,608
citations

1980

101
h-index

2736

192
g-index

543
all docs

543
docs citations

543
times ranked

35746
citing authors

#	ARTICLE	IF	CITATIONS
1	Non-alcoholic fatty liver disease and risk of incident chronic kidney disease: an updated meta-analysis. <i>Gut</i> , 2022, 71, 156-162.	6.1	162
2	A novel radiomics signature based on T2-weighted imaging accurately predicts hepatic inflammation in individuals with biopsy-proven nonalcoholic fatty liver disease: a derivation and independent validation study. <i>Hepatobiliary Surgery and Nutrition</i> , 2022, 11, 212-226.	0.7	4
3	Non-alcoholic fatty liver disease and increased risk of incident extrahepatic cancers: a meta-analysis of observational cohort studies. <i>Gut</i> , 2022, 71, 778-788.	6.1	132
4	Non-alcoholic fatty liver disease in obese children and adolescents: a role for nutrition?. <i>European Journal of Clinical Nutrition</i> , 2022, 76, 28-39.	1.3	16
5	Sex influences the association between appendicular skeletal muscle mass to visceral fat area ratio and non-alcoholic steatohepatitis in patients with biopsy-proven non-alcoholic fatty liver disease. <i>British Journal of Nutrition</i> , 2022, 127, 1613-1620.	1.2	8
6	Biological disease-modifying antirheumatic drugs may mitigate the risk of psoriatic arthritis in patients with chronic plaque psoriasis. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 68-73.	0.5	53
7	Interaction of <i>SAMM50</i> -rs738491, <i>PARVB</i> -rs5764455 and <i>PNPLA3</i> -rs738409 Increases Susceptibility to Nonalcoholic Steatohepatitis. <i>Journal of Clinical and Translational Hepatology</i> , 2022, 10, 219-229.	0.7	3
8	Non-alcoholic fatty liver disease-related risk of cardiovascular disease and other cardiac complications. <i>Diabetes, Obesity and Metabolism</i> , 2022, 24, 28-43.	2.2	40
9	Non-alcoholic fatty liver disease is a risk factor for cardiovascular and cardiac diseases: further evidence that a holistic approach to treatment is needed. <i>Gut</i> , 2022, 71, 1695-1696.	6.1	11
10	A novel quantitative ultrasound technique for identifying non-alcoholic steatohepatitis. <i>Liver International</i> , 2022, 42, 80-91.	1.9	6
11	<i>PNPLA3</i> rs738409 C>G Variant Influences the Association Between Visceral Fat and Significant Fibrosis in Biopsy-proven Nonalcoholic Fatty Liver Disease. <i>Journal of Clinical and Translational Hepatology</i> , 2022, 10, 439-448.	0.7	1
12	All-cause mortality and cardiovascular events in patients with type 2 diabetes treated with alpha-glucosidase inhibitors: A meta-analysis of randomized controlled trials. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 511-514.	1.1	5
13	The EASL "Lancet Liver Commission: protecting the next generation of Europeans against liver disease complications and premature mortality. <i>Lancet</i> , The, 2022, 399, 61-116.	6.3	257
14	Metabolic Dysfunction-associated Fatty Liver Disease is Associated with Greater Impairment of Lung Function than Nonalcoholic Fatty Liver Disease. <i>Journal of Clinical and Translational Hepatology</i> , 2022, 10, 230-237.	0.7	15
15	Risk of Heart Failure in Patients With Nonalcoholic Fatty Liver Disease. <i>Journal of the American College of Cardiology</i> , 2022, 79, 180-191.	1.2	46
16	Among simple non-invasive scores, Pro-C3 and ADAPT best exclude advanced fibrosis in Asian patients with MAFLD. <i>Metabolism: Clinical and Experimental</i> , 2022, 128, 154958.	1.5	18
17	Ferroptosis and metabolic dysfunction-associated fatty liver disease: Is there a link?. <i>Liver International</i> , 2022, 42, 1496-1502.	1.9	25
18	Association of metabolic dysfunction-associated fatty liver disease with kidney disease. <i>Nature Reviews Nephrology</i> , 2022, 18, 259-268.	4.1	72

#	ARTICLE	IF	CITATIONS
19	Low cardiopulmonary fitness is associated with higher liver fat content and higher γ -glutamyltransferase concentrations in the general population “The Sedentary” Liver. <i>Liver International</i> , 2022, 42, 585-594.	1.9	3
20	Association between thyroid function and assessment of hepatic fat and iron contents by magnetic resonance imaging. <i>Endocrine Connections</i> , 2022, , .	0.8	2
21	Efficacy of peroxisome proliferator-activated receptor agonists, glucagon-like peptide-1 receptor agonists, or sodium-glucose cotransporter-2 inhibitors for treatment of non-alcoholic fatty liver disease: a systematic review. <i>The Lancet Gastroenterology and Hepatology</i> , 2022, 7, 367-378.	3.7	92
22	Non-alcoholic fatty liver disease in adults 2021: A clinical practice guideline of the Italian Association for the Study of the Liver (AISF), the Italian Society of Diabetology (SID) and the Italian Society of Obesity (SIO). <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 1-16.	1.1	15
23	Non-alcoholic fatty liver disease in adults 2021: A clinical practice guideline of the Italian Association for the Study of the Liver (AISF), the Italian Society of Diabetology (SID) and the Italian Society of Obesity (SIO). <i>Digestive and Liver Disease</i> , 2022, 54, 170-182.	0.4	12
24	Association between KLF6 rs3750861 polymorphism and plasma ceramide concentrations in post-menopausal women with type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 1283-1287.	1.1	1
25	J-shaped relationship between serum zinc levels and the severity of hepatic necro-inflammation in patients with MAFLD. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 1259-1265.	1.1	6
26	Risk of non-alcoholic fatty liver disease in patients with chronic plaque psoriasis: an updated systematic review and meta-analysis of observational studies. <i>Journal of Endocrinological Investigation</i> , 2022, 45, 1277-1288.	1.8	26
27	Italian guidelines for the treatment of type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 770-814.	1.1	10
28	Association between higher serum uric acid levels and plasma N-terminal pro-B-type natriuretic peptide concentrations in patients with coronary artery disease and without overt heart failure. <i>International Journal of Cardiology</i> , 2022, , .	0.8	3
29	Associations of liver volume and other markers of hepatic steatosis with all-cause mortality in the general population. <i>Liver International</i> , 2022, 42, 575-584.	1.9	8
30	Association between hepatic iron overload assessed by magnetic resonance imaging and glucose intolerance states in the general population. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 1470-1476.	1.1	1
31	Effects of pioglitazone on cardiovascular events and all-cause mortality in patients with type 2 diabetes: A meta-analysis of randomized controlled trials. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 529-536.	1.1	7
32	Effects of insulin on cardiovascular events and all-cause mortality in patients with type 2 diabetes: A meta-analysis of randomized controlled trials. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, , .	1.1	4
33	Glycemic control predicts the risk of hepatic fibrosis in biopsy-proven NAFLD: a possible mediating role for leukemia inhibitory factor?. , 2022, 1, 30-34.		2
34	Italian guidelines for the treatment of type 2 diabetes. <i>Acta Diabetologica</i> , 2022, 59, 579-622.	1.2	13
35	Potential Blood DNA Methylation Biomarker Genes for Diagnosis of Liver Fibrosis in Patients With Biopsy-Proven Non-alcoholic Fatty Liver Disease. <i>Frontiers in Medicine</i> , 2022, 9, 864570.	1.2	5
36	Global multi-stakeholder endorsement of the MAFLD definition. <i>The Lancet Gastroenterology and Hepatology</i> , 2022, 7, 388-390.	3.7	135

#	ARTICLE	IF	CITATIONS
37	Tirzepatide adds hepatoprotection to its armoury. <i>Lancet Diabetes and Endocrinology</i> , 2022, 10, 374-375.	5.5	8
38	Hepatocellular cystathionine β lyase/hydrogen sulfide attenuates nonalcoholic fatty liver disease by activating farnesoid X receptor. <i>Hepatology</i> , 2022, 76, 1794-1810.	3.6	24
39	Lifestyle Interventions for Non-Obese Patients Both with, and at Risk, of Non-Alcoholic Fatty Liver Disease. <i>Diabetes and Metabolism Journal</i> , 2022, 46, 391-401.	1.8	9
40	Elastographic parameters of liver steatosis and fibrosis predict independently the risk of incident chronic kidney disease and acute myocardial infarction in patients with type 2 diabetes mellitus. <i>Journal of Diabetes and Its Complications</i> , 2022, 36, 108226.	1.2	5
41	How should endocrinologists diagnose and treat non-alcoholic fatty liver disease?. <i>Lancet Diabetes and Endocrinology</i> , 2022, 10, 478-480.	5.5	0
42	Lower serum copper concentrations are associated with higher prevalence of nonalcoholic steatohepatitis: a matched case-control study. <i>European Journal of Gastroenterology and Hepatology</i> , 2022, 34, 838-843.	0.8	3
43	Editorial: higher levels of certain serum bile acids in non-alcoholic fatty liver disease—new insights from Guatemala. <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 56, 357-360.	1.9	2
44	Metabolic mechanisms for and treatment of NAFLD or NASH occurring after liver transplantation. <i>Nature Reviews Endocrinology</i> , 2022, 18, 638-650.	4.3	18
45	Association between lower plasma adiponectin levels and higher liver stiffness in type 2 diabetic individuals with nonalcoholic fatty liver disease: an observational cross-sectional study. <i>Hormones</i> , 2022, 21, 477-486.	0.9	5
46	Low skeletal muscle mass is associated with more severe histological features of non-alcoholic fatty liver disease in male. <i>Hepatology International</i> , 2022, 16, 1085-1093.	1.9	6
47	Association between Higher Circulating Leucine-Rich β -2 Glycoprotein 1 Concentrations and Specific Plasma Ceramides in Postmenopausal Women with Type 2 Diabetes. <i>Biomolecules</i> , 2022, 12, 943.	1.8	1
48	<i>FNDC5</i> polymorphism influences the association between sarcopenia and liver fibrosis in adults with biopsy-proven non-alcoholic fatty liver disease. <i>British Journal of Nutrition</i> , 2021, 126, 813-824.	1.2	11
49	Association between increased plasma ceramides and chronic kidney disease in patients with and without ischemic heart disease. <i>Diabetes and Metabolism</i> , 2021, 47, 101152.	1.4	28
50	Extrapulmonary complications of COVID-19: A multisystem disease?. <i>Journal of Medical Virology</i> , 2021, 93, 323-335.	2.5	131
51	Association between lower plasma adiponectin levels and higher plasma thrombin generation parameters in men with type 2 diabetes: role of plasma triglycerides. <i>Journal of Endocrinological Investigation</i> , 2021, 44, 547-555.	1.8	5
52	NAFLD-related mortality: simple hepatic steatosis is not as "benign" as thought. <i>Gut</i> , 2021, 70, 1212-1213.	6.1	22
53	Association between positivity of serum autoantibodies and liver disease severity in patients with biopsy-proven NAFLD. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 552-560.	1.1	7
54	Diffuse Idiopathic Skeletal Hyperostosis (DISH) in Type 2 Diabetes: A New Imaging Possibility and a New Biomarker. <i>Calcified Tissue International</i> , 2021, 108, 231-239.	1.5	12

#	ARTICLE	IF	CITATIONS
55	MAFLD and risk of CKD. <i>Metabolism: Clinical and Experimental</i> , 2021, 115, 154433.	1.5	178
56	NAFLD, and cardiovascular and cardiac diseases: Factors influencing risk, prediction and treatment. <i>Diabetes and Metabolism</i> , 2021, 47, 101215.	1.4	84
57	Effect of metformin on all-cause mortality and major adverse cardiovascular events: An updated meta-analysis of randomized controlled trials. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 699-704.	1.1	26
58	Non-alcoholic fatty liver disease and risk of incident diabetes mellitus: an updated meta-analysis of 501 022 adult individuals. <i>Gut</i> , 2021, 70, 962-969.	6.1	238
59	Glucagon-Like Peptide-1 Receptor Agonists for Treatment of Nonalcoholic Fatty Liver Disease and Nonalcoholic Steatohepatitis: An Updated Meta-Analysis of Randomized Controlled Trials. <i>Metabolites</i> , 2021, 11, 73.	1.3	145
60	Liver Fibrosis Biomarkers Accurately Exclude Advanced Fibrosis and Are Associated with Higher Cardiovascular Risk Scores in Patients with NAFLD or Viral Chronic Liver Disease. <i>Diagnostics</i> , 2021, 11, 98.	1.3	59
61	Prevalence of hepatic steatosis in patients with type 2 diabetes and response to glucose-lowering treatments. A multicenter retrospective study in Italian specialist care. <i>Journal of Endocrinological Investigation</i> , 2021, 44, 1879-1889.	1.8	24
62	Nonalcoholic Fatty Liver Disease and Cardiovascular Disease. <i>Clinical Liver Disease</i> , 2021, 17, 19-22.	1.0	31
63	Nonalcoholic fatty liver disease “a growing public health problem. <i>Croatian Medical Journal</i> , 2021, 62, 1-3.	0.2	5
64	Associations of Hydroxysteroid 17-beta Dehydrogenase 13 Variants with Liver Histology in Chinese Patients with Metabolic-associated Fatty Liver Disease. <i>Journal of Clinical and Translational Hepatology</i> , 2021, 000, 000-000.	0.7	5
65	Is COVID-19 lockdown associated with vitamin D deficiency?. <i>European Journal of Public Health</i> , 2021, 31, 278-279.	0.1	11
66	Association and Interaction Between Serum Interleukin-6 Levels and Metabolic Dysfunction-Associated Fatty Liver Disease in Patients With Severe Coronavirus Disease 2019. <i>Frontiers in Endocrinology</i> , 2021, 12, 604100.	1.5	25
67	Individualized Polygenic Risk Score Identifies NASH in the Eastern Asia Region: A Derivation and Validation Study. <i>Clinical and Translational Gastroenterology</i> , 2021, 12, e00321.	1.3	6
68	TA allele of rs2070673 in the <i>CYP2E1</i> gene is associated with lobular inflammation and nonalcoholic steatohepatitis in patients with biopsy-proven nonalcoholic fatty liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, 36, 2925-2934.	1.4	6
69	Machine learning algorithm outperforms fibrosis markers in predicting significant fibrosis in biopsy-confirmed NAFLD. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021, 28, 593-603.	1.4	19
70	Association between MBOAT7 rs641738 polymorphism and non-alcoholic fatty liver in overweight or obese children. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 1548-1555.	1.1	14
71	The complex link between NAFLD and type 2 diabetes mellitus “ mechanisms and treatments. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2021, 18, 599-612.	8.2	346
72	The HSD17B13 rs72613567 variant is associated with lower levels of albuminuria in patients with biopsy-proven nonalcoholic fatty liver disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 1822-1831.	1.1	8

#	ARTICLE	IF	CITATIONS
73	Significant liver fibrosis, as assessed by fibroscan, is independently associated with chronic vascular complications of type 2 diabetes: A multicenter study. <i>Diabetes Research and Clinical Practice</i> , 2021, 177, 108884.	1.1	15
74	Plasma Bile Acid Profile in Patients with and without Type 2 Diabetes. <i>Metabolites</i> , 2021, 11, 453.	1.3	28
75	Non-alcoholic fatty liver disease: a multisystem disease requiring a multidisciplinary and holistic approach. <i>The Lancet Gastroenterology and Hepatology</i> , 2021, 6, 578-588.	3.7	206
76	Links between metabolic syndrome and metabolic dysfunction-associated fatty liver disease. <i>Trends in Endocrinology and Metabolism</i> , 2021, 32, 500-514.	3.1	101
77	Beneficial effects of glucagon-like peptide 1 receptor agonists on glucose control, cardiovascular risk profile, and non-alcoholic fatty liver disease. An expert opinion of the Italian diabetes society. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 3257-3270.	1.1	7
78	Improvement of glycemic control in type 2 diabetes: A systematic review and meta-analysis of randomized controlled trials. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 2539-2546.	1.1	17
79	Glucagon-like peptide-1 receptor agonists for treatment of nonalcoholic steatohepatitis: new insights from subcutaneous semaglutide. <i>Hepatobiliary Surgery and Nutrition</i> , 2021, 10, 518-521.	0.7	5
80	Association between non-alcoholic fatty liver disease and impaired cardiac sympathetic/parasympathetic balance in subjects with and without type 2 diabetesâ€”The Cooperative Health Research in South Tyrol (CHRIS)-NAFLD sub-study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 3464-3473.	1.1	14
81	Incorporating fatty liver disease in multidisciplinary care and novel clinical trial designs for patients with metabolic diseases. <i>The Lancet Gastroenterology and Hepatology</i> , 2021, 6, 743-753.	3.7	60
82	Coffee, Atrial Fibrillation, and Circulating Ceramides in Patients with Chronic Heart Failure. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 11236-11245.	2.4	5
83	Type 2 Diabetes and Dietary Carbohydrate Intake of Adolescents and Young Adults: What Is the Impact of Different Choices?. <i>Nutrients</i> , 2021, 13, 3344.	1.7	11
84	Non-alcoholic fatty liver disease and risk of fatal and non-fatal cardiovascular events: an updated systematic review and meta-analysis. <i>The Lancet Gastroenterology and Hepatology</i> , 2021, 6, 903-913.	3.7	227
85	Changes in markers of hepatic steatosis and fibrosis in patients with type 2 diabetes during treatment with glucagon-like peptide-1 receptor agonists. A multicenter retrospective longitudinal study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 3474-3483.	1.1	7
86	acNASH index to diagnose nonalcoholic steatohepatitis: a prospective derivation and global validation study. <i>EClinicalMedicine</i> , 2021, 41, 101145.	3.2	14
87	Optimal thresholds for ultrasound attenuation parameter in the evaluation of hepatic steatosis severity: evidence from a cohort of patients with biopsy-proven fatty liver disease. <i>European Journal of Gastroenterology and Hepatology</i> , 2021, 33, 430-435.	0.8	12
88	Sodium-Glucose Cotransporter-2 Inhibitors for Treatment of Nonalcoholic Fatty Liver Disease: A Meta-Analysis of Randomized Controlled Trials. <i>Metabolites</i> , 2021, 11, 22.	1.3	72
89	Growth differentiation factor-15 and the association between type 2 diabetes and liver fibrosis in NAFLD. <i>Nutrition and Diabetes</i> , 2021, 11, 32.	1.5	13
90	Prognostic Role of Pericardial Fat on the Incidence of Heart Failure. <i>Journal of the American College of Cardiology</i> , 2021, 78, e111.	1.2	0

#	ARTICLE	IF	CITATIONS
91	Long-term outcomes in patients with non-alcoholic fatty liver disease: further evidence that a multidisciplinary and patient-centred approach to treatment is needed. <i>Hepatobiliary Surgery and Nutrition</i> , 2021, 11, 0-0.	0.7	1
92	Non-Alcoholic Fatty Liver Disease Is Associated With Reduced Glomerular Filtration Rate in Patients With Chronic Plaque Psoriasis. <i>Journal of Cutaneous Medicine and Surgery</i> , 2021, , 120347542110669.	0.6	1
93	Association between specific plasma ceramides and high-sensitivity C-reactive protein levels in postmenopausal women with type 2 diabetes. <i>Diabetes and Metabolism</i> , 2020, 46, 326-330.	1.4	9
94	Associations between specific plasma ceramides and severity of coronary-artery stenosis assessed by coronary angiography. <i>Diabetes and Metabolism</i> , 2020, 46, 150-157.	1.4	29
95	Effect of <i>PNPLA3</i> polymorphism on diagnostic performance of various noninvasive markers for diagnosing and staging nonalcoholic fatty liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 1057-1064.	1.4	27
96	<i>PNPLA3</i> rs738409 is associated with renal glomerular and tubular injury in NAFLD patients with persistently normal ALT levels. <i>Liver International</i> , 2020, 40, 107-119.	1.9	67
97	Liver fibrosis by FibroScan [®] independently of established cardiovascular risk parameters associates with macrovascular and microvascular complications in patients with type 2 diabetes. <i>Liver International</i> , 2020, 40, 347-354.	1.9	59
98	Efficacy and safety of anti-hyperglycaemic drugs in patients with non-alcoholic fatty liver disease with or without diabetes: An updated systematic review of randomized controlled trials. <i>Diabetes and Metabolism</i> , 2020, 46, 427-441.	1.4	81
99	Prospective evaluation of non-alcoholic fatty liver disease by elastographic methods of liver steatosis and fibrosis; controlled attenuation parameter and liver stiffness measurements. <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107512.	1.2	11
100	What's new in NAFLD pathogenesis, biomarkers and treatment?. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2020, 17, 70-71.	8.2	40
101	High-Dose Vitamin D Supplementation and Bone Health. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 92.	3.8	3
102	Cardiovascular Risk in NAFLD: An Intimate Relationship?. <i>Digestive Diseases and Sciences</i> , 2020, 65, 1593-1595.	1.1	4
103	Treatment algorithm in patients with type 2 diabetes and atherosclerotic cardiovascular disease or high/very high cardiovascular risk. <i>European Heart Journal</i> , 2020, 41, 331-331.	1.0	5
104	Higher liver stiffness scores are associated with early kidney dysfunction in patients with histologically proven non-cirrhotic NAFLD. <i>Diabetes and Metabolism</i> , 2020, 46, 288-295.	1.4	24
105	Screening for non-alcoholic fatty liver disease using liver stiffness measurement and its association with chronic kidney disease and cardiovascular complications in patients with type 2 diabetes. <i>Diabetes and Metabolism</i> , 2020, 46, 296-303.	1.4	47
106	P1737 Echocardiographic estimation of pulmonary artery pressure in young non-complicated patients with type 1 diabetes: results from a single-center observational study. <i>European Heart Journal Cardiovascular Imaging</i> , 2020, 21, .	0.5	0
107	NAFLD fibrosis score (NFS) can be used in outpatient services to identify chronic vascular complications besides advanced liver fibrosis in type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107684.	1.2	11
108	Management of type 2 diabetes for prevention of cardiovascular disease. An expert opinion of the Italian Diabetes Society. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 1926-1936.	1.1	7

#	ARTICLE	IF	CITATIONS
109	Concordance between MAFLD and NAFLD diagnostic criteria in "real-world" data. <i>Liver International</i> , 2020, 40, 2879-2880.	1.9	27
110	What's Past Is Prologue: History of Nonalcoholic Fatty Liver Disease. <i>Metabolites</i> , 2020, 10, 397.	1.3	6
111	Abnormal liver enzymes in children and infants with COVID-19: A narrative review of case-series studies. <i>Pediatric Obesity</i> , 2020, 15, e12723.	1.4	18
112	Editorial: a diabetologist's perspective on the diagnosis and monitoring of NAFLD. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 52, 710-711.	1.9	3
113	Nonalcoholic Fatty Liver Disease and Estimated Insulin Resistance in Obese Youth: A Mendelian Randomization Analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e4046-e4054.	1.8	27
114	ACE2: A Linkage for the Interplay Between COVID-19 and Decompensated Cirrhosis. <i>American Journal of Gastroenterology</i> , 2020, 115, 1544-1544.	0.2	14
115	Human and molecular genetics shed lights on fatty liver disease and diabetes conundrum. <i>Endocrinology, Diabetes and Metabolism</i> , 2020, 3, e00179.	1.0	10
116	Pre-existing type 2 diabetes is associated with increased all-cause death independently of echocardiographic predictors of poor prognosis only in ischemic heart disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 2036-2040.	1.1	1
117	Is it time for non-alcoholic fatty liver disease screening in patients with type 2 diabetes mellitus?. <i>Hepatobiliary Surgery and Nutrition</i> , 2020, 9, 239-241.	0.7	9
118	Risk of severe illness from COVID-19 in patients with metabolic dysfunction-associated fatty liver disease and increased fibrosis scores. <i>Gut</i> , 2020, 69, 1545-1547.	6.1	166
119	Patients with diabetes are at higher risk for severe illness from COVID-19. <i>Diabetes and Metabolism</i> , 2020, 46, 335-337.	1.4	124
120	Obesity Is a Risk Factor for Greater COVID-19 Severity. <i>Diabetes Care</i> , 2020, 43, e72-e74.	4.3	323
121	Diabetes as a risk factor for greater COVID-19 severity and in-hospital death: A meta-analysis of observational studies. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 1236-1248.	1.1	196
122	Effect of insulin secretagogues on major cardiovascular events and all-cause mortality: A meta-analysis of randomized controlled trials. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 1601-1608.	1.1	18
123	Detrimental effects of metabolic dysfunction-associated fatty liver disease and increased neutrophil-to-lymphocyte ratio on severity of COVID-19. <i>Diabetes and Metabolism</i> , 2020, 46, 505-507.	1.4	34
124	PNPLA3 1148M gene variant and chronic kidney disease in type 2 diabetic patients with NAFLD: Clinical and experimental findings. <i>Liver International</i> , 2020, 40, 1130-1141.	1.9	33
125	Global epidemiology of lean non-alcoholic fatty liver disease: A systematic review and meta-analysis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 2041-2050.	1.4	67
126	Nonalcoholic Fatty Liver Disease and Implications for Older Adults with Diabetes. <i>Clinics in Geriatric Medicine</i> , 2020, 36, 527-547.	1.0	5

#	ARTICLE	IF	CITATIONS
127	Lower levels of plasma NT-proBNP are associated with higher prevalence of NASH in patients with biopsy-proven NAFLD. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 1820-1825.	1.1	9
128	Relation between plasma ceramides and cardiovascular death in chronic heart failure: A subset analysis of the GISSI-HF trial. <i>ESC Heart Failure</i> , 2020, 7, 3288-3297.	1.4	12
129	PNPLA3 polymorphism influences the association between high-normal TSH level and NASH in euthyroid adults with biopsy-proven NAFLD. <i>Diabetes and Metabolism</i> , 2020, 46, 496-503.	1.4	5
130	Further advices on measuring lipoprotein(a) for reducing the residual cardiovascular risk on statin therapy. <i>Clinical Chemistry and Laboratory Medicine</i> , 2020, 58, e144-e147.	1.4	2
131	Synbiotics Alter Fecal Microbiomes, But Not Liver Fat or Fibrosis, in a Randomized Trial of Patients With Nonalcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2020, 158, 1597-1610.e7.	0.6	123
132	Is Nonalcoholic Fatty Liver Disease Not a Risk Factor for Cardiovascular Disease: Not Yet Time for a Change of Heart. <i>Hepatology</i> , 2020, 71, 1867-1869.	3.6	12
133	Complications, morbidity and mortality of nonalcoholic fatty liver disease. <i>Metabolism: Clinical and Experimental</i> , 2020, 111, 154170.	1.5	278
134	Epidemiology and pathophysiology of the association between NAFLD and metabolically healthy or metabolically unhealthy obesity. <i>Annals of Hepatology</i> , 2020, 19, 359-366.	0.6	81
135	A new definition for metabolic dysfunction-associated fatty liver disease: An international expert consensus statement. <i>Journal of Hepatology</i> , 2020, 73, 202-209.	1.8	2,171
136	Development and validation of a novel non-invasive test for diagnosing fibrotic non-alcoholic steatohepatitis in patients with biopsy-proven non-alcoholic fatty liver disease. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020, 35, 1804-1812.	1.4	15
137	Combined and sequential non-invasive approach to diagnosing non-alcoholic steatohepatitis in patients with non-alcoholic fatty liver disease and persistently normal alanine aminotransferase levels. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001174.	1.2	21
138	NAFLD and increased risk of cardiovascular disease: clinical associations, pathophysiological mechanisms and pharmacological implications. <i>Gut</i> , 2020, 69, 1691-1705.	6.1	369
139	NAFLD as a driver of chronic kidney disease. <i>Journal of Hepatology</i> , 2020, 72, 785-801.	1.8	249
140	COVID-19 and Liver Dysfunction: Current Insights and Emergent Therapeutic Strategies. <i>Journal of Clinical and Translational Hepatology</i> , 2020, 8, 1-7.	0.7	329
141	Diabetes and NAFLD. <i>Endocrinology</i> , 2020, , 495-521.	0.1	0
142	GLP-1 receptor agonists for NAFLD treatment in patients with and without type 2 diabetes: an updated meta-analysis. <i>Exploration of Medicine</i> , 2020, 1, 108-123.	1.5	3
143	Echocardiographic parameters according to insulin dose in young patients affected by type 1 diabetes. <i>PLoS ONE</i> , 2020, 15, e0244483.	1.1	0
144	NAFLD, Diabetes, and Other Endocrine Diseases: Clinical Implications. , 2020, , 147-168.		0

#	ARTICLE	IF	CITATIONS
145	Plasma N-termina terminal propeptide of type III procollagen accurately predicts liver fibrosis severity in children with non-alcoholic fatty liver disease. <i>Liver International</i> , 2019, 39, 2317-2329.	1.9	24
146	Increased aortic stiffness in adults with chronic indeterminate Chagas disease. <i>PLoS ONE</i> , 2019, 14, e0220689.	1.1	2
147	Prevalence of prediabetes and diabetes in children and adolescents with biopsy-proven non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2019, 71, 802-810.	1.8	39
148	Contribution of a genetic risk score to clinical prediction of hepatic steatosis in obese children and adolescents. <i>Digestive and Liver Disease</i> , 2019, 51, 1586-1592.	0.4	34
149	THU-323-Impact of genetic polymorphisms associated with NAFLD on hepatic and vascular complications in diabetes. <i>Journal of Hepatology</i> , 2019, 70, e302.	1.8	0
150	Association Between Nonalcoholic Fatty Liver Disease and Reduced Bone Mineral Density in Children: A Meta-Analysis. <i>Hepatology</i> , 2019, 70, 812-823.	3.6	30
151	Association between non-alcoholic fatty liver disease and risk of atrial fibrillation in adult individuals: An updated meta-analysis. <i>Liver International</i> , 2019, 39, 758-769.	1.9	75
152	NAFLD in Some Common Endocrine Diseases: Prevalence, Pathophysiology, and Principles of Diagnosis and Management. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2841.	1.8	79
153	Association between non-alcoholic fatty liver disease and decreased lung function in adults: A systematic review and meta-analysis. <i>Diabetes and Metabolism</i> , 2019, 45, 536-544.	1.4	25
154	Risk of atrial fibrillation in patients with nonalcoholic steatohepatitis. <i>Liver International</i> , 2019, 39, 818-820.	1.9	0
155	Association between <i>Helicobacter pylori</i> infection and risk of nonalcoholic fatty liver disease: An updated meta-analysis. <i>Metabolism: Clinical and Experimental</i> , 2019, 96, 56-65.	1.5	38
156	Impact of genetic polymorphisms associated with NAFLD on hepatic and vascular complications in diabetes. <i>Digestive and Liver Disease</i> , 2019, 51, e28-e29.	0.4	0
157	Relationship Between PNPLA3 rs738409 Polymorphism and Decreased Kidney Function in Children With NAFLD. <i>Hepatology</i> , 2019, 70, 142-153.	3.6	44
158	Increased aortic stiffness index in patients with type 1 diabetes without cardiovascular disease compared to controls. <i>Journal of Endocrinological Investigation</i> , 2019, 42, 1109-1115.	1.8	5
159	Letter: non-alcoholic fatty liver disease is associated with a history of osteoporotic fractures but not with low bone mineral density" authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 49, 961-962.	1.9	0
160	Influence of hypertriglyceridemia, hyperbilirubinemia and hemolysis on thrombin generation in human plasma. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019, 57, 1784-1789.	1.4	12
161	Editorial: importance of an elevated mean platelet volume for prediction of major adverse cardiovascular events in non-alcoholic fatty liver disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 49, 1092-1093.	1.9	2
162	Pathogenesis of hypothyroidism-induced NAFLD: Evidence for a distinct disease entity?. <i>Digestive and Liver Disease</i> , 2019, 51, 462-470.	0.4	44

#	ARTICLE	IF	CITATIONS
163	Association between PNPLA3rs738409 polymorphism decreased kidney function in postmenopausal type 2 diabetic women with or without non-alcoholic fatty liver disease. <i>Diabetes and Metabolism</i> , 2019, 45, 480-487.	1.4	36
164	Systematic review with meta-analysis: non-alcoholic fatty liver disease is associated with a history of osteoporotic fractures but not with low bone mineral density. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 49, 375-388.	1.9	45
165	Does high LDL-cholesterol cause cardiovascular disease?. <i>Expert Review of Clinical Pharmacology</i> , 2019, 12, 91-91.	1.3	2
166	Association between non-alcoholic fatty liver disease and bone turnover biomarkers in post-menopausal women with type 2 diabetes. <i>Diabetes and Metabolism</i> , 2019, 45, 347-355.	1.4	47
167	Are we overrating the extra-skeletal benefits of oral vitamin D supplementation?. <i>Annals of Translational Medicine</i> , 2019, 7, 499-499.	0.7	2
168	Diabetes and NAFLD. <i>Endocrinology</i> , 2019, , 1-27.	0.1	0
169	Increased red blood cell distribution width and platelet-lymphocyte ratio for predicting all-cause mortality in patients with type 2 diabetes and advanced heart failure: a causal association or epiphenomenon?. <i>Kardiologia Polska</i> , 2019, 77, 587-588.	0.3	0
170	Estimating the real burden of cardiovascular mortality in diabetes. <i>European Review for Medical and Pharmacological Sciences</i> , 2019, 23, 6700-6706.	0.5	3
171	Long-Acting GLP-1 Receptor Agonist Exenatide Influence on the Autonomic Cardiac Sympatho-Vagal Balance. <i>Journal of the Endocrine Society</i> , 2018, 2, 53-62.	0.1	8
172	Prognostic impact of elevated serum uric acid levels on long-term outcomes in patients with chronic heart failure: A post-hoc analysis of the GISSI-HF (Gruppo Italiano per lo Studio della Sopravvivenza) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 205-215.	1.5	30
173	From a fatty liver to a sugary blood. <i>Digestive and Liver Disease</i> , 2018, 50, 378-380.	0.4	4
174	Mortality from infectious diseases in diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018, 28, 444-450.	1.1	43
175	Nonalcoholic Fatty Liver Disease and Risk of Incident Type 2 Diabetes: A Meta-analysis. <i>Diabetes Care</i> , 2018, 41, 372-382.	4.3	407
176	Nonalcoholic fatty liver disease and chronic vascular complications of diabetes mellitus. <i>Nature Reviews Endocrinology</i> , 2018, 14, 99-114.	4.3	284
177	Non-alcoholic fatty liver disease and increased risk of all-cause mortality in elderly patients admitted for acute heart failure. <i>International Journal of Cardiology</i> , 2018, 265, 162-168.	0.8	41
178	Liver fat content, non-alcoholic fatty liver disease, and risk of ischaemic heart disease. <i>European Heart Journal</i> , 2018, 39, 3398-3398.	1.0	3
179	Risk of cardiomyopathy and cardiac arrhythmias in patients with nonalcoholic fatty liver disease. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2018, 15, 425-439.	8.2	207
180	Diabetes and NAFLD. <i>Endocrinology</i> , 2018, , 1-27.	0.1	0

#	ARTICLE	IF	CITATIONS
181	Hyperuricemia is associated with an increased prevalence of paroxysmal atrial fibrillation in patients with type 2 diabetes referred for clinically indicated 24-h Holter monitoring. <i>Journal of Endocrinological Investigation</i> , 2018, 41, 223-231.	1.8	17
182	Psoriasis and the metabolic syndrome. <i>Clinics in Dermatology</i> , 2018, 36, 21-28.	0.8	211
183	Clinical relevance of liver histopathology and different histological classifications of NASH in adults. <i>Expert Review of Gastroenterology and Hepatology</i> , 2018, 12, 351-367.	1.4	47
184	Hypertension, diabetes, atherosclerosis and NASH: Cause or consequence?. <i>Journal of Hepatology</i> , 2018, 68, 335-352.	1.8	495
185	Nonalcoholic fatty liver disease increases risk of incident chronic kidney disease: A systematic review and meta-analysis. <i>Metabolism: Clinical and Experimental</i> , 2018, 79, 64-76.	1.5	261
186	Association of Plasma Ceramides With Myocardial Perfusion in Patients With Coronary Artery Disease Undergoing Stress Myocardial Perfusion Scintigraphy. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018, 38, 2854-2861.	1.1	29
187	The E/e [™] ratio difference between subjects with type 2 diabetes and controls. A meta-analysis of clinical studies. <i>PLoS ONE</i> , 2018, 13, e0209794.	1.1	10
188	Association between decreasing estimated glomerular filtration rate and risk of cardiac conduction defects in patients with type 2 diabetes. <i>Diabetes and Metabolism</i> , 2018, 44, 473-481.	1.4	2
189	Association between plasma ceramides and inducible myocardial ischemia in patients with established or suspected coronary artery disease undergoing myocardial perfusion scintigraphy. <i>Metabolism: Clinical and Experimental</i> , 2018, 85, 305-312.	1.5	15
190	Association between nonalcoholic fatty liver disease and colorectal tumours in asymptomatic adults undergoing screening colonoscopy: a systematic review and meta-analysis. <i>Metabolism: Clinical and Experimental</i> , 2018, 87, 1-12.	1.5	80
191	Stereotactic body radiotherapy for lung oligometastases impacts on systemic treatment-free survival: a cohort study. <i>Medical Oncology</i> , 2018, 35, 121.	1.2	28
192	Left ventricular chamber dilation and filling pressure may help to categorise patients with type 2 diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2018, 6, e000529.	1.2	4
193	Tests for diagnosing and monitoring non-alcoholic fatty liver disease in adults. <i>BMJ: British Medical Journal</i> , 2018, 362, k2734.	2.4	81
194	Ad Libitum Mediterranean or Low-Fat Diets as Treatments for Nonalcoholic Fatty Liver Disease?. <i>Hepatology</i> , 2018, 68, 1668-1671.	3.6	6
195	Association Between Primary Hypothyroidism and Nonalcoholic Fatty Liver Disease: A Systematic Review and Meta-Analysis. <i>Thyroid</i> , 2018, 28, 1270-1284.	2.4	87
196	Diabetes and NAFLD. <i>Endocrinology</i> , 2018, , 495-521.	0.1	0
197	Early impairment in left ventricular longitudinal systolic function is associated with an increased risk of incident atrial fibrillation in patients with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 413-418.	1.2	24
198	Psychological distress, self-efficacy and glycemic control in type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017, 27, 300-306.	1.1	51

#	ARTICLE	IF	CITATIONS
199	AISF position paper on nonalcoholic fatty liver disease (NAFLD): Updates and future directions. <i>Digestive and Liver Disease</i> , 2017, 49, 471-483.	0.4	254
200	“Not all forms of NAFLD were created equal”: Do metabolic syndrome-related NAFLD and PNPLA3-related NAFLD exert a variable impact on the risk of early carotid atherosclerosis?. <i>Atherosclerosis</i> , 2017, 257, 253-255.	0.4	26
201	Non-alcoholic fatty liver disease: an emerging driving force in chronic kidney disease. <i>Nature Reviews Nephrology</i> , 2017, 13, 297-310.	4.1	219
202	Nonalcoholic fatty liver disease is associated with an increased prevalence of distal symmetric polyneuropathy in adult patients with type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 1021-1026.	1.2	47
203	Association Between Diabetes and 1-Year Adverse Clinical Outcomes in a Multinational Cohort of Ambulatory Patients With Chronic Heart Failure: Results From the ESC-HFA Heart Failure Long-Term Registry. <i>Diabetes Care</i> , 2017, 40, 671-678.	4.3	103
204	Association between subclinical left ventricular systolic dysfunction and glycemic control in asymptomatic type 2 diabetic patients with preserved left ventricular function. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 1035-1040.	1.2	11
205	Non-alcoholic fatty liver disease as driving force in coronary heart disease?. <i>Gut</i> , 2017, 66, 213-214.	6.1	10
206	Effect of aspirin on renal disease progression in patients with type 2 diabetes: A multicenter, double-blind, placebo-controlled, randomized trial. The renal disease progression by aspirin in diabetic patients (LEDA) trial. Rationale and study design. <i>American Heart Journal</i> , 2017, 189, 120-127.	1.2	10
207	Ultrasonographic fatty liver indicator detects mild steatosis and correlates with metabolic/histological parameters in various liver diseases. <i>Metabolism: Clinical and Experimental</i> , 2017, 72, 57-65.	1.5	110
208	Low-grade endotoxemia, gut permeability and platelet activation in patients with impaired fasting glucose. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2017, 27, 890-895.	1.1	26
209	Non-alcoholic fatty liver disease and its relationship with cardiovascular disease and other extrahepatic diseases. <i>Gut</i> , 2017, 66, 1138-1153.	6.1	807
210	Relation of elevated serum uric acid levels to first-degree heart block and other cardiac conduction defects in hospitalized patients with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 1691-1697.	1.2	10
211	A fatty liver leads to decreased kidney function?. <i>Journal of Hepatology</i> , 2017, 67, 1137-1139.	1.8	10
212	Prognostic Impact of Diabetes on Long-term Survival Outcomes in Patients With Heart Failure: A Meta-analysis. <i>Diabetes Care</i> , 2017, 40, 1597-1605.	4.3	82
213	Prognostic Impact of Diabetes and Prediabetes on Survival Outcomes in Patients With Chronic Heart Failure: A Post-Hoc Analysis of the GISSI-HF (Gruppo Italiano per lo Studio della Sopravvivenza nella) Tj ETQq1 1106784314rgBT /O		
214	In-hospital and 1-year mortality associated with diabetes in patients with acute heart failure: results from the ESC-HFA Heart Failure Long-Term Registry. <i>European Journal of Heart Failure</i> , 2017, 19, 54-65.	2.9	150
215	Plasma Leptin in Patients at Intermediate to High Cardiovascular Risk With and Without Type 2 Diabetes Mellitus. <i>Journal of Clinical Laboratory Analysis</i> , 2017, 31, e22031.	0.9	5
216	Mitral Regurgitation and Increased Risk of All-Cause and Cardiovascular Mortality in Patients with Type 2 Diabetes. <i>American Journal of Medicine</i> , 2017, 130, 70-76.e1.	0.6	18

#	ARTICLE	IF	CITATIONS
217	Type 2 diabetes mellitus and risk of hepatocellular carcinoma: spotlight on nonalcoholic fatty liver disease. <i>Annals of Translational Medicine</i> , 2017, 5, 270-270.	0.7	109
218	NAFLD: Is There Anything New under the Sun?. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1955.	1.8	7
219	Nonalcoholic fatty liver disease and increased risk of 1-year all-cause and cardiac hospital readmissions in elderly patients admitted for acute heart failure. <i>PLoS ONE</i> , 2017, 12, e0173398.	1.1	38
220	Nonalcoholic fatty liver disease is associated with an increased risk of heart block in hospitalized patients with type 2 diabetes mellitus. <i>PLoS ONE</i> , 2017, 12, e0185459.	1.1	42
221	Relationship between Non-Alcoholic Fatty Liver Disease and Psoriasis: A Novel Hepato-Dermal Axis?. <i>International Journal of Molecular Sciences</i> , 2016, 17, 217.	1.8	73
222	Type 2 Diabetes in Non-Alcoholic Fatty Liver Disease and Hepatitis C Virus Infectionâ€”Liver: The â€œMusketeerâ€”in the Spotlight. <i>International Journal of Molecular Sciences</i> , 2016, 17, 355.	1.8	36
223	Fatty liver is associated with an increased risk of diabetes and cardiovascular disease - Evidence from three different disease models: NAFLD, HCV and HIV. <i>World Journal of Gastroenterology</i> , 2016, 22, 9674.	1.4	93
224	Echocardiographically Derived Pulse Wave Velocity and Diastolic Dysfunction Are Associated with an Increased Incidence of Atrial Fibrillation in Patients with Systolic Heart Failure. <i>Echocardiography</i> , 2016, 33, 1024-1031.	0.3	10
225	Nonalcoholic fatty liver disease, cardiovascular outcomes, and mortality in patients undergoing a coronary angiogram. <i>Hepatology</i> , 2016, 64, 684-685.	3.6	4
226	Global epidemiology of nonalcoholic fatty liver disease: Metaâ€”analytic assessment of prevalence, incidence, and outcomes. <i>Hepatology</i> , 2016, 64, 1388-1389.	3.6	104
227	Nonalcoholic fatty liver disease is associated with an almost twofold increased risk of incident type 2 diabetes and metabolic syndrome. Evidence from a systematic review and metaâ€”analysis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 936-944.	1.4	537
228	Nonalcoholic Fatty Liver Disease Is Associated With Ventricular Arrhythmias in Patients With Type 2 Diabetes Referred for Clinically Indicated 24-Hour Holter Monitoring. <i>Diabetes Care</i> , 2016, 39, 1416-1423.	4.3	95
229	Factors associated with significant liver steatosis and fibrosis as assessed by transient elastography in patients with one or more components of the metabolic syndrome. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 1347-1353.	1.2	43
230	Non-alcoholic fatty liver disease and risk of incident cardiovascular disease: A meta-analysis. <i>Journal of Hepatology</i> , 2016, 65, 589-600.	1.8	965
231	EASLâ€”EASDâ€”EASO Clinical Practice Guidelines for the management of non-alcoholic fatty liver disease: is universal screening appropriate?. <i>Diabetologia</i> , 2016, 59, 1141-1144.	2.9	78
232	Risk of type 2 diabetes in patients with non-alcoholic fatty liver disease: Causal association or epiphenomenon?. <i>Diabetes and Metabolism</i> , 2016, 42, 142-156.	1.4	78
233	Severe hypoglycemia in patients with known diabetes requiring emergency department care: A report from an Italian multicenter study. <i>Journal of Clinical and Translational Endocrinology</i> , 2016, 5, 46-52.	1.0	8
234	Nonalcoholic fatty liver disease: cause or consequence of type 2 diabetes?. <i>Liver International</i> , 2016, 36, 1563-1579.	1.9	126

#	ARTICLE	IF	CITATIONS
235	Nonalcoholic fatty liver disease is independently associated with an increased incidence of cardiovascular disease in adult patients with type 1 diabetes. <i>International Journal of Cardiology</i> , 2016, 225, 387-391.	0.8	56
236	The aspartate aminotransferase-to-alanine aminotransferase ratio predicts all-cause and cardiovascular mortality in patients with type 2 diabetes. <i>Medicine (United States)</i> , 2016, 95, e4821.	0.4	47
237	Evidence of left atrial remodeling and left ventricular diastolic dysfunction in type 2 diabetes mellitus with preserved systolic function. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2016, 26, 1026-1032.	1.1	16
238	Metabolically healthy obesity and NAFLD. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2016, 13, 442-444.	8.2	55
239	Evidence that non-alcoholic fatty liver disease and polycystic ovary syndrome are associated by necessity rather than chance: a novel hepato-ovarian axis?. <i>Endocrine</i> , 2016, 51, 211-221.	1.1	69
240	Cardiovascular Disease and Myocardial Abnormalities in Nonalcoholic Fatty Liver Disease. <i>Digestive Diseases and Sciences</i> , 2016, 61, 1246-1267.	1.1	99
241	Nonalcoholic Fatty Liver Disease Is Associated With Higher 1-year All-Cause Rehospitalization Rates in Patients Admitted for Acute Heart Failure. <i>Medicine (United States)</i> , 2016, 95, e2760.	0.4	17
242	A "œsystems medicine" approach to the study of non-alcoholic fatty liver disease. <i>Digestive and Liver Disease</i> , 2016, 48, 333-342.	0.4	56
243	Association between hepatic steatosis and serum liver enzyme levels with atrial fibrillation in the general population. <i>Atherosclerosis</i> , 2016, 245, 123-131.	0.4	42
244	Prognostic impact of in-hospital hyperglycemia in hospitalized patients with acute heart failure: Results of the IN-HF (Italian Network on Heart Failure) Outcome registry. <i>International Journal of Cardiology</i> , 2016, 203, 587-593.	0.8	33
245	Time to Replace Assessment of Liver Histology With MR-Based Imaging Tests to Assess Efficacy of Interventions for Nonalcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2016, 150, 7-10.	0.6	36
246	Non-alcoholic fatty liver disease and risk of cardiovascular disease. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 1136-1150.	1.5	190
247	Hyperuricemia is associated with an increased prevalence of atrial fibrillation in hospitalized patients with type 2 diabetes. <i>Journal of Endocrinological Investigation</i> , 2016, 39, 159-167.	1.8	28
248	Black esophagus syndrome associated with diabetic ketoacidosis. <i>World Journal of Clinical Cases</i> , 2016, 4, 56.	0.3	21
249	Gallstone Disease and Increased Risk of Ischemic Heart Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, 2073-2075.	1.1	10
250	Nonalcoholic Fatty Liver Disease Is Independently Associated with Early Left Ventricular Diastolic Dysfunction in Patients with Type 2 Diabetes. <i>PLoS ONE</i> , 2015, 10, e0135329.	1.1	81
251	Nonalcoholic fatty liver disease and decreased bone mineral density: is there a link?. <i>Journal of Endocrinological Investigation</i> , 2015, 38, 817-825.	1.8	70
252	Heart valve calcification in patients with type 2 diabetes and nonalcoholic fatty liver disease. <i>Metabolism: Clinical and Experimental</i> , 2015, 64, 879-887.	1.5	82

#	ARTICLE	IF	CITATIONS
253	Lower levels of 25-hydroxyvitamin D ₃ are associated with a higher prevalence of microvascular complications in patients with type 2 diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2015, 3, e000058.	1.2	45
254	The mean platelet volume is significantly associated with higher glycated hemoglobin in a large population of unselected outpatients. <i>Primary Care Diabetes</i> , 2015, 9, 226-230.	0.9	26
255	Prevalence of diabetes across different immigrant groups in North-eastern Italy. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015, 25, 924-930.	1.1	15
256	Prevalence of neuropathy in type 2 diabetic patients and its association with other diabetes complications: The Verona Diabetic Foot Screening Program. <i>Journal of Diabetes and Its Complications</i> , 2015, 29, 1066-1070.	1.2	69
257	Understanding the association between developing a fatty liver and subsequent cardio-metabolic complications. <i>Expert Review of Gastroenterology and Hepatology</i> , 2015, 9, 1243-1245.	1.4	23
258	Relationship between increased left atrial volume and microvascular complications in patients with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2015, 29, 822-828.	1.2	12
259	Prevalence of Cardiovascular Autonomic Neuropathy in a Cohort of Patients With Newly Diagnosed Type 2 Diabetes: The Verona Newly Diagnosed Type 2 Diabetes Study (VNDS). <i>Diabetes Care</i> , 2015, 38, 1487-1493.	4.3	55
260	NAFLD: A multisystem disease. <i>Journal of Hepatology</i> , 2015, 62, S47-S64.	1.8	2,037
261	Circulating Markers of Liver Function and Cardiovascular Disease Risk. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, 2290-2296.	1.1	54
262	A Perspective on Metabolic Syndrome and Nonalcoholic Fatty Liver Disease. <i>Metabolic Syndrome and Related Disorders</i> , 2015, 13, 235-238.	0.5	27
263	Epidemiological modifiers of non-alcoholic fatty liver disease: Focus on high-risk groups. <i>Digestive and Liver Disease</i> , 2015, 47, 997-1006.	0.4	368
264	Nonalcoholic fatty liver disease is independently associated with early left ventricular diastolic dysfunction in patients with type 2 diabetes. <i>Digestive and Liver Disease</i> , 2015, 47, e229.	0.4	0
265	Diagnosis and management of cardiovascular risk in nonalcoholic fatty liver disease. <i>Expert Review of Gastroenterology and Hepatology</i> , 2015, 9, 629-650.	1.4	72
266	Hemostatic and Fibrinolytic Abnormalities in Polycystic Ovary Syndrome. <i>Seminars in Thrombosis and Hemostasis</i> , 2014, 40, 600-618.	1.5	18
267	Inter-atrial shunt inversion by the sitting position in a patient with a patent foramen ovale and acute pulmonary embolism. <i>European Heart Journal</i> , 2014, 35, 1032-1032.	1.0	0
268	Hyperuricemia in patients with chronic plaque psoriasis. <i>Journal of the American Academy of Dermatology</i> , 2014, 70, 127-130.	0.6	45
269	Association of nonalcoholic fatty liver disease with QTc interval in patients with type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014, 24, 663-669.	1.1	77
270	Risk of Ischemic Stroke and Decreased Serum Bilirubin Levels. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 702-704.	1.1	13

#	ARTICLE	IF	CITATIONS
271	Usefulness of Subclinical Left Ventricular Midwall Dysfunction to Predict Cardiovascular Mortality in Patients With Type 2 Diabetes Mellitus. <i>American Journal of Cardiology</i> , 2014, 113, 1409-1414.	0.7	26
272	Nonalcoholic Fatty Liver Disease Is Independently Associated With an Increased Incidence of Chronic Kidney Disease in Patients With Type 1 Diabetes. <i>Diabetes Care</i> , 2014, 37, 1729-1736.	4.3	129
273	Mortality From Chronic Liver Diseases in Diabetes. <i>American Journal of Gastroenterology</i> , 2014, 109, 1020-1025.	0.2	121
274	Adiponectin and migraine: systematic review of clinical evidence. <i>Neurological Sciences</i> , 2014, 35, 1167-1171.	0.9	11
275	Lower 25-hydroxyvitamin D3 levels and increased risk of liver diseases: is there a causal link?. <i>Endocrine</i> , 2014, 47, 3-4.	1.1	10
276	CKD and Nonalcoholic Fatty Liver Disease. <i>American Journal of Kidney Diseases</i> , 2014, 64, 638-652.	2.1	163
277	Ectopic Fat, Insulin Resistance, and Nonalcoholic Fatty Liver Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 1155-1161.	1.1	124
278	Risk of cardiovascular, cardiac and arrhythmic complications in patients with non-alcoholic fatty liver disease. <i>World Journal of Gastroenterology</i> , 2014, 20, 1724.	1.4	207
279	Reply. <i>Hepatology</i> , 2014, 59, 352-352.	3.6	0
280	Nonalcoholic Fatty Liver Disease Is Associated with Aortic Valve Sclerosis in Patients with Type 2 Diabetes Mellitus. <i>PLoS ONE</i> , 2014, 9, e88371.	1.1	49
281	Increased Red Blood Cell Distribution Width (RDW) is Associated with Higher Glycosylated Hemoglobin (HbA1c) in the Elderly. <i>Clinical Laboratory</i> , 2014, 60, 2095-8.	0.2	24
282	Increased Aortic Pulse Wave Velocity as Measured by Echocardiography Is Strongly Associated with Poor Prognosis in Patients with Heart Failure. <i>Journal of the American Society of Echocardiography</i> , 2013, 26, 714-720.	1.2	31
283	Both resistance training and aerobic training reduce hepatic fat content in type 2 diabetic subjects with nonalcoholic fatty liver disease (the RAED2 randomized trial). <i>Hepatology</i> , 2013, 58, 1287-1295.	3.6	275
284	Elevated serum uric acid levels are associated with non-alcoholic fatty liver disease independently of metabolic syndrome features in the United States: Liver ultrasound data from the National Health and Nutrition Examination Survey. <i>Metabolism: Clinical and Experimental</i> , 2013, 62, 392-399.	1.5	140
285	Low 25-hydroxyvitamin D level is independently associated with non-alcoholic fatty liver disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, 792-798.	1.1	59
286	Relation of Elevated Serum Uric Acid Levels to Incidence of Atrial Fibrillation in Patients With Type 2 Diabetes Mellitus. <i>American Journal of Cardiology</i> , 2013, 112, 499-504.	0.7	58
287	Inappropriate left ventricular mass independently predicts cardiovascular mortality in patients with type 2 diabetes. <i>International Journal of Cardiology</i> , 2013, 168, 4953-4956.	0.8	15
288	Progression of NAFLD to diabetes mellitus, cardiovascular disease or cirrhosis. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2013, 10, 330-344.	8.2	1,381

#	ARTICLE	IF	CITATIONS
289	Nonalcoholic Fatty Liver Disease: A Novel Cardiometabolic Risk Factor for Type 2 Diabetes and Its Complications. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 483-495.	1.8	259
290	Nonalcoholic Fatty Liver Disease and Reduced Serum Vitamin D ₃ Levels. <i>Metabolic Syndrome and Related Disorders</i> , 2013, 11, 217-228.	0.5	29
291	Uric Acid as a Target of Therapy in CKD. <i>American Journal of Kidney Diseases</i> , 2013, 61, 134-146.	2.1	216
292	Non-alcoholic fatty liver disease is associated with an increased prevalence of atrial fibrillation in hospitalized patients with Type 2 diabetes. <i>Clinical Science</i> , 2013, 125, 301-310.	1.8	107
293	Diagnosis and Management of Nonalcoholic Fatty Liver Disease and Its Hemostatic/Thrombotic and Vascular Complications. <i>Seminars in Thrombosis and Hemostasis</i> , 2013, 39, 214-228.	1.5	56
294	Non-Alcoholic Fatty Liver Disease Is Associated with an Increased Incidence of Atrial Fibrillation in Patients with Type 2 Diabetes. <i>PLoS ONE</i> , 2013, 8, e57183.	1.1	153
295	Cardiovascular and Systemic Risk in Nonalcoholic Fatty Liver Disease - Atherosclerosis as a Major Player in the Natural Course of NAFLD. <i>Current Pharmaceutical Design</i> , 2013, 19, 5177-5192.	0.9	100
296	Glycated Haemoglobin Is Inversely Related to Serum Vitamin D Levels in Type 2 Diabetic Patients. <i>PLoS ONE</i> , 2013, 8, e82733.	1.1	47
297	Cardiovascular and Systemic Risk in Nonalcoholic Fatty Liver Disease - Atherosclerosis as a Major Player in the Natural Course of NAFLD. <i>Current Pharmaceutical Design</i> , 2013, 19, 5177-5192.	0.9	72
298	Cardiovascular and systemic risk in nonalcoholic fatty liver disease - atherosclerosis as a major player in the natural course of NAFLD. <i>Current Pharmaceutical Design</i> , 2013, 19, 5177-92.	0.9	48
299	Haemoglobin A1c and diagnosis of diabetes. Not ready for the prime time?. <i>Annals of Clinical Biochemistry</i> , 2012, 49, 508-508.	0.8	3
300	Increased Pulse Pressure Independently Predicts Incident Atrial Fibrillation in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2012, 35, 2337-2339.	4.3	20
301	Predictors of Estimated GFR Decline in Patients with Type 2 Diabetes and Preserved Kidney Function. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2012, 7, 401-408.	2.2	178
302	Nonalcoholic Fatty Liver Disease Is Associated With Left Ventricular Diastolic Dysfunction in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2012, 35, 389-395.	4.3	159
303	Pasireotide in Cushing's Disease. <i>New England Journal of Medicine</i> , 2012, 366, 2134-2135.	13.9	14
304	Vitamin D, Thrombosis, and Hemostasis: More than Skin Deep. <i>Seminars in Thrombosis and Hemostasis</i> , 2012, 38, 114-124.	1.5	64
305	Further insights on the relationship between bilirubin and C-reactive protein. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012, 50, 2229-30.	1.4	5
306	Comparison of Two Creatinine-Based Estimating Equations in Predicting All-Cause and Cardiovascular Mortality in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2012, 35, 2347-2353.	4.3	26

#	ARTICLE	IF	CITATIONS
307	The effect of combined calcium and cholecalciferol supplementation on bone mineral density in elderly women with moderate chronic kidney disease. <i>Clinical Nephrology</i> , 2012, 77, 358-365.	0.4	10
308	Association between Nonalcoholic Liver Disease and Chronic Kidney Disease: An Ultrasound Analysis from NHANES 1988-1994. <i>American Journal of Nephrology</i> , 2012, 36, 466-471.	1.4	69
309	Serum Uric Acid Levels and Incident Chronic Kidney Disease in Patients With Type 2 Diabetes and Preserved Kidney Function. <i>Diabetes Care</i> , 2012, 35, 99-104.	4.3	207
310	Non-alcoholic fatty liver disease is independently associated with left ventricular hypertrophy in hypertensive Type 2 diabetic individuals. <i>Journal of Endocrinological Investigation</i> , 2012, 35, 215-218.	1.8	54
311	ABO blood group, hypercoagulability, and cardiovascular and cancer risk. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2012, 49, 137-149.	2.7	117
312	Random plasma glucose measurement may improve the diagnostic specificity of highly sensitive troponin in the emergency department. <i>International Journal of Cardiology</i> , 2012, 155, 172-173.	0.8	5
313	Erythrocyte mechanical fragility is increased in patients with type 2 diabetes. <i>European Journal of Internal Medicine</i> , 2012, 23, 150-153.	1.0	54
314	Increased risk of cardiovascular disease and chronic kidney disease in NAFLD. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2012, 9, 372-381.	8.2	113
315	Aortic and Mitral Annular Calcifications Are Predictive of All-Cause and Cardiovascular Mortality in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2012, 35, 1781-1786.	4.3	62
316	Diagnostic significance of haematological testing in patients presenting at the Emergency Department. <i>Emergency Care Journal</i> , 2012, 8, 7.	0.2	2
317	Predictable impact of the routine implementation of the CKD-EPI equation for estimating glomerular filtration rate by a simulation study. <i>Rivista Italiana Della Medicina Di Laboratorio</i> , 2012, 8, 107-113.	0.2	0
318	Increased prevalence of chronic kidney disease in patients with Type 1 diabetes and non-alcoholic fatty liver. <i>Diabetic Medicine</i> , 2012, 29, 220-226.	1.2	62
319	Optimal therapy for reduction of lipoprotein(a). <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2012, 37, 1-3.	0.7	23
320	Higher Random Plasma Glucose Level Is Associated With Increased Plasma Cardiac Troponin in Emergency Department Patients With Suspected Acute Coronary Syndrome. <i>American Journal of Cardiology</i> , 2012, 109, 775-776.	0.7	1
321	Increased prevalence of cardiovascular disease in Type 1 diabetic patients with non-alcoholic fatty liver disease. <i>Journal of Endocrinological Investigation</i> , 2012, 35, 535-40.	1.8	22
322	Pancreatic fat accumulation and its relationship with liver fat content and other fat depots in obese individuals. <i>Journal of Endocrinological Investigation</i> , 2012, 35, 748-53.	1.8	21
323	The role of serum uric acid in cardiovascular disease in Type 2 diabetic and non-diabetic subjects: A narrative review. <i>Journal of Endocrinological Investigation</i> , 2011, 34, 881-886.	1.8	26
324	Arterial thrombus formation in cardiovascular disease. <i>Nature Reviews Cardiology</i> , 2011, 8, 502-512.	6.1	229

#	ARTICLE	IF	CITATIONS
325	Hyperthyroidism and Venous Thrombosis: A Casual or Causal Association? A Systematic Literature Review. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2011, 17, 387-392.	0.7	55
326	Screening and therapeutic management of lipoprotein(a) excess: Review of the epidemiological evidence, guidelines and recommendations. <i>Clinica Chimica Acta</i> , 2011, 412, 797-801.	0.5	20
327	Detection of chronic kidney disease in hospitalized patients: Is one estimating glomerular filtration rate equation better than another?. <i>European Journal of Internal Medicine</i> , 2011, 22, 119-120.	1.0	14
328	Risk of chronic kidney disease in patients with non-alcoholic fatty liver disease: Is there a link?. <i>Journal of Hepatology</i> , 2011, 54, 1020-1029.	1.8	152
329	A laboratory standpoint on the role of hemoglobin A1c for the diagnosis of diabetes in childhood: more doubts than certainties?. <i>Pediatric Diabetes</i> , 2011, 12, 183-186.	1.2	21
330	Tomatoes, lycopene-containing foods and cancer risk. <i>British Journal of Cancer</i> , 2011, 104, 1234-1235.	2.9	11
331	Liver enzymes, nonalcoholic fatty liver disease, and incident cardiovascular disease. <i>Hepatology</i> , 2011, 53, 375-375.	3.6	12
332	Extra-skeletal effects of vitamin D deficiency in chronic kidney disease. <i>Annals of Medicine</i> , 2011, 43, 273-282.	1.5	27
333	Safety of Recombinant Activated Factor VII in Randomized Clinical Trials. <i>New England Journal of Medicine</i> , 2011, 364, 574-576.	13.9	6
334	Venous Thromboembolism in Chronic Liver Disease. <i>Seminars in Thrombosis and Hemostasis</i> , 2011, 37, 066-076.	1.5	8
335	Hemostatic Disorders in Type 1 Diabetes Mellitus. <i>Seminars in Thrombosis and Hemostasis</i> , 2011, 37, 058-065.	1.5	24
336	Impact of Reference Category and Number of Traits in the Cluster on Risk of Coronary Heart Disease in Metabolic Syndrome: Prospective Data from the Bruneck Study. <i>Metabolic Syndrome and Related Disorders</i> , 2011, 9, 313-318.	0.5	2
337	Risk of all-cause and cardiovascular mortality in patients with chronic liver disease. <i>Gut</i> , 2011, 60, 1602-1603.	6.1	13
338	Relationship Between Early Diastolic Dysfunction and Abnormal Microvolt T-Wave Alternans in Patients With Type 2 Diabetes. <i>Circulation: Cardiovascular Imaging</i> , 2011, 4, 408-414.	1.3	12
339	High-Normal HbA1c Is a Strong Predictor of Type 2 Diabetes in the General Population. <i>Diabetes Care</i> , 2011, 34, 1038-1040.	4.3	47
340	High-Sensitivity C-Reactive Protein, Obesity, and Subclinical Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 1251-1252.	1.1	7
341	Relationship of hepatic steatosis and alanine aminotransferase with coronary calcification. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011, 49, 741.	1.4	0
342	Commentary: Liver enzymes and the risk of adverse cardiovascular outcomes—the lower, the better?. <i>International Journal of Epidemiology</i> , 2011, 40, 1539-1541.	0.9	9

#	ARTICLE	IF	CITATIONS
343	Risk of cardiovascular disease and chronic kidney disease in diabetic patients with non-alcoholic fatty liver disease: just a coincidence?. <i>Journal of Endocrinological Investigation</i> , 2011, 34, 544-51.	1.8	14
344	The Use of Recombinant Activated FVII in Postpartum Hemorrhage. <i>Clinical Obstetrics and Gynecology</i> , 2010, 53, 219-227.	0.6	131
345	Epidemiological Association between Uric Acid Concentration in Plasma, Lipoprotein(a), and the Traditional Lipid Profile. <i>Clinical Cardiology</i> , 2010, 33, E76-80.	0.7	55
346	Non-alcoholic fatty liver disease is independently associated with an increased prevalence of chronic kidney disease and retinopathy in type 1 diabetic patients. <i>Diabetologia</i> , 2010, 53, 1341-1348.	2.9	141
347	Non-alcoholic Fatty Liver Disease and Cardiovascular Disease Risk. <i>Current Cardiovascular Risk Reports</i> , 2010, 4, 32-39.	0.8	5
348	Effect of Lovastatin on Primary Prevention of Cardiovascular Events in Mild CKD and Kidney Function Loss: A Post Hoc Analysis of the Air Force/Texas Coronary Atherosclerosis Prevention Study. <i>American Journal of Kidney Diseases</i> , 2010, 55, 42-49.	2.1	54
349	Relation of Serum Phosphorus Levels to Ankle Brachial Pressure Index (from the Third National Tj ETQq1 1 0.784314,rgBT /Oyerklock 10 0,7 43	0.7	43
350	Relationship between Kidney Function and Liver Histology in Subjects with Nonalcoholic Steatohepatitis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010, 5, 2166-2171.	2.2	197
351	Glycated hemoglobin (HbA1c): old dogmas, a new perspective?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 609-614.	1.4	62
352	Serum Bilirubin Levels and Cardiovascular Disease Risk. <i>Advances in Clinical Chemistry</i> , 2010, 50, 47-63.	1.8	64
353	Moderate Red Wine Consumption and Cardiovascular Disease Risk: Beyond the "French Paradox". <i>Seminars in Thrombosis and Hemostasis</i> , 2010, 36, 059-070.	1.5	151
354	Disorders of Coagulation and Hemostasis in Abdominal Obesity: Emerging Role of Fatty Liver. <i>Seminars in Thrombosis and Hemostasis</i> , 2010, 36, 041-048.	1.5	46
355	Disorders of Hemostasis Associated with Chronic Kidney Disease. <i>Seminars in Thrombosis and Hemostasis</i> , 2010, 36, 034-040.	1.5	183
356	Elevated serum γ -glutamyltransferase activity is associated with increased risk of mortality, incident type 2 diabetes, cardiovascular events, chronic kidney disease and cancer " a narrative review. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 147-157.	1.4	95
357	Prevention and treatment of nonalcoholic fatty liver disease. <i>Digestive and Liver Disease</i> , 2010, 42, 331-340.	0.4	18
358	Risk of Cardiovascular Disease in Patients with Nonalcoholic Fatty Liver Disease. <i>New England Journal of Medicine</i> , 2010, 363, 1341-1350.	13.9	1,637
359	Prevalence of non-alcoholic fatty liver disease and its association with cardiovascular disease in patients with type 1 diabetes. <i>Journal of Hepatology</i> , 2010, 53, 713-718.	1.8	202
360	Vaccination, squalene and anti-squalene antibodies: Facts or fiction?. <i>European Journal of Internal Medicine</i> , 2010, 21, 70-73.	1.0	52

#	ARTICLE	IF	CITATIONS
361	Relationship between serum gamma-glutamyltransferase and chronic kidney disease in the United States adult population. Findings from the National Health and Nutrition Examination Survey 2001-2006. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2010, 20, 583-590.	1.1	51
362	Glomerular filtration rate, albuminuria and risk of cardiovascular and all-cause mortality in type 2 diabetic individuals. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2010, 21, 294-301.	1.1	27
363	Anaemia, independent of chronic kidney disease, predicts all-cause and cardiovascular mortality in type 2 diabetic patients. <i>Atherosclerosis</i> , 2010, 210, 575-580.	0.4	32
364	Usefulness of the triglyceride to high-density lipoprotein cholesterol ratio for predicting mortality risk in type 2 diabetes: Role of kidney dysfunction. <i>Atherosclerosis</i> , 2010, 212, 287-291.	0.4	19
365	Hemostatic abnormalities in endocrine and metabolic disorders. <i>European Journal of Endocrinology</i> , 2010, 162, 439-451.	1.9	56
366	Determinants of anaemia in the very elderly: a major contribution from impaired renal function?. <i>Blood Transfusion</i> , 2010, 8, 44-8.	0.3	16
367	Risks and benefits of replacing conventional plasma lipids with apolipoprotein measurement. <i>Acta Cardiologica</i> , 2009, 64, 413-414.	0.3	0
368	Elevated Serum Uric Acid Concentrations Independently Predict Cardiovascular Mortality in Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2009, 32, 1716-1720.	4.3	111
369	Prevalence of thyroid autoimmunity and subclinical hypothyroidism in persons with chronic kidney disease not requiring chronic dialysis. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 1367-71.	1.4	39
370	Clinical usefulness of measuring red blood cell distribution width on admission in patients with acute coronary syndromes. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 353-7.	1.4	104
371	Relationship of serum bilirubin concentrations to kidney function and albuminuria in the United States adult population. Findings from the National Health and Nutrition Examination Survey 2001-2006. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 1055-62.	1.4	43
372	Vitamin B12, Folate, and Anemia in Old Age. <i>Archives of Internal Medicine</i> , 2009, 169, 716.	4.3	4
373	Genetic and biochemical heterogeneity of cardiac troponins: clinical and laboratory implications. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 1183-94.	1.4	37
374	Procalcitonin values after dialysis is closely related to type of dialysis membrane. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2009, 69, 703-707.	0.6	15
375	Extracorporeal Immunoadsorption for the Treatment of Coagulation Inhibitors. <i>Seminars in Thrombosis and Hemostasis</i> , 2009, 35, 076-080.	1.5	19
376	Hemostatic and Fibrinolytic Abnormalities in Endocrine Diseases: A Narrative Review. <i>Seminars in Thrombosis and Hemostasis</i> , 2009, 35, 605-612.	1.5	11
377	Interpatient Phenotypic Inconsistency in Severe Congenital Hemophilia: A Systematic Review of the Role of Inherited Thrombophilia. <i>Seminars in Thrombosis and Hemostasis</i> , 2009, 35, 307-312.	1.5	40
378	Nonalcoholic Fatty Liver Disease as a Contributor to Hypercoagulation and Thrombophilia in the Metabolic Syndrome. <i>Seminars in Thrombosis and Hemostasis</i> , 2009, 35, 277-287.	1.5	123

#	ARTICLE	IF	CITATIONS
379	25-Hydroxyvitamin D Deficiency and Inflammation and Their Association with Hemoglobin Levels in Chronic Kidney Disease. <i>American Journal of Nephrology</i> , 2009, 30, 64-72.	1.4	61
380	Biochemical correlates of lipoprotein(a) in a general adult population. Possible implications for cardiovascular risk assessment. <i>Journal of Thrombosis and Thrombolysis</i> , 2009, 27, 44-47.	1.0	7
381	Inherited and acquired risk factors for arterial ischemic stroke in childhood. <i>Journal of Thrombosis and Thrombolysis</i> , 2009, 27, 239-248.	1.0	8
382	Eosinophilia and first-line coagulation testing. <i>Journal of Thrombosis and Thrombolysis</i> , 2009, 28, 90-93.	1.0	9
383	Antithrombotic prophylaxis in patients with von Willebrand disease undergoing major surgery: when is it necessary?. <i>Journal of Thrombosis and Thrombolysis</i> , 2009, 28, 215-219.	1.0	18
384	Hyperthyroidism is associated with shortened APTT and increased fibrinogen values in a general population of unselected outpatients. <i>Journal of Thrombosis and Thrombolysis</i> , 2009, 28, 362-365.	1.0	30
385	Dark chocolate: consumption for pleasure or therapy?. <i>Journal of Thrombosis and Thrombolysis</i> , 2009, 28, 482-488.	1.0	20
386	The red blood cell distribution width is associated with serum levels of thyroid stimulating hormone in the general population. <i>International Journal of Laboratory Hematology</i> , 2009, 31, 581-582.	0.7	18
387	Relationship of Serum γ -Glutamyltransferase to Atherogenic Dyslipidemia and Glycemic Control in Type 2 Diabetes. <i>Obesity</i> , 2009, 17, 370-374.	1.5	18
388	Response to α -NASH Predicts Plasma Inflammatory Biomarkers Independently of Visceral Fat in Men. <i>Obesity</i> , 2009, 17, 627-627.	1.5	0
389	Bilirubin concentration and cardiovascular risk profile. <i>Liver International</i> , 2009, 29, 315-316.	1.9	9
390	Epidemiological association between fasting plasma glucose and shortened APTT. <i>Clinical Biochemistry</i> , 2009, 42, 118-120.	0.8	41
391	Abnormal serum alanine aminotransferase levels are associated with impaired insulin sensitivity in young women with polycystic ovary syndrome. <i>Journal of Endocrinological Investigation</i> , 2009, 32, 695-700.	1.8	32
392	Hemophilia and cancer: A new challenge for hemophilia centers. <i>Cancer Treatment Reviews</i> , 2009, 35, 374-377.	3.4	43
393	Relationship between serum phosphate and cardiovascular risk factors in a large cohort of adult outpatients. <i>Diabetes Research and Clinical Practice</i> , 2009, 84, e3-e5.	1.1	16
394	Relationship between albuminuria and hemoglobin level. <i>Diabetes Research and Clinical Practice</i> , 2009, 86, e62-e63.	1.1	1
395	Is fasting glucose variability a risk factor for retinopathy in people with type 2 diabetes?. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2009, 19, 334-339.	1.1	38
396	Higher HDL cholesterol levels are associated with a lower incidence of chronic kidney disease in patients with type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2009, 19, 580-586.	1.1	49

#	ARTICLE	IF	CITATIONS
397	Migraine, Valproic Acid, and Lipoprotein(a). <i>Pediatric Neurology</i> , 2009, 41, 78.	1.0	0
398	Non-alcoholic fatty liver disease in patients with chronic plaque psoriasis. <i>Journal of Hepatology</i> , 2009, 51, 758-764.	1.8	217
399	Relationship between serum bilirubin and kidney function in non-diabetic and diabetic individuals. <i>Kidney International</i> , 2009, 75, 863.	2.6	21
400	25-Hydroxyvitamin D deficiency is independently associated with cardiovascular disease in the Third National Health and Nutrition Examination Survey. <i>Atherosclerosis</i> , 2009, 205, 255-260.	0.4	371
401	Effect of simvastatin on kidney function loss in patients with coronary heart disease. <i>Atherosclerosis</i> , 2009, 205, 202-206.	0.4	41
402	Anaphylaxis in patients with congenital bleeding disorders and inhibitors. <i>Blood Coagulation and Fibrinolysis</i> , 2009, 20, 225-229.	0.5	27
403	Relationship between thyroid status and renal function in a general population of unselected outpatients. <i>Clinical Biochemistry</i> , 2008, 41, 625-627.	0.8	31
404	Acquired factor VIII inhibitors in oncohematology: A systematic review. <i>Critical Reviews in Oncology/Hematology</i> , 2008, 66, 194-199.	2.0	51
405	Iron and thrombosis. <i>Annals of Hematology</i> , 2008, 87, 167-173.	0.8	112
406	Non-alcoholic fatty liver disease is independently associated with an increased prevalence of chronic kidney disease and proliferative/laser-treated retinopathy in type 2 diabetic patients. <i>Diabetologia</i> , 2008, 51, 444-450.	2.9	318
407	Increased risk of cardiovascular disease in non-alcoholic fatty liver disease: causal effect or epiphenomenon?. <i>Diabetologia</i> , 2008, 51, 1947-1953.	2.9	374
408	Uric acid concentration in patient with acute coronary syndrome. <i>Internal and Emergency Medicine</i> , 2008, 3, 409-411.	1.0	3
409	The effect of iron depletion on chronic hepatitis C virus infection. <i>Hepatology International</i> , 2008, 2, 335-340.	1.9	53
410	Insulin effect on serum potassium and autoantibodies: inhibition of insulin secretion is intact in a patient with leprechaunism despite severe impairment of substrates metabolism. <i>Diabetes/Metabolism Research and Reviews</i> , 2008, 24, 205-210.	1.7	1
411	Variability of body weight, pulse pressure and glycaemia strongly predict total mortality in elderly type 2 diabetic patients. The Verona Diabetes Study. <i>Diabetes/Metabolism Research and Reviews</i> , 2008, 24, 624-628.	1.7	61
412	Effect of hemodialysis on traditional and innovative cardiac markers. <i>Journal of Clinical Laboratory Analysis</i> , 2008, 22, 59-65.	0.9	20
413	Relationship between serum vitamin D and inflammatory markers in the general population: Comment on the article by Patel et al. <i>Arthritis and Rheumatism</i> , 2008, 58, 913-914.	6.7	3
414	RESPONSE: LETTER TO THE EDITOR. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2008, 31, 261-261.	0.5	0

#	ARTICLE	IF	CITATIONS
415	NASH Predicts Plasma Inflammatory Biomarkers Independently of Visceral Fat in Men. <i>Obesity</i> , 2008, 16, 1394-1399.	1.5	180
416	Diabetic retinopathy is associated with an increased incidence of cardiovascular events in Type 2 diabetic patients. <i>Diabetic Medicine</i> , 2008, 25, 45-50.	1.2	76
417	Relationship between soluble CD40 ligand and gamma-glutamyltransferase concentrations in non-drinking, young type 1 diabetic individuals. <i>Diabetic Medicine</i> , 2008, 25, 1283-8.	1.2	2
418	Association between serum TSH, free T4 and serum liver enzyme activities in a large cohort of unselected outpatients. <i>Clinical Endocrinology</i> , 2008, 68, 481-484.	1.2	60
419	Immune tolerance with rituximab in congenital haemophilia with inhibitors: a systematic literature review based on individual patients' analysis. <i>Haemophilia</i> , 2008, 14, 903-912.	1.0	71
420	Help me, Doctor! My D-dimer is raised. <i>Annals of Medicine</i> , 2008, 40, 594-605.	1.5	81
421	Arm Blood Pressure Index and Lipoprotein(a) in Renal Transplant Recipients. <i>Transplantation Proceedings</i> , 2008, 40, 3499.	0.3	0
422	The metabolic syndrome and the risk of arterial and venous thrombosis. <i>Thrombosis Research</i> , 2008, 122, 727-735.	0.8	54
423	Inherited platelet disorders. <i>Clinica Chimica Acta</i> , 2008, 387, 1-8.	0.5	18
424	The paradoxical relationship between serum uric acid and cardiovascular disease. <i>Clinica Chimica Acta</i> , 2008, 392, 1-7.	0.5	191
425	Laboratory, clinical and therapeutic aspects of acquired hemophilia A. <i>Clinica Chimica Acta</i> , 2008, 395, 14-18.	0.5	59
426	Relationship between red blood cell distribution width and kidney function tests in a large cohort of unselected outpatients. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2008, 68, 745-748.	0.6	139
427	Sudden cardiac death: Prevalence, pathogenesis, and prevention. <i>Annals of Medicine</i> , 2008, 40, 360-375.	1.5	31
428	Plasma D-dimer in the diagnosis of acute aortic dissection. <i>European Heart Journal</i> , 2008, 29, 1207-1207.	1.0	5
429	Association of inflammation with anaemia in patients with chronic kidney disease not requiring chronic dialysis. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 2879-2883.	0.4	32
430	Detecting of chronic kidney disease in older people by the MDRD and MCQ formulas. <i>Age and Ageing</i> , 2008, 37, 722-722.	0.7	4
431	Prevalence of Subclinical Hypothyroidism in Patients with Chronic Kidney Disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2008, 3, 1296-1300.	2.2	200
432	Increased Risk of CKD among Type 2 Diabetics with Nonalcoholic Fatty Liver Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 1564-1570.	3.0	187

#	ARTICLE	IF	CITATIONS
433	Prevalence of Folic Acid and Vitamin B12 Deficiencies in Patients With Thyroid Disorders. <i>American Journal of the Medical Sciences</i> , 2008, 336, 50-52.	0.4	19
434	Plasma .GAMMA.-glutamyl Transferase Activity Predicts Homocysteine Concentration in a Large Cohort of Unselected Outpatients. <i>Internal Medicine</i> , 2008, 47, 705-707.	0.3	7
435	Is liver fat detrimental to vessels?: intersections in the pathogenesis of NAFLD and atherosclerosis. <i>Clinical Science</i> , 2008, 115, 1-12.	1.8	60
436	Glucose Challenge Test Does not Predict Gestational Diabetes Mellitus. <i>Internal Medicine</i> , 2008, 47, 1171-1174.	0.3	6
437	Natriuretic Peptides for Assessing the Prognosis of Acute Pulmonary Embolism. <i>Chest</i> , 2008, 133, 1531.	0.4	1
438	The use of recombinant factor VIIa in liver diseases. <i>Blood Coagulation and Fibrinolysis</i> , 2008, 19, 341-348.	0.5	21
439	Alanine Aminotransferase as an Independent Predictor of Incident Nonalcoholic Fatty Liver Disease. <i>Clinical Chemistry</i> , 2007, 53, 1159-1159.	1.5	3
440	The Role of Iron in Diabetes and Its Complications: Reponse to Swaminathan et al.. <i>Diabetes Care</i> , 2007, 30, e132-e132.	4.3	5
441	Nonalcoholic Fatty Liver Disease Is Independently Associated With an Increased Incidence of Cardiovascular Events in Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2007, 30, 2119-2121.	4.3	477
442	Prevalence of Nonalcoholic Fatty Liver Disease and Its Association With Cardiovascular Disease Among Type 2 Diabetic Patients: Response to Schindhelm, Heine, and Diamant. <i>Diabetes Care</i> , 2007, 30, e95-e95.	4.3	2
443	Retinopathy Predicts Cardiovascular Mortality in Type 2 Diabetic Men and Women: Response to Juutilainen et al.. <i>Diabetes Care</i> , 2007, 30, e51-e51.	4.3	4
444	Association between 25-hydroxyvitamin D deficiency and cardiovascular disease in type 2 diabetic patients with mild kidney dysfunction. <i>Nephrology Dialysis Transplantation</i> , 2007, 23, 269-274.	0.4	40
445	Effect of Serum Gamma-Glutamyltransferase and Obesity on the Risk of Dyslipidemia and Poor Glycemic Control in Type 2 Diabetic Patients: Cross-Sectional Findings from the Verona Diabetes Study. <i>Clinical Chemistry</i> , 2007, 53, 1867-1869.	1.5	6
446	Vitamin D deficiency among Italian children. <i>Cmaj</i> , 2007, 177, 1529-1530.	0.9	26
447	Reduced von Willebrand Factor-Cleaving Protease Levels in Secondary Thrombotic Microangiopathies and Other Diseases. <i>Seminars in Thrombosis and Hemostasis</i> , 2007, 33, 787-797.	1.5	45
448	Pioglitazone in Nonalcoholic Steatohepatitis. <i>New England Journal of Medicine</i> , 2007, 356, 1067-1069.	13.9	21
449	Relationship between $\hat{\Gamma}^3$ -Glutamyltransferase, Fasting Plasma Glucose, and Triglycerides in the General Population. <i>Clinical Chemistry</i> , 2007, 53, 1866-1867.	1.5	10
450	Plasma PAI-1 Levels Are Increased in Patients With Nonalcoholic Steatohepatitis. <i>Diabetes Care</i> , 2007, 30, e31-e32.	4.3	60

#	ARTICLE	IF	CITATIONS
451	Has homocysteine shrunk?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007, 45, 1419-20.	1.4	2
452	Monitoring glycaemic control: is there evidence for appropriate use of routine measurement of glycated haemoglobin?. <i>Clinical Chemistry and Laboratory Medicine</i> , 2007, 45, 1065-7.	1.4	17
453	Lipoprotein(a), Thrombophilia and Venous Thrombosis. <i>Acta Haematologica</i> , 2007, 117, 246-247.	0.7	6
454	Associations between serum 25-hydroxyvitamin D3 concentrations and liver histology in patients with non-alcoholic fatty liver disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2007, 17, 517-524.	1.1	355
455	The significance of evaluating conventional inflammatory markers in Von Willebrand factor measurement. <i>Clinica Chimica Acta</i> , 2007, 381, 167-170.	0.5	17
456	Relationship between $\hat{\Gamma}^3$ -glutamyltransferase, lipids and lipoprotein(a) in the general population. <i>Clinica Chimica Acta</i> , 2007, 384, 163-166.	0.5	26
457	Differences and similarities in early atherosclerosis between patients with non-alcoholic steatohepatitis and chronic hepatitis B and C. <i>Journal of Hepatology</i> , 2007, 46, 1126-1132.	1.8	150
458	Non-alcoholic fatty liver disease as a determinant of cardiovascular disease. <i>Atherosclerosis</i> , 2007, 190, 18-19.	0.4	15
459	Non-alcoholic fatty liver disease and increased risk of cardiovascular disease. <i>Atherosclerosis</i> , 2007, 191, 235-240.	0.4	500
460	Ginkgo biloba, inflammation and lipoprotein(a). <i>Atherosclerosis</i> , 2007, 195, 417-418.	0.4	16
461	Prevalence of Nonalcoholic Fatty Liver Disease and Its Association With Cardiovascular Disease Among Type 2 Diabetic Patients. <i>Diabetes Care</i> , 2007, 30, 1212-1218.	4.3	864
462	Relationship between Mean Platelet Volume and Biochemical Components of the Metabolic Syndrome. <i>Clinical Drug Investigation</i> , 2007, 27, 731-732.	1.1	6
463	â€œBuffaloâ€•hump in nonalcoholic fatty liver disease. <i>Hepatology</i> , 2007, 46, 1311-1312.	3.6	1
464	Relationship between ABO blood group and von Willebrand factor levels: from biology to clinical implications. <i>Thrombosis Journal</i> , 2007, 5, 14.	0.9	153
465	Relationship Between Abnormal Microvolt Tâ€Wave Alternans and Poor Glycemic Control in Type 2 Diabetic Patients. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2007, 30, 1267-1272.	0.5	21
466	Non-alcoholic fatty liver disease, the metabolic syndrome and the risk of cardiovascular disease: the plot thickens. <i>Diabetic Medicine</i> , 2007, 24, 1-6.	1.2	207
467	Effect of moderate aerobic exercise on sympatho-vagal balance in Type 2 diabetic patients. <i>Diabetic Medicine</i> , 2007, 24, 370-376.	1.2	50
468	Relationship between lipoprotein(a) and fasting plasma glucose in the general population. <i>European Journal of Clinical Investigation</i> , 2007, 37, 826-827.	1.7	2

#	ARTICLE	IF	CITATIONS
469	Relationship between Lipoprotein(a) and Thyroid Function Status in the General Population. Archives of Medical Research, 2007, 38, 905-906.	1.5	5
470	Prophylaxis in von Willebrand disease. Annals of Hematology, 2007, 86, 699-704.	0.8	13
471	Pathogenesis, clinical and laboratory aspects of thrombosis in cancer. Journal of Thrombosis and Thrombolysis, 2007, 24, 29-38.	1.0	56
472	Platelets and lipoprotein(a) in retinal vein occlusion: Mutual targets for aspirin therapy. Thrombosis and Haemostasis, 2007, 97, 1059-1060.	1.8	5
473	Non-alcoholic fatty liver disease is associated with carotid artery wall thickness in diet-controlled Type 2 diabetic patients. Journal of Endocrinological Investigation, 2006, 29, 55-60.	1.8	91
474	Visceral adipose tissue may mediate the link between non-alcoholic fatty liver disease and endocrine abnormalities. Journal of Hepatology, 2006, 45, 454.	1.8	3
475	Relationship between high-sensitivity C-reactive protein levels and liver histology in subjects with non-alcoholic fatty liver disease. Journal of Hepatology, 2006, 45, 879-881.	1.8	79
476	Effects of moderate-intensity exercise training on plasma biomarkers of inflammation and endothelial dysfunction in older patients with type 2 diabetes. Nutrition, Metabolism and Cardiovascular Diseases, 2006, 16, 543-549.	1.1	130
477	Inflammatory variables may mediate the link between low plasma vitamin B6 concentrations and cardiovascular disease in type 2 diabetes. Nutrition, Metabolism and Cardiovascular Diseases, 2006, 16, e9-e10.	1.1	1
478	Carotid Atherosclerosis and Rheumatoid Arthritis. Annals of Internal Medicine, 2006, 145, 231.	2.0	0
479	Measurement of microvolt T-wave alternans, a new arrhythmic risk stratification test, in Type 2 diabetic patients without clinical cardiovascular disease. Diabetic Medicine, 2006, 23, 207-210.	1.2	12
480	Increased prevalence of cardiovascular disease in Type 2 diabetic patients with non-alcoholic fatty liver disease. Diabetic Medicine, 2006, 23, 403-409.	1.2	150
481	The International Diabetes Federation definition of the metabolic syndrome independently predicts future cardiovascular events in Type 2 diabetic patients. The Valpolicella Heart Diabetes Study. Diabetic Medicine, 2006, 23, 1270-1271.	1.2	14
482	Associations between liver histology and cortisol secretion in subjects with nonalcoholic fatty liver disease. Clinical Endocrinology, 2006, 64, 337-341.	1.2	83
483	Hypovitaminosis D among unselected medical inpatients and outpatients in Northern Italy. Clinical Endocrinology, 2006, 64, 060222010233003.	1.2	5
484	Associations between plasma adiponectin concentrations and liver histology in patients with nonalcoholic fatty liver disease. Clinical Endocrinology, 2006, 64, 679-683.	1.2	156
485	Serum 25-hydroxyvitamin D3 concentrations and carotid artery intima-media thickness among type 2 diabetic patients. Clinical Endocrinology, 2006, 65, 593-597.	1.2	226
486	Serum 25-Hydroxyvitamin D3 Concentrations and Prevalence of Cardiovascular Disease Among Type 2 Diabetic Patients. Diabetes Care, 2006, 29, 722-724.	4.3	244

#	ARTICLE	IF	CITATIONS
487	Relations Between Carotid Artery Wall Thickness and Liver Histology in Subjects With Nonalcoholic Fatty Liver Disease. <i>Diabetes Care</i> , 2006, 29, 1325-1330.	4.3	362
488	Increased plasma markers of inflammation and endothelial dysfunction and their association with microvascular complications in Type 1 diabetic patients without clinically manifest macroangiopathy. <i>Diabetic Medicine</i> , 2005, 22, 999-1004.	1.2	105
489	Relationship of non-alcoholic hepatic steatosis to cortisol secretion in diet-controlled Type 2 diabetic patients. <i>Diabetic Medicine</i> , 2005, 22, 1146-1150.	1.2	23
490	Non-alcoholic hepatic steatosis and its relation to increased plasma biomarkers of inflammation and endothelial dysfunction in non-diabetic men. Role of visceral adipose tissue. <i>Diabetic Medicine</i> , 2005, 22, 1354-1358.	1.2	155
491	Associations between liver histology and early carotid atherosclerosis in subjects with nonalcoholic fatty liver disease. <i>Hepatology</i> , 2005, 42, 974-975.	3.6	26
492	Nonalcoholic Fatty Liver Disease and Atherosclerosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, e117; author reply e117-8.	1.1	2
493	Letter to the Editor. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005, 25, 2687-2688.	1.1	29
494	Nonalcoholic Fatty Liver Disease and Risk of Future Cardiovascular Events Among Type 2 Diabetic Patients. <i>Diabetes</i> , 2005, 54, 3541-3546.	0.3	517
495	Relation of Nonalcoholic Hepatic Steatosis to Early Carotid Atherosclerosis in Healthy Men: Role of visceral fat accumulation. <i>Diabetes Care</i> , 2004, 27, 2498-2500.	4.3	173
496	Hypoadiponectinemia Is Closely Associated With Nonalcoholic Hepatic Steatosis in Obese Subjects. <i>Diabetes Care</i> , 2004, 27, 2085-2086.	4.3	31
497	Soluble CD40L in Young Type 1 Diabetic Individuals Without Clinical Microvascular and Macrovascular Complications. <i>Diabetes Care</i> , 2004, 27, 1236-1237.	4.3	9
498	Decreased plasma adiponectin concentrations are closely associated with nonalcoholic hepatic steatosis in obese individuals. <i>Clinical Endocrinology</i> , 2004, 61, 700-703.	1.2	101
499	Relationship of nonalcoholic hepatic steatosis to overnight low-dose dexamethasone suppression test in obese individuals. <i>Clinical Endocrinology</i> , 2004, 61, 711-715.	1.2	26
500	The Metabolic Syndrome is an independent predictor of cardiovascular disease in Type 2 diabetic subjects. Prospective data from the Verona Diabetes Complications Study. <i>Diabetic Medicine</i> , 2004, 21, 52-58.	1.2	248
501	Relationship between fasting insulin and cardiovascular risk factors is already present in young men: the Verona Young Men Atherosclerosis Risk Factors Study. <i>European Journal of Clinical Investigation</i> , 2003, 27, 248-254.	1.7	14
502	HOMA-Estimated Insulin Resistance Is an Independent Predictor of Cardiovascular Disease in Type 2 Diabetic Subjects: Prospective data from the Verona Diabetes Complications Study. <i>Diabetes Care</i> , 2002, 25, 1135-1141.	4.3	493
503	Predictors of insulin sensitivity in Type 2 diabetes mellitus. <i>Diabetic Medicine</i> , 2002, 19, 535-542.	1.2	49
504	Plasma Total Homocysteine Levels Are Associated With von Willebrand Factor, Soluble Intercellular Adhesion Molecule-1, and Soluble Tumor Necrosis Factor- α Receptors in Young Type 1 Diabetic Patients Without Clinical Evidence of Macrovascular Complications. <i>Diabetes Care</i> , 2001, 24, 1496-1497.	4.3	10

#	ARTICLE	IF	CITATIONS
505	Elevated Plasma Levels of Soluble Receptors of TNF- α and Their Association with Smoking and Microvascular Complications in Young Adults with Type 1 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 3805-3808.	1.8	39
506	Elevated Levels of Interleukin-6 in Young Adults With Type 1 Diabetes Without Clinical Evidence of Microvascular and Macrovascular Complications. <i>Diabetes Care</i> , 2001, 24, 956-957.	4.3	58
507	Serum Leptin Concentrations in Young Smokers With Type 1 Diabetes. <i>Diabetes Care</i> , 2001, 24, 793-794.	4.3	8
508	Relation Between Soluble Adhesion Molecules and Insulin Sensitivity in Type 2 Diabetic Individuals: Role of adipose tissue. <i>Diabetes Care</i> , 2001, 24, 1961-1966.	4.3	49
509	Intracellular Partition of Plasma Glucose Disposal in Hypertensive and Normotensive Subjects with Type 2 Diabetes Mellitus ¹ . <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 2073-2079.	1.8	10
510	Homeostasis model assessment closely mirrors the glucose clamp technique in the assessment of insulin sensitivity: studies in subjects with various degrees of glucose tolerance and insulin sensitivity. <i>Diabetes Care</i> , 2000, 23, 57-63.	4.3	2,176
511	Cigarette smoking and plasma total homocysteine levels in young adults with type 1 diabetes. <i>Diabetes Care</i> , 2000, 23, 524-528.	4.3	38
512	Effects of glucosamine infusion on insulin secretion and insulin action in humans. <i>Diabetes</i> , 2000, 49, 926-935.	0.3	136
513	Effect of Chronic Treatment with Lacidipine or Lisinopril on Intracellular Partitioning of Glucose Metabolism in Type 2 Diabetes Mellitus ¹ . <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999, 84, 1544-1550.	1.8	13
514	Chronic cigarette smoking is associated with increased plasma circulating intercellular adhesion molecule 1 levels in young type 1 diabetic patients. <i>Diabetes Care</i> , 1999, 22, 1871-1874.	4.3	18
515	Prevalence of insulin resistance in metabolic disorders: the Bruneck Study. <i>Diabetes</i> , 1998, 47, 1643-1649.	0.3	750
516	Intimal-Medial Thickness of the Carotid Artery in Nondiabetic and NIDDM Patients: Relationship with insulin resistance. <i>Diabetes Care</i> , 1997, 20, 627-631.	4.3	139
517	Cigarette Smoking and Insulin Resistance in Patients with Noninsulin-Dependent Diabetes Mellitus ¹ . <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997, 82, 3619-3624.	1.8	154
518	A comparison between the HOMA model and the euglycemic clamp in the assessment of insulin sensitivity in vivo. <i>Atherosclerosis</i> , 1997, 135, S20.	0.4	0
519	Obesity worsens cardiovascular risk profiles independently of hyperinsulinaemia. <i>Journal of Internal Medicine</i> , 1997, 241, 463-470.	2.7	5
520	Cigarette Smoking and Insulin Resistance in Patients with Noninsulin-Dependent Diabetes Mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997, 82, 3619-3624.	1.8	126
521	Serum uric acid and related factors in 500 hospitalized subjects. <i>Metabolism: Clinical and Experimental</i> , 1996, 45, 1557-1561.	1.5	68
522	Visceral Fat Accumulation and Its Relation to Plasma Hemostatic Factors in Healthy Men. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996, 16, 368-374.	1.1	139

#	ARTICLE	IF	CITATIONS
523	The white blood cell count: its relationship to plasma insulin and other cardiovascular risk factors in healthy male individuals. <i>Journal of Internal Medicine</i> , 1996, 239, 435-441.	2.7	72
524	Plasma factor VII and its relation to adipose tissue fatty acids and other atherogenic risk factors in healthy men. <i>European Journal of Clinical Investigation</i> , 1996, 26, 247-253.	1.7	8
525	Increase in Circulating Products of Lipid Peroxidation in Smokers With IDDM. <i>Diabetes Care</i> , 1996, 19, 1233-1236.	4.3	15
526	Liver Steatosis and Its Relation to Plasma Haemostatic Factors in Apparently Healthy Men - Role of the Metabolic Syndrome. <i>Thrombosis and Haemostasis</i> , 1996, 76, 069-073.	1.8	74
527	Ultrasonographic intra-abdominal depth and its relation to haemostatic factors in healthy males. , 1996, 20, 882-5.		1
528	Relationships of blood pressure to fibrinolysis: influence of anthropometry, metabolic profile and behavioural variables. <i>Journal of Hypertension</i> , 1995, 13, 659-666.	0.3	22
529	Fasting serum insulin in relation to components of the metabolic syndrome in European healthy men: The European fat distribution study. <i>Metabolism: Clinical and Experimental</i> , 1995, 44, 35-40.	1.5	43
530	Plasma fibrinogen in relation to serum insulin, smoking habits and adipose tissue fatty acids in healthy men. <i>European Journal of Clinical Investigation</i> , 1994, 24, 126-130.	1.7	27
531	Relationships of plasminogen activator inhibitor-1 to anthropometry, serum insulin, triglycerides and adipose tissue fatty acids in healthy men. <i>Atherosclerosis</i> , 1994, 106, 139-147.	0.4	39
532	Relationship between uric acid, hyperglycemia and hypertriglyceridemia in general population. <i>Biochemia Medica</i> , 0, , 37-41.	1.2	6
533	From nonalcoholic fatty liver disease to metabolic dysfunction-associated fatty liver disease: is it time for a change of terminology?. <i>Hepatoma Research</i> , 0, 2020, .	0.6	3
534	Influence of age and gender variations on glomerular filtration rate estimated by the MCQE formula. <i>Biochemia Medica</i> , 0, , 81-86.	1.2	1
535	Serum prolactin in professional soccer players. <i>Biochemia Medica</i> , 0, , 177-181.	1.2	0
536	Higher Levels of Plasma Hyaluronic Acid and N-terminal Propeptide of Type III Procollagen Are Associated With Lower Kidney Function in Children With Non-alcoholic Fatty Liver Disease. <i>Frontiers in Pediatrics</i> , 0, 10, .	0.9	1