

Yoshihide Tominaga

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4468408/yoshihide-tominaga-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92
papers

4,424
citations

27
h-index

66
g-index

93
ext. papers

5,274
ext. citations

3.3
avg, IF

6.1
L-index

#	Paper	IF	Citations
92	AIJ guidelines for practical applications of CFD to pedestrian wind environment around buildings. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2008 , 96, 1749-1761	3.7	1124
91	Turbulent Schmidt numbers for CFD analysis with various types of flowfield. <i>Atmospheric Environment</i> , 2007 , 41, 8091-8099	5.3	301
90	CFD simulation of near-field pollutant dispersion in the urban environment: A review of current modeling techniques. <i>Atmospheric Environment</i> , 2013 , 79, 716-730	5.3	276
89	Cooperative project for CFD prediction of pedestrian wind environment in the Architectural Institute of Japan. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2007 , 95, 1551-1578	3.7	268
88	Comparison of various revised k ϵ models and LES applied to flow around a high-rise building model with 1:1:2 shape placed within the surface boundary layer. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2008 , 96, 389-411	3.7	236
87	Wind tunnel tests on the relationship between building density and pedestrian-level wind velocity: Development of guidelines for realizing acceptable wind environment in residential neighborhoods. <i>Building and Environment</i> , 2008 , 43, 1699-1708	6.5	198
86	CFD modeling of pollution dispersion in a street canyon: Comparison between LES and RANS. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2011 , 99, 340-348	3.7	192
85	Numerical simulation of dispersion around an isolated cubic building: Model evaluation of RANS and LES. <i>Building and Environment</i> , 2010 , 45, 2231-2239	6.5	189
84	Numerical simulation of dispersion around an isolated cubic building: Comparison of various types of k ϵ models. <i>Atmospheric Environment</i> , 2009 , 43, 3200-3210	5.3	143
83	Air flow around isolated gable-roof buildings with different roof pitches: Wind tunnel experiments and CFD simulations. <i>Building and Environment</i> , 2015 , 84, 204-213	6.5	127
82	Ten questions concerning modeling of near-field pollutant dispersion in the built environment. <i>Building and Environment</i> , 2016 , 105, 390-402	6.5	95
81	Velocity-pressure field of cross ventilation with open windows analyzed by wind tunnel and numerical simulation. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 1992 , 44, 2575-2586	3.7	93
80	CFD modeling of snowdrift around a building: An overview of models and evaluation of a new approach. <i>Building and Environment</i> , 2011 , 46, 899-910	6.5	79
79	Flow around a high-rise building using steady and unsteady RANS CFD: Effect of large-scale fluctuations on the velocity statistics. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2015 , 142, 93-103	3.7	75
78	Wind tunnel experiments on cross-ventilation flow of a generic building with contaminant dispersion in unsheltered and sheltered conditions. <i>Building and Environment</i> , 2015 , 92, 452-461	6.5	74
77	CFD Modeling of Pollution Dispersion in Building Array: Evaluation of turbulent scalar flux modeling in RANS model using LES results. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2012 , 104-106, 484-491	3.7	70
76	Cross Comparisons of CFD Results of Wind Environment at Pedestrian Level around a High-rise Building and within a Building Complex. <i>Journal of Asian Architecture and Building Engineering</i> , 2004 , 3, 63-70	1	58

75	CFD simulations of near-field pollutant dispersion with different plume buoyancies. <i>Building and Environment</i> , 2018 , 131, 128-139	6.5	57
74	Wind tunnel analysis of flow and dispersion in cross-ventilated isolated buildings: Impact of opening positions. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2016 , 155, 74-88	3.7	53
73	CFD simulations of the effect of evaporative cooling from water bodies in a micro-scale urban environment: Validation and application studies. <i>Sustainable Cities and Society</i> , 2015 , 19, 259-270	10.1	52
72	Wind tunnel investigation of drifting snow development in a boundary layer. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2012 , 104-106, 532-539	3.7	39
71	CFD prediction of gaseous diffusion around a cubic model using a dynamic mixed SGS model based on composite grid technique. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 1997 , 67-68, 827-841	3.7	35
70	Computational fluid dynamics simulation of snowdrift around buildings: Past achievements and future perspectives. <i>Cold Regions Science and Technology</i> , 2018 , 150, 2-14	3.8	34
69	Development of a system for predicting snow distribution in built-up environments: Combining a mesoscale meteorological model and a CFD model. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2011 , 99, 460-468	3.7	32
68	Steady and unsteady RANS simulations of pollutant dispersion around isolated cubical buildings: Effect of large-scale fluctuations on the concentration field. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2017 , 165, 23-33	3.7	30
67	CFD prediction of flowfield and snowdrift around a building complex in a snowy region. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 1999 , 81, 273-282	3.7	29
66	Visualization of city breathability based on CFD technique: case study for urban blocks in Niigata City. <i>Journal of Visualization</i> , 2012 , 15, 269-276	1.6	27
65	Up-scaling CWE models to include mesoscale meteorological influences. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2011 , 99, 187-198	3.7	26
64	Wind tunnel experiments on cross-ventilation flow of a generic sheltered building in urban areas. <i>Building and Environment</i> , 2019 , 158, 60-72	6.5	24
63	TA4 CFD Guideline for Pedestrian Wind Environment (Organized session). <i>Wind Engineers JAWE</i> , 2006 , 2006, 529-536	0	23
62	Experimental and steady-RANS CFD modelling of cross-ventilation in moderately-dense urban areas. <i>Sustainable Cities and Society</i> , 2020 , 52, 101849	10.1	23
61	Modelling enhancement of cross-ventilation in sheltered buildings using stochastic optimization. <i>International Journal of Heat and Mass Transfer</i> , 2018 , 118, 758-772	4.9	23
60	Review of CFD Guidelines for Dispersion Modeling. <i>Fluids</i> , 2016 , 1, 14	1.6	20
59	CFD analysis of cross-ventilation flow in a group of generic buildings: Comparison between steady RANS, LES and wind tunnel experiments. <i>Building Simulation</i> , 2020 , 13, 1353-1372	3.9	17
58	Wind tunnel experiment and CFD analysis of sand erosion/deposition due to wind around an obstacle. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2018 , 182, 262-271	3.7	15

57	DEVELOPMENT OF CFD METHOD FOR PREDICTING WIND ENVIRONMENT AROUND A HIGH-RISE BUILDING : Part2 : The cross comparison of CFD results using various k- ϵ models for the flowfield around a building model with 4:4:1 shape(Environmental Engineering). <i>AIJ Journal of Technology and Design</i> , 2003 , 9, 169-174	0.2	14
56	Performance evaluation of single-sided natural ventilation for generic building using large-eddy simulations: Effect of guide vanes and adjacent obstacles. <i>Building and Environment</i> , 2019 , 154, 68-80	6.5	13
55	Development of a new k- ϵ model to reproduce the aerodynamic effects of snow particles on a flow field. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2015 , 144, 118-124	3.7	12
54	STANDARDS OF GROSS BUILDINGS COVERAGE RATIO IN MAJOR CITIES FOR THE PLANNING OF RESIDENTIAL AREA IN CONSIDERATION OF WIND FLOW : Effects of arrangement and structural patterns of buildings on the nature of regional wind flow Part2. <i>Nihon Kenchiku Gakkai Keikakukei Ronbunshu</i> , 2000 , 65, 77-84	0.2	12
53	INFLUENCE OF GREEN AREA RATIO ON OUTDOOR THERMAL ENVIRONMENT WITH COUPLED SIMULATION OF CONVECTION, RADIATION AND MOISTURE TRANSPORT. <i>Nihon Kenchiku Gakkai Keikakukei Ronbunshu</i> , 2000 , 65, 77-84	0.2	11
52	WIND TUNNEL TESTS ON THE NATURE OF REGIONAL WIND FLOW IN THE 270m SQUARE RESIDENTIAL AREA, USING THE REAL MODEL : Effects of arrangement and structural patterns of buildings on the nature of regional wind flow Part 1. <i>Nihon Kenchiku Gakkai Keikakukei Ronbunshu</i> , 2000 , 65, 103-114	0.2	11
51	PIV measurements of saltating snow particle velocity in a boundary layer developed in a wind tunnel. <i>Journal of Visualization</i> , 2013 , 16, 95-98	1.6	10
50	Experimental study on cross-ventilation of a generic building in highly-dense urban areas: Impact of planar area density and wind direction. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2020 , 196, 104030	3.7	10
49	Large-eddy simulation of flow around an isolated building: A step-by-step analysis of influencing factors on turbulent statistics. <i>Building and Environment</i> , 2021 , 202, 108021	6.5	10
48	Cross Comparisons of CFD Results of Wind and Dispersion Fields for MUST Experiment: Evaluation Exercises by AIJ. <i>Journal of Asian Architecture and Building Engineering</i> , 2013 , 12, 117-124	1	9
47	Performance of New Wind Tunnel of Niigata Institute of Technology. <i>Wind Engineers JAWE</i> , 1996 , 1996, 95-106	0	9
46	CFD modeling of airborne pathogen transmission of COVID-19 in confined spaces under different ventilation strategies. <i>Sustainable Cities and Society</i> , 2022 , 76, 103397	10.1	7
45	LES analysis of turbulent fluctuation in cross-ventilation flow in highly-dense urban areas. <i>Journal of Wind Engineering and Industrial Aerodynamics</i> , 2021 , 209, 104494	3.7	7
44	BENCHMARK TEST OF FLOW FIELD AROUND A 1:1:2 SHAPED BUILDING MODEL USING LES:. <i>AIJ Journal of Technology and Design</i> , 2020 , 26, 179-184	0.2	6
43	COMPARISON BETWEEN STANDARD AND DYNAMIC TYPE OF SMAGORINSKY SGS MODEL : Large eddy simulation of turbulent vortex shedding flow past 2D square cylinder using Dynamic SGS model (Part 1). <i>Nihon Kenchiku Gakkai Keikakukei Ronbunshu</i> , 1996 , 61, 41-47	0.2	6
42	COMPARISON OF PERFORMANCE OF VARIOUS REVISED k- ϵ MODELS APPLIED TO CFD ANALYSIS OF FLOWFIELD AROUND A HIGH-RISE BUILDING. <i>Nihon Kenchiku Gakkai Keikakukei Ronbunshu</i> , 2002 , 67, 47-54	0.2	6
41	RANS model calibration using stochastic optimization for accuracy improvement of urban airflow CFD modeling. <i>Journal of Building Engineering</i> , 2020 , 32, 101756	5.2	6
40	VISUALIZATION AND MEASUREMENTS FOR FLUCTUATING CROSS VENTILATION AIRFLOW IN SIMPLE HOUSE MODEL USING LARGE-SIZE BOUNDARY LAYER WIND TUNNEL. <i>Journal of Environmental Engineering (Japan)</i> , 2015 , 80, 127-137	0.3	5

39	CFD simulations can be adequate for the evaluation of snow effects on structures. <i>Building Simulation</i> , 2020 , 13, 729-737	3.9	4
38	DEVELOPMENT OF NEW SNOWDRIFT MODEL BASED ON TWO TRANSPORT EQUATIONS OF DRIFTING SNOW DENSITY. <i>Journal of Environmental Engineering (Japan)</i> , 2013 , 78, 149-156	0.3	4
37	Wind tunnel measurement of three-dimensional turbulent flow structures around a building group: Impact of high-rise buildings on pedestrian wind environment. <i>Building and Environment</i> , 2021 , 206, 108389	6.5	4
36	Numerical Analysis of Wind Environment and Snowdrift around Building Complex based on CFD and CG Techniques. <i>Journal of Snow Engineering of Japan</i> , 2002 , 18, 3-11		3
35	EFFECT OF PERIODIC FLUCTUATION BEHIND BUILDING ON REATTACHMENT LENGTH : Large eddy simulation of flowfield around a high-rise building (Part 1). <i>Journal of Environmental Engineering (Japan)</i> , 2004 , 69, 45-51	0.3	3
34	CFD simulations of wind-induced ventilation in apartment buildings with vertical voids: Effects of pilotis and wind fin on ventilation performance. <i>Building and Environment</i> , 2021 , 194, 107666	6.5	3
33	Multi-fidelity shape optimization methodology for pedestrian-level wind environment. <i>Building and Environment</i> , 2021 , 204, 108076	6.5	3
32	PROPOSAL OF AN EVALUATION METHOD FOR NATURAL CROSS-VENTILATION PERFORMANCE CONSIDERING FLOW FLUCTUATION. <i>Journal of Environmental Engineering (Japan)</i> , 2016 , 81, 589-597	0.3	2
31	ANALYSIS OF CROSS VENTILATION AIRFLOW IN AND AROUND SIMPLE HOUSE MODEL CONSIDERING FLOW FLUCTUATION. <i>Journal of Environmental Engineering (Japan)</i> , 2015 , 80, 925-934	0.3	2
30	13th International Conference on Wind Engineering. <i>Wind Engineers JAWE</i> , 2011 , 36, 406-428	0	2
29	Numerical Study on Thermal Effects of Cold and High-albedo Surfaces Covered with Snow in Outdoor Environments. <i>Journal of Asian Architecture and Building Engineering</i> , 2002 , 1, 175-182	1	2
28	CFD simulation of flow fields and pollutant dispersion around a cubic building considering the effect of plume buoyancies. <i>Building and Environment</i> , 2021 , 108640	6.5	2
27	Coupled Analysis of CFD and Mesoscale Models applied to Wind Environment Problem. <i>Wind Engineers JAWE</i> , 2006 , 2006, 121-126	0	2
26	VALIDATION OF PREDICTION METHOD OF ROOF SNOW DEPTH FOR AN ISOLATED GABLE-ROOF BUILDING. <i>Journal of Structural and Construction Engineering</i> , 2016 , 81, 1051-1059	0.4	1
25	Recommendation of Gust Factor for Assessment of Pedestrian Wind Environment Based on Probability of Exceedance of Daily Maximum Gust Wind Speed. <i>Journal of Wind Engineering</i> , 2014 , 39, 29-39	0.3	1
24	BASIC INVESTIGATION OF MODELING FOR EROSION AND ACCUMULATION ON SNOW SURFACE. <i>Journal of Environmental Engineering (Japan)</i> , 2009 , 74, 1083-1089	0.3	1
23	INVESTIGATION OF REPRODUCTION OF SNOW DISTRIBUTION ON A TWO-LEVEL FLAT-ROOF BUILDING. <i>Journal of Structural and Construction Engineering</i> , 2019 , 84, 1055-1064	0.4	1
22	LES Analysis of Urban Environment- Progress in the field of building environmental engineering over the past 20 years -. <i>Wind Engineers JAWE</i> , 2009 , 34, 416-425	0	1

21	7th International Colloquium on Bluff Body Aerodynamics and Applications. <i>Wind Engineers JAWE</i> , 2013 , 38, 52-65	0	1
20	Computational fluid dynamics simulations of snow accumulation on infrared detection sensors using discrete phase model. <i>Cold Regions Science and Technology</i> , 2020 , 180, 103167	3.8	1
19	DEVELOPMENT OF A SEMI-FULL-SCALE BUILDING MODEL TO OBTAIN VALIDATION DATA FOR EVALUATION MODEL OF ROOF SNOW LOAD. <i>AIJ Journal of Technology and Design</i> , 2021 , 27, 114-118	0.2	1
18	Parametric study on vertical void configurations for improving ventilation performance in the mid-rise apartment building. <i>Building and Environment</i> , 2022 , 215, 108969	6.5	1
17	Wind tunnel measurement dataset of 3D turbulent flow around a group of generic buildings with and without a high-rise building. <i>Data in Brief</i> , 2021 , 39, 107504	1.2	0
16	INFLUENCE OF VARIOUS COMPUTATIONAL CONDITIONS IN RANS MODEL ON THE PREDICTION ACCURACY OF CONCENTRATION DISTRIBUTIONS. <i>AIJ Journal of Technology and Design</i> , 2016 , 22, 609-614	0.2	1
15	CFD AND HEAT BALANCE ANALYSES ON RELATIONSHIP BETWEEN RESIDENTIAL BUILDING ARRANGEMENT AND SNOW DISTRIBUTION. <i>Journal of Environmental Engineering (Japan)</i> , 2010 , 75, 113-119	0.3	1
14	DEVELOPMENT OF BURIED TYPE SNOW-MELTING TANK FOR REMOVING SNOW PILED BY PLOW MACHINE IN FRONT OF RESIDENTIAL HOUSE. <i>AIJ Journal of Technology and Design</i> , 2010 , 16, 321-324	0.2	0
13	INFLUENCE OF TURBULENCE MODELS AND TURBULENT SCHMIDT NUMBER FOR AN ISOLATED BUILDING. <i>Journal of Environmental Engineering (Japan)</i> , 2008 , 73, 991-997	0.3	0
12	Investigating threshold wind velocity for movement of sparsely distributed gravels in a wind tunnel: Effect of surface coarseness. <i>Aeolian Research</i> , 2022 , 54, 100775	3.9	0
11	15th International Conference on Wind Engineering. <i>Wind Engineers JAWE</i> , 2020 , 45, 41-48	0	0
10	STUDY ON THE ASSESSMENT METHODS AND CRITERIA RELATING TO THE WIND ENVIRONMENT ON NIIGATA CITY. <i>Nihon Kenchiku Gakkai Keikakukei Ronbunshu</i> , 2002 , 67, 41-46	0.2	0
9	CFD analyses of pollutant transport in street canyons: a review. <i>Wind Engineers JAWE</i> , 2008 , 2008, 307-308	0	0
8	On the Selection of Winners for Awards of JAWE in 2019. <i>Wind Engineers JAWE</i> , 2020 , 45, 298-302	0	0
7	. <i>Wind Engineers JAWE</i> , 2015 , 40, 424-425	0	0
6	Wind Engineering and Globalization <i>Wind Engineers JAWE</i> , 2016 , 41, 1-2	0	0
5	?????????????????. <i>Wind Engineers JAWE</i> , 2012 , 37, 332-332	0	0
4	Hazards Caused by Drifting Snow due to Wind in Living Environment : Prediction of Snowdrift in Built-up Environment. <i>Journal of the Society of Mechanical Engineers</i> , 2013 , 116, 470-473	0	0

- 3 METHOD TO ESTIMATE GROUND SNOW WEIGHT BASED ON METEOROLOGICAL OBSERVATION DATA AND HEAT BALANCE MODEL. *Journal of Structural and Construction Engineering*, **2021**, 86, 544-552^{0.4}
- 2 7th International Symposium on Computational Wind Engineering. *Wind Engineers JAWE*, **2018**, 43, 406-414
- 1 ESTIMATION METHOD OF ROOF SNOW LOAD USING ACCELERATION MEASUREMENT VALIDATION FOR AN OBSERVATIONAL BUILDING MODEL. *Journal of Structural and Construction Engineering*, **2022**, 87, 524-533 0.4