

# Niels Raes

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/4468609/niels-raes-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

51  
papers

2,303  
citations

24  
h-index

47  
g-index

61  
ext. papers

2,812  
ext. citations

5.1  
avg, IF

4.97  
L-index

#	Paper	IF	Citations
51	A null-model for significance testing of presence-only species distribution models. <i>Ecography</i> , <b>2007</b> , 30, 727-736	6.5	316
50	Minimum required number of specimen records to develop accurate species distribution models. <i>Ecography</i> , <b>2016</b> , 39, 542-552	6.5	297
49	Environmental correlates of tree biomass, basal area, wood specific gravity and stem density gradients in Borneo's tropical forests. <i>Global Ecology and Biogeography</i> , <b>2010</b> , 19, 50-60	6.1	228
48	Fit-for-purpose: species distribution model performance depends on evaluation criteria - Dutch Hoverflies as a case study. <i>PLoS ONE</i> , <b>2013</b> , 8, e63708	3.7	146
47	Botanical richness and endemism patterns of Borneo derived from species distribution models. <i>Ecography</i> , <b>2009</b> , 32, 180-192	6.5	118
46	Using species distribution modeling to improve conservation and land use planning of Yunnan, China. <i>Biological Conservation</i> , <b>2012</b> , 153, 257-264	6.2	102
45	Species Distribution Modelling: Contrasting presence-only models with plot abundance data. <i>Scientific Reports</i> , <b>2018</b> , 8, 1003	4.9	78
44	Environmental correlates for tropical tree diversity and distribution patterns in Borneo. <i>Diversity and Distributions</i> , <b>2009</b> , 15, 523-532	5	74
43	Historical distribution of Sundaland's Dipterocarp rainforests at Quaternary glacial maxima. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2014</b> , 111, 16790-5	11.5	64
42	Global legume diversity assessment: Concepts, key indicators, and strategies. <i>Taxon</i> , <b>2013</b> , 62, 249-266	0.8	62
41	Similar but not equivalent: ecological niche comparison across closely related Mexican white pines. <i>Diversity and Distributions</i> , <b>2015</b> , 21, 245-257	5	59
40	Major declines of woody plant species ranges under climate change in Yunnan, China. <i>Diversity and Distributions</i> , <b>2014</b> , 20, 405-415	5	57
39	Partial versus Full Species Distribution Models. <i>Natureza A Conservacao</i> , <b>2012</b> , 10, 127-138		52
38	Soils on exposed Sunda shelf shaped biogeographic patterns in the equatorial forests of Southeast Asia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2011</b> , 108, 12343-7	11.5	51
37	The contribution of DNA metabarcoding to fungal conservation: diversity assessment, habitat partitioning and mapping red-listed fungi in protected coastal <i>Salix repens</i> communities in the Netherlands. <i>PLoS ONE</i> , <b>2014</b> , 9, e99852	3.7	50
36	30% land conservation and climate action reduces tropical extinction risk by more than 50%. <i>Ecography</i> , <b>2020</b> , 43, 943-953	6.5	46
35	Prioritizing West African medicinal plants for conservation and sustainable extraction studies based on market surveys and species distribution models. <i>Biological Conservation</i> , <b>2015</b> , 181, 173-181	6.2	40

34	Spatial patterns of carbon, biodiversity, deforestation threat, and REDD+ projects in Indonesia. <i>Conservation Biology</i> , <b>2015</b> , 29, 1434-45	6	38
33	New Guinea has the world's richest island flora. <i>Nature</i> , <b>2020</b> , 584, 579-583	50.4	37
32	In search of the perfect aphrodisiac: parallel use of bitter tonics in West Africa and the Caribbean. <i>Journal of Ethnopharmacology</i> , <b>2012</b> , 143, 840-50	5	35
31	Simulating climate change impacts on forests and associated vascular epiphytes in a subtropical island of East Asia. <i>Diversity and Distributions</i> , <b>2012</b> , 18, 334-347	5	33
30	Richness pattern and phytogeography of the Cerrado herb-rich flora and implications for conservation. <i>Journal of Vegetation Science</i> , <b>2017</b> , 28, 848-858	3.1	31
29	Global biogeography and evolution of Cuvierina pteropods. <i>BMC Evolutionary Biology</i> , <b>2015</b> , 15, 39	3	28
28	Restoration to offset the impacts of developments at a landscape scale reveals opportunities, challenges and tough choices. <i>Global Environmental Change</i> , <b>2018</b> , 52, 152-161	10.1	24
27	The demarcation and internal division of Flora Malesiana: 1857 to present. <i>Blumea: Journal of Plant Taxonomy and Plant Geography</i> , <b>2009</b> , 54, 6-8	1	24
26	Climate change threatens New Guinea's biocultural heritage. <i>Science Advances</i> , <b>2019</b> , 5, eaaz1455	14.3	24
25	Analysis of coprolites from the extinct mountain goat <i>Myotragus balearicus</i> . <i>Quaternary Research</i> , <b>2014</b> , 81, 106-116	1.9	23
24	Corresponding mitochondrial DNA and niche divergence for crested newt candidate species. <i>PLoS ONE</i> , <b>2012</b> , 7, e46671	3.7	22
23	Legume diversity as indicator for botanical diversity on Sundaland, South East Asia. <i>South African Journal of Botany</i> , <b>2013</b> , 89, 265-272	2.9	19
22	Phytogeography of New Guinean orchids: patterns of species richness and turnover. <i>Journal of Biogeography</i> , <b>2016</b> , 43, 204-214	4.1	16
21	The Natural History Production Line. <i>Journal on Computing and Cultural Heritage</i> , <b>2015</b> , 8, 1-11	1.8	14
20	Phylogenetic analysis of niche divergence reveals distinct evolutionary histories and climate change implications for tropical carnivorous pitcher plants. <i>Diversity and Distributions</i> , <b>2016</b> , 22, 97-110	5	14
19	Global Patterns of Mycorrhizal Distribution and Their Environmental Drivers. <i>Ecological Studies</i> , <b>2017</b> , 223-235	1.1	13
18	Contracting montane cloud forests: a case study of the Andean alder ( <i>Alnus acuminata</i> ) and associated fungi in the Yungas. <i>Biotropica</i> , <b>2017</b> , 49, 141-152	2.3	11
17	Modelling the distribution of the moss species <i>Hypopterygium tamarisci</i> (Hypopterygiaceae, Bryophyta) in Central and South America. <i>Nova Hedwigia</i> , <b>2010</b> , 91, 399-420	1.3	9

16	The Current and Future Status of Floristic Provinces in Thailand	219-247		9
15	Estimating the Aboveground Biomass of Bornean Forest.	<i>Biotropica</i> , <b>2014</b> , 46, 507-511	2.3	6
14	Social network analysis and the implications for Pontocaspian biodiversity conservation in Romania and Ukraine: A comparative study.	<i>PLoS ONE</i> , <b>2020</b> , 15, e0221833	3.7	5
13	Endemic Caspian Sea mollusks in hotspot and non-hotspot areas differentially affected by anthropogenic pressures.	<i>Journal of Great Lakes Research</i> , <b>2020</b> , 46, 1221-1226	3	4
12	Unequal Contribution of Widespread and Narrow-Ranged Species to Botanical Diversity Patterns.	<i>PLoS ONE</i> , <b>2016</b> , 11, e0169200	3.7	3
11	European badger habitat requirements in the Netherlands [Combining ecological niche models with neighbourhood analysis.	<i>Wildlife Biology</i> , <b>2018</b> , 2018,	1.7	3
10	Using social network analysis to assess the Pontocaspian biodiversity conservation capacity in Ukraine.	<i>Ecology and Society</i> , <b>2020</b> , 25,	4.1	3
9	Decline of unique Pontocaspian biodiversity in the Black Sea Basin: A review.	<i>Ecology and Evolution</i> , <b>2021</b> , 11, 12923-12947	2.8	3
8	Climate change threatens native potential agroforestry plant species in Brazil..	<i>Scientific Reports</i> , <b>2022</b> , 12, 2267	4.9	2
7	Collections Digitization and Assessment Dashboard, a Tool for Supporting Informed Decisions.	<i>Biodiversity Information Science and Standards</i> , 3,		2
6	Towards a Global Collection Description Standard.	<i>Biodiversity Information Science and Standards</i> , 3,		2
5	Georeferencing specimens by combining digitized maps with SRTM digital elevation data and satellite images: a Bornean case study.	<i>Blumea: Journal of Plant Taxonomy and Plant Geography</i> , <b>2009</b> , 54, 162-165	1	1
4	Caspian Sea environmental variables: an extension of the Bio-ORACLE ocean data set.	<i>Ecology</i> , <b>2020</b> , 101, e03076	4.6	1
3	Ecological niche information supports taxonomic delimitation of <i>Irvingia gabonensis</i> and <i>I. wombolu</i> (Irvingiaceae).	<i>South African Journal of Botany</i> , <b>2019</b> , 127, 35-42	2.9	1
2	Recommendations for connecting molecular sequence and biodiversity research infrastructures through ELIXIR.	<i>F1000Research</i> , 10, 1238	3.6	0
1	Temperature and soils predict the distribution of plant species along the Himalayan elevational gradient.	<i>Journal of Tropical Ecology</i> , <b>2022</b> , 38, 58-70	1.3	0