

Grzegorz Lota

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4468824/grzegorz-lota-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

88
papers

5,467
citations

32
h-index

73
g-index

99
ext. papers

5,935
ext. citations

5.7
avg, IF

5.87
L-index

#	Paper	IF	Citations
88	Materials under research: Nanomaterials, aerogels, biomaterials, composites, inks 2022 , 3-31		
87	Ozonation with ammoxidation as a method of obtaining O, N-doped carbon electrode material to electrochemical capacitors. <i>Electrochimica Acta</i> , 2022 , 413, 140130	6.7	0
86	Ionic Liquid Modified Electrochemical Capacitor with Long-Term Performance. <i>ChemElectroChem</i> , 2021 , 8, 3685-3694	4.3	0
85	Anti-corrosive siloxane coatings for improved long-term performance of supercapacitors with an aqueous electrolyte. <i>Electrochimica Acta</i> , 2021 , 372, 137840	6.7	7
84	Highly anti-corrosive treatment of low-carbon steel. <i>Ceramics International</i> , 2021 , 47, 24770-24770	5.1	0
83	Diffusion dialysis and extraction integrated system for recovery of cobalt(II) from industrial effluent. <i>Journal of Water Process Engineering</i> , 2021 , 39, 101754	6.7	4
82	Partial inhibition of borohydride hydrolysis using porous activated carbon as an effective method to improve the electrocatalytic activity of the DBFC anode. <i>Sustainable Energy and Fuels</i> , 2021 , 5, 4401-4413	5.8	2
81	Control of hydrogen release during borohydride electrooxidation with porous carbon materials.. <i>RSC Advances</i> , 2021 , 11, 15639-15655	3.7	3
80	Mixed Diffusion-Kinetic Control of H ₂ O ₂ Oxidation at an Oxide-Covered Platinum Electrode in Alkaline Electrolyte: Implications for Oxygen Electroreduction Studies with a Rotating Ring Disk Electrode. <i>ChemElectroChem</i> , 2021 , 8, 839-849	4.3	2
79	Tuning electronic property and surface reconstruction of amorphous iron borides via W-P co-doping for highly efficient oxygen evolution. <i>Applied Catalysis B: Environmental</i> , 2021 , 288, 120037	21.8	33
78	Corrosion of aluminium current collector in lithium-ion batteries: A review. <i>Journal of Energy Storage</i> , 2021 , 43, 103226	7.8	6
77	The Rapeseed Oil Based Organofunctional Silane for Stainless Steel Protective Coatings. <i>Materials</i> , 2020 , 13,	3.5	4
76	Correlation between partial inhibition of hydrogen evolution using thiourea and catalytic activity of AB ₅ -type hydrogen storage alloy towards borohydride electrooxidation. <i>Journal of Alloys and Compounds</i> , 2020 , 829, 154553	5.7	4
75	Carbon Fiber and Nickel Coated Carbon Fiber-Silica Aerogel Nanocomposite as Low-Frequency Microwave Absorbing Materials. <i>Materials</i> , 2020 , 13,	3.5	11
74	Enhancing the performance of polypyrrole composites as electrode materials for supercapacitors by carbon nanotubes additives. <i>Journal of Applied Polymer Science</i> , 2020 , 137, 48867	2.9	11
73	Ni ₂ O ₃ composite coating obtained using deep eutectic solvent and its electrocatalytic activity. <i>Chemical Papers</i> , 2020 , 74, 1691-1696	1.9	3
72	Taguchi method in experimental procedures focused on corrosion process of positive current collector in lithium-ion batteries. <i>Electrochimica Acta</i> , 2020 , 360, 137011	6.7	6

71	Lignin-based dual component additives as effective electrode material for energy management systems. <i>International Journal of Biological Macromolecules</i> , 2020 , 165, 268-278	7.9	2
70	Long-Chain Ionic Liquids Based on Monoquatary DABCO Cations and TFSI Anions: Towards Stable Electrolytes for Electrochemical Capacitors. <i>ChemPlusChem</i> , 2020 , 85, 2679-2688	2.8	0
69	Electrochemical Capacitors Based on Electrodes Made of Lignocellulosic Waste Materials. <i>Waste and Biomass Valorization</i> , 2020 , 11, 3863-3871	3.2	11
68	Electrochemical properties of modified negative electrode for Ni-MH cell. <i>Current Applied Physics</i> , 2020 , 20, 106-113	2.6	4
67	Electrocatalytic properties of a cerium/nickel coating deposited using a deep eutectic solvent. <i>Electrochemistry Communications</i> , 2019 , 107, 106538	5.1	7
66	Hybrid electrochemical and biological treatment of herbicidal ionic liquids comprising the MCPA anion. <i>Ecotoxicology and Environmental Safety</i> , 2019 , 181, 172-179	7	7
65	Positive electrode material in lead-acid car battery modified by protic ammonium ionic liquid. <i>Journal of Energy Storage</i> , 2019 , 26, 100996	7.8	10
64	The Influence of Carbon Material Modification on The Pseudocapacitive Effect. <i>Materials Today: Proceedings</i> , 2019 , 6, 36-41	1.4	4
63	Ionogels by thiol-ene photopolymerization in ionic liquids: Formation, morphology and properties. <i>Polymer</i> , 2019 , 160, 272-281	3.9	13
62	Extreme biomimetics: A carbonized 3D spongin scaffold as a novel support for nanostructured manganese oxide(IV) and its electrochemical applications. <i>Nano Research</i> , 2018 , 11, 4199-4214	10	38
61	Corrosion-protective coatings based on fluorocarboxysilane. <i>Progress in Organic Coatings</i> , 2018 , 123, 374-383	3.8	7
60	Electrochemical properties of positive electrode in lead-acid battery modified by ammonium-based ionic liquids. <i>Journal of Solid State Electrochemistry</i> , 2018 , 22, 919-930	2.6	10
59	The Effect of the Substituent Length in Protic Ionic Liquid Additive on the Corrosion Process in the Lead-Acid Battery. <i>International Journal of Electrochemical Science</i> , 2018 , 4390-4400	2.2	4
58	Effect of Alkyltrimethylammonium Ions on Corrosion and Electrochemical Behavior of Pb-Ca-Sn Alloy. <i>International Journal of Electrochemical Science</i> , 2018 , 11058-11073	2.2	2
57	Electrochemical supercapacitor with thiourea-based aqueous electrolyte. <i>Electrochemistry Communications</i> , 2018 , 97, 32-36	5.1	8
56	Persulfate treatment as a method of modifying carbon electrode material for aqueous electrochemical capacitors. <i>Journal of Solid State Electrochemistry</i> , 2017 , 21, 1079-1088	2.6	5
55	Improvement of the Structural and Chemical Properties of Carbon Nano-onions for Electrocatalysis. <i>ChemNanoMat</i> , 2017 , 3, 583-590	3.5	16
54	Boron-Doped Polygonal Carbon Nano-Onions: Synthesis and Applications in Electrochemical Energy Storage. <i>Chemistry - A European Journal</i> , 2017 , 23, 7132-7141	4.8	27

53	The influence of current collector corrosion on the performance of electrochemical capacitors. <i>Journal of Power Sources</i> , 2017 , 368, 18-29	8.9	32
52	Nickel Coatings Electrodeposited from Watts Type Baths Containing Quaternary Ammonium Sulphate Salts. <i>International Journal of Electrochemical Science</i> , 2017 , 3350-3360	2.2	17
51	Highly amorphous PbO ₂ as an electrode in hybrid electrochemical capacitors. <i>Current Applied Physics</i> , 2017 , 17, 66-71	2.6	17
50	Removal of herbicidal ionic liquids by electrochemical advanced oxidation processes combined with biological treatment. <i>Environmental Technology (United Kingdom)</i> , 2017 , 38, 1093-1099	2.6	19
49	The application of activated carbon modified by ozone treatment for energy storage. <i>Journal of Solid State Electrochemistry</i> , 2016 , 20, 2857-2864	2.6	32
48	Anti-corrosive properties of silane coatings deposited on anodised aluminium. <i>Electrochimica Acta</i> , 2016 , 220, 1-10	6.7	49
47	The modification of anode material for direct borohydride fuel cell. <i>Ionics</i> , 2016 , 22, 2539-2544	2.7	3
46	The impact of solvents on the singlet and triplet states of selected fluorine corroles - absorption, fluorescence, and optoacoustic studies. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 7216-28	3.6	17
45	The capacitance properties of activated carbon obtained from chitosan as the electrode material for electrochemical capacitors. <i>Materials Letters</i> , 2016 , 173, 72-75	3.3	23
44	Corrosion Protection of Stainless Steel by Triethoxyoctylsilane and Tetraethoxysilane. <i>International Journal of Electrochemical Science</i> , 2016 , 8256-8269	2.2	8
43	The modified activated carbon treated with a low-temperature iodine plasma used as electrode material for electrochemical capacitors. <i>Materials Letters</i> , 2016 , 175, 96-100	3.3	14
42	Polysulphides reversible faradaic reactions in supercapacitor application. <i>Electrochemistry Communications</i> , 2016 , 68, 28-31	5.1	15
41	Novel nanostructured hematite/spongine composite developed using an extreme biomimetic approach. <i>RSC Advances</i> , 2015 , 5, 79031-79040	3.7	57
40	Capacitance of Fe ₃ O ₄ /rGO nanocomposites in an aqueous hybrid electrochemical storage device. <i>Journal of Power Sources</i> , 2015 , 293, 42-50	8.9	30
39	Graphene and Graphene Composites in Electrochemical Capacitors and Li-Ion Batteries. <i>ECS Transactions</i> , 2015 , 70, 27-36	1	2
38	Carbon/polypyrrole composites for electrochemical capacitors. <i>Synthetic Metals</i> , 2015 , 203, 44-48	3.6	29
37	Limiting ac frequency and dc current of electrochemical double layer capacitors. <i>Journal of Power Sources</i> , 2015 , 280, 289-292	8.9	3
36	Synthesis of nanostructured chitin/hematite composites under extreme biomimetic conditions. <i>RSC Advances</i> , 2014 , 4, 61743-61752	3.7	49

35	Humic acids as pseudocapacitive electrolyte additive for electrochemical double layer capacitors. <i>Journal of Power Sources</i> , 2014 , 255, 230-234	8.9	33
34	Carbon Nanotubes for Energy Storage Application 2014 , 249-280		
33	Quinone/hydroquinone redox couple as a source of enormous capacitance of activated carbon electrodes. <i>Materials Research Society Symposia Proceedings</i> , 2013 , 1505, 1		3
32	Fuel cell testing of PtRu catalysts supported on differently prepared and pretreated carbon nanotubes. <i>Electrochimica Acta</i> , 2013 , 98, 94-103	6.7	20
31	Effect of surfactants on capacitance properties of carbon electrodes. <i>Electrochimica Acta</i> , 2012 , 60, 206-212	8.1	38
30	Electrochemical performance of a hybrid lithium-ion capacitor with a graphite anode preloaded from lithium bis(trifluoromethane)sulfonimide-based electrolyte. <i>Electrochimica Acta</i> , 2012 , 86, 282-286	6.7	85
29	Novel insight into neutral medium as electrolyte for high-voltage supercapacitors. <i>Energy and Environmental Science</i> , 2012 , 5, 5842-5850	35.4	590
28	Electrochemistry serving people and nature: high-energy ecocapacitors based on redox-active electrolytes. <i>ChemSusChem</i> , 2012 , 5, 1181-5	8.3	126
27	Correlation of hydrogen capacity in carbon material with the parameters of electrosorption. <i>Open Chemistry</i> , 2011 , 9, 20-24	1.6	8
26	Carbon nanotubes and their composites in electrochemical applications. <i>Energy and Environmental Science</i> , 2011 , 4, 1592	35.4	476
25	The effect of lignosulfonates as electrolyte additives on the electrochemical performance of supercapacitors. <i>Electrochemistry Communications</i> , 2011 , 13, 470-473	5.1	47
24	Alkali metal iodide/carbon interface as a source of pseudocapacitance. <i>Electrochemistry Communications</i> , 2011 , 13, 38-41	5.1	147
23	Supercapacitors Based on Nickel Oxide/Carbon Materials Composites. <i>International Journal of Electrochemistry</i> , 2011 , 2011, 1-6	2.4	44
22	Effect of surfactants on capacitance properties of carbon electrodes. <i>Materials Research Society Symposia Proceedings</i> , 2011 , 1333, 110701		2
21	Synthesis and electrochemical properties of carbon nanotubes obtained by pyrolysis of acetylene using AB5 alloy. <i>Journal of Solid State Electrochemistry</i> , 2010 , 14, 2209-2212	2.6	3
20	Hybrid materials for supercapacitor application. <i>Journal of Solid State Electrochemistry</i> , 2010 , 14, 811-816	6.6	68
19	Pseudocapacitance Effects for Enhancement of Capacitor Performance. <i>Fuel Cells</i> , 2010 , 10, 848-855	2.9	25
18	Carbon materials modified by plasma treatment as electrodes for supercapacitors. <i>Journal of Power Sources</i> , 2010 , 195, 7535-7539	8.9	57

17	Effects of addition of different carbon materials on the electrochemical performance of nickel hydroxide electrode. <i>Journal of Power Sources</i> , 2010 , 195, 7511-7516	8.9	16
16	Electrochemical properties of supercapacitors operating in aqueous electrolyte with surfactants. <i>Electrochimica Acta</i> , 2010 , 55, 7484-7488	6.7	69
15	Striking capacitance of carbon/iodide interface. <i>Electrochemistry Communications</i> , 2009 , 11, 87-90	5.1	211
14	Lithium insertion/deinsertion of boron doped graphitic carbons synthesized by different procedure. <i>Journal of Physics and Chemistry of Solids</i> , 2008 , 69, 1179-1181	3.9	8
13	Improvement of the structural and chemical properties of a commercial activated carbon for its application in electrochemical capacitors. <i>Electrochimica Acta</i> , 2008 , 53, 2210-2216	6.7	204
12	Synthesis and properties of trigeminal tricationic ionic liquids. <i>Chemistry - A European Journal</i> , 2007 , 13, 3106-12	4.8	60
11	High performance supercapacitor from chromium oxide-nanotubes based electrodes. <i>Chemical Physics Letters</i> , 2007 , 434, 73-77	2.5	38
10	Nanotubes based composites rich in nitrogen for supercapacitor application. <i>Electrochemistry Communications</i> , 2007 , 9, 1828-1832	5.1	214
9	Saccharide-based graphitic carbon nanocoils as supports for PtRu nanoparticles for methanol electrooxidation. <i>Journal of Power Sources</i> , 2007 , 171, 546-551	8.9	62
8	Carbon nanotubes with PtRu catalyst for methanol fuel cell. <i>Electrochemistry Communications</i> , 2006 , 8, 129-132	5.1	117
7	Optimisation of supercapacitors using carbons with controlled nanotexture and nitrogen content. <i>Electrochimica Acta</i> , 2006 , 51, 2209-2214	6.7	273
6	Room-temperature phosphonium ionic liquids for supercapacitor application. <i>Applied Physics Letters</i> , 2005 , 86, 164104	3.4	148
5	Templated mesoporous carbons for supercapacitor application. <i>Electrochimica Acta</i> , 2005 , 50, 2799-2805	6.7	362
4	Effect of nitrogen in carbon electrode on the supercapacitor performance. <i>Chemical Physics Letters</i> , 2005 , 404, 53-58	2.5	306
3	Effect of pore size distribution of coal-based activated carbons on double layer capacitance. <i>Electrochimica Acta</i> , 2005 , 50, 1197-1206	6.7	272
2	A Self-Supporting Electrode for Supercapacitors Prepared by One-Step Pyrolysis of Carbon Nanotube/Polyacrylonitrile Blends. <i>Advanced Materials</i> , 2005 , 17, 2380-2384	24	271
1	Electrochemical capacitors based on highly porous carbons prepared by KOH activation. <i>Electrochimica Acta</i> , 2004 , 49, 515-523	6.7	359