

Peter John Roberts-Thomson

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4469164/peter-john-roberts-thomson-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

146
papers

3,394
citations

36
h-index

50
g-index

149
ext. papers

3,878
ext. citations

3
avg, IF

4.57
L-index

#	Paper	IF	Citations
146	Scleroderma renal crisis: observations from the South Australian Scleroderma Register. <i>Internal Medicine Journal</i> , 2021 , 51, 235-242	1.6	1
145	Utility of the HEp-2000 antinuclear antibody substrate. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, e67	2.4	7
144	A descriptive account of sequential nailfold capillaroscopy in scleroderma. <i>Pathology</i> , 2019 , 51, 669-672	1.6	0
143	Improving life expectancy of patients with scleroderma: results from the South Australian Scleroderma Register. <i>Internal Medicine Journal</i> , 2018 , 48, 951-956	1.6	4
142	The role of nailfold capillary dropout on mortality in systemic sclerosis. <i>Internal Medicine Journal</i> , 2018 , 48, 517-523	1.6	2
141	Diagnostic utility of unidentified precipitin lines (UPLs) in immune precipitation assays. <i>Pathology</i> , 2015 , 47, 62-7	1.6	
140	Interpretation of an Extended Autoantibody Profile in a Well-Characterized Australian Systemic Sclerosis (Scleroderma) Cohort Using Principal Components Analysis. <i>Arthritis and Rheumatology</i> , 2015 , 67, 3234-44	9.5	58
139	Systemic sclerosis, birth order and parity. <i>International Journal of Rheumatic Diseases</i> , 2014 , 17, 557-61	2.3	6
138	Epidemiology of biopsy-proven giant cell arteritis in South Australia. <i>Internal Medicine Journal</i> , 2014 , 44, 32-9	1.6	39
137	Incidence and prevalence of idiopathic inflammatory myopathies in South Australia: a 30-year epidemiologic study of histology-proven cases. <i>International Journal of Rheumatic Diseases</i> , 2013 , 16, 331-8	2.3	49
136	The incidence and associations of malignancy in a large cohort of patients with biopsy-determined idiopathic inflammatory myositis. <i>Rheumatology International</i> , 2013 , 33, 965-71	3.6	45
135	Levels of soluble adhesion molecules and their associations in inflammatory myositis. <i>International Journal of Rheumatic Diseases</i> , 2013 , 16, 99-101	2.3	1
134	South Australian Scleroderma Register: autoantibodies as predictive biomarkers of phenotype and outcome. <i>International Journal of Rheumatic Diseases</i> , 2012 , 15, 102-9	2.3	66
133	Mortality and its predominant causes in a large cohort of patients with biopsy-determined inflammatory myositis. <i>Internal Medicine Journal</i> , 2012 , 42, 191-8	1.6	35
132	Stochastic processes in the aetiopathogenesis of scleroderma. <i>Internal Medicine Journal</i> , 2012 , 42, 235-42	2.6	6
131	Necrotizing myopathy: clinicoserologic associations. <i>Muscle and Nerve</i> , 2012 , 45, 189-94	3.4	34
130	A seminal monograph: Mackay and Burnet's Autoimmune diseases. <i>Medical Journal of Australia</i> , 2012 , 196, 74-6	4	4

129	A three-way interplay of DR4, autoantibodies and synovitis in biopsy-proven idiopathic inflammatory myositis. <i>Rheumatology International</i> , 2012 , 32, 611-9	3.6	15
128	Internal quality control and external quality assurance in testing for antiphospholipid antibodies: Part I--Anticardiolipin and anti- β -glycoprotein I antibodies. <i>Seminars in Thrombosis and Hemostasis</i> , 2012 , 38, 390-403	5.3	36
127	Clinical heterogeneity and prognostic features of South Australian patients with anti-synthetase autoantibodies. <i>Internal Medicine Journal</i> , 2011 , 41, 674-9	1.6	50
126	Survival in scleroderma: results from the population-based South Australian Register. <i>Internal Medicine Journal</i> , 2011 , 41, 381-90	1.6	46
125	Cigarette smoking in patients with systemic sclerosis reduces overall survival: comment on the article by Hudson et al. <i>Arthritis and Rheumatism</i> , 2011 , 63, 1758-9		16
124	Mortality in patients with biopsy-proven giant cell arteritis: a south australian population-based study. <i>Journal of Rheumatology</i> , 2011 , 38, 2215-7	4.1	41
123	Inflammatory arthritis in a patient with primary biliary cirrhosis: B cell mediated synovitis. <i>Journal of Rheumatology</i> , 2010 , 37, 212-4	4.1	5
122	Diagnostic utility of anti-Ro52 detection in systemic autoimmunity. <i>Postgraduate Medical Journal</i> , 2010 , 86, 79-82	2	55
121	Apoptosis in the rheumatoid arthritis synovial membrane: modulation by disease-modifying anti-rheumatic drug treatment. <i>Rheumatology</i> , 2010 , 49, 862-75	3.9	50
120	Risk of cancer in patients with biopsy-proven giant cell arteritis. <i>Rheumatology</i> , 2010 , 49, 756-9	3.9	16
119	Idiopathic inflammatory myositis is associated with a high incidence of hypertension and diabetes mellitus. <i>International Journal of Rheumatic Diseases</i> , 2010 , 13, 132-7	2.3	48
118	Idiopathic inflammatory myopathies: diagnostic criteria, classification and epidemiological features. <i>International Journal of Rheumatic Diseases</i> , 2010 , 13, 117-24	2.3	37
117	Monozygotic twins with distinct forms of idiopathic inflammatory myositis. <i>Rheumatology</i> , 2009 , 48, 855-7	3.9	1
116	A modified hand anatomic index to assess hand deformity in scleroderma. <i>Rheumatology International</i> , 2009 , 29, 847-8	3.6	7
115	Idiopathic inflammatory myopathies. <i>Internal Medicine Journal</i> , 2009 , 39, 179-190	1.6	21
114	Familial scleroderma: nature, nurture or both?. <i>Internal Medicine Journal</i> , 2008 , 38, 235-42	1.6	3
113	Prevalence of sicca symptoms in a South Australian cohort with systemic sclerosis. <i>Internal Medicine Journal</i> , 2008 , 38, 897-903	1.6	18
112	Wegener's granulomatosis: epidemiological and clinical features in a South Australian study. <i>Internal Medicine Journal</i> , 2008 , 38, 776-80	1.6	15

111	Breast cancer and systemic sclerosis: a clinical description of 21 patients in a population-based cohort study. <i>Rheumatology International</i> , 2008 , 28, 895-9	3.6	26
110	Anti-Ro52 antibodies, antisynthetase antibodies, and antisynthetase syndrome. <i>Clinical Rheumatology</i> , 2008 , 27, 521-3	3.9	6
109	Modulation of RANKL and osteoprotegerin expression in synovial tissue from patients with rheumatoid arthritis in response to disease-modifying antirheumatic drug treatment and correlation with radiologic outcome. <i>Arthritis and Rheumatism</i> , 2008 , 59, 911-20		30
108	Bilateral symmetric gluteal muscle metastases from pancreatic carcinoma presenting as a myositis. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2007 , 51 Spec No., B119-21		3
107	The clinical features of dermatomyositis in a South Australian population. <i>APLAR Journal of Rheumatology</i> , 2007 , 10, 86-93		7
106	The epidemiology of dermatomyositis in South Australia. <i>APLAR Journal of Rheumatology</i> , 2007 , 10, 94-100		7
105	Letter to the editor. Re: Specificity of anti-centromere antibodies for scleroderma. <i>Rheumatology International</i> , 2007 , 28, 197-8	3.6	
104	Quantitative and qualitative assessment of hand function and deformity in systemic sclerosis. <i>Rheumatology International</i> , 2007 , 27, 509-10	3.6	4
103	Risk factors for lung cancer in patients with scleroderma: a nested case-control study. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 551-3	2.4	52
102	A Review of beta2 -glycoprotein-I antibody testing results from a peer-driven multilaboratory quality assurance program. <i>American Journal of Clinical Pathology</i> , 2007 , 127, 441-8	1.9	29
101	Characterisation of a dendritic cell subset in synovial tissue which strongly expresses Jak/STAT transcription factors from patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 992-9	2.4	42
100	The use of the hand anatomic index to assess deformity and impaired function in systemic sclerosis. <i>Rheumatology International</i> , 2006 , 26, 439-44	3.6	19
99	Changes in synovial tissue Jak-STAT expression in rheumatoid arthritis in response to successful DMARD treatment. <i>Annals of the Rheumatic Diseases</i> , 2006 , 65, 1558-64	2.4	52
98	Expression of Jak3, STAT1, STAT4, and STAT6 in inflammatory arthritis: unique Jak3 and STAT4 expression in dendritic cells in seropositive rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2006 , 65, 149-56	2.4	86
97	Scleroderma in South Australia: further epidemiological observations supporting a stochastic explanation. <i>Internal Medicine Journal</i> , 2006 , 36, 489-97	1.6	35
96	Scleroderma: it has been a long hard journey. <i>Internal Medicine Journal</i> , 2006 , 36, 519-23	1.6	11
95	Proficiency testing in immunopathology: establishing the homogeneity of test material. <i>Pathology</i> , 2005 , 37, 164-8	1.6	2
94	Isolated pulmonary hypertension in scleroderma. <i>Internal Medicine Journal</i> , 2005 , 35, 28-33	1.6	51

93	Scleroderma in Australian aborigines. <i>Internal Medicine Journal</i> , 2005 , 35, 60-2	1.6	5
92	A multilaboratory peer assessment quality assurance program-based evaluation of anticardiolipin antibody, and beta2-glycoprotein I antibody testing. <i>Seminars in Thrombosis and Hemostasis</i> , 2005 , 31, 73-84	5.3	50
91	Histopathological and ultrastructural features of dermal telangiectasias in systemic sclerosis. <i>Pathology</i> , 2005 , 37, 220-5	1.6	23
90	Osteoprotegerin expression in synovial tissue from patients with rheumatoid arthritis, spondyloarthropathies and osteoarthritis and normal controls. <i>British Journal of Rheumatology</i> , 2003 , 42, 123-34		111
89	A randomized placebo-controlled trial of arthroscopic lavage versus lavage plus intra-articular corticosteroids in the management of symptomatic osteoarthritis of the knee. <i>British Journal of Rheumatology</i> , 2003 , 42, 1477-85		70
88	Antinuclear antibody testing in a regional immunopathology laboratory. <i>Immunology and Cell Biology</i> , 2003 , 81, 409-12	5	15
87	Scleroderma renal crisis: poor outcome despite aggressive antihypertensive treatment. <i>Internal Medicine Journal</i> , 2003 , 33, 216-20	1.6	55
86	Risk of cancer in patients with scleroderma: a population based cohort study. <i>Annals of the Rheumatic Diseases</i> , 2003 , 62, 728-31	2.4	134
85	Microchimerism in systemic sclerosis: comment on the article by Johnson et al. <i>Arthritis and Rheumatism</i> , 2002 , 46, 2538; author reply 2538-9		0
84	IgM paraproteinaemia: disease associations and laboratory features. <i>Pathology</i> , 2002 , 34, 356-61	1.6	16
83	Paraproteins: a regional South Australian experience. <i>Asian Pacific Journal of Allergy and Immunology</i> , 2002 , 20, 187-95	5.4	1
82	Scleroderma in South Australia: epidemiological observations of possible pathogenic significance. <i>Internal Medicine Journal</i> , 2001 , 31, 220-9	1.6	72
81	Similar effects of pulse corticosteroid and tumor necrosis factor alpha blockade in rheumatoid arthritis: comment on the article by Taylor et al. <i>Arthritis and Rheumatism</i> , 2001 , 44, 245-6		3
80	Effects of intraarticular glucocorticoids on macrophage infiltration and mediators of joint damage in osteoarthritis synovial membranes: findings in a double-blind, placebo-controlled study. <i>Arthritis and Rheumatism</i> , 2001 , 44, 343-50		55
79	Successful treatment of rheumatoid arthritis is associated with a reduction in synovial membrane cytokines and cell adhesion molecule expression. <i>Rheumatology</i> , 2001 , 40, 965-77	3.9	30
78	The effects of pulse methylprednisolone on matrix metalloproteinase and tissue inhibitor of metalloproteinase-1 expression in rheumatoid arthritis. <i>Rheumatology</i> , 2000 , 39, 1067-73	3.9	19
77	The role of intravenous methylprednisolone pulses in the management of rheumatoid arthritis. <i>Rheumatology</i> , 2000 , 39, 1296-7	3.9	3
76	Rheumatic disease and the Australian aborigine. <i>Annals of the Rheumatic Diseases</i> , 1999 , 58, 266-70	2.4	22

75	Shared rheumatoid epitope as a risk factor in determining outcome in rheumatoid arthritis. <i>Australian and New Zealand Journal of Medicine</i> , 1999 , 29, 234-8		6
74	The clinical associations of mitotic spindle autoantibodies in a South Australian cohort. <i>Australian and New Zealand Journal of Medicine</i> , 1999 , 29, 713-7		4
73	Clinical utility of the flow cytometric technique for shared rheumatoid epitope. <i>Rheumatology International</i> , 1999 , 19, 31-4	3.6	
72	Cytokines and cell adhesion molecules in musculoskeletal disorders. <i>Drugs of Today</i> , 1999 , 35, 127-37	2.5	1
71	Similarities in the mechanisms of action of pulse corticosteroids and anti-tumor necrosis factor alpha therapy in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1998 , 41, 564-5		2
70	Methotrexate hepatotoxicity: what is the evidence?. <i>Inflammation Research</i> , 1998 , 47, 148-51	7.2	16
69	Rheumatoid arthritis and Australian aborigines. <i>Medical Journal of Australia</i> , 1998 , 168, 92	4	4
68	South Australian Scleroderma Register: analysis of deceased patients. <i>Pathology</i> , 1998 , 30, 386-90	1.6	11
67	Skinprick-test sensitivity to olive pollen: In reply. <i>Medical Journal of Australia</i> , 1997 , 166, 279-280	4	1
66	Effects of pulse methylprednisolone on inflammatory mediators in peripheral blood, synovial fluid, and synovial membrane in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1997 , 40, 1400-8		104
65	Low molecular weight IgM in healthy adults: influence of HLA. <i>Human Immunology</i> , 1996 , 51, 55-9	2.3	2
64	Skinprick test sensitivity to olive pollen. <i>Medical Journal of Australia</i> , 1996 , 165, 460	4	2
63	Skin-prick test sensitivity to olive pollen. <i>Medical Journal of Australia</i> , 1996 , 165, 352	4	
62	Clinical associations of anti-lamin autoantibodies. <i>Australian and New Zealand Journal of Medicine</i> , 1996 , 26, 162-6		6
61	Neutrophil trafficking into inflamed joints in patients with rheumatoid arthritis, and the effects of methylprednisolone. <i>Arthritis and Rheumatism</i> , 1996 , 39, 216-25		66
60	Effects of pulse methylprednisolone on cell adhesion molecules in the synovial membrane in rheumatoid arthritis. Reduced E-selectin and intercellular adhesion molecule 1 expression. <i>Arthritis and Rheumatism</i> , 1996 , 39, 1970-9		62
59	Sera from patients with systemic lupus erythematosus demonstrate enhanced IgG binding to endothelial cells pretreated with tumour necrosis factor alpha. <i>Rheumatology International</i> , 1995 , 15, 99-105	3.6	7
58	Effects of ex vivo manipulation on the expression of cell adhesion molecules on neutrophils. <i>Journal of Immunological Methods</i> , 1995 , 186, 217-24	2.5	51

57	Illness behaviour in patients with arthritis. <i>Annals of the Rheumatic Diseases</i> , 1995 , 54, 245-50	2.4	12
56	A study of scleroderma in South Australia: prevalence, subset characteristics and nailfold capillaroscopy. <i>Australian and New Zealand Journal of Medicine</i> , 1995 , 25, 688-94		38
55	Does rheumatoid arthritis exist in the indigenous Australian aboriginal population?. <i>Medical Journal of Australia</i> , 1995 , 163, 444-5	4	4
54	Low molecular weight IgM and CD5 B lymphocytes in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 1994 , 53, 383-90	2.4	5
53	Paraproteinemic crystalloidal keratopathy: an ultrastructural study of two cases, including immunoelectron microscopy. <i>Ultrastructural Pathology</i> , 1993 , 17, 643-68	1.3	22
52	Low molecular weight IgM in the sera of patients with chronic lymphocytic leukemia. <i>Pathology</i> , 1993 , 25, 52-6	1.6	3
51	Immunohistochemical analysis of synovial membranes from inflammatory and non-inflammatory arthritides: scarcity of CD5 positive B cells and IL2 receptor bearing T cells. <i>Pathology</i> , 1992 , 24, 19-26	1.6	35
50	An enhanced chemiluminescence detection system combined with a modified immunoblot technique for the detection of low molecular weight IgM in sera from healthy adults and neonates. <i>Journal of Immunological Methods</i> , 1992 , 146, 241-7	2.5	8
49	Rheumatic manifestations of infective endocarditis. <i>Rheumatology International</i> , 1992 , 12, 61-3	3.6	38
48	High dose oral methylprednisolone in patients with rheumatoid arthritis: pharmacokinetics and clinical response. <i>European Journal of Clinical Pharmacology</i> , 1992 , 42, 85-8	2.8	41
47	Anti-Cytoskeletal Antibodies. <i>Autoimmunity</i> , 1991 , 11, 129-129	3	1
46	Quality assurance of immunodiagnostic tests in Australasia. <i>Pathology</i> , 1991 , 23, 125-9	1.6	2
45	Molecular size heterogeneity of immunoglobulins in health and disease. <i>Clinical and Experimental Immunology</i> , 1990 , 79, 328-34	6.2	19
44	Frequency and role of low molecular weight IgM in systemic lupus erythematosus. Study of patients from different ethnic origins. <i>Rheumatology International</i> , 1990 , 10, 95-8	3.6	3
43	Detection of autoantibodies to ribosomal P protein using recombinant autoantigen in a quantitative immunoassay. <i>Rheumatology International</i> , 1990 , 10, 99-102	3.6	12
42	IgG and IgM anti-endothelial cell antibodies in patients with collagen-vascular disorders. <i>Rheumatology International</i> , 1990 , 10, 113-9	3.6	23
41	Lymphocyte surface marker expression in rheumatic diseases: evidence for prior activation of lymphocytes in vivo. <i>Annals of the Rheumatic Diseases</i> , 1990 , 49, 81-7	2.4	27
40	Autoantibodies in patients with juvenile chronic arthritis and their immediate family relatives. <i>Annals of the Rheumatic Diseases</i> , 1990 , 49, 968-72	2.4	14

39	Low molecular weight IgM in primary biliary cirrhosis. <i>Gut</i> , 1990 , 31, 88-91	19.2	5
38	Does steroid pulsing influence the efficacy and toxicity of chrysotherapy? A double blind, placebo controlled study. <i>Annals of the Rheumatic Diseases</i> , 1990 , 49, 370-2	2.4	15
37	Unconventional Remedies Used for Patients With Juvenile Arthritis. <i>Pediatrics</i> , 1990 , 85, 150-154	7.4	29
36	Impaired delayed type cutaneous hypersensitivity in rheumatoid arthritis reversed by chrysotherapy. <i>Annals of the Rheumatic Diseases</i> , 1989 , 48, 108-13	2.4	10
35	Low molecular weight IgM in juvenile chronic arthritis. <i>Archives of Disease in Childhood</i> , 1988 , 63, 1453-6	2.2	3
34	Effects of chrysotherapy on circulating lymphocyte numbers and subsets. <i>Annals of the Rheumatic Diseases</i> , 1988 , 47, 15-7	2.4	6
33	Pulse steroid therapy in rheumatoid arthritis: can equivalent doses of oral prednisolone give similar clinical results to intravenous methylprednisolone?. <i>Annals of the Rheumatic Diseases</i> , 1988 , 47, 28-33	2.4	27
32	Large quantities of low molecular weight IgM in mixed cryoglobulinaemia. <i>Annals of the Rheumatic Diseases</i> , 1988 , 47, 105-9	2.4	2
31	Methylprednisolone pulse therapy in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 1987 , 46, 878-9	2.4	
30	Frequency of low molecular weight IgM in human cord blood. <i>Journal of Reproductive Immunology</i> , 1987 , 11, 321-5	4.2	1
29	Evaluation of CD5-positive B cells in blood and synovial fluid of patients with rheumatic diseases. <i>Rheumatology International</i> , 1987 , 7, 255-9	3.6	21
28	Serological investigations in the diagnosis and management of infective endocarditis. <i>Australian and New Zealand Journal of Medicine</i> , 1986 , 16, 761-5		3
27	Adult onset Still's disease or coxsackie polyarthritis?. <i>Australian and New Zealand Journal of Medicine</i> , 1986 , 16, 509-11		20
26	Methylprednisolone infusion therapy in rheumatoid arthritis patients. The effect on synovial fluid lymphocyte subsets and inflammatory indices. <i>Arthritis and Rheumatism</i> , 1986 , 29, 32-8		23
25	Preliminary evidence for the presence of an inhibitor on the surface of natural monosodium urate crystals. <i>Arthritis and Rheumatism</i> , 1986 , 29, 1172-3		3
24	The subcutaneous air pouch model of synovium and the inflammatory response to heat aggregated gammaglobulin. <i>Agents and Actions</i> , 1986 , 18, 421-8		24
23	Lack of correlation between in vitro and in vivo effects of low density lipoprotein on the inflammatory activity of monosodium urate crystals. <i>Annals of the Rheumatic Diseases</i> , 1986 , 45, 673-6	2.4	4
22	Low molecular weight IgM. Detection using immunoblotting. <i>Journal of Immunological Methods</i> , 1986 , 88, 97-100	2.5	16

21	In vitro synthesis of low molecular weight IgM in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1985 , 28, 112-7		8
20	Studies on the interaction of rheumatoid factor with monosodium urate crystals and case report of coexistent tophaceous gout and rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 1985 , 44, 384-9	2.4	20
19	Routine quantification of rheumatoid factor by rate nephelometry. <i>Annals of the Rheumatic Diseases</i> , 1985 , 44, 379-83	2.4	17
18	Adrenaline and anaphylaxis. <i>Medical Journal of Australia</i> , 1985 , 142, 708-708	4	8
17	Abnormalities of esophageal and gastric emptying in progressive systemic sclerosis. <i>Gastroenterology</i> , 1984 , 87, 922-926	13.3	98
16	Bee-sting mortality in Australia. <i>Medical Journal of Australia</i> , 1984 , 140, 209-11	4	37
15	Neutrophil activation by immune complexes and the role of rheumatoid factor. <i>Annals of the Rheumatic Diseases</i> , 1984 , 43, 34-9	2.4	22
14	A simple one-step procedure for preparation of C1-deficient human serum. <i>Journal of Immunological Methods</i> , 1984 , 69, 277-80	2.5	12
13	Life threatening cardiac tamponade complicating a case of seronegative rheumatoid arthritis. <i>Australian and New Zealand Journal of Medicine</i> , 1984 , 14, 56-8		3
12	Low molecular weight IgM in B cell lymphoproliferative disorders. <i>Australian and New Zealand Journal of Medicine</i> , 1984 , 14, 121-5		6
11	Diurnal variation of lymphocyte subsets identified by monoclonal antibodies. <i>British Medical Journal</i> , 1983 , 286, 1171-2		74
10	Direct activation of neutrophil chemiluminescence by rheumatoid sera and synovial fluid. <i>Annals of the Rheumatic Diseases</i> , 1983 , 42, 158-62	2.4	44
9	Quantitation of rheumatoid factor by laser nephelometry. <i>Rheumatology International</i> , 1982 , 2, 17-20	3.6	19
8	The in vitro activation of complement by radiologic contrast materials and its inhibition with epsilon-aminocaproic acid. <i>Investigative Radiology</i> , 1981 , 16, 152-8	10.1	21
7	Low molecular weight IgM in rheumatoid arthritis and other rheumatic diseases. <i>Arthritis and Rheumatism</i> , 1981 , 24, 795-802		25
6	Quantitation and evaluation of low molecular weight IgM in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 1980 , 39, 349-53	2.4	12
5	Circulating and intra-articular immune complexes in rheumatoid arthritis: a comparative study of the C1q binding and monoclonal rheumatoid factor assays. <i>Annals of the Rheumatic Diseases</i> , 1980 , 39, 438-44	2.4	16
4	Relationship between paraprotein polymerization and clinical features in IgA myeloma. <i>British Journal of Haematology</i> , 1976 , 33, 117-30	4.5	33

3	Factors relating to circulating immune complexes in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 1976 , 35, 314-20	2.4	27
2	Cerebrospinal fluid immunoglobulin quotients, kappa/lambda ratios, and viral antibody titres in neurological disease. <i>Journal of Clinical Pathology</i> , 1976 , 29, 1105-15	3.9	22
1	Polymeric IgA myeloma, hyperlipidaemia and xanthomatosis: a further case and review. <i>Postgraduate Medical Journal</i> , 1975 , 51, 44-51	2	23