

Jin-Ming Yu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/446936/jin-ming-yu-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

226
papers

2,908
citations

29
h-index

42
g-index

236
ext. papers

4,037
ext. citations

4.7
avg, IF

5.73
L-index

#	Paper	IF	Citations
226	Anti-PD-L1/TGF-R fusion protein (SHR-1701) overcomes disrupted lymphocyte recovery-induced resistance to PD-1/PD-L1 inhibitors in lung cancer.. <i>Cancer Communications</i> , 2022 , 42, 17-36	9.4	3
225	Tumor angiogenesis at baseline identified by F-Alfatide II PET/CT may predict survival among patients with locally advanced non-small cell lung cancer treated with concurrent chemoradiotherapy.. <i>Journal of Translational Medicine</i> , 2022 , 20, 63	8.5	0
224	Efficacy of Immune Checkpoint Inhibitors in Patients With EGFR Mutated NSCLC and Potential Risk Factors Associated With Prognosis: A Single Institution Experience.. <i>Frontiers in Immunology</i> , 2022 , 13, 832419	8.4	1
223	IDH1 Mutation Induces HIF-1 and Confers Angiogenic Properties in Chondrosarcoma JJ012 Cells.. <i>Disease Markers</i> , 2022 , 2022, 7729968	3.2	1
222	Concurrent Chemoradiotherapy Increases the Levels of Soluble Immune Checkpoint Proteins in Patients with Locally Advanced Cervical Cancer.. <i>Journal of Immunology Research</i> , 2022 , 2022, 9621466	4.5	0
221	Sarcopenia is associated with prognosis in patients with esophageal squamous cell cancer after radiotherapy or chemoradiotherapy.. <i>BMC Gastroenterology</i> , 2022 , 22, 211	3	0
220	Efficacy of single-site radiotherapy plus PD-1 inhibitors vs PD-1 inhibitors for oligometastatic non-small cell lung cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021 , 1	4.9	0
219	The efficacy and possible mechanisms of immune checkpoint inhibitors in treating non-small cell lung cancer patients with epidermal growth factor receptor mutation. <i>Cancer Communications</i> , 2021 ,	9.4	3
218	Combined treatment of non-small cell lung cancer using radiotherapy and immunotherapy: challenges and updates. <i>Cancer Communications</i> , 2021 , 41, 1086-1099	9.4	6
217	Prediction of the effects of radiation therapy in esophageal cancer using diffusion and perfusion MRI. <i>Cancer Science</i> , 2021 , 112, 5046-5054	6.9	1
216	ZBP1-MLKL necroptotic signaling potentiates radiation-induced antitumor immunity via intratumoral STING pathway activation. <i>Science Advances</i> , 2021 , 7, eabf6290	14.3	6
215	Safety of thoracic radiotherapy after PD-(L)1 inhibitor treatment in patients with lung cancer. <i>Cancer Medicine</i> , 2021 , 10, 8518-8529	4.8	1
214	Primary results from TAIL: a global single-arm safety study of atezolizumab monotherapy in a diverse population of patients with previously treated advanced non-small cell lung cancer 2021 , 9,		12
213	Efficacy and Safety of Anti-PD-1 Plus Anlotinib in Patients With Advanced Non-Small-Cell Lung Cancer After Previous Systemic Treatment Failure-A Retrospective Study. <i>Frontiers in Oncology</i> , 2021 , 11, 628124	5.3	12
212	Anti-PD-(L)1 immunotherapy for brain metastases in non-small cell lung cancer: Mechanisms, advances, and challenges. <i>Cancer Letters</i> , 2021 , 502, 166-179	9.9	7
211	The landscape of bispecific T cell engager in cancer treatment. <i>Biomarker Research</i> , 2021 , 9, 38	8	15
210	Real-World Data on Apatinib Efficacy - Results of a Retrospective Study in Metastatic Breast Cancer Patients Pretreated With Multiline Treatment. <i>Frontiers in Oncology</i> , 2021 , 11, 643654	5.3	4

209	Clinical outcomes of immune checkpoint blockades and the underlying immune escape mechanisms in squamous and adenocarcinoma NSCLC. <i>Cancer Medicine</i> , 2021 , 10, 3-14	4.8	10
208	Clinical implications of germline BCL2L1 deletion polymorphism in pretreated advanced NSCLC patients with osimertinib therapy. <i>Lung Cancer</i> , 2021 , 151, 39-43	5.9	8
207	GINS2 attenuates the development of lung cancer by inhibiting the STAT signaling pathway. <i>Journal of Cancer</i> , 2021 , 12, 99-110	4.5	5
206	Overlap time is an independent risk factor of radiation pneumonitis for patients treated with simultaneous EGFR-TKI and thoracic radiotherapy. <i>Radiation Oncology</i> , 2021 , 16, 41	4.2	2
205	A nomogram for the predicting of survival in patients with esophageal squamous cell carcinoma undergoing definitive chemoradiotherapy. <i>Annals of Translational Medicine</i> , 2021 , 9, 233	3.2	0
204	Case Report: Transformation From Cold to Hot Tumor in a Case of NSCLC Neoadjuvant Immunochemotherapy Pseudoprogression. <i>Frontiers in Immunology</i> , 2021 , 12, 633534	8.4	2
203	Three models that predict the efficacy of immunotherapy in Chinese patients with advanced non-small cell lung cancer. <i>Cancer Medicine</i> , 2021 , 10, 6291-6303	4.8	2
202	Taxifolin Targets PI3K and mTOR and Inhibits Glioblastoma Multiforme. <i>Journal of Oncology</i> , 2021 , 2021, 5560915	4.5	2
201	Calcium channel TRPV6 promotes breast cancer metastasis by NFATC2IP. <i>Cancer Letters</i> , 2021 , 519, 150-160	4.6	3
200	Computed Tomography-Based Delta-Radiomics Analysis for Discriminating Radiation Pneumonitis in Patients With Esophageal Cancer After Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021 , 111, 443-455	4	7
199	[F]AIF-NOTA-FAPI-04 PET/CT uptake in metastatic lesions on PET/CT imaging might distinguish different pathological types of lung cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 49, 1671	8.8	5
198	Systemic Immune Activation and Responses of Irradiation to Different Metastatic Sites Combined With Immunotherapy in Advanced Non-Small Cell Lung Cancer.. <i>Frontiers in Immunology</i> , 2021 , 12, 803247	8.4	2
197	Radiation Recall Pneumonitis Induced by Anti-PD-1 Blockade: A Case Report and Review of the Literature. <i>Frontiers in Oncology</i> , 2020 , 10, 561	5.3	12
196	A review of radiation-induced lymphopenia in patients with esophageal cancer: an immunological perspective for radiotherapy. <i>Therapeutic Advances in Medical Oncology</i> , 2020 , 12, 1758835920926822	5.4	17
195	Redox homeostasis maintained by GPX4 facilitates STING activation. <i>Nature Immunology</i> , 2020 , 21, 727-735	7.5	61
194	Looking for the Optimal PD-1/PD-L1 Inhibitor in Cancer Treatment: A Comparison in Basic Structure, Function, and Clinical Practice. <i>Frontiers in Immunology</i> , 2020 , 11, 1088	8.4	22
193	The feasibility of non-contrast enhanced plus contrast-enhanced computed tomography in discriminating invasive pure ground-glass opacity from pre-invasive pure ground-glass opacity. <i>Journal of Cardiothoracic Surgery</i> , 2020 , 15, 162	1.6	
192	An in silico mechanistic insight into HDAC8 activation facilitates the discovery of new small-molecule activators. <i>Bioorganic and Medicinal Chemistry</i> , 2020 , 28, 115607	3.4	1

191	AR Antagonism with DZD2269 Augments Antitumor Efficacy of Irradiation in Murine Model. <i>Journal of Cancer</i> , 2020 , 11, 3685-3692	4.5	3
190	The flow-metabolism ratio might predict treatment response and survival in patients with locally advanced esophageal squamous cell carcinoma. <i>EJNMMI Research</i> , 2020 , 10, 57	3.6	1
189	Screening of potential genes and transcription factors involved in post-radiation cognitive dysfunction in mice via bioinformatics.. <i>Translational Cancer Research</i> , 2020 , 9, 6383-6391	0.3	
188	Survival prediction models for patients with anal carcinoma receiving definitive chemoradiation: A population-based study. <i>Oncology Letters</i> , 2020 , 19, 1443-1451	2.6	4
187	The effect of TKI therapy and chemotherapy treatment delivery sequence on total progression-free survival in patients with advanced EGFR-mutated NSCLC. <i>Oncology Letters</i> , 2020 , 20, 391-400	2.6	1
186	Increased hippocampal TrkA expression ameliorates cranial radiation-induced neurogenesis impairment and cognitive deficit via PI3K/AKT signaling. <i>Oncology Reports</i> , 2020 , 44, 2527-2536	3.5	4
185	Safety and efficacy of atezolizumab (atezo) in patients (pts) with autoimmune disease (AID): Subgroup analysis of the TAIL study.. <i>Journal of Clinical Oncology</i> , 2020 , 38, e21628-e21628	2.2	
184	Prognostic biomarker candidates of neoadjuvant chemotherapy for luminal B-positive locally advanced breast cancer.. <i>Journal of Clinical Oncology</i> , 2020 , 38, e12638-e12638	2.2	
183	Silencing METTL3 inhibits the proliferation and invasion of osteosarcoma by regulating ATAD2. <i>Biomedicine and Pharmacotherapy</i> , 2020 , 125, 109964	7.5	25
182	Hyper-progressive disease in a patient with advanced non-small cell lung cancer on immune checkpoint inhibitor therapy: A case report and literature review. <i>Lung Cancer</i> , 2020 , 139, 18-21	5.9	4
181	A Nomogram to Predict Distant Metastasis for Patients with Esophageal Cancer. <i>Oncology Research and Treatment</i> , 2020 , 43, 2-9	2.8	10
180	Nanoparticle albumin-bound paclitaxel in elder patients with advanced squamous non-small-cell lung cancer: A retrospective study. <i>Cancer Medicine</i> , 2020 , 9, 1365-1373	4.8	6
179	The expression of p-p62 and nuclear Nrf2 in esophageal squamous cell carcinoma and association with radioresistance. <i>Thoracic Cancer</i> , 2020 , 11, 130-139	3.2	8
178	A nomogram to predict outcomes of lung cancer patients after pneumonectomy based on 47 indicators. <i>Cancer Medicine</i> , 2020 , 9, 1430-1440	4.8	7
177	Lymphocyte-monocyte ratio as a predictive marker for pathological complete response to neoadjuvant therapy in esophageal squamous cell carcinoma.. <i>Translational Cancer Research</i> , 2020 , 9, 3842-3853	0.3	1
176	An especially high rate of radiation pneumonitis observed in patients treated with thoracic radiotherapy and simultaneous osimertinib. <i>Radiotherapy and Oncology</i> , 2020 , 152, 96-100	5.3	6
175	A Novel Nomogram and Risk Classification System Predicting Radiation Pneumonitis in Patients With Esophageal Cancer Receiving Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019 , 105, 1074-1085	4	5
174	Increased systemic immune-inflammation index independently predicts poor survival for hormone receptor-negative, HER2-positive breast cancer patients. <i>Cancer Management and Research</i> , 2019 , 11, 3153-3162	3.6	13

173	Risk Factors Associated with Precancerous Lesions of Esophageal Squamous Cell Carcinoma: a Screening Study in a High Risk Chinese Population. <i>Journal of Cancer</i> , 2019 , 10, 3284-3290	4.5	10
172	A good start of immunotherapy in esophageal cancer. <i>Cancer Medicine</i> , 2019 , 8, 4519-4526	4.8	31
171	Potential of Gd-EOB-DTPA as an imaging biomarker for liver injury estimation after radiation therapy. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2019 , 18, 354-359	2.1	2
170	Subclinical Lesions of the Primary Clinical Target Volume Margin in Esophageal Squamous Cell Carcinoma and Association With FDG PET/CT. <i>Frontiers in Oncology</i> , 2019 , 9, 336	5.3	0
169	Association of Twice-Daily Radiotherapy With Subsequent Brain Metastases in Adults With Small Cell Lung Cancer. <i>JAMA Network Open</i> , 2019 , 2, e190103	10.4	5
168	Slight advantages of nimotuzumab versus cetuximab plus concurrent chemoradiotherapy in locally advanced esophageal squamous cell carcinoma. <i>Cancer Biology and Therapy</i> , 2019 , 20, 1121-1126	4.6	10
167	The clinical characteristic and prognostic factors of leptomeningeal metastasis in patients with non-small-cell lung cancer-a retrospective study from one single cancer institute. <i>Cancer Medicine</i> , 2019 , 8, 2769-2776	4.8	9
166	Prognostic value of delta inflammatory biomarker-based nomograms in patients with inoperable locally advanced NSCLC. <i>International Immunopharmacology</i> , 2019 , 72, 395-401	5.8	13
165	Axillary management still needed for patients with sentinel node micrometastases. <i>Cancer Management and Research</i> , 2019 , 11, 2097-2100	3.6	3
164	Concurrent apatinib and docetaxel vs apatinib monotherapy as third- or subsequent-line therapy for advanced gastric adenocarcinoma: a retrospective study. <i>OncoTargets and Therapy</i> , 2019 , 12, 1681-1689	4.4	4
163	Fucoidan Promotes Apoptosis and Inhibits EMT of Breast Cancer Cells. <i>Biological and Pharmaceutical Bulletin</i> , 2019 , 42, 442-447	2.3	21
162	The Role of Radiation Oncology in Immuno-Oncology. <i>Oncologist</i> , 2019 , 24, S42-S52	5.7	15
161	Local therapy combined with chemotherapy versus chemotherapy for postoperative oligometastatic non-small-cell lung cancer. <i>Future Oncology</i> , 2019 , 15, 1593-1603	3.6	2
160	Primary tumor location is an important predictor of survival in pulmonary adenocarcinoma. <i>Cancer Management and Research</i> , 2019 , 11, 2269-2280	3.6	6
159	Delineating the pattern of treatment for elderly locally advanced NSCLC and predicting outcomes by a validated model: A SEER based analysis. <i>Cancer Medicine</i> , 2019 , 8, 2587-2598	4.8	7
158	Diagnostic and Predictive Value of Using RGD PET/CT in Patients with Cancer: A Systematic Review and Meta-Analysis. <i>BioMed Research International</i> , 2019 , 2019, 8534761	3	8
157	Left Ventricular Systolic Dysfunction Is a Possible Independent Risk Factor of Radiation Pneumonitis in Locally Advanced Lung Cancer Patients. <i>Frontiers in Oncology</i> , 2019 , 9, 1511	5.3	1
156	Dosimetric and Radiobiological Comparison of External Beam Radiotherapy Using Simultaneous Integrated Boost Technique for Esophageal Cancer in Different Location. <i>Frontiers in Oncology</i> , 2019 , 9, 674	5.3	6

155	Potential immune escape mechanisms underlying the distinct clinical outcome of immune checkpoint blockades in small cell lung cancer. <i>Journal of Hematology and Oncology</i> , 2019 , 12, 67	22.4	26
154	The potential mechanism, recognition and clinical significance of tumor pseudoprogression after immunotherapy. <i>Cancer Biology and Medicine</i> , 2019 , 16, 655-670	5.2	39
153	Long non-coding RNA transcribed from pseudogene PPIAP43 is associated with radiation sensitivity of small cell lung cancer cells. <i>Oncology Letters</i> , 2019 , 18, 4583-4592	2.6	5
152	High expression level of peptidylprolyl isomerase A is correlated with poor prognosis of liver hepatocellular carcinoma. <i>Oncology Letters</i> , 2019 , 18, 4691-4702	2.6	2
151	Association between heart dosimetric parameters, cardiac events and overall survival for patients with stage III esophageal cancer treated with definitive radiotherapy.. <i>Journal of Clinical Oncology</i> , 2019 , 37, e15561-e15561	2.2	
150	Apatinib in the treatment of non-operable or advanced gastric cancer: Evidence of efficacy and safety in a real-world study.. <i>Journal of Clinical Oncology</i> , 2019 , 37, e15515-e15515	2.2	
149	Interleukin-2 boosts local and abscopal antitumor effect of radiotherapy combined with anti-PD-1: A translational research from clinical radio-memory effect.. <i>Journal of Clinical Oncology</i> , 2019 , 37, e14244-e14244	2.2	14244
148	Primary tumor location as an important predictor for survival in pulmonary adenocarcinoma.. <i>Journal of Clinical Oncology</i> , 2019 , 37, e20000-e20000	2.2	
147	Dosimetric and radiobiological comparison of external beam radiotherapy using simultaneous integrated boost technique for esophageal cancer in different location.. <i>Journal of Clinical Oncology</i> , 2019 , 37, e15505-e15505	2.2	
146	Derived neutrophil-to-lymphocyte ratio and platelet to lymphocyte ratio as a prognostic marker for patients with esophageal squamous cell carcinoma treated with definitive chemoradiotherapy.. <i>Journal of Clinical Oncology</i> , 2019 , 37, e15575-e15575	2.2	
145	Challenges and potential of PD-1/PD-L1 checkpoint blockade immunotherapy for glioblastoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019 , 38, 87	12.8	105
144	Incidence and prognosis of brain metastases in cutaneous melanoma patients: a population-based study. <i>Melanoma Research</i> , 2019 , 29, 77-84	3.3	21
143	The prognostic role of circulating CD8 T cell proliferation in patients with untreated extensive stage small cell lung cancer. <i>Journal of Translational Medicine</i> , 2019 , 17, 402	8.5	13
142	Combination therapy: Meta-analysis of the effects of TACE and cryoablation on hepatocellular carcinoma. <i>Medicine (United States)</i> , 2019 , 98, e18030	1.8	5
141	Bevacizumab in Combination with Pemetrexed and Platinum Significantly Improved the Clinical Outcome of Patients with Advanced Adenocarcinoma NSCLC and Brain Metastases. <i>Cancer Management and Research</i> , 2019 , 11, 10083-10092	3.6	4
140	HMGB1 correlates with angiogenesis and poor prognosis of perihilar cholangiocarcinoma via elevating VEGFR2 of vessel endothelium. <i>Oncogene</i> , 2019 , 38, 868-880	9.2	44
139	Pretreatment PET/CT imaging of angiogenesis based on F-RGD tracer uptake may predict antiangiogenic response. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 46, 940-947	8.8	17
138	miR-608 and miR-4513 significantly contribute to the prognosis of lung adenocarcinoma treated with EGFR-TKIs. <i>Laboratory Investigation</i> , 2019 , 99, 568-576	5.9	23

137	Proposed revision of N categories to the 8th edition of the AJCC-TNM staging system for non-surgical esophageal squamous cell cancer. <i>Cancer Science</i> , 2019 , 110, 717-725	6.9	4
136	Spatial Concordance of Tumor Proliferation and Accelerated Repopulation from Pathologic Images to 3R[F]Fluoro-3RDeoxythymidine PET Images: a Basic Study Guided for PET-Based Radiotherapy Dose Painting. <i>Molecular Imaging and Biology</i> , 2019 , 21, 713-721	3.8	8
135	Neutrophil-to-lymphocyte ratio is superior to platelet-to-lymphocyte ratio as a prognostic predictor in advanced non-small-cell lung cancer treated with first-line platinum-based chemotherapy. <i>Future Oncology</i> , 2019 , 15, 625-635	3.6	9
134	Prognostic value of dynamic albumin-to-alkaline phosphatase ratio in limited stage small-cell lung cancer. <i>Future Oncology</i> , 2019 , 15, 995-1006	3.6	24
133	Integrative nomogram of CT imaging, clinical, and hematological features for survival prediction of patients with locally advanced non-small cell lung cancer. <i>European Radiology</i> , 2019 , 29, 2958-2967	8	34
132	The value of magnetic resonance imaging in esophageal carcinoma: Tool or toy?. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2019 , 15, 101-107	1.9	5
131	A 4-month-old boy with gastrointestinal stromal tumor of mesocolon. <i>Cancer Biology and Therapy</i> , 2019 , 20, 8-14	4.6	0
130	Effects of respiratory motion on volumetric and positional difference of GTV in lung cancer based on 3DCT and 4DCT scanning. <i>Oncology Letters</i> , 2019 , 17, 2388-2392	2.6	0
129	Osimertinib (AZD9291) increases radio-sensitivity in EGFR T790M non-small cell lung cancer. <i>Oncology Reports</i> , 2019 , 41, 77-86	3.5	9
128	Surgery of primary tumor improves the survival of newly diagnosed metastatic melanoma: a population-based, propensity-matched study. <i>Cancer Management and Research</i> , 2019 , 11, 339-346	3.6	3
127	The prognostic analysis of different metastatic patterns in extensive-stage small-cell lung cancer patients: a large population-based study. <i>Future Oncology</i> , 2018 , 14, 1397-1407	3.6	19
126	Nrf2 and Keap1 abnormalities in esophageal squamous cell carcinoma and association with the effect of chemoradiotherapy. <i>Thoracic Cancer</i> , 2018 , 9, 726-735	3.2	21
125	To Explore a Representative Hypoxic Parameter to Predict the Treatment Response and Prognosis Obtained by [F]FMISO-PET in Patients with Non-small Cell Lung Cancer. <i>Molecular Imaging and Biology</i> , 2018 , 20, 1061-1067	3.8	6
124	Enhanced efficacy of AZD3759 and radiation on brain metastasis from EGFR mutant non-small cell lung cancer. <i>International Journal of Cancer</i> , 2018 , 143, 212-224	7.5	6
123	Out of the darkness and into the light: New strategies for improving treatments for locally advanced non-small cell lung cancer. <i>Cancer Letters</i> , 2018 , 421, 59-62	9.9	5
122	A Quantitative CT Imaging Signature Predicts Survival and Complements Established Prognosticators in Stage I Non-Small Cell Lung Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 102, 1098-1106	4	15
121	Preoperative to postoperative change in neutrophil-to-lymphocyte ratio predict survival in colorectal cancer patients. <i>Future Oncology</i> , 2018 , 14, 1187-1196	3.6	26
120	Interactions between EGFR and PD-1/PD-L1 pathway: Implications for treatment of NSCLC. <i>Cancer Letters</i> , 2018 , 418, 1-9	9.9	39

119	Optimizing intrapleural bevacizumab dosing in non-small-cell lung cancer-mediated malignant pleural effusion: less is more. <i>Future Oncology</i> , 2018 , 14, 2131-2138	3.6	2
118	Prognostic Value of Metabolic Parameters of Metastatic Lymph Nodes on F-FDG PET/CT in Patients With Limited-stage Small-cell Lung Cancer With Lymph Node Involvement. <i>Clinical Lung Cancer</i> , 2018 , 19, e101-e108	4.9	7
117	Great efficacy of bevacizumab plus erlotinib for leptomeningeal metastases from non-small cell lung cancer with initially positive EGFR mutation: a case report. <i>Cancer Biology and Therapy</i> , 2018 , 19, 1073-1077	4.6	3
116	Preoperative radiation may improve the outcomes of resectable IIIA/N2 non-small-cell lung cancer patients: A propensity score matching-based analysis from surveillance, epidemiology, and end results database. <i>Cancer Medicine</i> , 2018 , 7, 4354-4360	4.8	11
115	¹⁸ F-fluorodeoxyglucose positron emission tomography predicts lymph node responses to definitive chemoradiotherapy in esophageal squamous cell carcinoma patients. <i>OncoTargets and Therapy</i> , 2018 , 11, 4345-4353	4.4	2
114	A prospective study on neoadjuvant chemoradiotherapy plus anti-EGFR monoclonal antibody followed by surgery for locally advanced cervical cancer. <i>OncoTargets and Therapy</i> , 2018 , 11, 3785-3792	4.4	6
113	Clinical and radiological characteristics of central pulmonary adenocarcinoma: a comparison with central squamous cell carcinoma and small cell lung cancer and the impact on treatment response. <i>OncoTargets and Therapy</i> , 2018 , 11, 2509-2517	4.4	4
112	Current landscape and future directions of biomarkers for predicting responses to immune checkpoint inhibitors. <i>Cancer Management and Research</i> , 2018 , 10, 2475-2488	3.6	11
111	Radiotherapy for esophageal carcinoma: dose, response and survival. <i>Cancer Management and Research</i> , 2018 , 10, 13-21	3.6	18
110	High level of programmed death ligand 1 (PD-L1) predicts longer survival in patients with resectable small cell lung cancer. <i>International Journal of Clinical and Experimental Pathology</i> , 2018 , 11, 2675-2682	1.4	3
109	Incorporation of circulating tumor cells and whole-body metabolic tumor volume of F-FDG PET/CT improves prediction of outcome in IIIB stage small-cell lung cancer. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2018 , 30, 596-604	3.8	12
108	A prognostic score model to determine which breast cancer patients with 1-3 positive lymph nodes after modified radical mastectomy should receive radiotherapy. <i>Oncotarget</i> , 2018 , 9, 385-393	3.3	
107	Progress and challenges of predictive biomarkers of anti PD-1/PD-L1 immunotherapy: A systematic review. <i>Cancer Letters</i> , 2018 , 414, 166-173	9.9	132
106	MiR-216a-3p inhibits colorectal cancer cell proliferation through direct targeting COX-2 and ALOX5. <i>Journal of Cellular Biochemistry</i> , 2018 , 119, 1755-1766	4.7	39
105	Comparison of predictive powers of functional and anatomic dosimetric parameters for radiation-induced lung toxicity in locally advanced non-small cell lung cancer. <i>Radiotherapy and Oncology</i> , 2018 , 129, 242-248	5.3	6
104	¹⁸ F-alfatide positron emission tomography may predict anti-angiogenic responses. <i>Oncology Reports</i> , 2018 , 40, 2896-2905	3.5	5
103	Previous Radiotherapy Increases the Efficacy of IL-2 in Malignant Pleural Effusion: Potential Evidence of a Radio-Memory Effect?. <i>Frontiers in Immunology</i> , 2018 , 9, 2916	8.4	4
102	Local ablative therapy with or without chemotherapy for non-small-cell lung cancer patients with postoperative oligometastases. <i>Cancer Management and Research</i> , 2018 , 10, 6421-6429	3.6	3

101	Proton beam therapy for cancer in the era of precision medicine. <i>Journal of Hematology and Oncology</i> , 2018 , 11, 136	22.4	39
100	Clinical value of carcinoembryonic antigen for predicting the incidence of brain metastases and survival in small cell lung cancer patients treated with prophylactic cranial irradiation. <i>Cancer Management and Research</i> , 2018 , 10, 3199-3205	3.6	5
99	Prognostic value of monocarboxylate transporter 4 in patients with esophageal squamous cell carcinoma. <i>Oncology Reports</i> , 2018 , 40, 2906-2915	3.5	6
98	Sprouty2 suppresses progression and correlates to favourable prognosis of intrahepatic cholangiocarcinoma via antagonizing FGFR2 signalling. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 5596-5606	5.6	26
97	Magnetic resonance imaging evaluation of treatment efficacy and prognosis for brain metastases in lung cancer patients after radiotherapy: A preliminary study. <i>Thoracic Cancer</i> , 2018 , 9, 865-873	3.2	6
96	Prognostic value of systemic immune-inflammation index in patients with advanced non-small-cell lung cancer. <i>Future Oncology</i> , 2018 , 14, 2643-2650	3.6	20
95	End-of-life chemotherapy is associated with poor survival and aggressive care in patients with small cell lung cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018 , 144, 1591-1599	4.9	4
94	Male patients with resected IIIA-N2 non-small-cell lung cancer may benefit from postoperative radiotherapy: a population-based survival analysis. <i>Future Oncology</i> , 2018 , 14, 2371-2381	3.6	6
93	Effectiveness of temozolomide combined with whole brain radiotherapy for non-small cell lung cancer brain metastases. <i>Thoracic Cancer</i> , 2018 , 9, 1121-1128	3.2	3
92	Risk factors for brain metastases after prophylactic cranial irradiation in small cell lung cancer. <i>Scientific Reports</i> , 2017 , 7, 42743	4.9	9
91	miR-375 inhibits cancer stem cell phenotype and tamoxifen resistance by degrading HOXB3 in human ER-positive breast cancer. <i>Oncology Reports</i> , 2017 , 37, 1093-1099	3.5	43
90	Blocking the PD-1/PD-L1 pathway in glioma: a potential new treatment strategy. <i>Journal of Hematology and Oncology</i> , 2017 , 10, 81	22.4	82
89	Ovarian metastasis from lung adenocarcinoma with ALK-positive rearrangement detected by next generation sequencing: A case report and literatures review. <i>Cancer Biology and Therapy</i> , 2017 , 18, 279-284	4.6	6
88	A Pilot Study of F-Alfatide PET/CT Imaging for Detecting Lymph Node Metastases in Patients with Non-Small Cell Lung Cancer. <i>Scientific Reports</i> , 2017 , 7, 2877	4.9	14
87	To Find a Better Dosimetric Parameter in the Predicting of Radiation-Induced Lung Toxicity Individually: Ventilation, Perfusion or CT based. <i>Scientific Reports</i> , 2017 , 7, 44646	4.9	1
86	Prognostic significance of the lymphocyte-to-monocyte ratio and the tumor-infiltrating lymphocyte to tumor-associated macrophage ratio in patients with stage T3N0M0 esophageal squamous cell carcinoma. <i>Cancer Immunology, Immunotherapy</i> , 2017 , 66, 343-354	7.4	33
85	Internal mammary sentinel lymph node biopsy: An effective way to search benefit patients and guide internal mammary chain irradiation. <i>Breast</i> , 2017 , 33, 204-205	3.6	2
84	Is it time to convert the frequency of radiotherapy in small-cell lung cancer?. <i>Lancet Oncology, The</i> , 2017 , 18, e553	21.7	2

83	SRS versus WBRT for resected brain metastases. <i>Lancet Oncology, The</i> , 2017 , 18, e559	21.7	2
82	The prognosis analysis of different metastasis pattern in patients with different breast cancer subtypes: a SEER based study. <i>Oncotarget</i> , 2017 , 8, 26368-26379	3.3	40
81	The role of metabolic tumor volume (MTV) measured by [18F] FDG PET/CT in predicting EGFR gene mutation status in non-small cell lung cancer. <i>Oncotarget</i> , 2017 , 8, 33736-33744	3.3	13
80	Correlation of cancer stem cell markers and immune cell markers in resected non-small cell lung cancer. <i>Journal of Cancer</i> , 2017 , 8, 3190-3197	4.5	5
79	Unusual delayed presentation of diaphragmatic hernia complicated by transverse colon and total small-bowel obstruction after postoperative chemotherapy of esophageal cancer. <i>Therapeutics and Clinical Risk Management</i> , 2017 , 13, 691-695	2.9	1
78	Boschniakia Rossica Polysaccharide Triggers Laryngeal Carcinoma Cell Apoptosis by Regulating Expression of Bcl-2, Caspase-3, and P53. <i>Medical Science Monitor</i> , 2017 , 23, 2059-2064	3.2	34
77	A functional BRCA1 coding sequence genetic variant contributes to prognosis of triple-negative breast cancer, especially after radiotherapy. <i>Breast Cancer Research and Treatment</i> , 2017 , 166, 109-116	4.4	10
76	The Value of CBCT-based Tumor Density and Volume Variations in Prediction of Early Response to Chemoradiation Therapy in Advanced NSCLC. <i>Scientific Reports</i> , 2017 , 7, 14650	4.9	4
75	PD-1/PD-L1 checkpoint blockades in non-small cell lung cancer: New development and challenges. <i>Cancer Letters</i> , 2017 , 405, 29-37	9.9	51
74	The prognostic significance of PD-L1 expression in patients with glioma: A meta-analysis. <i>Scientific Reports</i> , 2017 , 7, 4231	4.9	48
73	Current progress and outcomes of clinical trials on using epidermal growth factor receptor-tyrosine kinase inhibitor therapy in non-small cell lung cancer patients with brain metastases. <i>Chronic Diseases and Translational Medicine</i> , 2017 , 3, 221-229	3.9	3
72	Efficacy of EGFR tyrosine kinase inhibitors in non-small cell lung cancer patients harboring different types of EGFR mutations: A retrospective analysis. <i>Current Medical Science</i> , 2017 , 37, 864-872	2.8	2
71	Significant efficacy and well safety of apatinib in an advanced liver cancer patient: a case report and literature review. <i>Oncotarget</i> , 2017 , 8, 20510-20515	3.3	34
70	mRNA and methylation profiling of radioresistant esophageal cancer cells: the involvement of Sall2 in acquired aggressive phenotypes. <i>Journal of Cancer</i> , 2017 , 8, 646-656	4.5	15
69	Positive Effect of Higher Adult Body Mass Index on Overall Survival of Digestive System Cancers Except Pancreatic Cancer: A Systematic Review and Meta-Analysis. <i>BioMed Research International</i> , 2017 , 2017, 1049602	3	7
68	Late-Course Adaptive Adjustment Based on Metabolic Tumor Volume Changes during Radiotherapy May Reduce Radiation Toxicity in Patients with Non-Small Cell Lung Cancer. <i>PLoS ONE</i> , 2017 , 12, e0170901	3.7	7
67	Greater efficacy of intracavitary infusion of bevacizumab compared to traditional local treatments for patients with malignant cavity serous effusion. <i>Oncotarget</i> , 2017 , 8, 35262-35271	3.3	4
66	Clinical outcome of tyrosine kinase inhibitors alone or combined with radiotherapy for brain metastases from epidermal growth factor receptor (EGFR) mutant non small cell lung cancer (NSCLC). <i>Oncotarget</i> , 2017 , 8, 13304-13311	3.3	26

65	The impact of intratumoral metabolic heterogeneity on postoperative recurrence and survival in resectable esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2017 , 8, 14969-14977	3.3	11
64	Identification of risk factors and the pattern of lower cervical lymph node metastasis in esophageal cancer: implications for radiotherapy target delineation. <i>Oncotarget</i> , 2017 , 8, 43389-43396	3.3	3
63	18F-deoxyglucose positron emission tomography/computed tomography to predict local failure in esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2017 , 8, 34498-34506	3.3	8
62	Evaluation of factors associated with platinum-sensitivity status and survival in limited-stage small cell lung cancer patients treated with chemoradiotherapy. <i>Oncotarget</i> , 2017 , 8, 81405-81418	3.3	14
61	Enhanced radiosensitizing by sodium glycididazole in a recurrent esophageal carcinoma tumor model. <i>Oncotarget</i> , 2017 , 8, 63871-63880	3.3	3
60	A missense variant in EZH2 is associated with colorectal cancer risk in a Chinese population. <i>Oncotarget</i> , 2017 , 8, 94738-94742	3.3	1
59	Comparison of different width detector on the gross tumor volume delineation of the solitary pulmonary lesion. <i>Journal of Cancer Research and Therapeutics</i> , 2017 , 13, 693-698	1.2	0
58	Inhibition of hypoxia-inducible factor-1 by PX-478 as a potential targeted therapy in ESCC. <i>Journal of Clinical Oncology</i> , 2017 , 35, e14083-e14083	2.2	
57	Prognostic significance of the lymphocyte-to-monocyte ratio and the tumor-infiltrating lymphocyte to tumor-associated macrophage ratio in patients with stage T3N0M0 esophageal squamous cell carcinoma. <i>Journal of Clinical Oncology</i> , 2017 , 35, e15602-e15602	2.2	
56	Spatial concordance of tumor proliferation and accelerated repopulation from pathologic images to 18F-FLT PET images. <i>Journal of Clinical Oncology</i> , 2017 , 35, e23100-e23100	2.2	
55	Association of CD8+/FOXP3+ ratio and PD-L1 expression with survival in pT3N0M0 stage esophageal squamous cell cancer. <i>Journal of Clinical Oncology</i> , 2017 , 35, e15517-e15517	2.2	
54	A prospective study on neoadjuvant chemoradiotherapy plus nimotuzumab followed by surgery for patients with advanced cervical cancer. <i>Journal of Clinical Oncology</i> , 2017 , 35, e17000-e17000	2.2	
53	Kinetic change of serum carcinoembryonic antigen can early predict progression in patients with metastatic non-small cell lung cancer during maintenance therapy with bevacizumab plus pemetrexed. <i>Oncotarget</i> , 2017 , 8, 74910-74916	3.3	
52	F-alfatide PET/CT may predict short-term outcome of concurrent chemoradiotherapy in patients with advanced non-small cell lung cancer. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016 , 43, 2336-2342	8.8	27
51	Postoperative radiation therapy of pT2-3N0M0 esophageal carcinoma-a review. <i>Tumor Biology</i> , 2016 , 37, 14443-14450	2.9	1
50	Stereotactic Comparison Study of (18)F-Alfatide and (18)F-FDG PET Imaging in an LLC Tumor-Bearing C57BL/6 Mouse Model. <i>Scientific Reports</i> , 2016 , 6, 28757	4.9	4
49	Attenuated LKB1-SIK1 signaling promotes epithelial-mesenchymal transition and radioresistance of non-small cell lung cancer cells. <i>Chinese Journal of Cancer</i> , 2016 , 35, 50		37
48	Involved-field radiotherapy for esophageal squamous cell carcinoma: theory and practice. <i>Radiation Oncology</i> , 2016 , 11, 18	4.2	20

47	Can an ^{18}F -ALF-NOTA-PRGD2 PET/CT Scan Predict Treatment Sensitivity to Concurrent Chemoradiotherapy in Patients with Newly Diagnosed Glioblastoma?. <i>Journal of Nuclear Medicine</i> , 2016 , 57, 524-9	8.9	37
46	How breast cancer chemotherapy increases the risk of leukemia: Thoughts about a case of diffuse large B-cell lymphoma and leukemia after breast cancer chemotherapy. <i>Cancer Biology and Therapy</i> , 2016 , 17, 125-8	4.6	3
45	Early Change in Metabolic Tumor Heterogeneity during Chemoradiotherapy and Its Prognostic Value for Patients with Locally Advanced Non-Small Cell Lung Cancer. <i>PLoS ONE</i> , 2016 , 11, e0157836	3.7	45
44	Preparation study of indocyanine green-rituximab: A new receptor-targeted tracer for sentinel lymph node in breast cancer. <i>Oncotarget</i> , 2016 , 7, 47526-47535	3.3	4
43	Expressions of CD8+TILs, PD-L1 and Foxp3+TILs in stage I NSCLC guiding adjuvant chemotherapy decisions. <i>Oncotarget</i> , 2016 , 7, 64318-64329	3.3	28
42	Risk factors of brain metastasis during the course of EGFR-TKIs therapy for patients with EGFR-mutated advanced lung adenocarcinoma. <i>Oncotarget</i> , 2016 , 7, 81906-81917	3.3	17
41	CD8+/FOXP3+ ratio and PD-L1 expression associated with survival in pT3N0M0 stage esophageal squamous cell cancer. <i>Oncotarget</i> , 2016 , 7, 71455-71465	3.3	34
40	Should all breast cancer patients with four or more positive lymph nodes who underwent modified radical mastectomy be treated with postoperative radiotherapy? A population-based study. <i>Oncotarget</i> , 2016 , 7, 75492-75502	3.3	6
39	Epigallocatechin-3-gallate ameliorates radiation-induced acute skin damage in breast cancer patients undergoing adjuvant radiotherapy. <i>Oncotarget</i> , 2016 , 7, 48607-48613	3.3	29
38	Validation study for the hypothesis of internal mammary sentinel lymph node lymphatic drainage in breast cancer. <i>Oncotarget</i> , 2016 , 7, 41996-42006	3.3	11
37	Stereotactic comparison study of ^{18}F -Alfatide and ^{18}F -FDG PET imaging in LLC tumor-bearing C57BL/6 mice model.. <i>Journal of Clinical Oncology</i> , 2016 , 34, e20070-e20070	2.2	
36	High-dose OxyContin to treat pain associated with bone metastasis in patients with small-cell lung cancer: a case study report. <i>Drug Design, Development and Therapy</i> , 2016 , 10, 383-7	4.4	2
35	Risk of brain metastasis reduced after erlotinib treatment in advanced pulmonary adenocarcinoma patients with sensitive EGFR mutation. <i>OncoTargets and Therapy</i> , 2016 , 9, 671-9	4.4	3
34	C-Met as a Molecular Marker for Esophageal Squamous Cell Carcinoma and Its Association with Clinical Outcome. <i>Journal of Cancer</i> , 2016 , 7, 587-94	4.5	15
33	Anatomic distribution of supraclavicular lymph node in patients with esophageal cancer. <i>OncoTargets and Therapy</i> , 2016 , 9, 5803-5808	4.4	4
32	Efficacy of cisplatin/pemetrexed with bevacizumab to treat advanced lung adenocarcinoma with different drive genes: case report and literature review. <i>OncoTargets and Therapy</i> , 2016 , 9, 4639-44	4.4	6
31	Mapping patterns of nodal metastases in esophageal carcinoma: rethinking the clinical target volume for supraclavicular nodal irradiation. <i>Journal of Thoracic Disease</i> , 2016 , 8, 3132-3138	2.6	2
30	Intrapericardial bevacizumab safely and effectively treats malignant pericardial effusion in advanced cancer patients. <i>Oncotarget</i> , 2016 , 7, 52436-52441	3.3	9

29	Postoperative radiation in esophageal squamous cell carcinoma and target volume delineation. <i>OncoTargets and Therapy</i> , 2016 , 9, 4187-96	4.4	11
28	The postoperative neutrophil-to-lymphocyte ratio and changes in this ratio predict survival after the complete resection of stage I non-small cell lung cancer. <i>OncoTargets and Therapy</i> , 2016 , 9, 6529-6537	4.4	36
27	Orbital metastasis as the initial presentation of lung adenocarcinoma: a case report. <i>OncoTargets and Therapy</i> , 2016 , 9, 2743-8	4.4	4
26	What Is the Appropriate Clinical Target Volume for Esophageal Squamous Cell Carcinoma? Debate and Consensus Based on Pathological and Clinical Outcomes. <i>Journal of Cancer</i> , 2016 , 7, 200-6	4.5	7
25	A Comparative Study of Noninvasive Hypoxia Imaging with 18F-Fluoroerythronitroimidazole and 18F-Fluoromisonidazole PET/CT in Patients with Lung Cancer. <i>PLoS ONE</i> , 2016 , 11, e0157606	3.7	14
24	Prognostic value of the standardized uptake value maximum change calculated by dual-time-point (18)F-fluorodeoxyglucose positron emission tomography imaging in patients with advanced non-small-cell lung cancer. <i>OncoTargets and Therapy</i> , 2016 , 9, 2993-9	4.4	4
23	Extended field intensity-modulated radiotherapy plus concurrent nedaplatin treatment in cervical cancer. <i>Oncology Letters</i> , 2016 , 11, 3421-3427	2.6	10
22	Tumor-infiltrating lymphocytes, forkhead box P3, programmed death ligand-1, and cytotoxic T lymphocyte-associated antigen-4 expressions before and after neoadjuvant chemoradiation in rectal cancer. <i>Translational Research</i> , 2015 , 166, 721-732.e1	11	70
21	FDG-PET Predicts Pain Response and Local Control in Palliative Radiotherapy With or Without Systemic Treatment in Patients With Bone Metastasis From Non-small-cell Lung Cancer. <i>Clinical Lung Cancer</i> , 2015 , 16, e111-9	4.9	13
20	Association between serum tumor markers and metabolic tumor volume or total lesion glycolysis in patients with recurrent small cell lung cancer. <i>Oncology Letters</i> , 2015 , 10, 3123-3128	2.6	8
19	Intra-tumour 18F-FDG uptake heterogeneity decreases the reliability on target volume definition with positron emission tomography/computed tomography imaging. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2015 , 59, 338-45	1.7	20
18	False-positive diagnosis of disease progression by magnetic resonance imaging for response assessment in prostate cancer with bone metastases: A case report and review of the pitfalls of images in the literature. <i>Oncology Letters</i> , 2015 , 10, 3585-3590	2.6	10
17	Radiotherapy combined with immune checkpoint blockade immunotherapy: Achievements and challenges. <i>Cancer Letters</i> , 2015 , 365, 23-9	9.9	70
16	Inhibition of janus kinase 2 by compound AG490 suppresses the proliferation of MDA-MB-231 cells via up-regulating SARI (suppressor of AP-1, regulated by IFN). <i>Iranian Journal of Basic Medical Sciences</i> , 2015 , 18, 599-603	1.8	3
15	Tumor infiltrating lymphocytes (TILs) before and after neoadjuvant chemoradiotherapy and its clinical utility for rectal cancer. <i>American Journal of Cancer Research</i> , 2015 , 5, 2064-74	4.4	55
14	Elevated serum carcinoembryonic antigen and prediction of poor survival of patients with small cell lung cancer.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e18561-e18561	2.2	
13	PET/CT imaging-guided dose painting in radiation therapy. <i>Cancer Letters</i> , 2014 , 355, 169-75	9.9	24
12	ERCC1 expression and tumor regression predict survival in esophageal squamous cell carcinoma patients receiving combined trimodality therapy. <i>Pathology Research and Practice</i> , 2014 , 210, 656-61	3.4	9

11	Involved-field irradiation in definitive chemoradiotherapy for locally advanced esophageal squamous cell carcinoma. <i>Radiation Oncology</i> , 2014 , 9, 64	4.2	32
10	Prognostic value of 3Rdeoxy-3R18F-fluorothymidine ([¹⁸ F] FLT PET) in patients with recurrent malignant gliomas. <i>Nuclear Medicine and Biology</i> , 2014 , 41, 710-5	2.1	22
9	Correlation of CD146 expression and clinicopathological characteristics in esophageal squamous cell carcinoma. <i>Oncology Letters</i> , 2014 , 8, 859-863	2.6	8
8	Circulating tumor cells correlate with recurrence in stage III small-cell lung cancer after systemic chemoradiotherapy and prophylactic cranial irradiation. <i>Japanese Journal of Clinical Oncology</i> , 2014 , 44, 948-55	2.8	9
7	Reversion of erlotinib-acquired resistance twice by chemotherapy: a case report. <i>Cancer Biology and Therapy</i> , 2014 , 15, 172-7	4.6	1
6	Changes in functional lung regions during the course of radiation therapy and their potential impact on lung dosimetry for non-small cell lung cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 89, 145-51	4	24
5	Value of ¹⁸ F-FDG PET-CT in surveillance of postoperative colorectal cancer patients with various carcinoembryonic antigen concentrations. <i>World Journal of Gastroenterology</i> , 2014 , 20, 6608-14	5.6	18
4	Progress of radiation oncology: known and unknown. <i>Chinese Medical Journal</i> , 2014 , 127, 2173-9	2.9	
3	Cetuximab in combination with chemoradiotherapy in Chinese patients with non-resectable, locally advanced esophageal squamous cell carcinoma: a prospective, multicenter phase II trial. <i>Radiotherapy and Oncology</i> , 2013 , 109, 275-80	5.3	24
2	Feasibility of involved-field conformal radiotherapy for cervical and upper-thoracic esophageal cancer. <i>Onkologie</i> , 2011 , 34, 599-604		35
1	Additional value of PET/CT over PET in assessment of locoregional lymph nodes in thoracic esophageal squamous cell cancer. <i>Journal of Nuclear Medicine</i> , 2006 , 47, 1255-9	8.9	80