

Suzanne Polinder

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4469503/publications.pdf>

Version: 2024-02-01

165
papers

8,127
citations

76196

40
h-index

54797

84
g-index

168
all docs

168
docs citations

168
times ranked

12189
citing authors

#	ARTICLE	IF	CITATIONS
1	Adding a fatigue item to the EQ-5D-5L improves its psychometric performance in the general population. <i>Journal of Patient-Reported Outcomes</i> , 2022, 6, 1.	0.9	10
2	Socio-economic determinants of healthcare costs in early life: a register-based study in the Netherlands. <i>International Journal for Equity in Health</i> , 2022, 21, 5.	1.5	3
3	Burden of Traumatic Brain Injuries in Children and Adolescents in Europe: Hospital Discharges, Deaths and Years of Life Lost. <i>Children</i> , 2022, 9, 105.	0.6	7
4	Anxiety, depression and post-traumatic stress symptoms among injury patients and the association with outcome after injury. <i>HÅrge Utbildning</i> , 2022, 13, 2023422.	1.4	4
5	Sensitivity of the EQ-5D-5L for fatigue and cognitive problems and their added value in Q-fever patients. <i>Quality of Life Research</i> , 2022, , 1.	1.5	2
6	National survey on the current practice and attitudes toward the management of chronic subdural hematoma. <i>Brain and Behavior</i> , 2022, 12, e2463.	1.0	3
7	Evaluation of Quality of Life After Nonoperative or Operative Management of Proximal Femoral Fractures in Frail Institutionalized Patients. <i>JAMA Surgery</i> , 2022, 157, 424.	2.2	35
8	Discrepancy between disability and reported well-being after traumatic brain injury. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2022, 93, 785-796.	0.9	6
9	The burden of injury in Central, Eastern, and Western European sub-region: a systematic analysis from the Global Burden of Disease 2019 Study. <i>Archives of Public Health</i> , 2022, 80, 142.	1.0	9
10	Adherence to Guidelines in Adult Patients with Traumatic Brain Injury: A Living Systematic Review. <i>Journal of Neurotrauma</i> , 2021, 38, 1072-1085.	1.7	58
11	No Change in Fireworks-Related Burn Center Admissions: A 10-Year Analysis of the Admission Rates, Treatment, and Costs. <i>European Journal of Burn Care</i> , 2021, 2, 31-40.	0.4	0
12	Prevalence of Post-Concussion-Like Symptoms in the General Injury Population and the Association with Health-Related Quality of Life, Health Care Use, and Return to Work. <i>Journal of Clinical Medicine</i> , 2021, 10, 806.	1.0	15
13	Health Care Costs of Target Attainment for Beta-Lactam Antibiotics in Critically Ill Patients. <i>Therapeutic Drug Monitoring</i> , 2021, Publish Ahead of Print, .	1.0	3
14	Can Fall Risk Screening and Fall Prevention Advice in Hospital Settings Motivate Older Adult Patients to Take Action to Reduce Fall Risk?. <i>Journal of Applied Gerontology</i> , 2021, 40, 1492-1501.	1.0	1
15	The CAST study protocol: a cluster randomized trial assessing the effect of circumferential casting versus plaster splinting on fracture redisplacement in reduced distal radius fractures in adults. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 370.	0.8	2
16	The relation between EQ-5D and fatigue in a Dutch general population sample: an explorative study. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 135.	1.0	12
17	Psychometric Characteristics of the Patient-Reported Outcome Measures Applied in the CENTER-TBI Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 2396.	1.0	17
18	Translation and Linguistic Validation of Outcome Instruments for Traumatic Brain Injury Research and Clinical Practice: A Step-by-Step Approach within the Observational CENTER-TBI Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 2863.	1.0	16

#	ARTICLE	IF	CITATIONS
19	Long-term medical and productivity costs of severe trauma: Results from a prospective cohort study. PLoS ONE, 2021, 16, e0252673.	1.1	7
20	Methods Used to Identify, Test, and Assess Impact on Preferences of Bolt-Ons: A Systematic Review. Value in Health, 2021, 24, 901-916.	0.1	21
21	Test-retest reliability of the EQ-5D-5L and the reworded QOLIBRI-OS in the general population of Italy, the Netherlands, and the United Kingdom. Quality of Life Research, 2021, 30, 2961-2971.	1.5	13
22	The Association of Post-Concussion and Post-Traumatic Stress Disorder Symptoms with Health-Related Quality of Life, Health Care Use and Return-to-Work after Mild Traumatic Brain Injury. Journal of Clinical Medicine, 2021, 10, 2473.	1.0	11
23	Reference Values and Psychometric Properties of the Quality of Life After Traumatic Brain Injury-Overall Scale in Italy, The Netherlands, and the United Kingdom. Value in Health, 2021, 24, 1319-1327.	0.1	7
24	Health care utilization and health-related quality of life of injury patients: comparison of educational groups. BMC Health Services Research, 2021, 21, 988.	0.9	3
25	Prognostic factors for recovery of health status after injury: a prospective multicentre cohort study. BMJ Open, 2021, 11, e038707.	0.8	8
26	Cost impact of procalcitonin-guided decision making on duration of antibiotic therapy for suspected early-onset sepsis in neonates. Critical Care, 2021, 25, 367.	2.5	2
27	Health Inequality Analysis in Europe: Exploring the Potential of the EQ-5D as Outcome. Frontiers in Public Health, 2021, 9, 744405.	1.3	10
28	Longitudinal Analyses of the Reciprocity of Depression and Anxiety after Traumatic Brain Injury and Its Clinical Implications. Journal of Clinical Medicine, 2021, 10, 5597.	1.0	18
29	The effectiveness of antibacterial therapeutic clothing based on silver or chitosan as compared with non-antibacterial therapeutic clothing in patients with moderate to severe atopic dermatitis (ABC) Tj ETQq1 1 0.784314 rgBT5/Overlo	0.7	4
30	Epidemiologic trends for isolated tibia shaft fracture admissions in The Netherlands between 1991 and 2012. European Journal of Trauma and Emergency Surgery, 2020, 46, 1115-1122.	0.8	14
31	The COMPASS study: A descriptive study on the characteristics of palliative care team consultation for cancer patients in hospitals. European Journal of Cancer Care, 2020, 29, e13172.	0.7	4
32	Recovery of health-related quality of life after burn injuries: An individual participant data meta-analysis. PLoS ONE, 2020, 15, e0226653.	1.1	26
33	Prevalence and Prognostic Factors for Psychological Distress After Trauma. Archives of Physical Medicine and Rehabilitation, 2020, 101, 877-884.	0.5	11
34	The association between palliative care team consultation and hospital costs for patients with advanced cancer: An observational study in 12 Dutch hospitals. European Journal of Cancer Care, 2020, 29, e13198.	0.7	6
35	Early mobilization versus plaster immobilization of simple elbow dislocations: a cost analysis of the FuncSIE multicenter randomized clinical trial. Archives of Orthopaedic and Trauma Surgery, 2020, 140, 877-886.	1.3	9
36	Cost Study of a Cluster Randomized Trial on a Clinical Decision Rule Guiding Antibiotic Treatment in Children With Suspected Lower Respiratory Tract Infections in the Emergency Department. Pediatric Infectious Disease Journal, 2020, 39, 1026-1031.	1.1	2

#	ARTICLE	IF	CITATIONS
37	Reference Values of the QOLIBRI from General Population Samples in the United Kingdom and The Netherlands. <i>Journal of Clinical Medicine</i> , 2020, 9, 2100.	1.0	10
38	Health-related quality of life after traumatic brain injury: deriving value sets for the QOLIBRI-OS for Italy, The Netherlands and The United Kingdom. <i>Quality of Life Research</i> , 2020, 29, 3095-3107.	1.5	4
39	Long-term impact of a Q-fever outbreak: An evaluation of health symptoms, health-related quality of life, participation and health care satisfaction after ten years. <i>Journal of Psychosomatic Research</i> , 2020, 139, 110258.	1.2	10
40	Health care costs of injury in the older population: a prospective multicentre cohort study in the Netherlands. <i>BMC Geriatrics</i> , 2020, 20, 417.	1.1	9
41	Anxiety and depression in diabetes care: longitudinal associations with health-related quality of life. <i>Scientific Reports</i> , 2020, 10, 8307.	1.6	34
42	A systematic review of studies measuring health-related quality of life of general injury populations: update 2010â€“2018. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 160.	1.0	13
43	Personal preferences of participation in fall prevention programmes: a descriptive study. <i>BMC Geriatrics</i> , 2020, 20, 185.	1.1	10
44	The burden of unintentional drowning: global, regional and national estimates of mortality from the Global Burden of Disease 2017 Study. <i>Injury Prevention</i> , 2020, 26, i83-i95.	1.2	109
45	Epidemiology, treatment, costs, and long-term outcomes of patients with fireworks-related injuries (ROCKET); a multicenter prospective observational case series. <i>PLoS ONE</i> , 2020, 15, e0230382.	1.1	14
46	Factorial Structure and Validity of Depression (PHQ-9) and Anxiety (GAD-7) Scales after Traumatic Brain Injury. <i>Journal of Clinical Medicine</i> , 2020, 9, 873.	1.0	37
47	Comparison of three different methods to estimate the burden of disease of burn injuries in Western Australia in 2011-2018. <i>Burns</i> , 2020, 46, 1424-1431.	1.1	3
48	Influence of Sociodemographic, Premorbid, and Injury-Related Factors on Post-Concussion Symptoms after Traumatic Brain Injury. <i>Journal of Clinical Medicine</i> , 2020, 9, 1931.	1.0	18
49	Effect of antithrombotic stewardship on the efficacy and safety of antithrombotic therapy during and after hospitalization. <i>PLoS ONE</i> , 2020, 15, e0235048.	1.1	15
50	The Impact of Palliative Care Team Consultation on Quality of Life of Patients with Advanced Cancer in Dutch Hospitals: An Observational Study. <i>Oncology Research and Treatment</i> , 2020, 43, 405-413.	0.8	6
51	Barriers and Facilitators for Screening Older Adults on Fall Risk in a Hospital Setting: Perspectives from Patients and Healthcare Professionals. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 1461.	1.2	8
52	Epidemiology of facial fractures: incidence, prevalence and years lived with disability estimates from the Global Burden of Disease 2017 study. <i>Injury Prevention</i> , 2020, 26, i27-i35.	1.2	67
53	Evaluation of a clinical decision rule to guide antibiotic prescription in children with suspected lower respiratory tract infection in The Netherlands: A stepped-wedge cluster randomised trial. <i>PLoS Medicine</i> , 2020, 17, e1003034.	3.9	24
54	Improved and standardized method for assessing years lived with disability after burns and its application to estimate the non-fatal burden of disease of burn injuries in Australia, New Zealand and the Netherlands. <i>BMC Public Health</i> , 2020, 20, 121.	1.2	16

#	ARTICLE	IF	CITATIONS
55	Epidemiology of injuries from fire, heat and hot substances: global, regional and national morbidity and mortality estimates from the Global Burden of Disease 2017 study. Injury Prevention, 2020, 26, i36-i45.	1.2	93
56	Falls in older aged adults in 22 European countries: incidence, mortality and burden of disease from 1990 to 2017. Injury Prevention, 2020, 26, i67-i74.	1.2	65
57	Health Care and Productivity Costs of Non-Fatal Traffic Injuries: A Comparison of Road User Types. International Journal of Environmental Research and Public Health, 2020, 17, 2217.	1.2	11
58	Does the EQ-5D-5L benefit from extension with a cognitive domain: Testing a multi-criteria psychometric strategy in trauma patients. Quality of Life Research, 2020, 29, 2541-2551.	1.5	8
59	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i12-i26.	1.2	44
60	Advance care planning in patients with advanced cancer: A 6-country, cluster-randomised clinical trial. PLoS Medicine, 2020, 17, e1003422.	3.9	68
61	Outcomes after Complicated and Uncomplicated Mild Traumatic Brain Injury at Three-and Six-Months Post-Injury: Results from the CENTER-TBI Study. Journal of Clinical Medicine, 2020, 9, 1525.	1.0	30
62	Title is missing!. , 2020, 17, e1003422.		0
63	Title is missing!. , 2020, 17, e1003422.		0
64	Title is missing!. , 2020, 17, e1003422.		0
65	Title is missing!. , 2020, 17, e1003422.		0
66	Title is missing!. , 2020, 17, e1003422.		0
67	Title is missing!. , 2020, 17, e1003422.		0
68	Title is missing!. , 2020, 17, e1003422.		0
69	Title is missing!. , 2020, 17, e1003034.		0
70	Title is missing!. , 2020, 17, e1003034.		0
71	Title is missing!. , 2020, 17, e1003034.		0
72	Title is missing!. , 2020, 17, e1003034.		0

#	ARTICLE	IF	CITATIONS
73	Title is missing!. , 2020, 17, e1003034.		0
74	Title is missing!. , 2020, 15, e0235048.		0
75	Title is missing!. , 2020, 15, e0235048.		0
76	Title is missing!. , 2020, 15, e0235048.		0
77	Title is missing!. , 2020, 15, e0235048.		0
78	Title is missing!. , 2020, 15, e0235048.		0
79	Title is missing!. , 2020, 15, e0235048.		0
80	Early fixation versus conservative therapy of multiple, simple rib fractures (FixCon): protocol for a multicenter randomized controlled trial. <i>World Journal of Emergency Surgery</i> , 2019, 14, 38.	2.1	31
81	Post-Traumatic Stress Disorder after Civilian Traumatic Brain Injury: A Systematic Review and Meta-Analysis of Prevalence Rates. <i>Journal of Neurotrauma</i> , 2019, 36, 3220-3232.	1.7	61
82	The value of nonoperative versus operative treatment of frail institutionalized elderly patients with a proximal femoral fracture in the shade of life (FRAIL-HIP); protocol for a multicenter observational cohort study. <i>BMC Geriatrics</i> , 2019, 19, 301.	1.1	19
83	Health related quality of life 5â€“7 years after minor and severe burn injuries: a multicentre cross-sectional study. <i>Burns</i> , 2019, 45, 1291-1299.	1.1	34
84	In-hospital costs after severe traumatic brain injury: A systematic review and quality assessment. <i>PLoS ONE</i> , 2019, 14, e0216743.	1.1	37
85	Agreement between retrospectively assessed health-related quality of life collected 1â€‰week and 12â€‰months post-injury: an observational follow-up study. <i>Health and Quality of Life Outcomes</i> , 2019, 17, 70.	1.0	11
86	Prevalence of post-concussion-like symptoms in the general population in Italy, The Netherlands and the United Kingdom. <i>Brain Injury</i> , 2019, 33, 1078-1086.	0.6	46
87	A multimodal intervention to improve hand hygiene compliance via social cognitive influences among kindergarten teachers in China. <i>PLoS ONE</i> , 2019, 14, e0215824.	1.1	3
88	Fall-related healthcare use and mortality among older adults in the Netherlands, 1997â€“2016. <i>Experimental Gerontology</i> , 2019, 120, 95-100.	1.2	8
89	Health-related quality of life in injury patients: the added value of extending the EQ-5D-3L with a cognitive dimension. <i>Quality of Life Research</i> , 2019, 28, 1941-1949.	1.5	8
90	The added value of the EQ-5D with a cognition dimension in injury patients with and without traumatic brain injury. <i>Quality of Life Research</i> , 2019, 28, 1931-1939.	1.5	31

#	ARTICLE	IF	CITATIONS
91	Factors Associated with Participation of Community-Dwelling Older Adults in a Home-Based Falls Prevention Program. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1087.	1.2	4
92	Evaluation of Implementing a Home-Based Fall Prevention Program among Community-Dwelling Older Adults. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1079.	1.2	9
93	Functional and patient-reported outcome versus in-hospital costs after traumatic acute subdural hematoma (t-ASDH): a neurosurgical paradox?. <i>Acta Neurochirurgica</i> , 2019, 161, 875-884.	0.9	10
94	Patient-reported scar quality of adults after burn injuries: A five-year multicenter follow-up study. <i>Wound Repair and Regeneration</i> , 2019, 27, 406-414.	1.5	43
95	Variation in Guideline Implementation and Adherence Regarding Severe Traumatic Brain Injury Treatment: A CENTER-TBI Survey Study in Europe. <i>World Neurosurgery</i> , 2019, 125, e515-e520.	0.7	24
96	Post-Concussion Symptoms in Complicated vs. Uncomplicated Mild Traumatic Brain Injury Patients at Three and Six Months Post-Injury: Results from the CENTER-TBI Study. <i>Journal of Clinical Medicine</i> , 2019, 8, 1921.	1.0	62
97	Medical and productivity costs after trauma. <i>PLoS ONE</i> , 2019, 14, e0227131.	1.1	14
98	Variation in neurosurgical management of traumatic brain injury: a survey in 68 centers participating in the CENTER-TBI study. <i>Acta Neurochirurgica</i> , 2019, 161, 435-449.	0.9	43
99	Intensive care admission criteria for traumatic brain injury patients across Europe. <i>Journal of Critical Care</i> , 2019, 49, 158-161.	1.0	17
100	Assessing screening instruments and thresholds to detect risk of depression in diabetes patients, a brief report. <i>Primary Care Diabetes</i> , 2019, 13, 380-383.	0.9	2
101	Advance Care Planning for frail older adults: Findings on costs in a cluster randomised controlled trial. <i>Palliative Medicine</i> , 2019, 33, 291-300.	1.3	10
102	Prehospital Trauma Care among 68 European Neurotrauma Centers: Results of the CENTER-TBI Provider Profiling Questionnaires. <i>Journal of Neurotrauma</i> , 2019, 36, 176-181.	1.7	11
103	Mobile Health Coaching on Nutrition and Lifestyle Behaviors for Subfertile Couples Using the Smarter Pregnancy Program: Model-Based Cost-Effectiveness Analysis. <i>JMIR MHealth and UHealth</i> , 2019, 7, e13935.	1.8	13
104	Increased care demand and medical costs after falls in nursing homes: A Delphi study. <i>Journal of Clinical Nursing</i> , 2018, 27, 2896-2903.	1.4	7
105	Prediction of Persistent Post-Concussion Symptoms after Mild Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2018, 35, 2691-2698.	1.7	90
106	Advance Care Planning in Frail Older Adults: A Cluster Randomized Controlled Trial. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 1089-1095.	1.3	42
107	Performance of the modified TRISS for evaluating trauma care in subpopulations: A cohort study. <i>Injury</i> , 2018, 49, 1648-1653.	0.7	10
108	Emergency department overcrowding: a survey among European neurotrauma centres. <i>Emergency Medicine Journal</i> , 2018, 35, 447-448.	0.4	18

#	ARTICLE	IF	CITATIONS
109	Epidemiology of injuries, treatment (costs) and outcome in burn patients admitted to a hospital with or without dedicated burn centre (Burn-Pro): protocol for a multicentre prospective observational study. <i>BMJ Open</i> , 2018, 8, e023709.	0.8	7
110	A Multidimensional Approach to Post-concussion Symptoms in Mild Traumatic Brain Injury. <i>Frontiers in Neurology</i> , 2018, 9, 1113.	1.1	244
111	Improvement of the performance of survival prediction in the ageing blunt trauma population: A cohort study. <i>PLoS ONE</i> , 2018, 13, e0209099.	1.1	6
112	Value of information analysis of an early intervention for subthreshold panic disorder: Healthcare versus societal perspective. <i>PLoS ONE</i> , 2018, 13, e0205876.	1.1	0
113	Prevalence of post-traumatic stress disorder, acute stress disorder and depression following violence related injury treated at the emergency department: a systematic review. <i>BMC Psychiatry</i> , 2018, 18, 311.	1.1	25
114	Cost-effectiveness study of early versus late parenteral nutrition in critically ill children (PEPaNIC): preplanned secondary analysis of a multicentre randomised controlled trial. <i>Critical Care</i> , 2018, 22, 4.	2.5	22
115	Global Mortality From Firearms, 1990-2016. <i>JAMA - Journal of the American Medical Association</i> , 2018, 320, 792.	3.8	189
116	Predictors of health-related quality of life after burn injuries: a systematic review. <i>Critical Care</i> , 2018, 22, 160.	2.5	66
117	Health related quality of life in adults after burn injuries: A systematic review. <i>PLoS ONE</i> , 2018, 13, e0197507.	1.1	90
118	Implementation of clinical decision support in young children with acute gastroenteritis: a randomized controlled trial at the emergency department. <i>European Journal of Pediatrics</i> , 2017, 176, 173-181.	1.3	20
119	Predictors of Major Depression and Posttraumatic Stress Disorder Following Traumatic Brain Injury: A Systematic Review and Meta-Analysis. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2017, 29, 206-224.	0.9	57
120	Management of Mild Traumatic Brain Injury at the Emergency Department and Hospital Admission in Europe: A Survey of 71 Neurotrauma Centers Participating in the CENTER-TBI Study. <i>Journal of Neurotrauma</i> , 2017, 34, 2529-2535.	1.7	50
121	Assessment of pre-injury health-related quality of life: a systematic review. <i>Population Health Metrics</i> , 2017, 15, 10.	1.3	52
122	Mortality prediction models in the general trauma population: A systematic review. <i>Injury</i> , 2017, 48, 221-229.	0.7	72
123	In-hospital costs of diabetic foot disease treated by a multidisciplinary foot team. <i>Diabetes Research and Clinical Practice</i> , 2017, 132, 68-78.	1.1	34
124	Comparing health-related quality of life of Dutch and Chinese patients with traumatic brain injury: do cultural differences play a role?. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 72.	1.0	19
125	Variation in monitoring and treatment policies for intracranial hypertension in traumatic brain injury: a survey in 66 neurotrauma centers participating in the CENTER-TBI study. <i>Critical Care</i> , 2017, 21, 233.	2.5	88
126	Years of life lost due to traumatic brain injury in Europe: A cross-sectional analysis of 16 countries. <i>PLoS Medicine</i> , 2017, 14, e1002331.	3.9	93

#	ARTICLE	IF	CITATIONS
127	47â€¦Disability weights from the injury vibes collaboration. <i>Injury Prevention</i> , 2016, 22, A18.3-A19.	1.2	1
128	Variation in Structure and Process of Care in Traumatic Brain Injury: Provider Profiles of European Neurotrauma Centers Participating in the CENTER-TBI Study. <i>PLoS ONE</i> , 2016, 11, e0161367.	1.1	50
129	Cost-utility of medication withdrawal in older fallers: results from the improving medication prescribing to reduce risk of FALLs (IMPROVeFALL) trial. <i>BMC Geriatrics</i> , 2016, 16, 179.	1.1	18
130	Antithrombotic stewardship: a multidisciplinary team approach towards improving antithrombotic therapy outcomes during and after hospitalisation: a study protocol. <i>BMJ Open</i> , 2016, 6, e011537.	0.8	7
131	The economic burden of injury: Health care and productivity costs of injuries in the Netherlands. <i>Accident Analysis and Prevention</i> , 2016, 93, 92-100.	3.0	102
132	A randomized controlled trial studying the effectiveness of group medical appointments on self-efficacy and adherence in sickle cell disease (TEAM study): study protocol. <i>BMC Hematology</i> , 2016, 16, 21.	2.6	4
133	Advance care planning â€œ a multi-centre cluster randomised clinical trial: the research protocol of the ACTION study. <i>BMC Cancer</i> , 2016, 16, 264.	1.1	43
134	Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013. <i>JAMA Pediatrics</i> , 2016, 170, 267.	3.3	479
135	Prevalence of and Risk Factors for Anxiety and Depressive Disorders after Traumatic Brain Injury: A Systematic Review. <i>Journal of Neurotrauma</i> , 2016, 33, 1969-1994.	1.7	194
136	Economic burden of burn injuries in the Netherlands: A 3 months follow-up study. <i>Injury</i> , 2016, 47, 203-210.	0.7	29
137	Disability weights based on patient-reported data from a multinational injury cohort. <i>Bulletin of the World Health Organization</i> , 2016, 94, 806-816C.	1.5	29
138	Level of agreement between patient-reported EQ-5D responses and EQ-5D responses mapped from the SF-12 in an injury population. <i>Population Health Metrics</i> , 2015, 13, 14.	1.3	16
139	Palliative care consultation services in hospitals in the Netherlands: the design of the COMPASS study. <i>BMC Palliative Care</i> , 2015, 14, 68.	0.8	7
140	How well do principal diagnosis classifications predict disability 12 months postinjury?. <i>Injury Prevention</i> , 2015, 21, e120-e126.	1.2	2
141	Trends in incidence rate, health care consumption, and costs for patients admitted with a humeral fracture in The Netherlands between 1986 and 2012. <i>Injury</i> , 2015, 46, 1930-1937.	0.7	25
142	Disability weights for the Global Burden of Disease 2013 study. <i>The Lancet Global Health</i> , 2015, 3, e712-e723.	2.9	783
143	Assessing disability weights based on the responses of 30,660 people from four European countries. <i>Population Health Metrics</i> , 2015, 13, 10.	1.3	133
144	Health-related quality of life after TBI: a systematic review of study design, instruments, measurement properties, and outcome. <i>Population Health Metrics</i> , 2015, 13, 4.	1.3	144

#	ARTICLE	IF	CITATIONS
145	Aerosolised liposomal amphotericin B to prevent aspergillosis in acute myeloid leukaemia: Efficacy and cost effectiveness in real-life. <i>International Journal of Antimicrobial Agents</i> , 2015, 46, 82-87.	1.1	23
146	Burden of road traffic injuries: Disability-adjusted life years in relation to hospitalization and the maximum abbreviated injury scale. <i>Accident Analysis and Prevention</i> , 2015, 80, 193-200.	3.0	40
147	Incidence and costs of bicycle-related traumatic brain injuries in the Netherlands. <i>Accident Analysis and Prevention</i> , 2015, 81, 51-60.	3.0	51
148	A cluster randomized controlled trial on the effects and costs of advance care planning in elderly care: study protocol. <i>BMC Geriatrics</i> , 2015, 15, 87.	1.1	20
149	Epidemiology of traumatic brain injury in Europe. <i>Acta Neurochirurgica</i> , 2015, 157, 1683-1696.	0.9	541
150	Impact of Depression and Post-Traumatic Stress Disorder on Functional Outcome and Health-Related Quality of Life of Patients with Mild Traumatic Brain Injury. <i>Journal of Neurotrauma</i> , 2015, 32, 853-862.	1.7	127
151	Association between the Number of Injuries Sustained and 12-Month Disability Outcomes: Evidence from the Injury-VIBES Study. <i>PLoS ONE</i> , 2014, 9, e113467.	1.1	24
152	Cost study of dermal substitutes and topical negative pressure in the surgical treatment of burns. <i>Burns</i> , 2014, 40, 388-396.	1.1	17
153	Validating and Improving Injury Burden Estimates Study: the Injury-VIBES study protocol. <i>Injury Prevention</i> , 2014, 20, e4-e4.	1.2	13
154	Global, regional, and national levels and causes of maternal mortality during 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014, 384, 980-1004.	6.3	1,230
155	Review of disability weight studies: comparison of methodological choices and values. <i>Population Health Metrics</i> , 2014, 12, 20.	1.3	79
156	Traumatic Brain Injury in the Netherlands: Incidence, Costs and Disability-Adjusted Life Years. <i>PLoS ONE</i> , 2014, 9, e110905.	1.1	82
157	Trends in incidence and costs of injuries to the shoulder, arm and wrist in The Netherlands between 1986 and 2008. <i>BMC Public Health</i> , 2013, 13, 531.	1.2	62
158	Systematic review of general burden of disease studies using disability-adjusted life years. <i>Population Health Metrics</i> , 2012, 10, 21.	1.3	58
159	Systematic review and quality assessment of economic evaluation studies of injury prevention. <i>Accident Analysis and Prevention</i> , 2012, 45, 211-221.	3.0	23
160	Burden of injury in childhood and adolescence in 8 European countries. <i>BMC Public Health</i> , 2010, 10, 45.	1.2	32
161	A systematic review of studies measuring health-related quality of life of general injury populations. <i>BMC Public Health</i> , 2010, 10, 783.	1.2	107
162	International variation in clinical injury incidence: Exploring the performance of indicators based on health care, anatomical and outcome criteria. <i>Accident Analysis and Prevention</i> , 2008, 40, 182-191.	3.0	23

#	ARTICLE	IF	CITATIONS
163	A mild treatment strategy for in-vitro fertilisation: a randomised non-inferiority trial. <i>Lancet</i> , The, 2007, 369, 743-749.	6.3	324
164	Assessing the burden of injury in six European countries. <i>Bulletin of the World Health Organization</i> , 2007, 85, 27-34.	1.5	106
165	Cost Estimation of Injury-Related Hospital Admissions in 10 European Countries. <i>Journal of Trauma</i> , 2005, 59, 1283-1291.	2.3	118