
Linda Ferrington

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4470665/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	An experimental evaluation of a concept to improve conventional aortic prostheses. Journal of Biomechanics, 2020, 112, 110010.	2.1	2
2	Early detection of cryptic memory and glucose uptake deficits in pre-pathological APP mice. Nature Communications, 2016, 7, 11761.	12.8	12
3	Angiotensin II-inhibition: effect on Alzheimer's pathology in the aged triple transgenic mouse. American Journal of Translational Research (discontinued), 2012, 4, 151-64.	0.0	14
4	Cerebral metabolic responses to 5-HT2A/C receptor activation in mice with genetically modified serotonin transporter (SERT) expression. European Neuropsychopharmacology, 2011, 21, 117-128.	0.7	12
5	Mechanism of acute tryptophan depletion: is it only serotonin?. Molecular Psychiatry, 2011, 16, 695-713.	7.9	111
6	Angiotensin II-inhibiting drugs have no effect on intraneuronal Aβ or oligomeric Aβ levels in a triple transgenic mouse model of Alzheimer's disease. American Journal of Translational Research (discontinued), 2011, 3, 197-208.	0.0	22
7	Acute tryptophan depletion potentiates 3,4â€methylenedioxymethamphetamineâ€induced cerebrovascular hyperperfusion in adult male wistar rats. Journal of Neuroscience Research, 2010, 88, 1557-1568.	2.9	9
8	Acute tryptophan depletion in C57BL/6 mice does not induce central serotonin reduction or affective behavioural changes. Neurochemistry International, 2010, 56, 21-34.	3.8	24
9	Elevated BDNF protein level in cortex but not in hippocampus of MDMA-treated Dark Agouti rats: A potential link to the long-term recovery of serotonergic axons. Neuroscience Letters, 2010, 478, 56-60.	2.1	13
10	Acute SSRI-induced anxiogenic and brain metabolic effects are attenuated 6 months after initial MDMA-induced depletion. Behavioural Brain Research, 2010, 207, 280-289.	2.2	14
11	Phosphodiesterase Inhibitors Enhance Object Memory Independent of Cerebral Blood Flow and Glucose Utilization in Rats. Neuropsychopharmacology, 2009, 34, 1914-1925.	5.4	111
12	Sex influences the effect of a lifelong increase in serotonin transporter function on cerebral metabolism. Journal of Neuroscience Research, 2009, 87, 2375-2385.	2.9	11
13	Acute tryptophan depletion in rats alters the relationship between cerebral blood flow and glucose metabolism independent of central serotonin. Neuroscience, 2009, 163, 683-694.	2.3	14
14	Novel analysis for improved validity in semi-quantitative 2-deoxyglucose autoradiographic imaging. Journal of Neuroscience Methods, 2008, 175, 25-35.	2.5	11
15	Partial lesion of the serotonergic system by a single dose of MDMA results in behavioural disinhibition and enhances acute MDMA-induced social behaviour on the social interaction test. Neuropharmacology, 2006, 50, 884-896.	4.1	38
16	Acute and long-term effects of a single dose of MDMA on aggression in Dark Agouti rats. International Journal of Neuropsychopharmacology, 2006, 9, 63.	2.1	20
17	Persistent cerebrovascular effects of MDMA and acute responses to the drug. European Journal of Neuroscience, 2006, 24, 509-519.	2.6	19
18	â€~Ecstasy' as a risk factor in stroke: A laboratory investigation of 3, 4-methylenedioxymethamphetamine-induced cerebrovascular dysfunction. Journal of Cerebral Blood Flow and Metabolism, 2005, 25, S177-S177.	4.3	0

#	Article	IF	CITATIONS
19	Direct cerebrovascular effects of CB1 receptor activation by the synthetic endocannabinoid HU-210 in vivo. Journal of Cerebral Blood Flow and Metabolism, 2005, 25, S581-S581.	4.3	0
20	Altered cerebrovascular control in response to hypertension in a novel transgenic rat model of malignant hypertension. Journal of Cerebral Blood Flow and Metabolism, 2005, 25, S536-S536.	4.3	0
21	Local cerebral metabolic response to 8-OH-DPAT in Dark Agouti rats is altered by prior exposure to 3, 4, -methylenedioxymethamphetamine (MDMA). Journal of Cerebral Blood Flow and Metabolism, 2005, 25, S582-S582.	4.3	Ο