

# Jack H Taylor

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4470889/publications.pdf>

Version: 2024-02-01

20  
papers

355  
citations

933447

10  
h-index

888059

17  
g-index

21  
all docs

21  
docs citations

21  
times ranked

388  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Species differences in the effect of oxytocin on maternal behavior: A model incorporating the potential for allomaternal contributions. <i>Frontiers in Neuroendocrinology</i> , 2022, 65, 100996.  | 5.2 | 4         |
| 2  | CRISPR-Cas9 editing of the arginineâ€“vasopressin V1a receptor produces paradoxical changes in social behavior in Syrian hamsters. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2121037119. | 7.1 | 18        |
| 3  | Vasopressin, but not oxytocin, modulates responses to infant stimuli in marmosets providing care to dependent infants. <i>Developmental Psychobiology</i> , 2020, 62, 932-940.  | 1.6 | 6         |
| 4  | Binding affinities of oxytocin, vasopressin and Manning compound at oxytocin and V1a receptors in male Syrian hamster brains. <i>Journal of Neuroendocrinology</i> , 2020, 32, e12882.  | 2.6 | 6         |
| 5  | Leu8 and Pro8 oxytocin agonism differs across human, macaque, and marmoset vasopressin 1a receptors. <i>Scientific Reports</i> , 2019, 9, 15480.  | 3.3 | 11        |
| 6  | Dopamine receptor manipulation does not alter patterns of partner preference in long-term marmoset pairs. <i>Physiology and Behavior</i> , 2019, 204, 290-296.  | 2.1 | 1         |
| 7  | Binding and Signaling Properties of the Leu8 and Pro8 Isoforms of Oxytocin at Vasopressin V1a Receptors from Primate Species Expressing Leu8 or Pro8 Oxytocin. <i>FASEB Journal</i> , 2019, 33, 810.8.  | 0.5 | 0         |
| 8  | Oxytocin structure and function in New World monkeys: from pharmacology to behavior. <i>Integrative Zoology</i> , 2018, 13, 634-654.  | 2.6 | 17        |
| 9  | Dopamine Modulation of Reunion Behavior in Short and Long Term Marmoset Pairs. <i>Frontiers in Ecology and Evolution</i> , 2018, 6, .   | 2.2 | 4         |
| 10 | Binding Characteristics of Two Oxytocin Variants and Vasopressin at Oxytocin Receptors from Four Primate Species with Different Social Behavior Patterns. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2018, 367, 101-107.        | 2.5 | 11        |
| 11 | Binding and Signaling Properties of the Leu <sup>8</sup> and Pro <sup>8</sup> Isoforms of Oxytocin for Oxytocin Receptors from Four Primate Species. <i>FASEB Journal</i> , 2018, 32, 555.1.  | 0.5 | 0         |
| 12 | Neonatal oxytocin and vasopressin manipulation alter social behavior during the juvenile period in Mongolian gerbils. <i>Developmental Psychobiology</i> , 2017, 59, 653-657.   | 1.6 | 9         |
| 13 | Vasopressin and Oxytocin Reduce Food Sharing Behavior in Male, but Not Female Marmosets in Family Groups. <i>Frontiers in Endocrinology</i> , 2017, 8, 181.   | 3.5 | 9         |
| 14 | Neuropeptide diversity and the regulation of social behavior in New World primates. <i>Frontiers in Neuroendocrinology</i> , 2016, 42, 18-39.   | 5.2 | 40        |
| 15 | Reunion behavior after social separation is associated with enhanced HPA recovery in young marmoset monkeys. <i>Psychoneuroendocrinology</i> , 2015, 57, 93-101.  | 2.7 | 24        |
| 16 | Oxytocin and vasopressin enhance responsiveness to infant stimuli in adult marmosets. <i>Hormones and Behavior</i> , 2015, 75, 154-159.   | 2.1 | 44        |
| 17 | Behavioral responses to social separation stressor change across development and are dynamically related to HPA activity in marmosets. <i>American Journal of Primatology</i> , 2014, 76, 239-248.  | 1.7 | 20        |
| 18 | Gestational cortisol and social play shape development of marmosets' HPA functioning and behavioral responses to stressors. <i>Developmental Psychobiology</i> , 2014, 56, 1229-1243.   | 1.6 | 24        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Oxytocin facilitates fidelity in well-established marmoset pairs by reducing sociosexual behavior toward opposite-sex strangers. <i>Psychoneuroendocrinology</i> , 2014, 49, 1-10.                    | 2.7 | 66        |
| 20 | Quality of maternal and paternal care predicts later stress reactivity in the cooperatively-breeding marmoset ( <i>Callithrix geoffroyi</i> ). <i>Psychoneuroendocrinology</i> , 2013, 38, 3003-3014. | 2.7 | 40        |