

Mario Luciano

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4472828/mario-luciano-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

111
papers

1,869
citations

24
h-index

39
g-index

138
ext. papers

2,599
ext. citations

5.3
avg, IF

4.53
L-index

#	Paper	IF	Citations
111	The impact of Covid-19 on unemployment across Italy: Consequences for those affected by psychiatric conditions. <i>Journal of Affective Disorders</i> , 2022 , 296, 59-66	6.6	7
110	Delirium and Psychiatric Sequelae Associated to SARS-CoV-2 in Asymptomatic Patients With Psychiatric History and Mild Cognitive Impairment as Risk Factors: Three Case Reports.. <i>Frontiers in Psychiatry</i> , 2022 , 13, 868286	5	
109	Anti-stigma training and positive changes in mental illness stigma outcomes in medical students in ten countries: a mediation analysis on pathways via empathy development and anxiety reduction.. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022 , 1	4.5	2
108	Dimensions and Predictors of Personal Recovery in Major Depression. <i>Comprehensive Approach To Psychiatry</i> , 2022 , 225-244	0.7	
107	Recovery-Oriented Treatments in Major Depressive Disorder. <i>Comprehensive Approach To Psychiatry</i> , 2022 , 245-254	0.7	
106	The Transition From Maternity Blues to Full-Blown Perinatal Depression: Results From a Longitudinal Study. <i>Frontiers in Psychiatry</i> , 2021 , 12, 703180	5	0
105	Delirium and Cognitive Impairment as Predisposing Factors of COVID-19 Infection in Neuropsychiatric Patients: A Narrative Review. <i>Medicina (Lithuania)</i> , 2021 , 57,	3.1	4
104	How to improve the physical health of people with severe mental illness? A multicentric randomized controlled trial on the efficacy of a lifestyle group intervention. <i>European Psychiatry</i> , 2021 , 64, e72	6	1
103	Dissociative Symptoms in Bipolar Disorder: Impact on Clinical Course and Treatment Response. <i>Frontiers in Psychiatry</i> , 2021 , 12, 732843	5	0
102	Access to Mental Health Care during the First Wave of the COVID-19 Pandemic in Italy: Results from the COMET Multicentric Study. <i>Brain Sciences</i> , 2021 , 11,	3.4	2
101	Factors influencing lithium versus valproate prescription preference in the maintenance treatment of bipolar patients: a report from the Italian Early Career Psychiatrists (SOPSI-GG). <i>International Journal of Psychiatry in Clinical Practice</i> , 2021 , 25, 82-89	2.4	1
100	First-episode Psychosis and Migration in Italy: Results from a Study in the Italian Mental Health Services (Pep-Ita Study). <i>Journal of Immigrant and Minority Health</i> , 2021 , 23, 519-527	2.2	1
99	Duration of untreated illness predicts 3-year outcome in patients with obsessive-compulsive disorder: A real-world, naturalistic, follow-up study. <i>Psychiatry Research</i> , 2021 , 299, 113872	9.9	5
98	Community Mental Health Services in Italy. <i>Consortium Psychiatricum</i> , 2021 , 2, 86-92	0.8	
97	What Is the Role of Resilience and Coping Strategies on the Mental Health of the General Population during the COVID-19 Pandemic? Results from the Italian Multicentric COMET Study. <i>Brain Sciences</i> , 2021 , 11,	3.4	8
96	The impact of clinical and social factors on the physical health of people with severe mental illness: Results from an Italian multicentre study. <i>Psychiatry Research</i> , 2021 , 303, 114073	9.9	3
95	Affective Temperaments and Illness Severity in Patients with Bipolar Disorder. <i>Medicina (Lithuania)</i> , 2021 , 57,	3.1	4

94	Loneliness in Young Adults During the First Wave of COVID-19 Lockdown: Results From the Multicentric COMET Study.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 788139	5	5
93	The Impact of Quarantine and Physical Distancing Following COVID-19 on Mental Health: Study Protocol of a Multicentric Italian Population Trial. <i>Frontiers in Psychiatry</i> , 2020 , 11, 533	5	97
92	Efficacy of the interpersonal and social rhythm therapy (IPSRT) in patients with bipolar disorder: results from a real-world, controlled trial. <i>Annals of General Psychiatry</i> , 2020 , 19, 15	3.4	7
91	Clinical Severity and Calcium Metabolism in Patients with Bipolar Disorder. <i>Brain Sciences</i> , 2020 , 10,	3.4	7
90	The Italian ICD-11 field trial: clinical utility of diagnostic guidelines for schizophrenia and related disorders. <i>International Journal of Mental Health Systems</i> , 2020 , 14, 4	3.6	3
89	Unmet Needs in Modern Psychiatric Practice 2020 , 1-13		
88	Characteristics of Internet Use amongst Italian University Students. <i>Psychiatria Danubina</i> , 2020 , 32, 411-419		2
87	Mental Health Disturbances and Related Problems in Italian University Medical Students from 2000 to 2020: An Integrative Review of Qualitative and Quantitative Studies. <i>Medicina (Lithuania)</i> , 2020 , 57,	3.1	5
86	From dysthymia to treatment-resistant depression: evolution of a psychopathological construct. <i>International Review of Psychiatry</i> , 2020 , 32, 471-476	3.6	5
85	Diagnosis, Clinical Features, and Therapeutic Implications of Agitated Depression. <i>Psychiatric Clinics of North America</i> , 2020 , 43, 47-57	3.1	6
84	Clinical Picture, Temperament, and Personality of Patients with Mixed States. <i>Psychiatric Clinics of North America</i> , 2020 , 43, 15-26	3.1	3
83	Effects of the lockdown on the mental health of the general population during the COVID-19 pandemic in Italy: Results from the COMET collaborative network. <i>European Psychiatry</i> , 2020 , 63, e87	6	106
82	When does shared decision making is adopted in psychiatric clinical practice? Results from a European multicentric study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 645-653 ^{5.1}		4
81	Validation of the brief TEMPS-M temperament questionnaire in a clinical Italian sample of bipolar and cyclothymic patients. <i>Journal of Affective Disorders</i> , 2020 , 260, 458-462	6.6	11
80	The de Clambault syndrome: more than just a delusional disorder?. <i>International Review of Psychiatry</i> , 2020 , 32, 385-390	3.6	3
79	Thrombocytosis in bipolar disorder: A case report. <i>Bipolar Disorders</i> , 2019 , 21, 800-802	3.8	
78	How to Measure Knowledge About Mental Disorders? Validation of the Italian Version of the MAKs. <i>Community Mental Health Journal</i> , 2019 , 55, 1354-1361	2.1	5
77	Comorbidity of Obsessive-Compulsive Disorder and Schizotypal Personality Disorder: Clinical Response and Treatment Resistance to Pharmacotherapy in a 3-Year Follow-Up Naturalistic Study. <i>Frontiers in Psychiatry</i> , 2019 , 10, 386	5	7

76	Mood symptoms and suicidality across the autism spectrum. <i>Comprehensive Psychiatry</i> , 2019 , 91, 34-38	7.3	33
75	Psychoeducational Intervention for Perinatal Depression: Study Protocol of a Randomized Controlled Trial. <i>Frontiers in Psychiatry</i> , 2019 , 10, 55	5	8
74	Affective Temperaments and Clinical Course of Bipolar Disorder: An Exploratory Study of Differences among Patients with and without a History of Violent Suicide Attempts. <i>Medicina (Lithuania)</i> , 2019 , 55,	3.1	7
73	Perceived Coercion Among Patients Admitted in Psychiatric Wards: Italian Results of the EUNOMIA Study. <i>Frontiers in Psychiatry</i> , 2019 , 10, 316	5	9
72	Maternal stress, prenatal medical illnesses and obstetric complications: Risk factors for schizophrenia spectrum disorder, bipolar disorder and major depressive disorder. <i>Psychiatry Research</i> , 2019 , 271, 23-30	9.9	28
71	Being influential or being misleading? Citation bias in psychiatric research and practice. <i>Epidemiology and Psychiatric Sciences</i> , 2018 , 27, 242-243	5.1	1
70	The effects of psychoeducational family intervention on coping strategies of relatives of patients with bipolar I disorder: results from a controlled, real-world, multicentric study. <i>Neuropsychiatric Disease and Treatment</i> , 2018 , 14, 977-989	3.1	8
69	A Randomized Controlled Trial on the Efficacy of a Psychosocial Behavioral Intervention to Improve the Lifestyle of Patients With Severe Mental Disorders: Study Protocol. <i>Frontiers in Psychiatry</i> , 2018 , 9, 235	5	13
68	How to improve clinical practice on forced medication in psychiatric practice: Suggestions from the EUNOMIA European multicentre study. <i>European Psychiatry</i> , 2018 , 54, 35-40	6	14
67	Subthreshold autism spectrum disorder in patients with eating disorders. <i>Comprehensive Psychiatry</i> , 2018 , 81, 66-72	7.3	53
66	How the use of the term "schizo*" has changed in an Italian newspaper from 2001 to 2015: Findings from a descriptive analysis. <i>Psychiatry Research</i> , 2018 , 270, 792-800	9.9	4
65	Clinical utility of ICD-11 diagnostic guidelines for high-burden mental disorders: results from mental health settings in 13 countries. <i>World Psychiatry</i> , 2018 , 17, 306-315	14.4	36
64	The ICD-11 developmental field study of reliability of diagnoses of high-burden mental disorders: results among adult patients in mental health settings of 13 countries. <i>World Psychiatry</i> , 2018 , 17, 174-186	14.4	61
63	Clinical Decision Making and Mental Health Service Use Among Persons With Severe Mental Illness Across Europe. <i>Psychiatric Services</i> , 2017 , 68, 970-974	3.3	7
62	Improving physical health of patients with severe mental disorders: a critical review of lifestyle psychosocial interventions. <i>Expert Review of Neurotherapeutics</i> , 2017 , 17, 667-681	4.3	33
61	How do relatives cope with eating disorders? Results from an Italian multicentre study. <i>International Journal of Eating Disorders</i> , 2017 , 50, 587-592	6.3	4
60	Autistic Traits in Patients with Anorexia Nervosa, Bulimia Nervosa or Binge Eating Disorder: A Pilot Study. <i>European Psychiatry</i> , 2017 , 41, S100-S100	6	5
59	Are coping strategies really different among family members of patients with eating disorders?. <i>European Psychiatry</i> , 2017 , 41, S559-S559	6	

58	Effectiveness of Psychoeducational Family Intervention on Coping Strategies of Relatives of Patients with Bipolar I Disorder. <i>European Psychiatry</i> , 2017 , 41, S78-S78	6	
57	Psychoeducational Family Intervention: Benefits and Obstacles Reported by Mental Health Professionals. <i>European Psychiatry</i> , 2017 , 41, S88-S88	6	
56	Psychoeducational family intervention for people with eating disorders: Rationale and development. <i>European Psychiatry</i> , 2017 , 41, S382-S382	6	
55	Are Social Networks Useful to Challenge Stigma Attached to Mental Disorders? Findings from the Time to Change Social Marketing Campaign 2009-2014. <i>European Psychiatry</i> , 2017 , 41, S89-S89	6	1
54	Recovery and decision-making involvement in people with severe mental illness from six countries: a prospective observational study. <i>BMC Psychiatry</i> , 2017 , 17, 38	4.2	17
53	Adult Autism Subthreshold Spectrum (AdAS Spectrum): Validation of a questionnaire investigating subthreshold autism spectrum. <i>Comprehensive Psychiatry</i> , 2017 , 73, 61-83	7.3	41
52	What mental health services should be available after the postnatal period?. <i>European Psychiatry</i> , 2017 , 41, 911-911	6	
51	Suicide Prevention in Schizophrenia: Do Long-Acting Injectable Antipsychotics (LAIs) have a Role?. <i>CNS and Neurological Disorders - Drug Targets</i> , 2017 , 16, 454-462	2.6	16
50	Unmet Needs in Schizophrenia. <i>CNS and Neurological Disorders - Drug Targets</i> , 2017 , 16, 870-884	2.6	12
49	Preliminary versions of the chapter on mental disorders of the ICD-11. <i>Actas Espanolas De Psiquiatria</i> , 2017 , 45, 79-88	0.7	3
48	First World War and Mental Health: a retrospective comparative study of veterans admitted to a psychiatric hospital between 1915 and 1918. <i>Rivista Di Psichiatria</i> , 2017 , 52, 120-125	3.1	0
47	Psychometric validation of the Italian version of the Reported and Intended Behaviour Scale (RIBS). <i>Epidemiology and Psychiatric Sciences</i> , 2016 , 25, 485-492	5.1	9
46	Does the use of coercion improve the outcome of patients with severe mental disorders?. <i>European Psychiatry</i> , 2016 , 33, S22-S22	6	
45	Pathways to care and duration of untreated psychosis in patients with a first episode of psychosis in Italy. <i>International Journal of Culture and Mental Health</i> , 2016 , 9, 293-302		
44	Education in Psychopathology in Europe: Results from a Survey in 32 Countries. <i>Academic Psychiatry</i> , 2016 , 40, 242-8	1.1	5
43	Perceived insecurity, mental health and urbanization: Results from a multicentric study. <i>International Journal of Social Psychiatry</i> , 2016 , 62, 252-61	8.5	12
42	Feasibility of a psychoeducational family intervention for people with bipolar I disorder and their relatives: Results from an Italian real-world multicentre study. <i>Journal of Affective Disorders</i> , 2016 , 190, 657-662	6.6	14
41	Training in Psychopathology in Europe: Results From a Survey. <i>European Psychiatry</i> , 2015 , 30, 676	6	2

40	Development and validation of the Family Coping Questionnaire for Eating Disorders. <i>International Journal of Eating Disorders</i> , 2015 , 48, 298-304	6.3	9
39	The role of relatives in pathways to care of patients with a first episode of psychosis. <i>International Journal of Social Psychiatry</i> , 2015 , 61, 631-7	8.5	36
38	Mental health research priorities for Europe. <i>Lancet Psychiatry</i> , 2015 , 2, 1036-42	23.3	108
37	The Brief Negative Symptom Scale (BNSS): Independent validation in a large sample of Italian patients with schizophrenia. <i>European Psychiatry</i> , 2015 , 30, 641-7	6	71
36	What is the current status of training and practice of early intervention in psychiatry? Results from a survey in 35 countries. <i>Microbial Biotechnology</i> , 2015 , 9, 70-5	3.3	8
35	Efficacy of psychoeducational family intervention for bipolar I disorder: A controlled, multicentric, real-world study. <i>Journal of Affective Disorders</i> , 2015 , 172, 291-9	6.6	42
34	The ICD-11 beta draft is available online. <i>World Psychiatry</i> , 2015 , 14, 375-6	14.4	18
33	University students' identification of stigmatizing schizophrenia in Italian newspapers. <i>American Journal of Orthopsychiatry</i> , 2015 , 85, 139-44	2.8	6
32	Including family members in psychoeducation for bipolar disorder: is it worth it?. <i>Bipolar Disorders</i> , 2015 , 17, 458-9	3.8	4
31	Bridging the gap between education and appropriate use of benzodiazepines in psychiatric clinical practice. <i>Neuropsychiatric Disease and Treatment</i> , 2015 , 11, 1885-909	3.1	37
30	Research priorities for public mental health in Europe: recommendations of the ROAMER project. <i>European Journal of Public Health</i> , 2015 , 25, 249-54	2.1	80
29	First-episode psychosis and migration in Italy (PEP-Ita migration): a study in the Italian mental health services. <i>BMC Psychiatry</i> , 2014 , 14, 186	4.2	9
28	The development and evaluation of a five-language multi-perspective standardised measure: clinical decision-making involvement and satisfaction (CDIS). <i>BMC Health Services Research</i> , 2014 , 14, 323	2.9	16
27	Desire for information of people with severe mental illness. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2014 , 49, 1883-91	4.5	14
26	The state of the art in European research on reducing social exclusion and stigma related to mental health: a systematic mapping of the literature. <i>European Psychiatry</i> , 2014 , 29, 381-9	6	91
25	The crisis in psychiatry: a public health perspective. <i>International Review of Psychiatry</i> , 2014 , 26, 530-4	3.6	14
24	Risk of burnout among early career mental health professionals. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2014 , 21, 774-81	2.4	50
23	This is why there is hope for psychiatry. <i>World Psychiatry</i> , 2014 , 13, 98-9	14.4	10

22	Proposals for ICD-11: a report for WPA membership. <i>World Psychiatry</i> , 2014 , 13, 206-8	14.4	4
21	ROAMER: roadmap for mental health research in Europe. <i>International Journal of Methods in Psychiatric Research</i> , 2014 , 23 Suppl 1, 1-14	4.3	76
20	Use of coercive measures in mental health practice and its impact on outcome: a critical review. <i>Expert Review of Neurotherapeutics</i> , 2014 , 14, 131-41	4.3	71
19	Pathways to mental health care in Italy: results from a multicenter study. <i>International Journal of Social Psychiatry</i> , 2014 , 60, 508-13	8.5	21
18	Response from the author. <i>International Journal of Social Psychiatry</i> , 2013 , 59, 621-2	8.5	
17	Who cares for it? How to provide psychosocial interventions in the community. <i>International Journal of Social Psychiatry</i> , 2013 , 59, 701-5	8.5	26
16	Challenges for trainees in psychiatry and early career psychiatrists. <i>International Review of Psychiatry</i> , 2013 , 25, 431-7	3.6	30
15	Priorities for mental health research in Europe: A survey among national stakeholders' associations within the ROAMER project. <i>World Psychiatry</i> , 2013 , 12, 165-70	14.4	48
14	Patient characteristics and symptoms associated with perceived coercion during hospital treatment. <i>Acta Psychiatrica Scandinavica</i> , 2012 , 125, 460-7	6.5	46
13	The new impact factor and immediacy index of World Psychiatry. <i>World Psychiatry</i> , 2012 , 11, 207-8	14.4	4
12	A 'family affair'? The impact of family psychoeducational interventions on depression. <i>Expert Review of Neurotherapeutics</i> , 2012 , 12, 83-91; quiz 92	4.3	21
11	The Family in Italy: cultural changes and implications for treatment. <i>International Review of Psychiatry</i> , 2012 , 24, 149-56	3.6	38
10	Caregivers' appraisals of patients' involuntary hospital treatment: European multicentre study. <i>British Journal of Psychiatry</i> , 2012 , 201, 486-91	5.4	21
9	P01-227-Implementing family psychoeducational intervention in bipolar i disorder: a randomized controlled trial. <i>European Psychiatry</i> , 2011 , 26, 228-228	6	
8	Coercive measures in italian inpatient units: results from eunomia study. <i>European Psychiatry</i> , 2011 , 26, 527-527	6	1
7	Views of general public, mental health professionals and patients/relatives about schizophrenia: An Italian multi-centric survey. <i>European Psychiatry</i> , 2011 , 26, 532-532	6	1
6	Family burden in major depression: a multicentric survey in 30 italian mental health centres. <i>European Psychiatry</i> , 2011 , 26, 625-625	6	4
5	The effect of family psychoeducational interventions on patients with depression. <i>European Psychiatry</i> , 2011 , 26, 2209-2209	6	4

- 4 Pathways to Care, Duration of Untreated Psychosis and Treatments Received by Patients with First-Episode Psychosis. *European Psychiatry*, **2011**, 26, 1394-1394 6
- 3 Training and practice of psychotherapy in Europe: results of a survey. *World Psychiatry*, **2011**, 10, 238 14.4 21
- 2 The psychiatrist of the new millennium: training needs, clinical skills, professional risks. *International Psychiatry: Bulletin of the Board of International Affairs of the Royal College of Psychiatrists*, **2011**, 8, 24-25
- 1 How to Start a Research Career in Psychiatry 18-35