Joel E Lavine

List of Publications by Citations

Source: https://exaly.com/author-pdf/4473954/joel-e-lavine-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92 21,121 51 97 g-index

97 25,579 9 6.66 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
92	The diagnosis and management of nonalcoholic fatty liver disease: Practice guidance from the American Association for the Study of Liver Diseases. <i>Hepatology</i> , 2018 , 67, 328-357	11.2	2641
91	The diagnosis and management of non-alcoholic fatty liver disease: practice Guideline by the American Association for the Study of Liver Diseases, American College of Gastroenterology, and the American Gastroenterological Association. <i>Hepatology</i> , 2012 , 55, 2005-23	11.2	2285
90	Pioglitazone, vitamin E, or placebo for nonalcoholic steatohepatitis. <i>New England Journal of Medicine</i> , 2010 , 362, 1675-85	59.2	2119
89	Farnesoid X nuclear receptor ligand obeticholic acid for non-cirrhotic, non-alcoholic steatohepatitis (FLINT): a multicentre, randomised, placebo-controlled trial. <i>Lancet, The</i> , 2015 , 385, 956-65	40	1421
88	The diagnosis and management of non-alcoholic fatty liver disease: practice guideline by the American Gastroenterological Association, American Association for the Study of Liver Diseases, and American College of Gastroenterology. <i>Gastroenterology</i> , 2012 , 142, 1592-609	13.3	1208
87	Prevalence of fatty liver in children and adolescents. <i>Pediatrics</i> , 2006 , 118, 1388-93	7.4	1019
86	Effect of vitamin E or metformin for treatment of nonalcoholic fatty liver disease in children and adolescents: the TONIC randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2011 , 305, 1659-68	27.4	721
85	Histopathology of pediatric nonalcoholic fatty liver disease. <i>Hepatology</i> , 2005 , 42, 641-9	11.2	549
84	Endpoints and clinical trial design for nonalcoholic steatohepatitis. <i>Hepatology</i> , 2011 , 54, 344-53	11.2	463
83	Vitamin E treatment of nonalcoholic steatohepatitis in children: A pilot study. <i>Journal of Pediatrics</i> , 2000 , 136, 734-738	3.6	403
82	Obesity, insulin resistance, and other clinicopathological correlates of pediatric nonalcoholic fatty liver disease. <i>Journal of Pediatrics</i> , 2003 , 143, 500-5	3.6	371
81	Heritability of nonalcoholic fatty liver disease. <i>Gastroenterology</i> , 2009 , 136, 1585-92	13.3	322
80	Relaxation effects in the quantification of fat using gradient echo imaging. <i>Magnetic Resonance Imaging</i> , 2008 , 26, 347-59	3.3	316
79	Clinical, laboratory and histological associations in adults with nonalcoholic fatty liver disease. <i>Hepatology</i> , 2010 , 52, 913-24	11.2	309
78	Nonalcoholic fatty liver disease: MR imaging of liver proton density fat fraction to assess hepatic steatosis. <i>Radiology</i> , 2013 , 267, 422-31	20.5	306
77	Association between diabetes, family history of diabetes, and risk of nonalcoholic steatohepatitis and fibrosis. <i>Hepatology</i> , 2012 , 56, 943-51	11.2	302
76	Polymerase gene products of hepatitis B viruses are required for genomic RNA packaging as wel as for reverse transcription. <i>Nature</i> , 1990 , 344, 552-5	50.4	283

(2019-2008)

75	Cardiovascular risk factors and the metabolic syndrome in pediatric nonalcoholic fatty liver disease. <i>Circulation</i> , 2008 , 118, 277-83	16.7	282
74	The diagnosis and management of non-alcoholic fatty liver disease: Practice guideline by the American Association for the Study of Liver Diseases, American College of Gastroenterology, and the American Gastroenterological Association. <i>American Journal of Gastroenterology</i> , 2012 , 107, 811-26	0.7	279
73	Fatty liver: imaging patterns and pitfalls. <i>Radiographics</i> , 2006 , 26, 1637-53	5.4	274
72	Influence of gender, race, and ethnicity on suspected fatty liver in obese adolescents. <i>Pediatrics</i> , 2005 , 115, e561-5	7.4	274
71	Portal chronic inflammation in nonalcoholic fatty liver disease (NAFLD): a histologic marker of advanced NAFLD-Clinicopathologic correlations from the nonalcoholic steatohepatitis clinical research network. <i>Hepatology</i> , 2009 , 49, 809-20	11.2	265
70	Nonalcoholic fatty liver disease: diagnostic and fat-grading accuracy of low-flip-angle multiecho gradient-recalled-echo MR imaging at 1.5 T. <i>Radiology</i> , 2009 , 251, 67-76	20.5	258
69	Idiopathic steatohepatitis in childhood: a multicenter retrospective study. <i>Journal of Pediatrics</i> , 1995 , 127, 700-4	3.6	232
68	Estimation of hepatic proton-density fat fraction by using MR imaging at 3.0 T. <i>Radiology</i> , 2011 , 258, 749-59	20.5	215
67	Dietary fructose in nonalcoholic fatty liver disease. <i>Hepatology</i> , 2013 , 57, 2525-31	11.2	200
66	Clinical correlates of histopathology in pediatric nonalcoholic steatohepatitis. <i>Gastroenterology</i> , 2008 , 135, 1961-1971.e2	13.3	189
65	Advances in pediatric nonalcoholic fatty liver disease. <i>Hepatology</i> , 2009 , 50, 1282-93	11.2	185
64	Pediatric nonalcoholic fatty liver disease: a critical appraisal of current data and implications for future research. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2006 , 43, 413-27	2.8	174
63	Agreement Between Magnetic Resonance Imaging Proton Density Fat Fraction Measurements and Pathologist-Assigned Steatosis Grades of Liver Biopsies From Adults With Nonalcoholic Steatohepatitis. <i>Gastroenterology</i> , 2017 , 153, 753-761	13.3	149
62	Nonalcoholic fatty liver disease in the pediatric population. <i>Clinics in Liver Disease</i> , 2004 , 8, 549-58, viii-ix	4 .6	148
61	Association between metabolic syndrome and liver histology among children with nonalcoholic Fatty liver disease. <i>American Journal of Gastroenterology</i> , 2010 , 105, 2093-102	0.7	126
60	Prevalence of Prediabetes and Type 2 Diabetes in Children With Nonalcoholic Fatty Liver Disease. <i>JAMA Pediatrics</i> , 2016 , 170, e161971	8.3	123
59	Clinical Model for NASH and Advanced Fibrosis in Adult Patients With Diabetes and NAFLD: Guidelines for Referral in NAFLD. <i>Diabetes Care</i> , 2015 , 38, 1347-55	14.6	121
58	Association of Histologic Disease Activity With Progression of Nonalcoholic Fatty Liver Disease. <i>JAMA Network Open</i> , 2019 , 2, e1912565	10.4	108

57	Histological abnormalities in children with nonalcoholic fatty liver disease and normal or mildly elevated alanine aminotransferase levels. <i>Journal of Pediatrics</i> , 2014 , 164, 707-713.e3	3.6	99
56	Microbiome Signatures Associated With Steatohepatitis and Moderate to Severe Fibrosis in Children With Nonalcoholic Fatty Liver Disease. <i>Gastroenterology</i> , 2019 , 157, 1109-1122	13.3	92
55	A longer duration of estrogen deficiency increases fibrosis risk among postmenopausal women with nonalcoholic fatty liver disease. <i>Hepatology</i> , 2016 , 64, 85-91	11.2	87
54	Hepatocyte Notch activation induces liver fibrosis in nonalcoholic steatohepatitis. <i>Science Translational Medicine</i> , 2018 , 10,	17.5	85
53	Relationship between changes in serum levels of keratin 18 and changes in liver histology in children and adults with nonalcoholic fatty liver disease. <i>Clinical Gastroenterology and Hepatology</i> , 2014 , 12, 2121-30.e1-2	6.9	83
52	Correlation of vitamin E, uric acid, and diet composition with histologic features of pediatric NAFLD. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2012 , 54, 90-6	2.8	80
51	Choline intake in a large cohort of patients with nonalcoholic fatty liver disease. <i>American Journal of Clinical Nutrition</i> , 2012 , 95, 892-900	7	79
50	Diagnostic accuracy of magnetic resonance imaging hepatic proton density fat fraction in pediatric nonalcoholic fatty liver disease. <i>Hepatology</i> , 2018 , 67, 858-872	11.2	78
49	Magnetic resonance elastography measured shear stiffness as a biomarker of fibrosis in pediatric nonalcoholic fatty liver disease. <i>Hepatology</i> , 2017 , 66, 1474-1485	11.2	77
48	Liver biopsy in modern clinical practice: a pediatric point-of-view. <i>Advances in Anatomic Pathology</i> , 2012 , 19, 250-62	5.1	77
47	Serum aminotransferase levels are associated with markers of hypoxia in patients with obstructive sleep apnea. <i>Sleep</i> , 2008 , 31, 121-6	1.1	76
46	In Children With Nonalcoholic Fatty Liver Disease, Cysteamine Bitartrate Delayed Release Improves Liver Enzymes but Does Not Reduce Disease Activity Scores. <i>Gastroenterology</i> , 2016 , 151, 1141-1154.e9	13.3	73
45	Low and High Birth Weights Are Risk Factors for Nonalcoholic Fatty Liver Disease in Children. Journal of Pediatrics, 2017 , 187, 141-146.e1	3.6	64
44	Hepatic, cardiovascular, and endocrine outcomes of the histological subphenotypes of nonalcoholic fatty liver disease. <i>Seminars in Liver Disease</i> , 2008 , 28, 380-5	7.3	52
43	Altered bile acid metabolism in childhood functional constipation: inactivation of secretory bile acids by sulfation in a subset of patients. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2008 , 47, 598-606	2.8	49
42	Hedgehog pathway and pediatric nonalcoholic fatty liver disease. <i>Hepatology</i> , 2013 , 57, 1814-25	11.2	46
41	Chronic granulomatous disease caused by a deficiency in p47(phox) mimicking Crohn's disease. <i>Clinical Gastroenterology and Hepatology</i> , 2004 , 2, 690-5	6.9	46
40	Association between puberty and features of nonalcoholic fatty liver disease. <i>Clinical Gastroenterology and Hepatology</i> , 2012 , 10, 786-94	6.9	44

(2015-2016)

39	The intersection of nonalcoholic fatty liver disease and obesity. <i>Science Translational Medicine</i> , 2016 , 8, 323rv1	17.5	43
38	Multicenter Validation of Association Between Decline in MRI-PDFF and Histologic Response in NASH. <i>Hepatology</i> , 2020 , 72, 1219-1229	11.2	39
37	Nonalcoholic fatty liver disease as a comorbidity of childhood obesity. <i>Pediatric Health</i> , 2009 , 3, 271-281	l	39
36	Acetaminophen pharmacokinetics in children with nonalcoholic fatty liver disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2011 , 52, 198-202	2.8	39
35	Patient Sex, Reproductive Status, and Synthetic Hormone Use Associate With Histologic Severity of Nonalcoholic Steatohepatitis. <i>Clinical Gastroenterology and Hepatology</i> , 2017 , 15, 127-131.e2	6.9	38
34	Nonalcoholic Fatty Liver Disease in Children: Unique Considerations and Challenges. <i>Gastroenterology</i> , 2020 , 158, 1967-1983.e1	13.3	37
33	In Children With Nonalcoholic Fatty Liver Disease, Zone 1 Steatosis Is Associated With Advanced Fibrosis. <i>Clinical Gastroenterology and Hepatology</i> , 2018 , 16, 438-446.e1	6.9	37
32	Diagnosis and treatment of pediatric nonalcoholic steatohepatitis and the implications for bariatric surgery. <i>Seminars in Pediatric Surgery</i> , 2009 , 18, 144-51	2.1	37
31	Advancing the global public health agenda for NAFLD: a consensus statement. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2021 ,	24.2	37
30	Placebo in nonalcoholic steatohepatitis: insight into natural history and implications for future clinical trials. <i>Clinical Gastroenterology and Hepatology</i> , 2008 , 6, 1243-8	6.9	33
29	Elevated gamma-glutamyltransferase concentrations in patients with acute Kawasaki disease. <i>Pediatric Infectious Disease Journal</i> , 1998 , 17, 431-2	3.4	31
28	Viral hepatitis in children. <i>Seminars in Liver Disease</i> , 1994 , 14, 289-302	7.3	27
27	Genome-Wide Associations Related to Hepatic Histology in Nonalcoholic Fatty Liver Disease in Hispanic Boys. <i>Journal of Pediatrics</i> , 2017 , 190, 100-107.e2	3.6	26
26	rs641738C>T near MBOAT7 is associated with liver fat, ALT and fibrosis in NAFLD: A meta-analysis. <i>Journal of Hepatology</i> , 2021 , 74, 20-30	13.4	24
25	Obesity in children and adolescents. Journal of Pediatric Gastroenterology and Nutrition, 2008, 47, 254-9	2.8	21
24	Drugs and the liver: advances in metabolism, toxicity, and therapeutics. <i>Current Opinion in Pediatrics</i> , 2002 , 14, 601-7	3.2	19
23	Pediatric Nonalcoholic Fatty Liver Disease in New York City: An Autopsy Study. <i>Journal of Pediatrics</i> , 2018 , 200, 174-180	3.6	18
22	Feasibility of and agreement between MR imaging and spectroscopic estimation of hepatic proton density fat fraction in children with known or suspected nonalcoholic fatty liver disease. <i>Abdominal Imaging</i> , 2015 , 40, 3084-90		17

21	Clinically Actionable Hypercholesterolemia and Hypertriglyceridemia in Children with Nonalcoholic Fatty Liver Disease. <i>Journal of Pediatrics</i> , 2018 , 198, 76-83.e2	3.6	17
20	A critical appraisal of advances in pediatric nonalcoholic Fatty liver disease. <i>Seminars in Liver Disease</i> , 2012 , 32, 317-24	7.3	17
19	Progression of Fatty Liver Disease in Children Receiving Standard of Care Lifestyle Advice. <i>Gastroenterology</i> , 2020 , 159, 1731-1751.e10	13.3	17
18	Low Testosterone Is Associated With Nonalcoholic Steatohepatitis and Fibrosis Severity in Men. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 400-402.e2	6.9	15
17	Current Concepts in Pediatric Nonalcoholic Fatty Liver Disease. <i>Gastroenterology Clinics of North America</i> , 2017 , 46, 217-231	4.4	14
16	Pediatric Cytochrome P450 Activity Alterations in Nonalcoholic Steatohepatitis. <i>Drug Metabolism and Disposition</i> , 2017 , 45, 1317-1325	4	13
15	Alanine Aminotransferase as a Monitoring Biomarker in Children with Nonalcoholic Fatty Liver Disease: A Secondary Analysis Using TONIC Trial Data. <i>Children</i> , 2018 , 5,	2.8	13
14	Hepatic R2* is more strongly associated with proton density fat fraction than histologic liver iron scores in patients with nonalcoholic fatty liver disease. <i>Journal of Magnetic Resonance Imaging</i> , 2019 , 49, 1456-1466	5.6	13
13	Inhibition of duck hepatitis B virus replication by interferon-gamma. <i>Journal of Medical Virology</i> , 1993 , 40, 59-64	19.7	12
12	Sex Hormone Relations to Histologic Severity of Pediatric Nonalcoholic Fatty Liver Disease. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	10
11	Recent advances in understanding and managing pediatric nonalcoholic fatty liver disease. <i>F1000Research</i> , 2020 , 9,	3.6	9
10	Hepatocyte TLR4 triggers inter-hepatocyte Jagged1/Notch signaling to determine NASH-induced fibrosis. <i>Science Translational Medicine</i> , 2021 , 13,	17.5	9
9	Haptoglobin 2 Allele is Associated With Histologic Response to Vitamin E in Subjects With Nonalcoholic Steatohepatitis. <i>Journal of Clinical Gastroenterology</i> , 2019 , 53, 750-758	3	9
8	Alanine Aminotransferase and Gamma-Glutamyl Transpeptidase Predict Histologic Improvement in Pediatric Nonalcoholic Steatohepatitis. <i>Hepatology</i> , 2021 , 73, 937-951	11.2	9
7	Genetic Variants Associated With Obesity and Insulin Resistance in Hispanic Boys With Nonalcoholic Fatty Liver Disease. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2018 , 66, 789-796	2.8	6
6	Associations of Early to Mid-Childhood Adiposity with Elevated Mid-Childhood Alanine Aminotransferase Levels in the Project Viva Cohort. <i>Journal of Pediatrics</i> , 2018 , 197, 121-127.e1	3.6	5
5	Hepatic Nuclear Receptor Expression Associates with Features of Histology in Pediatric Nonalcoholic Fatty Liver Disease. <i>Hepatology Communications</i> , 2018 , 2, 1213-1226	6	5
4	Hepatomegaly in Neonates and Children. <i>Pediatrics in Review</i> , 2000 , 21, 303-310	1.1	4

LIST OF PUBLICATIONS

2	Exome sequencing of an adolescent with nonalcoholic fatty liver disease identifies a clinically	28	_
3	actionable case of Wilson disease. Journal of Physical Education and Sports Management, 2018 , 4,	2.0	2

Role of Exercise in Mitigating Pediatric Nonalcoholic Fatty Liver Disease. Diabetes Care, **2020**, 43, 280-28 $\mathbf{2}_{4.6}$ 1

Pediatric liver diseases. *Seminars in Liver Disease*, **2012**, 32, 271-2

7.3