

# Peter BÄ,ggild

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4474720/publications.pdf>

Version: 2024-02-01

213  
papers

9,325  
citations

43973

48  
h-index

45213

90  
g-index

216  
all docs

216  
docs citations

216  
times ranked

13123  
citing authors

#	ARTICLE	IF	CITATIONS
1	Science and technology roadmap for graphene, related two-dimensional crystals, and hybrid systems. <i>Nanoscale</i> , 2015, 7, 4598-4810.	2.8	2,452
2	The hot pick-up technique for batch assembly of van der Waals heterostructures. <i>Nature Communications</i> , 2016, 7, 11894.	5.8	446
3	Production and processing of graphene and related materials. <i>2D Materials</i> , 2020, 7, 022001.	2.0	333
4	Dielectrophoresis of carbon nanotubes using microelectrodes: a numerical study. <i>Nanotechnology</i> , 2004, 15, 1095-1102.	1.3	216
5	Graphene Conductance Uniformity Mapping. <i>Nano Letters</i> , 2012, 12, 5074-5081.	4.5	152
6	Pick-and-place nanomanipulation using microfabricated grippers. <i>Nanotechnology</i> , 2006, 17, 2434-2441.	1.3	127
7	Mapping the electrical properties of large-area graphene. <i>2D Materials</i> , 2017, 4, 042003.	2.0	113
8	Actuation of microfabricated tools using multiple GPC-based counterpropagating-beam traps. <i>Optics Express</i> , 2005, 13, 6899.	1.7	112
9	Reversible hysteresis inversion in MoS <sub>2</sub> field effect transistors. <i>Npj 2D Materials and Applications</i> , 2017, 1, .	3.9	112
10	Plasmon-Phonon Coupling in Large-Area Graphene Dot and Antidot Arrays Fabricated by Nanosphere Lithography. <i>Nano Letters</i> , 2014, 14, 2907-2913.	4.5	111
11	Soldering of Nanotubes onto Microelectrodes. <i>Nano Letters</i> , 2003, 3, 47-49.	4.5	110
12	Simple Approach to Superamphiphobic Overhanging Silicon Nanostructures. <i>Journal of Physical Chemistry C</i> , 2010, 114, 2936-2940.	1.5	105
13	Fabrication and actuation of customized nanotweezers with a 25 nm gap. <i>Nanotechnology</i> , 2001, 12, 331-335.	1.3	103
14	A universal approach for the synthesis of two-dimensional binary compounds. <i>Nature Communications</i> , 2019, 10, 2957.	5.8	93
15	Large-area nanopatterned graphene for ultrasensitive gas sensing. <i>Nano Research</i> , 2014, 7, 743-754.	5.8	91
16	Graphene mobility mapping. <i>Scientific Reports</i> , 2015, 5, 12305.	1.6	89
17	Complete long-term corrosion protection with chemical vapor deposited graphene. <i>Carbon</i> , 2018, 132, 78-84.	5.4	89
18	Scanning microscopic four-point conductivity probes. <i>Sensors and Actuators A: Physical</i> , 2002, 96, 53-58.	2.0	87

#	ARTICLE	IF	CITATIONS
19	High resolution 100kV electron beam lithography in SU-8. <i>Microelectronic Engineering</i> , 2006, 83, 1609-1612.	1.1	83
20	Solid Gold Nanostructures Fabricated by Electron Beam Deposition. <i>Nano Letters</i> , 2003, 3, 1499-1503.	4.5	82
21	Lithographic band structure engineering of graphene. <i>Nature Nanotechnology</i> , 2019, 14, 340-346.	15.6	82
22	Structural Transformations in Two-Dimensional Transition-Metal Dichalcogenide MoS <sub>2</sub> under an Electron Beam: Insights from First-Principles Calculations. <i>Journal of Physical Chemistry Letters</i> , 2017, 8, 3061-3067.	2.1	81
23	ELECTRICAL CONDUCTION THROUGH SURFACE SUPERSTRUCTURES MEASURED BY MICROSCOPIC FOUR-POINT PROBES. <i>Surface Review and Letters</i> , 2003, 10, 963-980.	0.5	80
24	Single-Crystalline Gold Nanodisks on WS <sub>2</sub> Mono- and Multilayers for Strong Coupling at Room Temperature. <i>ACS Photonics</i> , 2019, 6, 994-1001.	3.2	80
25	Discrete Dynamics of Nanoparticle Channelling in Suspended Graphene. <i>Nano Letters</i> , 2011, 11, 2689-2692.	4.5	77
26	Constructing, connecting and soldering nanostructures by environmental electron beam deposition. <i>Nanotechnology</i> , 2004, 15, 1047-1053.	1.3	74
27	Electrically Continuous Graphene from Single Crystal Copper Verified by Terahertz Conductance Spectroscopy and Micro Four-Point Probe. <i>Nano Letters</i> , 2014, 14, 6348-6355.	4.5	74
28	Direct electrospinning of Ag/polyvinylpyrrolidone nanocables. <i>Nanoscale</i> , 2011, 3, 4966.	2.8	73
29	Graphene transport properties upon exposure to PMMA processing and heat treatments. <i>2D Materials</i> , 2014, 1, 035005.	2.0	73
30	A two-dimensional Dirac fermion microscope. <i>Nature Communications</i> , 2017, 8, 15783.	5.8	72
31	Do-It-Yourself Transfer of Large-Area Graphene Using an Office Laminator and Water. <i>Chemistry of Materials</i> , 2019, 31, 2328-2336.	3.2	71
32	Multilayer graphene for long-term corrosion protection of stainless steel bipolar plates for polymer electrolyte membrane fuel cell. <i>Journal of Power Sources</i> , 2015, 293, 846-851.	4.0	70
33	Carbon nanotube based separation columns for high electrical field strengths in microchip electrochromatography. <i>Lab on A Chip</i> , 2011, 11, 2116.	3.1	68
34	Transmission Electron Microscopy Study of Individual Carbon Nanotube Breakdown Caused by Joule Heating in Air. <i>Nano Letters</i> , 2006, 6, 1663-1668.	4.5	66
35	Electron irradiation-induced destruction of carbon nanotubes in electron microscopes. <i>Ultramicroscopy</i> , 2007, 108, 52-57.	0.8	66
36	A carbon nanofibre scanning probe assembled using an electrothermal microgripper. <i>Nanotechnology</i> , 2007, 18, 345501.	1.3	62

#	ARTICLE	IF	CITATIONS
37	Wafer-scale Synthesis of Graphene on Sapphire: Toward Fab-compatible Graphene. <i>Small</i> , 2019, 15, e1904906.	5.2	61
38	Controllable chemical vapor deposition of large area uniform nanocrystalline graphene directly on silicon dioxide. <i>Journal of Applied Physics</i> , 2012, 111, .	1.1	59
39	Rapid prototyping of nanotube-based devices using topology-optimized microgrippers. <i>Nanotechnology</i> , 2008, 19, 495503.	1.3	58
40	Surface-State Bands on Silicon $\sqrt[3]{\text{Si}(111)-\sqrt[3]{\text{Si}}-\text{Ag}}$ Surface Superstructure. <i>Japanese Journal of Applied Physics</i> , 2000, 39, 3815-3822.	0.8	55
41	Real-time oxide evolution of copper protected by graphene and boron nitride barriers. <i>Scientific Reports</i> , 2017, 7, 39770.	1.6	55
42	The war on fake graphene. <i>Nature</i> , 2018, 562, 502-503.	13.7	55
43	Scanning nanoscale multiprobes for conductivity measurements. <i>Review of Scientific Instruments</i> , 2000, 71, 2781-2783.	0.6	52
44	Towards Pick-and-Place Assembly of Nanostructures. <i>Journal of Nanoscience and Nanotechnology</i> , 2004, 4, 279-282.	0.9	52
45	Depth-detection methods for microgripper based CNT manipulation in a scanning electron microscope. <i>Journal of Micro-Nano Mechatronics</i> , 2008, 4, 27-36.	1.0	51
46	Controlled generation of luminescent centers in hexagonal boron nitride by irradiation engineering. <i>Science Advances</i> , 2021, 7, .	4.7	51
47	Terahertz wafer-scale mobility mapping of graphene on insulating substrates without a gate. <i>Optics Express</i> , 2015, 23, 30721.	1.7	50
48	Direct measurement of surface-state conductance by microscopic four-point probe method. <i>Journal of Physics Condensed Matter</i> , 2002, 14, 8379-8392.	0.7	49
49	Frequency dependence of the structure and electrical behaviour of carbon nanotube networks assembled by dielectrophoresis. <i>Nanotechnology</i> , 2005, 16, 759-763.	1.3	47
50	High Throughput Nanofabrication of Silicon Nanowire and Carbon Nanotube Tips on AFM Probes by Stencil-Deposited Catalysts. <i>Nano Letters</i> , 2011, 11, 1568-1574.	4.5	47
51	Copper Oxidation through Nucleation Sites of Chemical Vapor Deposited Graphene. <i>Chemistry of Materials</i> , 2016, 28, 3789-3795.	3.2	44
52	Multimodal Electrothermal Silicon Microgrippers for Nanotube Manipulation. <i>IEEE Nanotechnology Magazine</i> , 2009, 8, 76-85.	1.1	42
53	Unforeseen high temperature and humidity stability of FeCl <sub>3</sub> intercalated few layer graphene. <i>Scientific Reports</i> , 2015, 5, 7609.	1.6	41
54	Non-destructive electrochemical graphene transfer from reusable thin-film catalysts. <i>Carbon</i> , 2015, 85, 397-405.	5.4	41

#	ARTICLE	IF	CITATIONS
55	Direct Measurement of Resistance of Multiwalled Carbon Nanotubes Using Micro Four-Point Probes. <i>Sensor Letters</i> , 2005, 3, 300-303.	0.4	41
56	Review of electrical characterization of ultra-shallow junctions with micro four-point probes. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2010, 28, C1C27-C1C33.	0.6	40
57	Catalyst Interface Engineering for Improved 2D Film Lift-Off and Transfer. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 33072-33082.	4.0	40
58	Direct Measurement of the Microscale Conductivity of Conjugated Polymer Monolayers. <i>Advanced Materials</i> , 2000, 12, 947-950.	11.1	39
59	A graphite nanoeraser. <i>Nanotechnology</i> , 2011, 22, 265706.	1.3	38
60	Nonlinear current-voltage characteristics at quantum Hall resistance minima. <i>Physical Review B</i> , 1994, 50, 1957-1960.	1.1	37
61	Fast and direct measurements of the electrical properties of graphene using micro four-point probes. <i>Nanotechnology</i> , 2011, 22, 445702.	1.3	37
62	Electrothermal microgrippers for pick-and-place operations. <i>Microelectronic Engineering</i> , 2008, 85, 1128-1130.	1.1	36
63	Quality assessment of terahertz time-domain spectroscopy transmission and reflection modes for graphene conductivity mapping. <i>Optics Express</i> , 2018, 26, 9220.	1.7	36
64	MICRO-FOUR-POINT PROBES IN A UHV SCANNING ELECTRON MICROSCOPE FOR IN-SITU SURFACE-CONDUCTIVITY MEASUREMENTS. <i>Surface Review and Letters</i> , 2000, 07, 533-537.	0.5	34
65	An approach to a multi-walled carbon nanotube based mass sensor. <i>Microelectronic Engineering</i> , 2004, 73-74, 670-674.	1.1	34
66	Topology optimized electrothermal polysilicon microgrippers. <i>Microelectronic Engineering</i> , 2008, 85, 1096-1099.	1.1	34
67	In Situ TEM Creation and Electrical Characterization of Nanowire Devices. <i>Nano Letters</i> , 2012, 12, 2965-2970.	4.5	34
68	Raman spectral indicators of catalyst decoupling for transfer of CVD grown 2D materials. <i>Carbon</i> , 2017, 117, 75-81.	5.4	33
69	Challenges for continuous graphene as a corrosion barrier. <i>2D Materials</i> , 2019, 6, 022002.	2.0	33
70	Comparison of high resolution negative electron beam resists. <i>Journal of Vacuum Science &amp; Technology B</i> , 2006, 24, 1776.	1.3	32
71	The conductivity of Bi(111) investigated with nanoscale four point probes. <i>Journal of Applied Physics</i> , 2008, 104, 053717.	1.1	32
72	Transfer induced compressive strain in graphene: Evidence from Raman spectroscopic mapping. <i>Microelectronic Engineering</i> , 2014, 121, 113-117.	1.1	32

#	ARTICLE	IF	CITATIONS
73	Robust mapping of electrical properties of graphene from terahertz time-domain spectroscopy with timing jitter correction. <i>Optics Express</i> , 2017, 25, 2725.	1.7	32
74	Quality assessment of graphene: Continuity, uniformity, and accuracy of mobility measurements. <i>Nano Research</i> , 2017, 10, 3596-3605.	5.8	31
75	Nanorobotic manipulation setup for pick-and-place handling and nondestructive characterization of carbon nanotubes. , 2007, , .		30
76	Suppression of intrinsic roughness in encapsulated graphene. <i>Physical Review B</i> , 2017, 96, .	1.1	30
77	Graphene Edges Dictate the Morphology of Nanoparticles during Catalytic Channeling. <i>Journal of Physical Chemistry C</i> , 2014, 118, 4296-4302.	1.5	29
78	Fabrication of CVD graphene-based devices via laser ablation for wafer-scale characterization. <i>2D Materials</i> , 2015, 2, 045003.	2.0	29
79	Quantitative optical mapping of two-dimensional materials. <i>Scientific Reports</i> , 2018, 8, 6381.	1.6	29
80	Conductivity mapping of graphene on polymeric films by terahertz time-domain spectroscopy. <i>Optics Express</i> , 2018, 26, 17748.	1.7	29
81	Resolution enhancement of scanning four-point-probe measurements on two-dimensional systems. <i>Review of Scientific Instruments</i> , 2003, 74, 3701-3708.	0.6	27
82	Micro-four-point-probe characterization of nanowires fabricated using the nanostencil technique. <i>Nanotechnology</i> , 2004, 15, 1363-1367.	1.3	27
83	Epitaxial Integration of Nanowires in Microsystems by Local Micrometer-Scale Vapor-Phase Epitaxy. <i>Small</i> , 2008, 4, 1741-1746.	5.2	27
84	Nanobits: customizable scanning probe tips. <i>Nanotechnology</i> , 2009, 20, 395703.	1.3	27
85	Measurement of Local Nanowire Growth Kinetics Using In situ Transmission Electron Microscopy of Heated Cantilevers. <i>Small</i> , 2010, 6, 2058-2064.	5.2	27
86	Static contact micro four-point probes with <math>\pm 11\text{nm}</math> positioning repeatability. <i>Microelectronic Engineering</i> , 2008, 85, 1092-1095.	1.1	25
87	Carbon nanotubes integrated in electrically insulated channels for lab-on-a-chip applications. <i>Nanotechnology</i> , 2009, 20, 095503.	1.3	25
88	Self-assembly of ordered graphene nanodot arrays. <i>Nature Communications</i> , 2017, 8, 47.	5.8	25
89	Conductance quantization suppression in the quantum Hall regime. <i>Nature Communications</i> , 2018, 9, 659.	5.8	25
90	Periodic magnetoconductance fluctuations in triangular quantum dots in the absence of selective probing. <i>Physical Review B</i> , 1998, 57, 15408-15415.	1.1	24

#	ARTICLE	IF	CITATIONS
91	Mechanical Properties of Organic Nanofibers. <i>Small</i> , 2006, 2, 660-666.	5.2	24
92	Microcantilever equipped with nanowire template electrodes for multiprobe measurement on fragile nanostructures. <i>Journal of Applied Physics</i> , 2004, 96, 2895-2900.	1.1	23
93	Facile electrochemical transfer of large-area single crystal epitaxial graphene from Ir(111). <i>Journal Physics D: Applied Physics</i> , 2015, 48, 115306.	1.3	23
94	Fermi velocity renormalization in graphene probed by terahertz time-domain spectroscopy. <i>2D Materials</i> , 2020, 7, 035009.	2.0	23
95	Multi-walled carbon nanotubes integrated in microcantilevers for application of tensile strain. <i>Ultramicroscopy</i> , 2005, 105, 209-214.	0.8	22
96	Electrical properties of a single p-hexaphenylene nanofiber. <i>Thin Solid Films</i> , 2006, 515, 827-830.	0.8	22
97	Manipulation and <i>in situ</i> transmission electron microscope characterization of sub-100 nm nanostructures using a microfabricated nanogripper. <i>Journal of Micromechanics and Microengineering</i> , 2010, 20, 035009.	1.5	22
98	Electronic and transport properties of kinked graphene. <i>Beilstein Journal of Nanotechnology</i> , 2013, 4, 103-110.	1.5	22
99	High quality sub-10 nm graphene nanoribbons by on-chip PS-b-PDMS block copolymer lithography. <i>RSC Advances</i> , 2015, 5, 66711-66717.	1.7	22
100	Batch fabrication of nanopatterned graphene devices via nanoimprint lithography. <i>Applied Physics Letters</i> , 2017, 111, .	1.5	22
101	A Graphene-Edge Ferroelectric Molecular Switch. <i>Nano Letters</i> , 2018, 18, 4675-4683.	4.5	21
102	Electrical Homogeneity Mapping of Epitaxial Graphene on Silicon Carbide. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 31641-31647.	4.0	20
103	Parametric Optimization of Inverse Trapezoid Oleophobic Surfaces. <i>Langmuir</i> , 2012, 28, 17545-17551.	1.6	19
104	Reference-free THz-TDS conductivity analysis of thin conducting films. <i>Optics Express</i> , 2020, 28, 28819.	1.7	19
105	A complementary metal-oxide-semiconductor compatible monocantilever 12-point probe for conductivity measurements on the nanoscale. <i>Applied Physics Letters</i> , 2008, 93, .	1.5	18
106	Sensitivity study of micro four-point probe measurements on small samples. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2010, 28, C1C34-C1C40.	0.6	17
107	Ultra-high aspect ratio replaceable AFM tips using deformation-suppressed focused ion beam milling. <i>Nanotechnology</i> , 2013, 24, 465701.	1.3	17
108	Sputtering an exterior metal coating on copper enclosure for large-scale growth of single-crystalline graphene. <i>2D Materials</i> , 2017, 4, 045017.	2.0	17

#	ARTICLE	IF	CITATIONS
109	Electrical conductivity of organic single-nanofiber devices with different contact materials. <i>Organic Electronics</i> , 2007, 8, 540-544.	1.4	16
110	Graphene Oxide as a Monoatomic Blocking Layer. <i>ACS Nano</i> , 2012, 6, 8022-8029.	7.3	16
111	Super-Resolution Nanolithography of Two-Dimensional Materials by Anisotropic Etching. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 41886-41894.	4.0	16
112	Bottom-up Etching-Mediated Synthesis of Large-Scale Pure Monolayer Graphene on Cyclic Polishing-Annealed Cu(111). <i>Advanced Materials</i> , 2022, 34, e2108608.	11.1	16
113	Effects of small-angle scattering on Weiss oscillations in a GaAs lateral superlattice. <i>Physical Review B</i> , 1995, 51, 7333-7336.	1.1	15
114	Electrostatics of metal-graphene interfaces: sharp pn junctions for electron-optical applications. <i>Nanoscale</i> , 2019, 11, 10273-10281.	2.8	15
115	Carbon nanotube forests: a non-stick workbench for nanomanipulation. <i>Nanotechnology</i> , 2006, 17, 4917-4922.	1.3	14
116	On the suitability of carbon nanotube forests as non-stick surfaces for nanomanipulation. <i>Soft Matter</i> , 2008, 4, 392.	1.2	14
117	Fundamental size limitations of micro four-point probes. <i>Microelectronic Engineering</i> , 2009, 86, 987-990.	1.1	14
118	Topology optimization of robust superhydrophobic surfaces. <i>Soft Matter</i> , 2013, 9, 2234.	1.2	14
119	Directed self-assembled crystalline oligomer domains on graphene and graphite. <i>Nanotechnology</i> , 2014, 25, 035602.	1.3	14
120	Failure of multi-layer graphene coatings in acidic media. <i>RSC Advances</i> , 2016, 6, 21497-21502.	1.7	14
121	Low-temperature synthesis of a graphene-based, corrosion-inhibiting coating on an industrial grade alloy. <i>Corrosion Science</i> , 2019, 152, 1-9.	3.0	14
122	Nanoscale silicon structures by using carbon nanotubes as reactive ion etch masks. <i>Nanotechnology</i> , 2005, 16, 750-753.	1.3	13
123	Revealing origin of quasi-one dimensional current transport in defect rich two dimensional materials. <i>Applied Physics Letters</i> , 2014, 105, .	1.5	13
124	Contactless graphene conductance measurements: the effect of device fabrication on terahertz time-domain spectroscopy. <i>International Journal of Nanotechnology</i> , 2016, 13, 591.	0.1	13
125	Graphene antidot lattice transport measurements. <i>International Journal of Nanotechnology</i> , 2017, 14, 226.	0.1	13
126	Large-scale tight-binding simulations of quantum transport in ballistic graphene. <i>Journal of Physics Condensed Matter</i> , 2018, 30, 364001.	0.7	13



#	ARTICLE	IF	CITATIONS
127	Graphene-Subgrain-Defined Oxidation of Copper. ACS Applied Materials & Interfaces, 2019, 11, 48518-48524.	4.0	13
128	Microgrippers: a case study for batch-compatible integration of MEMS with nanostructures. Nanotechnology, 2007, 18, 375501.	1.3	12
129	Integration, gap formation, and sharpening of III-V heterostructure nanowires by selective etching. Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics, 2010, 28, 21-26.	0.6	12
130	Customizable in situ TEM devices fabricated in freestanding membranes by focused ion beam milling. Nanotechnology, 2010, 21, 405304.	1.3	12
131	Vertically aligned CNT growth on a microfabricated silicon heater with integrated temperature control – determination of the activation energy from a continuous thermal gradient. Journal of Micromechanics and Microengineering, 2011, 21, 015004.	1.5	12
132	Stepwise Reduction of Immobilized Monolayer Graphene Oxides. Chemistry of Materials, 2013, 25, 4839-4848.	3.2	12
133	Defect/oxygen assisted direct write technique for nanopatterning graphene. Nanoscale, 2015, 7, 6271-6277.	2.8	11
134	Case studies of electrical characterisation of graphene by terahertz time-domain spectroscopy. 2D Materials, 0, , .	2.0	11
135	3D mechanical measurements with an atomic force microscope on 1D structures. Review of Scientific Instruments, 2012, 83, 023704.	0.6	10
136	All-graphene edge contacts: Electrical resistance of graphene T-junctions. Carbon, 2016, 101, 101-106.	5.4	10
137	Oxidation of Suspended Graphene: Etch Dynamics and Stability Beyond 1000 Å°C. ACS Nano, 2019, 13, 2281-2288.	7.3	10
138	A simple electron-beam lithography system. Ultramicroscopy, 2005, 102, 215-219.	0.8	9
139	Temperature response of carbon nanotube networks. Journal of Physics: Conference Series, 2007, 61, 247-251.	0.3	9
140	Investigation of Parameters Controlling the Dielectrophoretic Assembly of Carbon Nanotubes on Microelectrodes. Journal of Nanoscience and Nanotechnology, 2008, 8, 1973-1978.	0.9	9
141	Sensitivity analysis explains quasi-one-dimensional current transport in two-dimensional materials. Physical Review B, 2014, 90, .	1.1	9
142	Unraveling the electronic properties of graphene with substitutional oxygen. 2D Materials, 2021, 8, 045035.	2.0	9
143	Waferscale assembly of Field-Aligned nanotube Networks (FANs). Physica Status Solidi (A) Applications and Materials Science, 2006, 203, 1088-1093.	0.8	8
144	Micromanipulation of organic nanofibers for blue light emitting microstructures. Physica Status Solidi (A) Applications and Materials Science, 2006, 203, 1459-1463.	0.8	8

#	ARTICLE	IF	CITATIONS
145	Versatile Method for Manipulating and Contacting Nanowires. Journal of Nanoscience and Nanotechnology, 2006, 6, 1995-1999.	0.9	8
146	High-quality graphene flakes exfoliated on a flat hydrophobic polymer. Applied Physics Letters, 2018, 112, .	1.5	8
147	Non-contact mobility measurements of graphene on silicon carbide. Microelectronic Engineering, 2019, 212, 9-12.	1.1	8
148	Graphene electrodes for n-type organic field-effect transistors. Microelectronic Engineering, 2010, 87, 1120-1122.	1.1	7
149	Selective Electroless Silver Deposition on Graphene Edges. Journal of the Electrochemical Society, 2015, 162, D213-D217.	1.3	7
150	Wafer-scale graphene quality assessment using micro four-point probe mapping. Nanotechnology, 2020, 31, 225709.	1.3	7
151	Customizable nanotweezers for manipulation of free-standing nanostructures. , 0, , .		6
152	Electrical characterization of InGaAs ultra-shallow junctions. Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics, 2010, 28, C1C41-C1C47.	0.6	6
153	Probing the Gas-Phase Dynamics of Graphene Chemical Vapour Deposition using in-situ UV Absorption Spectroscopy. Scientific Reports, 2017, 7, 6183.	1.6	6
154	Graphene-Si CMOS oscillators. Nanoscale, 2019, 11, 3619-3625.	2.8	6
155	Magnetic focusing in triangular electron billiards. Physical Review B, 1999, 59, 13067-13072.	1.1	5
156	Nanoscale soldering of positioned carbon nanotubes using highly conductive electron beam induced gold deposition. , 0, , .		5
157	Integrating nanotubes into microsystems with electron beam lithography and in situ catalytically activated growth. Physica Status Solidi (A) Applications and Materials Science, 2006, 203, 1094-1099.	0.8	5
158	Selective etching of III-V nanowires for molecular junctions. Microelectronic Engineering, 2008, 85, 1179-1181.	1.1	5
159	Selective area oxidation of copper derived from chemical vapor deposited graphene microstructure. Nanotechnology, 2020, 31, 485603.	1.3	5
160	Chemical Vapor-Deposited Graphene on Ultraflat Copper Foils for van der Waals Hetero-Assembly. ACS Omega, 2022, 7, 22626-22632.	1.6	5
161	Integration of carbon nanotubes with controllable inclination angle into microsystems. Carbon, 2006, 44, 3030-3036.	5.4	4
162	Optimization of FIB milling for rapid NEMS prototyping. Microelectronic Engineering, 2011, 88, 2671-2674.	1.1	4

#	ARTICLE	IF	CITATIONS
163	Design of a micro-cartridge system for the robotic assembly of exchangeable AFM-probe tips. , 2013, , .		4
164	Black silicon maskless templates for carbon nanotube forests. Microelectronic Engineering, 2013, 104, 110-113.	1.1	4
165	Pattern recognition approach to quantify the atomic structure of graphene. Carbon, 2014, 74, 363-366.	5.4	4
166	Atomic Layer Deposition Alumina-Mediated Graphene Transfer for Reduced Process Contamination. Physica Status Solidi - Rapid Research Letters, 2019, 13, 1900424.	1.2	4
167	Gate electrostatics and quantum capacitance in ballistic graphene devices. Physical Review B, 2019, 99, .	1.1	4
168	Polymer Cantilever Platform for Dielectrophoretic Assembly of Carbon Nanotubes. Sensor Letters, 2004, 2, 117-120.	0.4	4
169	Charge Injection and Transport in Organic Nanofibers. Journal of Physics: Conference Series, 2007, 61, 565-569.	0.3	3
170	Novel four-point-probe design and nanorobotic dual endeffector strategy for electrical characterization of as-grown SWCNT bundles. , 2010, , .		3
171	Out-of-plane bending based on SiN-ion-irradiation and bilayer structures for easy access for micromanipulation. Microelectronic Engineering, 2013, 110, 398-402.	1.1	3
172	Electronic Shells in Large Quantum Dots. , 1996, , 89-110.		3
173	Long-term stability and tree-ring oxidation of $WSe_2$ using phase-contrast AFM. Nanoscale, 2021, 13, 19238-19246.	2.8	3
174	Optical detection of ion diffusion in electrochromic poly(3,4-ethylenedioxy)thiophene film using microcantilever electrodes. Thin Solid Films, 2005, 484, 334-340.	0.8	2
175	MICROFABRICATED TOOLS FOR PICK-AND-PLACE OF NANOSCALE COMPONENTS. IFAC Postprint Volumes IPPV / International Federation of Automatic Control, 2006, 39, 120-126.	0.4	2
176	NanoHand: micro/nano system for automatic handling of nano-objects. Proceedings of SPIE, 2007, , .	0.8	2
177	Nanomanipulation of 2-inch wafer fabrication of vertically aligned carbon nanotube arrays by nanoimprint lithography. Physica Status Solidi (A) Applications and Materials Science, 2011, 208, 2352-2356.	0.8	2
178	Micro-cantilevers for non-destructive characterization of nanoglass uniformity. , 2011, , .		2
179	Carbon mediated reduction of silicon dioxide and growth of copper silicide particles in uniform width channels. Journal of Applied Physics, 2013, 114, 114303.	1.1	2
180	Transfer of Direct and Moiré Patterns by Reactive Ion Etching Through Ex Situ Fabricated Nanoporous Polymer Masks. Langmuir, 2015, 31, 6245-6252.	1.6	2

#	ARTICLE	IF	CITATIONS
181	Universal Non-Volatile Resistive Switching Behavior in 2D Metal Dichalcogenides Featuring Unique Conductive-Point Random Access Memory Effect. , 2021, , .		2
182	Atomic Force Microscopy for Liquid Applications. , 2011, , 29-56.		2
183	Nonlinear current-voltage relationship in the quantum hall effect. Physica Scripta, 1997, T69, 124-127.	1.2	1
184	Soldering of Carbon Nanotube Bridges using Electron Beam Deposited Gold. Materials Research Society Symposia Proceedings, 2003, 772, 481.	0.1	1
185	Flexible SiO <sub>2</sub> cantilevers for torsional self-aligning micro scale four-point probes. Journal of Micromechanics and Microengineering, 2007, 17, 1910-1915.	1.5	1
186	Batch fabrication of nanotubes suspended between microelectrodes. Microelectronic Engineering, 2007, 84, 1431-1435.	1.1	1
187	Focused Ion Beam (FIB) Modification of Topology Optimized Polysilicon Microgrippers. , 2008, , .		1
188	Semiconducting III-V nanowires with nanogaps for molecular junctions: DFT transport simulations. Nanotechnology, 2009, 20, 465401.	1.3	1
189	Microfabricated systems for electron microscopy of nanoscale processes: In-situ TEM creation of Si nanowire devices and in-situ SEM electrochemistry. Microscopy and Microanalysis, 2010, 16, 322-323.	0.2	1
190	Submicron organic nanofiber devices with different anode-cathode materials: A simple approach. Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics, 2010, 28, 617-622.	0.6	1
191	In Situ Tuning of Focused-Ion-Beam Defined Nanomechanical Resonators Using Joule Heating. Journal of Microelectromechanical Systems, 2011, 20, 1074-1080.	1.7	1
192	Quantitative mapping of large area graphene conductance. , 2012, , .		1
193	Effective surface conductivity approach for graphene metamaterials based terahertz devices. , 2013, , .		1
194	Size dependent non-ohmic behaviour at a quantum hall plateau. Physica B: Condensed Matter, 1994, 194-196, 1133-1134.	1.3	0
195	Classical electron orbits inside a real and a simulated 4-contact quantum dot. European Physical Journal D, 1996, 46, 2299-2300.	0.4	0
196	Functionalisation of Microfluidic Channels with In Situ Grown Carbon Nanotubes. Materials Research Society Symposia Proceedings, 2005, 872, 1.	0.1	0
197	Optically driven microtools fabricated by UV lithography and RIE. , 2006, 6131, 77.		0
198	Route to batch-compatible fabrication of nanotweezers by guided self-assembly. , 2007, , .		0

#	ARTICLE	IF	CITATIONS
199	Wafer scale integration of catalyst dots into nonplanar microsystems. Journal of Micro/Nanolithography, MEMS, and MOEMS, 2007, 6, 043014.	1.0	0
200	Expanding the Nano-Toolbox for Electron Microscopy - Combining In-situ Nanomanipulation and Electron Beam Deposition. Microscopy and Microanalysis, 2007, 13, .	0.2	0
201	Topology Optimized Microgrippers for Nanomanipulation of Carbon Nanotubes. , 2008, , .		0
202	Correction to "Multimodal Electrothermal Silicon Microgrippers for Nanotube Manipulation". IEEE Nanotechnology Magazine, 2009, 8, 659-659.	1.1	0
203	Measuring the Temperature of Topology Optimized Electrothermal Microgrippers Using Raman Spectroscopy. , 2009, , .		0
204	Nanomedicine. , 2012, , 1644-1644.		0
205	Nanostructures for Coloration (Organisms other than Animals). , 2012, , 1790-1803.		0
206	Nano-FET. , 2012, , 1543-1543.		0
207	Wafer-scale characterization of carrier dynamics in graphene. , 2015, , .		0
208	Timing jitter correction for THz-TDS measurements of graphene. , 2016, , .		0
209	Nonlinear conductivity response of graphene on thin polymeric film detected by reflection-mode air-plasma THz-TDS. , 2021, , .		0
210	Nanogrippers. , 2015, , 1-23.		0
211	Nanogrippers. , 2016, , 2393-2414.		0
212	Device-Oriented Studies on Electrical, Optical and Mechanical Properties of Individual Organic Nanofibers. , 2008, , 301-324.		0
213	Bottom-up Etching-Mediated Synthesis of Large-Scale Pure Monolayer Graphene on Cyclic Polishing-Annealed Cu(111) (Adv. Mater. 8/2022). Advanced Materials, 2022, 34, .	11.1	0