## Yueh-Hsiung Kuo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/447773/publications.pdf

Version: 2024-02-01

244 papers

4,723 citations

35 h-index

109264

197736 49 g-index

246 all docs

246 docs citations

246 times ranked 5237 citing authors

#	Article	IF	CITATIONS
1	Studies on Cytotoxic Constituents from the Leaves of Elaeagnus oldhamii Maxim. in Non-Small Cell Lung Cancer A549 Cells. Molecules, 2014, 19, 9515-9534.	1.7	88
2	Caffeic Acid Derivatives Inhibit the Growth of Colon Cancer: Involvement of the PI3-K/Akt and AMPK Signaling Pathways. PLoS ONE, 2014, 9, e99631.	1.1	84
3	Neuroprotective Diterpenes from the Fruiting Body of Antrodia camphorata. Journal of Natural Products, 2006, 69, 689-691.	1.5	83
4	Analgesic Effects and the Mechanisms of Anti-inflammation of Ergostatrien- $3\hat{l}^2$ -ol from Antrodia camphorata Submerged Whole Broth in Mice. Journal of Agricultural and Food Chemistry, 2010, 58, 7445-7452.	2.4	79
5	Antagonism of Free-Radical-Induced Damage of Adlay Seed and Its Antiproliferative Effect in Human Histolytic Lymphoma U937 Monocytic Cells. Journal of Agricultural and Food Chemistry, 2001, 49, 1564-1570.	2.4	73
6	Constituents of the Bark of <i>Ficus microcarpa</i> Lf Journal of the Chinese Chemical Society, 1997, 44, 321-325.	0.8	69
7	Regulatory Effects of Caffeic Acid Phenethyl Ester on Neuroinflammation in Microglial Cells. International Journal of Molecular Sciences, 2015, 16, 5572-5589.	1.8	69
8	Four New Compounds, Ficusal, Ficusesquilignan A, B, and Ficusolide Diacetate from the Heartwood of Ficus microcarpa Chemical and Pharmaceutical Bulletin, 2000, 48, 1862-1865.	0.6	64
9	Flavonoid Glycosides from <i>Terminalia catappa</i> L Journal of the Chinese Chemical Society, 2000, 47, 253-256.	0.8	64
10	Hepatoprotective effects of eburicoic acid and dehydroeburicoic acid from Antrodia camphorata in a mouse model of acute hepatic injury. Food Chemistry, 2013, 141, 3020-3027.	4.2	64
11	Hydroalcoholic extract of Rhodiola rosea L. (Crassulaceae) and its hydrolysate inhibit melanogenesis in B16F0 cells by regulating the CREB/MITF/tyrosinase pathway. Food and Chemical Toxicology, 2014, 65, 129-139.	1.8	64
12	Nuclear-targeted inhibition of NF-1ºB on MMP-9 production by N-2-(4-bromophenyl) ethyl caffeamide in human monocytic cells. Chemico-Biological Interactions, 2010, 184, 403-412.	1.7	63
13	Separation and Determination of Chemical Constituents in the Roots of <i>Rhus Javanica </i> L. Var. <i>Roxburghiana </i> . Journal of the Chinese Chemical Society, 2005, 52, 833-841.	0.8	62
14	Gastroprotective Activities of Adlay (Coix lachryma-jobi L. var. ma-yuen Stapf) on the Growth of the Stomach Cancer AGS Cell Line and Indomethacin-Induced Gastric Ulcers. Journal of Agricultural and Food Chemistry, 2011, 59, 6025-6033.	2.4	61
15	New Constituents with iNOS Inhibitory Activity from Mycelium of <i>Antrodia camphorata</i> Medica, 2009, 75, 512-516.	0.7	59
16	The Low Polar Constituents from <i>Bidens Pilosa</i> L. <i>var. Minor</i> (Blume) Sherff. Journal of the Chinese Chemical Society, 2000, 47, 1131-1136.	0.8	58
17	Four New Compounds from the Seeds of Cassia fistula. Journal of Natural Products, 2002, 65, 1165-1167.	1.5	58
18	Chemical composition and antifungal activity of essential oil isolated from Chamaecyparis formosensis Matsum. wood. Holzforschung, 2005, 59, 295-299.	0.9	58

#	Article	IF	Citations
19	Anti-Inflammatory Effect of Momordica Charantia in Sepsis Mice. Molecules, 2014, 19, 12777-12788.	1.7	58
20	Five New Cadinane-Type Sesquiterpenes from the Heartwood of Chamaecyparis obtusa var. formosana. Journal of Natural Products, 2002, 65, 25-28.	1.5	53
21	Anti-inflammatory effects of Antrodia camphorata, a herbal medicine, in a mouse skin ischemia model. Journal of Ethnopharmacology, 2015, 159, 113-121.	2.0	50
22	Two New Isoflavones from the Bark of Ficus microcarpa. Journal of Natural Products, 1997, 60, 292-293.	1.5	49
23	Isolation and Identification of Cucurbitane-Type Triterpenoids with Partial Agonist/Antagonist Potential for Estrogen Receptors fromMomordica charantia. Journal of Agricultural and Food Chemistry, 2011, 59, 4553-4561.	2.4	49
24	Antcin C from <i>Antrodia cinnamomea</i> Protects Liver Cells Against Free Radical-Induced Oxidative Stress and Apoptosis <i>In Vitro</i> and <i>In Vivo</i> through Nrf2-Dependent Mechanism. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-17.	0.5	49
25	Ergostatrien-3β-ol from <i>Antrodia camphorata</i> Inhibits Diabetes and Hyperlipidemia in High-Fat-Diet Treated Mice via Regulation of Hepatic Related Genes, Glucose Transporter 4, and AMP-Activated Protein Kinase Phosphorylation. Journal of Agricultural and Food Chemistry, 2015, 63, 2479-2489.	2.4	49
26	Structure-activity relationships of cadinane-type sesquiterpene derivatives against wood-decay fungi. Holzforschung, 2005, 59, 620-627.	0.9	45
27	Cytotoxic Constituents of the Leaves of <i>Calocedrus Formosana</i> . Journal of the Chinese Chemical Society, 2003, 50, 161-166.	0.8	44
28	Five new compounds from the heartwood of Juniperus formosana Hayata Chemical and Pharmaceutical Bulletin, 1990, 38, 3195-3201.	0.6	42
29	Sesquiterpenes from the Leaves of Tithonia diversifolia. Journal of Natural Products, 1998, 61, 827-828.	1.5	41
30	Antidiabetic and Antihyperlipidemic Properties of a Triterpenoid Compound, Dehydroeburicoic Acid, from <i>Antrodia camphorata </i> in Vitro and in Streptozotocin-Induced Mice. Journal of Agricultural and Food Chemistry, 2015, 63, 10140-10151.	2.4	41
31	Nonsteroidal Constituents from <i>Solanum Incanum</i> L Journal of the Chinese Chemical Society, 2000, 47, 247-251.	0.8	40
32	New Peroxy Triterpenes from the Aerial Roots of Ficus microcarpa. Journal of Natural Products, 2001, 64, 436-439.	1,5	40
33	Angiogenesis Inhibitors and Anti-Inflammatory Agents from <i>Phoma</i> sp. NTOU4195. Journal of Natural Products, 2016, 79, 2983-2990.	1.5	40
34	New Esters, 2â€(4â€Hydroxyâ€3â€Methoxyphenyl)Ethyl Hexa―and Octacosanoates from the Leaves of <i>Cinnamomum Reticulatum</i> Hay. Journal of the Chinese Chemical Society, 1991, 38, 65-69.	0.8	39
35	Tormentic Acid, a Major Component of Suspension Cells of <i>Eriobotrya japonica, </i> Suppresses High-Fat Diet-Induced Diabetes and Hyperlipidemia by Glucose Transporter 4 and AMP-Activated Protein Kinase Phosphorylation. Journal of Agricultural and Food Chemistry, 2014, 62, 10717-10726.	2.4	38
36	Chemical Constituents of Heartwood of <i>Bauhinia purpurea</i> . Journal of the Chinese Chemical Society, 1997, 44, 379-383.	0.8	35

#	Article	IF	Citations
37	α-Glucosidase and Aldose Reductase Inhibitory Activities from the Fruiting Body of <i>Phellinus merrillii</i> . Journal of Agricultural and Food Chemistry, 2011, 59, 5702-5706.	2.4	35
38	Cytotoxic C <sub>35</sub> Terpenoid Cryptotrione from the Bark of <i>Cryptomeria japonica</i> Organic Letters, 2010, 12, 2786-2789.	2.4	34
39	Lobocrassins A–E: New Cembrane-Type Diterpenoids from the Soft Coral Lobophytum crassum. Marine Drugs, 2011, 9, 1319-1331.	2.2	34
40	Ugonin M, a Helminthostachys zeylanica Constituent, Prevents LPS-Induced Acute Lung Injury through TLR4-Mediated MAPK and NF-κB Signaling Pathways. Molecules, 2017, 22, 573.	1.7	34
41	Two New Puriniums and Three New Pyrimidines from Heterostemma brownii. Journal of Natural Products, 1997, 60, 982-985.	1.5	33
42	Antioxidant Principles from Ephemeranthalonchophylla. Journal of Natural Products, 1999, 62, 1225-1227.	1.5	32
43	Chemical constituents derived from Artocarpus xanthocarpus as inhibitors of melanin biosynthesis. Phytochemistry, 2015, 117, 424-435.	1.4	32
44	Induction of IL-25 secretion from tumour-associated fibroblasts suppresses mammary tumour metastasis. Nature Communications, 2016, 7, 11311.	5.8	32
45	Effects of antrosterol from Antrodia camphorata submerged whole broth on lipid homeostasis, antioxidation, alcohol clearance, and anti-inflammation in livers of chronic-alcohol fed mice. Journal of Ethnopharmacology, 2017, 202, 200-207.	2.0	31
46	New Cyclopropyl-Triterpenoids from the Aerial Roots of Ficus microcarpa Chemical and Pharmaceutical Bulletin, 2001, 49, 581-583.	0.6	30
47	Cytotoxic Components from the Leaves of <i>Schefflera Taiwaniana</i> Iournal of the Chinese Chemical Society, 2002, 49, 427-431.	0.8	30
48	Cucurbitane Triterpenoids from Momordica charantia and Their Cytoprotective Activity in tert-Butyl Hydroperoxide-Induced Hepatotoxicity of HepG2 Cells. Chemical and Pharmaceutical Bulletin, 2010, 58, 1639-1642.	0.6	30
49	Anti-neuroinflammatory Effect of a Novel Caffeamide Derivative, KS370G, in Microglial cells. Molecular Neurobiology, 2013, 48, 863-874.	1.9	30
50	New Diterpenes from the Heartwood of Chamaecyparisobtusavar. formosana. Journal of Natural Products, 1998, 61, 829-831.	1.5	29
51	Chemical Constituents of the Pericarp of <i>Platycladus orientalis</i> . Journal of the Chinese Chemical Society, 1999, 46, 819-824.	0.8	29
52	Constituents of the Whole Herb of <i>Clinoponium laxiflorum</i> . Journal of the Chinese Chemical Society, 2000, 47, 241-246.	0.8	28
53	Flavones Isolated from Scutellariae radix Suppress Propionibacterium Acnes-Induced Cytokine Production In Vitro and In Vivo. Molecules, 2016, 21, 15.	1.7	28
54	Antiinflammatory and Antiphotodamaging Effects of Ergostatrien- $3\hat{l}^2$ -ol, Isolated from Antrodia camphorata, on Hairless Mouse Skin. Molecules, 2016, 21, 1213.	1.7	28

#	Article	IF	CITATIONS
55	Five New Diterpenoids from the Wood of Cunninghamiakonishii. Journal of Natural Products, 1998, 61, 997-1000.	1.5	27
56	Podocarpane-Type Trinorditerpenes from the Bark of Taiwania cryptomerioides. Journal of Natural Products, 2000, 63, 650-652.	1.5	27
57	Dihydrophenanthrenes fromSpiranthessinensis. Journal of Natural Products, 2000, 63, 1608-1610.	1.5	27
58	Cadinane-Type Sesquiterpenes from the Roots of Taiwania cryptomerioides HAYATA. Chemical and Pharmaceutical Bulletin, 2003, 51, 986-989.	0.6	27
59	Chemical constituents of Antrodia camphoratasubmerged whole broth. Natural Product Research, 2008, 22, 1151-1157.	1.0	27
60	Chamaecypanone C, a novel skeleton microtubule inhibitor, with anticancer activity by trigger caspase 8-Fas/FasL dependent apoptotic pathway in human cancer cells. Biochemical Pharmacology, 2010, 79, 1261-1271.	2.0	27
61	Dehydroabietane diterpenes from Juniperus formosana hay. var. concolor hay. Phytochemistry, 1996, 42, 779-781.	1.4	26
62	Two Acetophenone Glucosides, Cynanonesides A and B, from Cynanchum taiwanianum and Revision of the Structure for Cynandione A. Journal of Natural Products, 1997, 60, 368-370.	1.5	26
63	Effect of wild bitter gourd treatment on inflammatory responses in BALB/c mice with sepsis.		

#	Article	IF	CITATIONS
73	KS370G, a caffeamide derivative, attenuates unilateral ureteral obstruction-induced renal fibrosis by the reduction of inflammation and oxidative stress in mice. European Journal of Pharmacology, 2015, 750, 1-7.	1.7	23
74	Protective Effect of Caffeic Acid Derivatives on tert-Butyl Hydroperoxide-Induced Oxidative Hepato-Toxicity and Mitochondrial Dysfunction in HepG2 Cells. Molecules, 2017, 22, 702.	1.7	23
75	Homocyclotirucallane and Two Dihydrophenanthrenes from Spiranthes sinensis Chemical and Pharmaceutical Bulletin, 2001, 49, 1098-1101.	0.6	22
76	Two Anti-inflammatory Steroidal Saponins from Dracaena angustifolia Roxb Molecules, 2013, 18, 8752-8763.	1.7	22
77	Antcin K, a Triterpenoid Compound from i>Antrodia camphorata i>, Displays Antidiabetic and Antihyperlipidemic Effects via Glucose Transporter 4 and AMP-Activated Protein Kinase Phosphorylation in Muscles. Evidence-based Complementary and Alternative Medicine, 2016, 2016, 1-16.	0.5	22
78	Caffeic acid phenethyl amide improves glucose homeostasis and attenuates the progression of vascular dysfunction in Streptozotocin-induced diabetic rats. Cardiovascular Diabetology, 2013, 12, 99.	2.7	21
79	The Effect of the Aerial Part of Lindera akoensis on Lipopolysaccharides (LPS)-Induced Nitric Oxide Production in RAW264.7 Cells. International Journal of Molecular Sciences, 2013, 14, 9168-9181.	1.8	21
80	Diterpenoids with Anti-Inflammatory Activity from the Wood of Cunninghamia konishii. Molecules, 2013, 18, 682-689.	1.7	21
81	Oxidized frying oil and its polar fraction fed to pregnant mice are teratogenic and alter mRNA expressions of vitamin A metabolism genes in the liver of dams and their fetuses. Journal of Nutritional Biochemistry, 2014, 25, 549-556.	1.9	21
82	New Sesquiterpenoids and Anti-Platelet Aggregation Constituents from the Rhizomes of Curcuma zedoaria. Molecules, 2016, 21, 1385.	1.7	21
83	Eburicoic Acid, a Triterpenoid Compound from Antrodia camphorata, Displays Antidiabetic and Antihyperlipidemic Effects in Palmitate-Treated C2C12 Myotubes and in High-Fat Diet-Fed Mice. International Journal of Molecular Sciences, 2017, 18, 2314.	1.8	21
84	Quinone-type Podocarpanes from the Bark of Taiwania cryptomerioides Chemical and Pharmaceutical Bulletin, 2001, 49, 1033-1035.	0.6	20
85	New Cadinaneâ€Type Sesquiterpenes from the Roots of <i>Taiwania cryptomerioides</i> <scp>Hayata</scp> . Helvetica Chimica Acta, 2007, 90, 1514-1521.	1.0	20
86	N-phenethyl caffeamide and photodamage: Protecting skin by inhibiting type I procollagen degradation and stimulating collagen synthesis. Food and Chemical Toxicology, 2014, 72, 154-161.	1.8	20
87	Hypoglycemic Constituents Isolated from <i>Trapa natans</i> L. Pericarps. Journal of Agricultural and Food Chemistry, 2016, 64, 3794-3803.	2.4	20
88	Alpinumisoflavone attenuates lipopolysaccharide-induced acute lung injury by regulating the effects of anti-oxidation and anti-inflammation both <i>in vitro</i> and <i>in vivo</i> . RSC Advances, 2018, 8, 31515-31528.	1.7	20
89	New Lignans from the Heartwood of Chamaecyparis obtusa var. formosana Chemical and Pharmaceutical Bulletin, 2002, 50, 978-980.	0.6	19
90	Antihyperglycemic Effect of a Caffeamide Derivative, KS370G, in Normal and Diabetic Mice. Journal of Agricultural and Food Chemistry, 2010, 58, 10033-10038.	2.4	19

#	Article	IF	Citations
91	A New Butanolide Compound from the Aerial Part of Lindera akoensis with Anti-inflammatory Activity. Molecules, 2012, 17, 6585-6592.	1.7	19
92	Cladieunicellins K and L, New Eunicellin-Based Diterpenoids from an Octocoral Cladiella sp International Journal of Molecular Sciences, 2013, 14, 21781-21789.	1.8	19
93	Anti-Inflammatory Components from the Root of Solanum erianthum. International Journal of Molecular Sciences, 2013, 14, 12581-12592.	1.8	19
94	Antioxidant and Anti-α-Glucosidase Activities of Various Solvent Extracts and Major Bioactive Components from the Fruits of Crataegus pinnatifida. Antioxidants, 2022, 11, 320.	2.2	19
95	Two New Sesquiterpenes 3βâ€Hydroxycedrol and Widdringtonia Acid IIâ€A Coâ€Crystal of βâ€Chamigrenic Acid and Hinokiic Acid. Journal of the Chinese Chemical Society, 1980, 27, 15-18.	0.8	18
96	Four New Podocarpane-Type Trinorditerpenes from the Bark of Taiwania cryptomerioides Chemical and Pharmaceutical Bulletin, 2002, 50, 544-546.	0.6	18
97	Dehydroeburicoic Acid from Antrodia camphorata Prevents the Diabetic and Dyslipidemic State via Modulation of Glucose Transporter 4, Peroxisome Proliferator-Activated Receptor α Expression and AMP-Activated Protein Kinase Phosphorylation in High-Fat-Fed Mice. International Journal of Molecular Sciences, 2016, 17, 872.	1.8	18
98	Physalin A attenuates inflammation through down-regulating c-Jun NH2 kinase phosphorylation/Activator Protein 1 activation and up-regulating the antioxidant activity. Toxicology and Applied Pharmacology, 2020, 402, 115115.	1.3	18
99	6βâ€Acetoxyâ€7 αâ€Hydroxyroyleanone, A New Compound from <i>Taiwania</i> Cryptomerioides Hayata. Journal of the Chinese Chemical Society, 1979, 26, 71-73.	0.8	17
100	Studies on the Constituents from the Bark of <i>Bauhinia Purpurea</i> I>. Journal of the Chinese Chemical Society, 2002, 49, 269-274.	0.8	17
101	Norcembranoidal Diterpenes from a Formosan Soft Coral Sinularia sp Molecules, 2012, 17, 14058-14066.	1.7	17
102	Protective Effects of Red Guava on Inflammation and Oxidative Stress in Streptozotocin-Induced Diabetic Mice. Molecules, 2015, 20, 22341-22350.	1.7	17
103	New Diphenol and Isocoumarins from the Aerial Part of Lawsonia inermis and Their Inhibitory Activities against NO Production. Molecules, 2016, 21, 1299.	1.7	17
104	36H: A Novel Potent Inhibitor for Antimelanogenesis. Oxidative Medicine and Cellular Longevity, 2018, 2018, 1-12.	1.9	17
105	Ergostatrien-7,9(11),22-trien- $3\hat{1}^2$ -ol from Antrodia camphorata ameliorates ischemic stroke brain injury via downregulation of p65NF- $\hat{1}^0$ -B and caspase 3, and activation of Akt/GSK3/catenin-associated neurogenesis. Food and Function, 2019, 10, 4725-4738.	2.1	17
106	Taiwanin H, A New Lignan from the Barks of <i>Taiwania Cryptomerioides</i> Hayata. Journal of the Chinese Chemical Society, 1985, 32, 381-383.	0.8	16
107	Secondary Metabolites from the Stem Bark of $\langle i \rangle$ Litsea akoensis $\langle i \rangle$ and Their Cytotoxic Activity. Helvetica Chimica Acta, 2008, 91, 1156-1165.	1.0	16
108	Flexibilins A–C, New Cembrane-Type Diterpenoids from the Formosan Soft Coral, Sinularia flexibilis. Marine Drugs, 2013, 11, 1999-2012.	2.2	16

#	Article	IF	CITATIONS
109	New Anti-Inflammatory Aromatic Components from Antrodia camphorata. International Journal of Molecular Sciences, 2013, 14, 4629-4639.	1.8	16
110	Anti-Inflammatory Activity of N-(3-Florophenyl)ethylcaffeamide in Mice. International Journal of Molecular Sciences, 2013, 14, 15199-15211.	1.8	16
111	IL-17A inhibitions of indole alkaloids from traditional Chinese medicine Qing Dai. Journal of Ethnopharmacology, 2020, 255, 112772.	2.0	15
112	Antioxidative 7-Oxodehydropodocarpane-Type Trinorditerpenes from the Bark of Taiwania cryptomerioides. Planta Medica, 2002, 68, 1020-1023.	0.7	14
113	Comparison of solid-state-cultured and wood-cultured Antrodia camphorata in anti-inflammatory effects using NF-κB/luciferase inducible transgenic mice. Phytomedicine, 2014, 21, 1708-1716.	2.3	14
114	Latex of <i>Euphorbia antiquorum-</i> ii>induced S-phase arrest via active ATM kinase and MAPK pathways in human cervical cancer HeLa cells. Environmental Toxicology, 2015, 30, 1205-1215.	2.1	14
115	Hepatoprotective Effect of Ugonin M, A Helminthostachys zeylanica Constituent, on Acetaminophen-Induced Acute Liver Injury in Mice. Molecules, 2018, 23, 2420.	1.7	14
116	Antidiabetic and Antihyperlipidemic Effects of Sulphurenic Acid, a Triterpenoid Compound from Antrodia camphorata, in Streptozotocin-Induced Diabetic Mice. International Journal of Molecular Sciences, 2019, 20, 4897.	1.8	14
117	Antcins, triterpenoids from Antrodia cinnamomea, as new agonists for peroxisome proliferator-activated receptor α. Journal of Food and Drug Analysis, 2019, 27, 295-304.	0.9	14
118	Protective Effects and Mechanisms of N-Phenethyl Caffeamide from UVA-Induced Skin Damage in Human Epidermal Keratinocytes through Nrf2/HO-1 Regulation. International Journal of Molecular Sciences, 2019, 20, 164.	1.8	14
119	Constituents of <i>Clinopodium Umbrosum</i> . Journal of the Chinese Chemical Society, 1993, 40, 87-91.	0.8	13
120	Roripanoside, a New Kaempferol Rhamnoside from <i>Rorippa Indica (L.) Hiern</i> . Journal of the Chinese Chemical Society, 1995, 42, 973-976.	0.8	13
121	Two Novel Triterpenes from the Leaves ofFicus microcarpa. Helvetica Chimica Acta, 2004, 87, 1071-1076.	1.0	13
122	Unexpected Novel Pheophytin Peroxides from the Leaves of <i>Biden pilosa</i> . Helvetica Chimica Acta, 2008, 91, 79-84.	1.0	13
123	Echinoclerodane A: A New Bioactive Clerodane-Type Diterpenoid from a Gorgonian Coral Echinomuricea sp Molecules, 2012, 17, 9443-9450.	1.7	13
124	pH-Sensitive Hollow Alginate-Chitosan Hydrogel Beads for Bitter Gourd Delivery. International Journal of Polymeric Materials and Polymeric Biomaterials, 2014, 63, 41-47.	1.8	13
125	Naphthoquinone Derivative PPE8 Induces Endoplasmic Reticulum Stress in p53 Null H1299 Cells. Oxidative Medicine and Cellular Longevity, 2015, 2015, 1-10.	1.9	13
126	Three New Abietaneâ€type Diterpenes from the Bark of <i>CryptomeriaÂjaponica</i> . Helvetica Chimica Acta, 2016, 99, 710-715.	1.0	13

#	Article	IF	Citations
127	Protective Effect of Antrodia cinnamomea Extract against Irradiation-Induced Acute Hepatitis. International Journal of Molecular Sciences, 2019, 20, 846.	1.8	13
128	Dendrobium nobile protects retinal cells from UV-induced oxidative stress damage via Nrf2/HO-1 and MAPK pathways. Journal of Ethnopharmacology, 2022, 288, 114886.	2.0	13
129	6-Oxoferruginol and 6α-Acetoxyferruginol, New Abietane-Type Diterpenes from the Heartwood ofJuniperus formosana. Journal of Natural Products, 1997, 60, 648-650.	1.5	12
130	One Lignanoid Compound and Four Triterpenoid Compounds with Anti-Inflammatory Activity from the Leaves of Elaeagnus oldhamii Maxim Molecules, 2013, 18, 13218-13227.	1.7	12
131	Naphthofuranone derivatives and other constituents from Pachira aquatica with inhibitory activity on superoxide anion generation by neutrophils. Fìtoterapìâ, 2017, 117, 16-21.	1.1	12
132	Polyprenylated polycyclic acylphloroglucinol: Angiogenesis inhibitor from Garcinia multiflora. Bioorganic and Medicinal Chemistry Letters, 2018, 28, 1860-1863.	1.0	12
133	Identification and Structural Elucidation of Anti-Inflammatory Compounds from Chinese Olive (Canarium Album L.) Fruit Extracts. Foods, 2019, 8, 441.	1.9	12
134	N-(4-bromophenethyl) Caffeamide Inhibits Melanogenesis by Regulating AKT/Glycogen Synthase Kinase 3 Beta/Microphthalmia-associated Transcription Factor and Tyrosinase-related Protein 1/Tyrosinase. Current Pharmaceutical Biotechnology, 2015, 16, 1111-1119.	0.9	12
135	Phytochemicals from Tradescantia albiflora Kunth extracts reduce serum uric acid levels in oxonate-induced rats. Pharmacognosy Magazine, 2016, 12, 223.	0.3	12
136	New Abietane-Type Diterpenes from the Heartwood of Picea morrisonicola. Chemical and Pharmaceutical Bulletin, 2004, 52, 861-863.	0.6	11
137	Four New Lariciresinol-Based Lignan Glycosides from the Roots of Rhus javanica var.roxburghiana. Helvetica Chimica Acta, 2007, 90, 1099-1106.	1.0	11
138	New Phenol Glycosides from the Roots of <i>Rhus Javanica</i> var. <i>Roxburghiana</i> Journal of the Chinese Chemical Society, 2008, 55, 223-227.	0.8	11
139	New and Cytotoxic Components from Antrodia camphorata. Molecules, 2014, 19, 21378-21385.	1.7	11
140	8-Alkylcoumarins from the Fruits of Cnidium monnieri Protect against Hydrogen Peroxide Induced Oxidative Stress Damage. International Journal of Molecular Sciences, 2014, 15, 4608-4618.	1.8	11
141	Two new sesquarterpenoids from the bark of Cryptomeria japonica. Phytochemistry Letters, 2017, 22, 56-60.	0.6	11
142	N-(4-methoxyphenyl) caffeamide-induced melanogenesis inhibition mechanisms. BMC Complementary and Alternative Medicine, 2017, 17, 71.	3.7	11
143	Three New Iridoid Derivatives Have Been Isolated from the Stems of Neonauclea reticulata (Havil.) Merr. with Cytotoxic Activity on Hepatocellular Carcinoma Cells. Molecules, 2018, 23, 2297.	1.7	11
144	Antidiabetic and antihyperlipidemic effects of the flower extract of Eriobotrya japonica in streptozotocin-induced diabetic mice and the potential bioactive constituents in vitro. Journal of Functional Foods, 2018, 49, 122-136.	1.6	11

#	Article	IF	Citations
145	Antidiabetic and hypolipidemic activities of eburicoic acid, a triterpenoid compound from Antrodia camphorata, by regulation of Akt phosphorylation, gluconeogenesis, and PPARÎ $\pm$ in streptozotocin-induced diabetic mice. RSC Advances, 2018, 8, 20462-20476.	1.7	11
146	Isoprenyl phenolic ethers from the termite nest-derived medicinal fungus Xylaria fimbriata. Journal of Food and Drug Analysis, 2019, 27, 111-117.	0.9	11
147	EK100 and Antrodin C Improve Brain Amyloid Pathology in APP/PS1 Transgenic Mice by Promoting Microglial and Perivascular Clearance Pathways. International Journal of Molecular Sciences, 2021, 22, 10413.	1.8	11
148	Pregnane Glycosides from <i>Gymnema alternifolium</i> . Journal of the Chinese Chemical Society, 1999, 46, 841-846.	0.8	10
149	Novel Diterpenes from the Heartwood of Chamaecyparis obtusa var. formosana. Chemical and Pharmaceutical Bulletin, 2004, 52, 764-766.	0.6	10
150	Caffeamide 36-13 Regulates the Antidiabetic and Hypolipidemic Signs of High-Fat-Fed Mice on Glucose Transporter 4, AMPK Phosphorylation, and Regulated Hepatic Glucose Production. Evidence-based Complementary and Alternative Medicine, 2014, 2014, 1-12.	0.5	10
151	Three new abietane-type diterpenes from the bark of Cryptomeria japonica. Phytochemistry Letters, 2017, 19, 46-49.	0.6	10
152	Inotilone from Inonotus linteus suppresses lung cancer metastasis in vitro and in vivo through ROS-mediated PI3K/AKT/MAPK signaling pathways. Scientific Reports, 2019, 9, 2344.	1.6	10
153	Four New Iridoid Metabolites Have Been Isolated from the Stems of Neonauclea reticulata (Havil.) Merr. with Anti-Inflammatory Activities on LPS-Induced RAW264.7 Cells. Molecules, 2019, 24, 4271.	1.7	10
154	Highly Oxygenated Constituents from a Marine Alga-Derived Fungus Aspergillus giganteus NTU967. Marine Drugs, 2020, 18, 303.	2,2	10
155	Two New Diterpens Phenolsâ€7αâ€Methoxydeoxocryptojaponol and 7βâ€Hydroxydeoxocryptojaponol. Journal of the Chinese Chemical Society, 1980, 27, 19-22.	0.8	9
156	The Structure of Taiwanin F from Taiwania Cryptomerioides Hayata. Journal of the Chinese Chemical Society, 1985, 32, 81-84.	0.8	9
157	Dyeâ€Sensitized Photooxidation of Isoeugenol. Journal of the Chinese Chemical Society, 1985, 32, 169-172.	0.8	9
158	New Naphthoquinones from the Stem of Diospyros maritime Blume. Journal of the Chinese Chemical Society, 1996, 43, 511-514.	0.8	9
159	Analogous corticosteroids, 9A and EK100, derived from solid-state-cultured mycelium of Antrodia camphorata inhibit proinflammatory cytokine expression in macrophages. Cytokine, 2018, 108, 136-144.	1.4	9
160	Protection against Ultraviolet A-Induced Skin Apoptosis and Carcinogenesis through the Oxidative Stress Reduction Effects of N-(4-bromophenethyl) Caffeamide, A Propolis Derivative. Antioxidants, 2020, 9, 335.	2.2	9
161	Polyketides with Anti-neuroinflammatory Activity from <i>Theissenia cinerea</i> . Journal of Natural Products, 2021, 84, 1898-1903.	1.5	9
162	Ergosta-7,9(11),22-trien-3 $\hat{1}^2$ -ol Attenuates Inflammatory Responses via Inhibiting MAPK/AP-1 Induced IL-6/JAK/STAT Pathways and Activating Nrf2/HO-1 Signaling in LPS-Stimulated Macrophage-like Cells. Antioxidants, 2021, 10, 1430.	2.2	9

#	Article	lF	CITATIONS
163	Four New Lignans with a Bicyclo[3.3.1]nonadienemethanol Skeleton from <i>Cunninghamia lanceolata</i> . Helvetica Chimica Acta, 2009, 92, 1983-1989.	1.0	8
164	Two Novel 15(10â†'1)Abeomuurolane Sesquiterpenes fromCosmos sulphureus. Helvetica Chimica Acta, 2010, 93, 753-756.	1.0	8
165	Two New Acidic Diterpenoids from the Heartwood of <i>Pinus massoniana</i> <scp>Lamb</scp> Helvetica Chimica Acta, 2014, 97, 1146-1151.	1.0	8
166	2,3,5-Trimethoxy-4-cresol, an anti-metastatic constituent from the solid-state cultured mycelium of Antrodia cinnamomea and its mechanism. Journal of Natural Medicines, 2015, 69, 513-521.	1.1	8
167	N-(4-bromophenethyl) Caffeamide Protects Skin from UVB-Induced Inflammation Through MAPK/IL-6/NF-κB-Dependent Signaling in Human Skin Fibroblasts and Hairless Mouse Skin. Molecules, 2017, 22, 1639.	1.7	8
168	Oenothera laciniata Hill Extracts Exhibits Antioxidant Effects and Attenuates Melanogenesis in B16-F10 Cells via Downregulating CREB/MITF/Tyrosinase and Upregulating p-ERK and p-JNK. Plants, 2021, 10, 727.	1.6	8
169	Ergosta-7, 9 (11), 22-trien-3 $\hat{l}^2$ -ol Interferes with LPS Docking to LBP, CD14, and TLR4/MD-2 Co-Receptors to Attenuate the NF- $\hat{l}^{\circ}$ B Inflammatory Pathway In Vitro and Drosophila. International Journal of Molecular Sciences, 2021, 22, 6511.	1.8	8
170	The Structure of Suginal from the Wood of <i>Juniperus Formosana</i> Hayata. Journal of the Chinese Chemical Society, 1984, 31, 417-419.	0.8	7
171	A Useful Method for Oxidative Deoximation with Photooxygenation. Journal of the Chinese Chemical Society, 1991, 38, 203-206.	0.8	7
172	Mass spectra of 1,3-dithiaspiranes and 2-aryl-1,3-dithianes. Journal of Mass Spectrometry, 1995, 30, 461-465.	0.7	7
173	New Benzenoid Derivatives and Other Constituents from Lawsonia inermis with Inhibitory Activity against NO Production. Molecules, 2017, 22, 936.	1.7	7
174	Bioactivity-Guided Fractionation and NMR-Based Identification of the Immunomodulatory Isoflavone from the Roots of Uraria crinita (L.) Desv. ex DC. Foods, 2019, 8, 543.	1.9	7
175	Anti-Influenza Virus Activity and Chemical Components from the Parasitic Plant Cuscuta japonica Choisy on Dimocarpus longans Lour Molecules, 2020, 25, 4427.	1.7	7
176	Protective Evaluation of Compounds Extracted from Root of Rhodiola rosea L. against Methylglyoxal-Induced Toxicity in a Neuronal Cell Line. Molecules, 2020, 25, 2801.	1.7	7
177	The Anti-Melanogenesis Effect of 3,4-Dihydroxybenzalacetone through Downregulation of Melanosome Maturation and Transportation in B16F10 and Human Epidermal Melanocytes. International Journal of Molecular Sciences, 2021, 22, 2823.	1.8	7
178	Ergostatrien-3Î <sup>2</sup> -ol (EK100) from Antrodia camphorata Attenuates Oxidative Stress, Inflammation, and Liver Injury In Vitro and In Vivo. Preventive Nutrition and Food Science, 2021, 26, 58-66.	0.7	7
179	Studies on the Extractive Constituents of the Nutmeg of Myristica Fragrans Houtt. Journal of the Chinese Chemical Society, 1983, 30, 63-67.	0.8	6
180	Chemistry of Leave Extractives from Cineole Tree. Journal of the Chinese Chemical Society, 1984, 31, 159-163.	0.8	6

#	Article	IF	Citations
181	A New Lignan, Formosanol, from <i>Juniperus Formosana</i> . Journal of the Chinese Chemical Society, 1985, 32, 377-379.	0.8	6
182	Chemical Composition and Bioactivities of the Marine Alga Isochrysis galbana from Taiwan. Natural Product Communications, 2010, 5, 1934578X1000501.	0.2	6
183	Cucurbitane-Type Triterpenoids from the Fruit Pulp of Momordica Charantia. Natural Product Communications, 2012, 7, 1934578X1200701.	0.2	6
184	Cytotoxic and apoptotic effects of caffeate derivatives on A549 human lung carcinoma cells. Journal of the Chinese Medical Association, 2014, 77, 535-543.	0.6	6
185	Inhibition of voltage-gated Na+ channels by hinokiol in neuronal cells. Pharmacological Reports, 2015, 67, 1049-1054.	1.5	6
186	K20E, an oxidative-coupling compound of methyl caffeate, exhibits anti-angiogenic activities through down-regulations of VEGF and VEGF receptor-2. Toxicology and Applied Pharmacology, 2015, 282, 215-226.	1.3	6
187	New 7-oxoabietane-type diterpenoids from the bark of Cryptomeria japonica and their xanthine oxidase inhibitory activity. Phytochemistry Letters, 2018, 27, 69-73.	0.6	6
188	The Effects of Ergosta-7,9(11),22-trien- $3\hat{l}^2$ -ol from Antrodia camphorata on the Biochemical Profile and Exercise Performance of Mice. Molecules, 2019, 24, 1225.	1.7	6
189	Bioactive Dimeric Abietanoid Peroxides from the Bark of Cryptomeria japonica. Molecules, 2019, 24, 2178.	1.7	6
190	Taiwanin E Induces Cell Cycle Arrest and Apoptosis in Arecoline/4-NQO-Induced Oral Cancer Cells Through Modulation of the ERK Signaling Pathway. Frontiers in Oncology, 2019, 9, 1309.	1.3	6
191	Anti-Inflammatory and Antibacterial Activity Constituents from the Stem of Cinnamomum validinerve. Molecules, 2020, 25, 3382.	1.7	6
192	New Lignan Detetrahydroconidendrin from <i>Juniperus Formosana</i> Hayata. Journal of the Chinese Chemical Society, 1982, 29, 213-215.	0.8	5
193	A New Lignan, Cagayanin, from Nutmeg of <i>Myristica Cagayanensis</i> Merr. Journal of the Chinese Chemical Society, 1985, 32, 177-178.	0.8	5
194	Sterols from the Stems of <i>Momordica charantia</i> . Journal of the Chinese Chemical Society, 2011, 58, 893-898.	0.8	5
195	Diterpenoids from the Wood of <i>Cunninghamia konishii</i> . Helvetica Chimica Acta, 2013, 96, 2282-2287.	1.0	5
196	Two new labdane-type diterpenes from the wood of Cunninghamia konishii. Phytochemistry Letters, 2014, 7, 107-110.	0.6	5
197	Inhibitory effects of imperatorin on voltage-gated K+ channels and ATP-sensitive K+ channels. Pharmacological Reports, 2015, 67, 134-139.	1.5	5
198	Osteoporosis Recovery by i> Antrodia camphorata / i> Alcohol Extracts through Bone Regeneration in SAMP8 Mice. Evidence-based Complementary and Alternative Medicine, 2016, 2016, 1-9.	0.5	5

#	Article	IF	Citations
199	Flavonoids and bis-coumarin from the tubers of Apios taiwanianus. Phytochemistry Letters, 2016, 15, 164-167.	0.6	5
200	Two new dimeric abietane-type diterpenoids from the bark of Cryptomeria japonica and their enzyme inhibitory activity. Phytochemistry Letters, 2019, 33, 84-89.	0.6	5
201	Chemical Constituents from a Mangroveâ€Derived Actinobacteria Isoptericola chiayiensis BCRC 16888 and Evaluation of Their Antiâ€NO Activity. Chemistry and Biodiversity, 2021, 18, e2100211.	1.0	5
202	Secondary Metabolites with Anti-Inflammatory Activities from One Actinobacteria Amycolatopsis taiwanensis. Molecules, 2021, 26, 5765.	1.7	5
203	New Lignans from the Roots of Taiwania cryptomerioides Hayata. Helvetica Chimica Acta, 2007, 90, 738-747.	1.0	4
204	Anti-inflammatory flavonol acylglycosides from the aerial part of Lindera akoensis Hayata. RSC Advances, 2017, 7, 50868-50874.	1.7	4
205	New flavone and eudesmane derivatives from Lawsonia inermis and their inhibitory activity against NO production. Phytochemistry Letters, 2017, 21, 123-127.	0.6	4
206	trans-3-Methoxy-5-hydroxystilbene (MHS) from the rhizome of Alpinia nantonensis inhibits metastasis in human lung cancer cells. Phytomedicine, 2018, 50, 223-230.	2.3	4
207	Phytochemical Investigation of Tradescantia Albiflora and Anti-Inflammatory Butenolide Derivatives. Molecules, 2019, 24, 3336.	1.7	4
208	New Anti-inflammatory Flavonol Glycosides from Lindera akoensis Hayata. Molecules, 2019, 24, 563.	1.7	4
209	Two new dimeric abietanoid peroxides with xanthine oxidase and ACE inhibitory activities from the bark of Cryptomeria japonica. Phytochemistry Letters, 2020, 40, 15-20.	0.6	4
210	Chemical Constituent of $\hat{l}^2$ -Glucuronidase Inhibitors from the Root of Neolitsea acuminatissima. Molecules, 2020, 25, 5170.	1.7	4
211	Sinensol-C Isolated from Spiranthes sinensis Inhibits Adipogenesis in 3T3-L1 Cells through the Regulation of Adipogenic Transcription Factors and AMPK Activation. Molecules, 2020, 25, 4204.	1.7	4
212	Mass spectra of 2- and/or 6-alkyl-3-hydroxypyridines. Organic Mass Spectrometry, 1991, 26, 583-586.	1.3	3
213	Two Novel 14-Nor-13,14-secopodocarpanes from the Bark of Taiwania cryptomeriodes. Helvetica Chimica Acta, 2004, 87, 554-559.	1.0	3
214	A New Phenolic and a New Lignan from the Roots of Juniperus chinensis. Natural Product Communications, 2010, 5, 1934578X1000500.	0.2	3
215	Aconitamide, a Novel Alkaloid from the Roots of <i>Aconitum carmichaeli</i> . Natural Product Communications, 2013, 8, 1934578X1300800.	0.2	3
216	Two New Labdaneâ€Type Diterpene Acids from the Wood of <i>Cunninghamia konishii</i> . Helvetica Chimica Acta, 2015, 98, 123-127.	1.0	3

#	Article	IF	CITATIONS
217	A New Seco-Abietanoid from the Bark of Cryptomeria japonica. Chemistry of Natural Compounds, 2021, 57, 331-334.	0.2	3
218	A novel caffeic acid derivative prevents renal remodeling after ischemia/reperfusion injury. Biomedicine and Pharmacotherapy, 2021, 142, 112028.	2.5	3
219	Cytotoxicity Effect of Constituents of Pinus taiwanensis Hayata Twigs on B16-F10 Melanoma Cells. Molecules, 2022, 27, 2731.	1.7	3
220	Autooxidation of 8Sâ€Hydroxycedranâ€13â€Al. Journal of the Chinese Chemical Society, 1980, 27, 177-180.	0.8	2
221	Sensitized Photooxygenation of 2,5â€ <i>Diâ€Tert</i> â€Butylfuran. Journal of the Chinese Chemical Society, 1987, 34, 57-62.	0.8	2
222	Two New Abietane-type Diterpenes from the Bark of Cryptomeria japonica. Natural Product Communications, 2017, 12, 1934578X1701201.	0.2	2
223	Cucurbitane-Type Triterpenoids from Momordica charantia. Natural Product Communications, 2017, 12, 1934578X1701200.	0.2	2
224	Cyclopentadienyl Ruthenium(II) Complex-Mediated Oxidation of Benzylic and Allylic Alcohols to Corresponding Aldehydes. Heteroatom Chemistry, 2019, 2019, 1-8.	0.4	2
225	New flavonoids, emarginin A-C from Vaccinium emarginatum Hayata. Fìtoterapìâ, 2020, 141, 104446.	1.1	2
226	Ergosta-7,9(11),22-trien-3Î <sup>2</sup> -ol Rescues AD Deficits by Modulating Microglia Activation but Not Oxidative Stress. Molecules, 2021, 26, 5338.	1.7	2
227	Three new isopimaric acid diterpenoids from the bark of Cryptomeria japonica and their xanthine oxidase inhibitory activity. Phytochemistry Letters, 2021, 46, 61-65.	0.6	2
228	Novel Antifungal Dimers from the Roots of Taiwania cryptomerioides. Molecules, 2022, 27, 437.	1.7	2
229	Secondary Metabolites with Anti-Inflammatory from the Roots of Cimicifuga taiwanensis. Molecules, 2022, 27, 1657.	1.7	2
230	In Vitro Antimicrobial Potential of CAPE and Caffeamide Derivatives against Oral Microbes. International Journal of Molecular Sciences, 2022, 23, 4099.	1.8	2
231	Two New Sesquiterpenes 3βâ€Hydroxycedrol and Widdringtonia Acid IIâ€A Coâ€Crystal of βâ€Chamigrenic Acid and Hinokiic Acid. Journal of the Chinese Chemical Society, 1979, 26, 15-18.	0.8	1
232	Preparation of Cisâ€Enediones from Furans by Photooxidation. Journal of the Chinese Chemical Society, 1986, 33, 95-97.	0.8	1
233	Mass Spectra of Substituted N-Alkylpyrroles and Related Compounds. Journal of the Chinese Chemical Society, 1994, 41, 27-31.	0.8	1
234	Norcucurbitane Triterpenoids from the Fruits of Momordica charantia var. abbreviata. Natural Product Communications, 2013, 8, 1934578X1300800.	0.2	1

#	Article	IF	CITATIONS
235	Two New Labdane-type Diterpenes from the Wood of <i>Cunninghamia konishii</i> . Natural Product Communications, 2014, 9, 1934578X1400900.	0.2	1
236	New Terpenoids from Chamaecyparis formosensis (Cupressaceae) Leaves with Modulatory Activity on Matrix Metalloproteases 2 and 9. Molecules, 2018, 23, 604.	1.7	1
237	Caffeic amide derivatives inhibit allergen-induced bone marrow-derived dendritic cell maturation. Pharmacological Reports, 2019, 71, 194-200.	1.5	1
238	Two New Diterpens Phenolsâ€7αâ€Methoxydeoxocryptojaponol and 7βâ€Hydroxydeoxocryptojaponol. Journal of the Chinese Chemical Society, 1979, 26, 19-22.	0.8	0
239	Mass Spectra of Furfuryl Aldoximes and Ketoximes. Journal of the Chinese Chemical Society, 1991, 38, 365-369.	0.8	O
240	Two New Lignans from the Wood of Cunninghamia konishii. Natural Product Communications, 2013, 8, 1934578X1300800.	0.2	0
241	Sesquiterpenoids and Diterpenoids from the Wood of Cunninghamia konishii and Their Inhibitory Activities against NO Production. Molecules, 2016, 21, 490.	1.7	O
242	New Norcucurbitane Triterpenoids from Momordica charantia var. abbreviata. Natural Product Communications, 2017, 12, 1934578X1701200.	0.2	0
243	New Abietane-type Diterpenoids from the Bark of <i>Cryptomeria japonica</i> Communications, 2019, 14, 1934578X1901400.	0.2	0
244	Anti-Inflammatory Effect of Charantadiol A, Isolated from Wild Bitter Melon Leaf, on Heat-Inactivated Porphyromonas gingivalis-Stimulated THP-1 Monocytes and a Periodontitis Mouse Model. Molecules, 2021, 26, 5651.	1.7	0