

# Yueh-Hsiung Kuo

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/447773/yueh-hsiung-kuo-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

236  
papers

3,655  
citations

31  
h-index

43  
g-index

246  
ext. papers

4,194  
ext. citations

3.7  
avg, IF

5.27  
L-index

#	Paper	IF	Citations
236	Neuroprotective diterpenes from the fruiting body of <i>Antrodia camphorata</i> . <i>Journal of Natural Products</i> , <b>2006</b> , 69, 689-91	4.9	75
235	Analgesic effects and the mechanisms of anti-inflammation of ergostatrien-3beta-ol from <i>Antrodia camphorata</i> submerged whole broth in mice. <i>Journal of Agricultural and Food Chemistry</i> , <b>2010</b> , 58, 7445-52	5.7	73
234	Studies on cytotoxic constituents from the leaves of <i>Elaeagnus oldhamii</i> Maxim. in non-small cell lung cancer A549 cells. <i>Molecules</i> , <b>2014</b> , 19, 9515-34	4.8	69
233	Caffeic acid derivatives inhibit the growth of colon cancer: involvement of the PI3-K/Akt and AMPK signaling pathways. <i>PLoS ONE</i> , <b>2014</b> , 9, e99631	3.7	66
232	Antagonism of free-radical-induced damage of adlay seed and its antiproliferative effect in human histolytic lymphoma U937 monocytic cells. <i>Journal of Agricultural and Food Chemistry</i> , <b>2001</b> , 49, 1564-70	5.7	63
231	Separation and Determination of Chemical Constituents in the Roots of <i>Rhus Javanica</i> L. Var. <i>Roxburghiana</i> . <i>Journal of the Chinese Chemical Society</i> , <b>2005</b> , 52, 833-841	1.5	58
230	Hepatoprotective effects of eburicoic acid and dehydroeburicoic acid from <i>Antrodia camphorata</i> in a mouse model of acute hepatic injury. <i>Food Chemistry</i> , <b>2013</b> , 141, 3020-7	8.5	54
229	Hydroalcoholic extract of <i>Rhodiola rosea</i> L. (Crassulaceae) and its hydrolysate inhibit melanogenesis in B16F0 cells by regulating the CREB/MITF/tyrosinase pathway. <i>Food and Chemical Toxicology</i> , <b>2014</b> , 65, 129-39	4.7	54
228	Nuclear-targeted inhibition of NF-kappaB on MMP-9 production by N-2-(4-bromophenyl) ethyl caffeamide in human monocytic cells. <i>Chemico-Biological Interactions</i> , <b>2010</b> , 184, 403-12	5	54
227	Gastroprotective activities of adlay ( <i>Coix lachryma-jobi</i> L. var. <i>ma-yuen</i> Stapf) on the growth of the stomach cancer AGS cell line and indomethacin-induced gastric ulcers. <i>Journal of Agricultural and Food Chemistry</i> , <b>2011</b> , 59, 6025-33	5.7	53
226	Constituents of the Bark of <i>Ficus microcarpa</i> Lf.. <i>Journal of the Chinese Chemical Society</i> , <b>1997</b> , 44, 321-325	5.3	53
225	Flavonoid Glycosides from <i>Terminalia catappa</i> L.. <i>Journal of the Chinese Chemical Society</i> , <b>2000</b> , 47, 253-256	5.3	53
224	Regulatory effects of caffeic acid phenethyl ester on neuroinflammation in microglial cells. <i>International Journal of Molecular Sciences</i> , <b>2015</b> , 16, 5572-89	6.3	52
223	Four new compounds, fical, ficalsesquilignan A, B, and ficalsolide diacetate from the heartwood of <i>Ficus microcarpa</i> . <i>Chemical and Pharmaceutical Bulletin</i> , <b>2000</b> , 48, 1862-5	1.9	52
222	New constituents with iNOS inhibitory activity from mycelium of <i>Antrodia camphorata</i> . <i>Planta Medica</i> , <b>2009</b> , 75, 512-6	3.1	49
221	Chemical composition and antifungal activity of essential oil isolated from <i>Chamaecyparis formosensis</i> Matsum. wood. <i>Holzforschung</i> , <b>2005</b> , 59, 295-299	2	49
220	The Low Polar Constituents from <i>Bidens Pilosa</i> L. var. <i>Minor</i> (Blume) Sherff. <i>Journal of the Chinese Chemical Society</i> , <b>2000</b> , 47, 1131-1136	1.5	47

219	Four new compounds from the seeds of <i>Cassia fistula</i> . <i>Journal of Natural Products</i> , <b>2002</b> , 65, 1165-7	4.9	45
218	Isolation and identification of cucurbitane-type triterpenoids with partial agonist/antagonist potential for estrogen receptors from <i>Momordica charantia</i> . <i>Journal of Agricultural and Food Chemistry</i> , <b>2011</b> , 59, 4553-61	5.7	44
217	Five new cadinane-type sesquiterpenes from the heartwood of <i>Chamaecyparis obtusa</i> var. <i>formosana</i> . <i>Journal of Natural Products</i> , <b>2002</b> , 65, 25-8	4.9	43
216	Ergostatrien-3βl from <i>Antrodia camphorata</i> inhibits diabetes and hyperlipidemia in high-fat-diet treated mice via regulation of hepatic related genes, glucose transporter 4, and AMP-activated protein kinase phosphorylation. <i>Journal of Agricultural and Food Chemistry</i> , <b>2015</b> , 63, 2479-89	5.7	41
215	Two New Isoflavones from the Bark of <i>Ficus microcarpa</i> . <i>Journal of Natural Products</i> , <b>1997</b> , 60, 292-293	4.9	41
214	Cytotoxic Constituents of the Leaves of <i>Calocedrus Formosana</i> . <i>Journal of the Chinese Chemical Society</i> , <b>2003</b> , 50, 161-166	1.5	39
213	Anti-inflammatory effect of <i>Momordica charantia</i> in sepsis mice. <i>Molecules</i> , <b>2014</b> , 19, 12777-88	4.8	38
212	Antcin C from <i>Antrodia cinnamomea</i> Protects Liver Cells Against Free Radical-Induced Oxidative Stress and Apoptosis In Vitro and In Vivo through Nrf2-Dependent Mechanism. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2013</b> , 2013, 296082	2.3	37
211	Structure-activity relationships of cadinane-type sesquiterpene derivatives against wood-decay fungi. <i>Holzforschung</i> , <b>2005</b> , 59, 620-627	2	37
210	Anti-inflammatory effects of <i>Antrodia camphorata</i> , a herbal medicine, in a mouse skin ischemia model. <i>Journal of Ethnopharmacology</i> , <b>2015</b> , 159, 113-21	5	35
209	New peroxy triterpenes from the aerial roots of <i>Ficus microcarpa</i> . <i>Journal of Natural Products</i> , <b>2001</b> , 64, 436-9	4.9	35
208	Nonsteroidal Constituents from <i>Solanum Incanum</i> L.. <i>Journal of the Chinese Chemical Society</i> , <b>2000</b> , 47, 247-251	1.5	34
207	Sesquiterpenes from the leaves of <i>Tithonia diversifolia</i> . <i>Journal of Natural Products</i> , <b>1998</b> , 61, 827-8	4.9	34
206	New Esters, 2-(4-Hydroxy-3-Methoxyphenyl)Ethyl Hexa- and Octacosanoates from the Leaves of <i>Cinnamomum Reticulatum</i> Hay. <i>Journal of the Chinese Chemical Society</i> , <b>1991</b> , 38, 65-69	1.5	34
205	Tormentic acid, a major component of suspension cells of <i>Eriobotrya japonica</i> , suppresses high-fat diet-induced diabetes and hyperlipidemia by glucose transporter 4 and AMP-activated protein kinase phosphorylation. <i>Journal of Agricultural and Food Chemistry</i> , <b>2014</b> , 62, 10717-26	5.7	31
204	Antidiabetic and Antihyperlipidemic Properties of a Triterpenoid Compound, Dehydroeburicoic Acid, from <i>Antrodia camphorata</i> in Vitro and in Streptozotocin-Induced Mice. <i>Journal of Agricultural and Food Chemistry</i> , <b>2015</b> , 63, 10140-51	5.7	30
203	Antioxidant principles from <i>Ephemerantha lonchophylla</i> . <i>Journal of Natural Products</i> , <b>1999</b> , 62, 1225-7	4.9	30
202	Five new compounds from the heartwood of <i>Juniperus formosana</i> Hayata.. <i>Chemical and Pharmaceutical Bulletin</i> , <b>1990</b> , 38, 3195-3201	1.9	30

201	Angiogenesis Inhibitors and Anti-Inflammatory Agents from <i>Phoma</i> sp. NTOU4195. <i>Journal of Natural Products</i> , <b>2016</b> , 79, 2983-2990	4.9	30
200	Cytotoxic C(35) terpenoid cryptotrine from the bark of <i>Cryptomeria japonica</i> . <i>Organic Letters</i> , <b>2010</b> , 12, 2786-9	6.2	29
199	Ugonin M, a <i>Helminthostachys zeylanica</i> Constituent, Prevents LPS-Induced Acute Lung Injury through TLR4-Mediated MAPK and NF- $\kappa$ B Signaling Pathways. <i>Molecules</i> , <b>2017</b> , 22,	4.8	28
198	Chemical Constituents of Heartwood of <i>Bauhinia purpurea</i> . <i>Journal of the Chinese Chemical Society</i> , <b>1997</b> , 44, 379-383	1.5	28
197	Two new puriniums and three new pyrimidines from <i>Heterostemma brownii</i> . <i>Journal of Natural Products</i> , <b>1997</b> , 60, 982-5	4.9	28
196	$\beta$ -Glucosidase and aldose reductase inhibitory activities from the fruiting body of <i>Phellinus merrillii</i> . <i>Journal of Agricultural and Food Chemistry</i> , <b>2011</b> , 59, 5702-6	5.7	27
195	Lobocrassins A-E: new cembrane-type diterpenoids from the soft coral <i>Lobophytum crassum</i> . <i>Marine Drugs</i> , <b>2011</b> , 9, 1319-31	6	26
194	Cucurbitane triterpenoids from <i>Momordica charantia</i> and their cytoprotective activity in tert-butyl hydroperoxide-induced hepatotoxicity of HepG2 cells. <i>Chemical and Pharmaceutical Bulletin</i> , <b>2010</b> , 58, 1639-42	1.9	26
193	Cytotoxic Components from the Leaves of <i>Schefflera Taiwaniana</i> . <i>Journal of the Chinese Chemical Society</i> , <b>2002</b> , 49, 427-431	1.5	26
192	Constituents of the Whole Herb of <i>Clinoponium laxiflorum</i> . <i>Journal of the Chinese Chemical Society</i> , <b>2000</b> , 47, 241-246	1.5	26
191	Five new diterpenoids from the wood of <i>Cunninghamia konishii</i> . <i>Journal of Natural Products</i> , <b>1998</b> , 61, 997-1000	4.9	26
190	Anti-neuroinflammatory effect of a novel caffeamide derivative, KS370G, in microglial cells. <i>Molecular Neurobiology</i> , <b>2013</b> , 48, 863-74	6.2	25
189	Chamaecypanone C, a novel skeleton microtubule inhibitor, with anticancer activity by trigger caspase 8-Fas/FasL dependent apoptotic pathway in human cancer cells. <i>Biochemical Pharmacology</i> , <b>2010</b> , 79, 1261-71	6	25
188	Two Acetophenone Glucosides, Cynanonesides A and B, from <i>Cynanchum taiwanianum</i> and Revision of the Structure for Cynandione A. <i>Journal of Natural Products</i> , <b>1997</b> , 60, 368-370	4.9	25
187	New cyclopropyl-triterpenoids from the aerial roots of <i>Ficus microcarpa</i> . <i>Chemical and Pharmaceutical Bulletin</i> , <b>2001</b> , 49, 581-3	1.9	25
186	Chemical Constituents of the Pericarp of <i>Platyclusus orientalis</i> . <i>Journal of the Chinese Chemical Society</i> , <b>1999</b> , 46, 819-824	1.5	25
185	Chemical constituents of <i>Antrodia camphorata</i> submerged whole broth. <i>Natural Product Research</i> , <b>2008</b> , 22, 1151-7	2.3	24
184	New diterpenes from the heartwood of <i>Chamaecyparis obtusa</i> var. <i>formosana</i> . <i>Journal of Natural Products</i> , <b>1998</b> , 61, 829-31	4.9	24

183	Induction of IL-25 secretion from tumour-associated fibroblasts suppresses mammary tumour metastasis. <i>Nature Communications</i> , <b>2016</b> , 7, 11311	17.4	23
182	Effect of wild bitter gourd treatment on inflammatory responses in BALB/c mice with sepsis. <i>BioMedicine (Taiwan)</i> , <b>2014</b> , 4, 17	1.1	23
181	Effects of antrosterol from <i>Antrodia camphorata</i> submerged whole broth on lipid homeostasis, antioxidation, alcohol clearance, and anti-inflammation in livers of chronic-alcohol fed mice. <i>Journal of Ethnopharmacology</i> , <b>2017</b> , 202, 200-207	5	22
180	Chemical constituents derived from <i>Artocarpus xanthocarpus</i> as inhibitors of melanin biosynthesis. <i>Phytochemistry</i> , <b>2015</b> , 117, 424-435	4	22
179	Podocarpane-type trinorditerpenes from the bark of <i>Taiwania cryptomerioides</i> . <i>Journal of Natural Products</i> , <b>2000</b> , 63, 650-2	4.9	22
178	Napalolides AD, Four New Sesquiterpene Lactones from <i>Carpesium nepalense</i> . <i>Journal of Natural Products</i> , <b>1996</b> , 59, 991-993	4.9	22
177	Dihydrophenanthrenes from <i>Spiranthes sinensis</i> . <i>Journal of Natural Products</i> , <b>2000</b> , 63, 1608-10	4.9	21
176	In Vitro and In Vivo Studies on Protective Action of N-Phenethyl Caffeamide against Photodamage of Skin. <i>PLoS ONE</i> , <b>2015</b> , 10, e0136777	3.7	21
175	Antiinflammatory and Antiphotodamaging Effects of Ergostatrien-3Ebl, Isolated from <i>Antrodia camphorata</i> , on Hairless Mouse Skin. <i>Molecules</i> , <b>2016</b> , 21,	4.8	21
174	Antcin K, an active triterpenoid from the fruiting bodies of basswood cultivated <i>Antrodia cinnamomea</i> , induces mitochondria and endoplasmic reticulum stress-mediated apoptosis in human hepatoma cells. <i>Journal of Traditional and Complementary Medicine</i> , <b>2016</b> , 6, 48-56	4.6	20
173	Peroxyauraptanol Inhibits Inflammation and NLRP3 Inflammasome Activation by Inhibiting Reactive Oxygen Species Generation and Preserving Mitochondrial Integrity. <i>Journal of Agricultural and Food Chemistry</i> , <b>2015</b> , 63, 1210-1219	5.7	20
172	The effect of the aerial part of <i>Lindera akoensis</i> on lipopolysaccharides (LPS)-induced nitric oxide production in RAW264.7 cells. <i>International Journal of Molecular Sciences</i> , <b>2013</b> , 14, 9168-81	6.3	20
171	Cadinane-type sesquiterpenes from the roots of <i>Taiwania cryptomerioides</i> Hayata. <i>Chemical and Pharmaceutical Bulletin</i> , <b>2003</b> , 51, 986-9	1.9	20
170	Dehydroabietane diterpenes from <i>Juniperus formosana</i> hay. var. <i>concolor</i> hay. <i>Phytochemistry</i> , <b>1996</b> , 42, 779-781	4	20
169	A new butanolide compound from the aerial part of <i>Lindera akoensis</i> with anti-inflammatory activity. <i>Molecules</i> , <b>2012</b> , 17, 6585-92	4.8	19
168	Labdane-type diterpenoids from the wood of <i>Cunninghamia konishii</i> . <i>Chemical and Pharmaceutical Bulletin</i> , <b>2002</b> , 50, 498-500	1.9	19
167	N-Phenethyl caffeamide and photodamage: protecting skin by inhibiting type I procollagen degradation and stimulating collagen synthesis. <i>Food and Chemical Toxicology</i> , <b>2014</b> , 72, 154-61	4.7	18
166	KS370G, a caffeamide derivative, attenuates unilateral ureteral obstruction-induced renal fibrosis by the reduction of inflammation and oxidative stress in mice. <i>European Journal of Pharmacology</i> , <b>2015</b> , 750, 1-7	5.3	18

165	Homocyclotirucallane and two dihydrophenanthrenes from <i>Spiranthes sinensis</i> . <i>Chemical and Pharmaceutical Bulletin</i> , <b>2001</b> , 49, 1098-101	1.9	18
164	Flavones Isolated from <i>Scutellariae radix</i> Suppress <i>Propionibacterium Acnes</i> -Induced Cytokine Production In Vitro and In Vivo. <i>Molecules</i> , <b>2015</b> , 21, E15	4.8	18
163	Wild Bitter Melon Leaf Extract Inhibits <i>Porphyromonas gingivalis</i> -Induced Inflammation: Identification of Active Compounds through Bioassay-Guided Isolation. <i>Molecules</i> , <b>2016</b> , 21, 454	4.8	18
162	Hirsutane-Type Sesquiterpenes with Inhibitory Activity of Microglial Nitric Oxide Production from the Red Alga-Derived Fungus <i>Chondrostereum</i> sp. NTOU4196. <i>Journal of Natural Products</i> , <b>2017</b> , 80, 1615-1622	4.9	17
161	Oxidized frying oil and its polar fraction fed to pregnant mice are teratogenic and alter mRNA expressions of vitamin A metabolism genes in the liver of dams and their fetuses. <i>Journal of Nutritional Biochemistry</i> , <b>2014</b> , 25, 549-56	6.3	17
160	Protective Effect of Caffeic Acid Derivatives on tert-Butyl Hydroperoxide-Induced Oxidative Hepato-Toxicity and Mitochondrial Dysfunction in HepG2 Cells. <i>Molecules</i> , <b>2017</b> , 22,	4.8	17
159	Effects of Bofu-Tsusho-San on diabetes and hyperlipidemia associated with AMP-activated protein kinase and glucose transporter 4 in high-fat-fed mice. <i>International Journal of Molecular Sciences</i> , <b>2014</b> , 15, 20022-44	6.3	17
158	Diterpenoids with anti-inflammatory activity from the wood of <i>Cunninghamia konishii</i> . <i>Molecules</i> , <b>2013</b> , 18, 682-9	4.8	17
157	Antihyperglycemic effect of a caffeamide derivative, KS370G, in normal and diabetic mice. <i>Journal of Agricultural and Food Chemistry</i> , <b>2010</b> , 58, 10033-8	5.7	17
156	Antcin K, a Triterpenoid Compound from <i>Anrodia camphorata</i> , Displays Antidiabetic and Antihyperlipidemic Effects via Glucose Transporter 4 and AMP-Activated Protein Kinase Phosphorylation in Muscles. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2016</b> , 2016, 4867092	2.3	17
155	Caffeic acid phenethyl amide improves glucose homeostasis and attenuates the progression of vascular dysfunction in Streptozotocin-induced diabetic rats. <i>Cardiovascular Diabetology</i> , <b>2013</b> , 12, 99	8.7	16
154	New Anti-Inflammatory Aromatic Components from <i>Anrodia camphorata</i> . <i>International Journal of Molecular Sciences</i> , <b>2013</b> , 14, 4629-39	6.3	16
153	Anti-inflammatory components from the root of <i>Solanum erianthum</i> . <i>International Journal of Molecular Sciences</i> , <b>2013</b> , 14, 12581-92	6.3	16
152	Protective Effects of Red Guava on Inflammation and Oxidative Stress in Streptozotocin-Induced Diabetic Mice. <i>Molecules</i> , <b>2015</b> , 20, 22341-50	4.8	15
151	Norcembranoidal diterpenes from a Formosan soft coral <i>Sinularia</i> sp. <i>Molecules</i> , <b>2012</b> , 17, 14058-66	4.8	15
150	Cladieunicellins K and L, new eunicellin-based diterpenoids from an octocoral <i>Cladiella</i> sp. <i>International Journal of Molecular Sciences</i> , <b>2013</b> , 14, 21781-9	6.3	15
149	Studies on the Constituents from the Bark of <i>Bauhinia Purpurea</i> . <i>Journal of the Chinese Chemical Society</i> , <b>2002</b> , 49, 269-274	1.5	15
148	New lignans from the heartwood of <i>Chamaecyparis obtusa</i> var. <i>formosana</i> . <i>Chemical and Pharmaceutical Bulletin</i> , <b>2002</b> , 50, 978-80	1.9	15

147	Five New Sesquiterpenes from the Heartwood of <i>Juniperus Squamata</i> Lamb. <i>Journal of the Chinese Chemical Society</i> , <b>1987</b> , 34, 125-134	1.5	15
146	New Diphenol and Isocoumarins from the Aerial Part of <i>Lawsonia inermis</i> and Their Inhibitory Activities against NO Production. <i>Molecules</i> , <b>2016</b> , 21,	4.8	15
145	New Sesquiterpenoids and Anti-Platelet Aggregation Constituents from the Rhizomes of <i>Curcuma zedoaria</i> . <i>Molecules</i> , <b>2016</b> , 21,	4.8	15
144	36H: A Novel Potent Inhibitor for Antimelanogenesis. <i>Oxidative Medicine and Cellular Longevity</i> , <b>2018</b> , 2018, 6354972	6.7	15
143	Flexibilins A-C, new cembrane-type diterpenoids from the Formosan soft coral, <i>Sinularia flexibilis</i> . <i>Marine Drugs</i> , <b>2013</b> , 11, 1999-2012	6	14
142	Eburicoic Acid, a Triterpenoid Compound from <i>Anrodia camphorata</i> , Displays Antidiabetic and Antihyperlipidemic Effects in Palmitate-Treated C2C12 Myotubes and in High-Fat Diet-Fed Mice. <i>International Journal of Molecular Sciences</i> , <b>2017</b> , 18,	6.3	14
141	Secondary Metabolites from the Stem Bark of <i>Litsea akoensis</i> and Their Cytotoxic Activity. <i>Helvetica Chimica Acta</i> , <b>2008</b> , 91, 1156-1165	2	14
140	Quinone-type podocarpanes from the bark of <i>Taiwania cryptomerioides</i> . <i>Chemical and Pharmaceutical Bulletin</i> , <b>2001</b> , 49, 1033-5	1.9	14
139	Dehydroeburicoic Acid from <i>Anrodia camphorata</i> Prevents the Diabetic and Dyslipidemic State via Modulation of Glucose Transporter 4, Peroxisome Proliferator-Activated Receptor $\alpha$ Expression and AMP-Activated Protein Kinase Phosphorylation in High-Fat-Fed Mice. <i>International Journal of Molecular Sciences</i> , <b>2016</b> , 17,	6.3	14
138	Comparison of solid-state-cultured and wood-cultured <i>Anrodia camphorata</i> in anti-inflammatory effects using NF- $\kappa$ B/luciferase inducible transgenic mice. <i>Phytomedicine</i> , <b>2014</b> , 21, 1708-16	6.5	13
137	New Cadinane-Type Sesquiterpenes from the Roots of <i>Taiwania cryptomerioides</i> Hayata. <i>Helvetica Chimica Acta</i> , <b>2007</b> , 90, 1514-1521	2	13
136	Four new podocarpane-type trinorditerpenes from the bark of <i>Taiwania cryptomerioides</i> . <i>Chemical and Pharmaceutical Bulletin</i> , <b>2002</b> , 50, 544-6	1.9	13
135	Taiwanin H, A New Lignan from the Barks of <i>Taiwania Cryptomerioides</i> Hayata. <i>Journal of the Chinese Chemical Society</i> , <b>1985</b> , 32, 381-383	1.5	13
134	6 $\beta$ -Acetoxy-7 $\beta$ -Hydroxyroyleanone, A New Compound from <i>Taiwania Cryptomerioides</i> Hayata. <i>Journal of the Chinese Chemical Society</i> , <b>1979</b> , 26, 71-73	1.5	13
133	Two New Sesquiterpenes 3 $\beta$ -Hydroxycedrol and Widdringtonia Acid II-A Co-Crystal of $\beta$ -Chamigrenic Acid and Hinokiic Acid. <i>Journal of the Chinese Chemical Society</i> , <b>1980</b> , 27, 15-18	1.5	13
132	Hypoglycemic Constituents Isolated from <i>Trapa natans</i> L. Pericarps. <i>Journal of Agricultural and Food Chemistry</i> , <b>2016</b> , 64, 3794-803	5.7	13
131	Physalin A attenuates inflammation through down-regulating c-Jun NH2 kinase phosphorylation/Activator Protein 1 activation and up-regulating the antioxidant activity. <i>Toxicology and Applied Pharmacology</i> , <b>2020</b> , 402, 115115	4.6	12
130	pH-Sensitive Hollow Alginate-Chitosan Hydrogel Beads for Bitter Gourd Delivery. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , <b>2014</b> , 63, 41-47	3	12

129	Echinoclerodane A: a new bioactive clerodane-type diterpenoid from a gorgonian coral <i>Echinomuricea</i> sp. <i>Molecules</i> , <b>2012</b> , 17, 9443-50	4.8	12
128	Anti-inflammatory activity of N-(3-florophenyl)ethylcaffeamide in mice. <i>International Journal of Molecular Sciences</i> , <b>2013</b> , 14, 15199-211	6.3	12
127	N-(4-bromophenethyl) Caffeamide Inhibits Melanogenesis by Regulating AKT/Glycogen Synthase Kinase 3 Beta/Microphthalmia-associated Transcription Factor and Tyrosinase-related Protein 1/Tyrosinase. <i>Current Pharmaceutical Biotechnology</i> , <b>2015</b> , 16, 1111-9	2.6	12
126	Naphthofuranone derivatives and other constituents from <i>Pachira aquatica</i> with inhibitory activity on superoxide anion generation by neutrophils. <i>Fitoterapia</i> , <b>2017</b> , 117, 16-21	3.2	11
125	Ergostatrien-7,9(11),22-trien-3β-ol from <i>Antrodia camphorata</i> ameliorates ischemic stroke brain injury via downregulation of p65NF-κB and caspase 3, and activation of Akt/GSK3/catenin-associated neurogenesis. <i>Food and Function</i> , <b>2019</b> , 10, 4725-4738	6.1	11
124	Two anti-inflammatory steroidal saponins from <i>Dracaena angustifolia</i> Roxb. <i>Molecules</i> , <b>2013</b> , 18, 8752-63	3.8	11
123	Four New Lariciresinol-Based Lignan Glycosides from the Roots of <i>Rhus javanica</i> var. <i>roxburghiana</i> . <i>Helvetica Chimica Acta</i> , <b>2007</b> , 90, 1099-1106	2	11
122	Antioxidative 7-oxodehydropodocarpane-type trinorditerpenes from the bark of <i>Taiwania cryptomerioides</i> . <i>Planta Medica</i> , <b>2002</b> , 68, 1020-3	3.1	11
121	Constituents of <i>Clinopodium Umbrosum</i> . <i>Journal of the Chinese Chemical Society</i> , <b>1993</b> , 40, 87-91	1.5	11
120	Alpinumisoflavone attenuates lipopolysaccharide-induced acute lung injury by regulating the effects of anti-oxidation and anti-inflammation both and .. <i>RSC Advances</i> , <b>2018</b> , 8, 31515-31528	3.7	11
119	Two new sesquiterpenoids from the bark of <i>Cryptomeria japonica</i> . <i>Phytochemistry Letters</i> , <b>2017</b> , 22, 56-60	1.9	10
118	N-(4-methoxyphenyl) caffeamide-induced melanogenesis inhibition mechanisms. <i>BMC Complementary and Alternative Medicine</i> , <b>2017</b> , 17, 71	4.7	10
117	Latex of <i>Euphorbia antiquorum</i> -induced S-phase arrest via active ATM kinase and MAPK pathways in human cervical cancer HeLa cells. <i>Environmental Toxicology</i> , <b>2015</b> , 30, 1205-15	4.2	10
116	Naphthoquinone derivative PPE8 induces endoplasmic reticulum stress in p53 null H1299 cells. <i>Oxidative Medicine and Cellular Longevity</i> , <b>2015</b> , 2015, 453679	6.7	10
115	Unexpected Novel Pheophytin Peroxides from the Leaves of <i>Biden pilosa</i> . <i>Helvetica Chimica Acta</i> , <b>2008</b> , 91, 79-84	2	10
114	Two Novel Triterpenes from the Leaves of <i>Ficus microcarpa</i> . <i>Helvetica Chimica Acta</i> , <b>2004</b> , 87, 1071-1076	2	10
113	New abietane-type diterpenes from the heartwood of <i>Picea morrisonicola</i> . <i>Chemical and Pharmaceutical Bulletin</i> , <b>2004</b> , 52, 861-3	1.9	10
112	Phytochemicals from <i>Tradescantia albiflora</i> Kunth Extracts Reduce Serum Uric Acid Levels in Oxonate-induced Rats. <i>Pharmacognosy Magazine</i> , <b>2016</b> , 12, S223-7	0.8	10



111	Three New Abietane-type Diterpenes from the Bark of <i>Cryptomeria japonica</i> . <i>Helvetica Chimica Acta</i> , <b>2016</b> , 99, 710-715	2	10
110	Antcins, triterpenoids from <i>Antrodia cinnamomea</i> , as new agonists for peroxisome proliferator-activated receptor $\alpha$ . <i>Journal of Food and Drug Analysis</i> , <b>2019</b> , 27, 295-304	7	9
109	Polyprenylated polycyclic acylphloroglucinol: Angiogenesis inhibitor from <i>Garcinia multiflora</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2018</b> , 28, 1860-1863	2.9	9
108	Three new abietane-type diterpenes from the bark of <i>Cryptomeria japonica</i> . <i>Phytochemistry Letters</i> , <b>2017</b> , 19, 46-49	1.9	9
107	6-Oxoferruginol and 6-Acetoxyferruginol, New Abietane-Type Diterpenes from the Heartwood of <i>Juniperus formosana</i> . <i>Journal of Natural Products</i> , <b>1997</b> , 60, 648-650	4.9	9
106	Roripanoside, a New Kaempferol Rhamnoside from <i>Rorippa Indica</i> (L.) Hiern. <i>Journal of the Chinese Chemical Society</i> , <b>1995</b> , 42, 973-976	1.5	9
105	The Structure of Taiwanin F from <i>Taiwania Cryptomerioides</i> Hayata. <i>Journal of the Chinese Chemical Society</i> , <b>1985</b> , 32, 81-84	1.5	9
104	Antidiabetic and antihyperlipidemic effects of the flower extract of <i>Eriobotrya japonica</i> in streptozotocin-induced diabetic mice and the potential bioactive constituents in vitro. <i>Journal of Functional Foods</i> , <b>2018</b> , 49, 122-136	5.1	8
103	New and Cytotoxic Components from <i>Antrodia camphorata</i> . <i>Molecules</i> , <b>2014</b> , 19, 21378-85	4.8	8
102	Caffeamide 36-13 Regulates the Antidiabetic and Hypolipidemic Signs of High-Fat-Fed Mice on Glucose Transporter 4, AMPK Phosphorylation, and Regulated Hepatic Glucose Production. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2014</b> , 2014, 821569	2.3	8
101	One lignanoid compound and four triterpenoid compounds with anti-inflammatory activity from the leaves of <i>Elaeagnus oldhamii</i> maxim. <i>Molecules</i> , <b>2013</b> , 18, 13218-27	4.8	8
100	Protective Effect of Extract against Irradiation-Induced Acute Hepatitis. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	8
99	Hepatoprotective Effect of Ugonin M, A Constituent, on Acetaminophen-Induced Acute Liver Injury in Mice. <i>Molecules</i> , <b>2018</b> , 23,	4.8	8
98	Inotilone from <i>Inonotus linteus</i> suppresses lung cancer metastasis in vitro and in vivo through ROS-mediated PI3K/AKT/MAPK signaling pathways. <i>Scientific Reports</i> , <b>2019</b> , 9, 2344	4.9	7
97	Analogous corticosteroids, 9A and EK100, derived from solid-state-cultured mycelium of <i>Antrodia camphorata</i> inhibit proinflammatory cytokine expression in macrophages. <i>Cytokine</i> , <b>2018</b> , 108, 136-144	4	7
96	Antidiabetic and hypolipidemic activities of eburicoic acid, a triterpenoid compound from , by regulation of Akt phosphorylation, gluconeogenesis, and PPAR $\alpha$ in streptozotocin-induced diabetic mice.. <i>RSC Advances</i> , <b>2018</b> , 8, 20462-20476	3.7	7
95	8-Alkylcoumarins from the fruits of <i>Cnidium monnieri</i> protect against hydrogen peroxide induced oxidative stress damage. <i>International Journal of Molecular Sciences</i> , <b>2014</b> , 15, 4608-18	6.3	7
94	Four New Lignans with a Bicyclo[3.3.1]nonadienemethanol Skeleton from <i>Cunninghamia lanceolata</i> . <i>Helvetica Chimica Acta</i> , <b>2009</b> , 92, 1983-1989	2	7

93	Two Novel 15(10- <del>11</del> )Abeomurolane Sesquiterpenes from <i>Cosmos sulphureus</i> . <i>Helvetica Chimica Acta</i> , <b>2010</b> , 93, 753-756	2	7
92	Pregnane Glycosides from <i>Gymnema alternifolium</i> . <i>Journal of the Chinese Chemical Society</i> , <b>1999</b> , 46, 841-846	1.5	7
91	Four New Iridoid Metabolites Have Been Isolated from the Stems of (Havil.) Merr. with Anti-Inflammatory Activities on LPS-Induced RAW264.7 Cells. <i>Molecules</i> , <b>2019</b> , 24,	4.8	7
90	Protective Effects and Mechanisms of -Phenethyl Caffeamide from UVA-Induced Skin Damage in Human Epidermal Keratinocytes through Nrf2/HO-1 Regulation. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	7
89	2,3,5-Trimethoxy-4-cresol, an anti-metastatic constituent from the solid-state cultured mycelium of <i>Antrodia cinnamomea</i> and its mechanism. <i>Journal of Natural Medicines</i> , <b>2015</b> , 69, 513-21	3.3	6
88	Inhibition of voltage-gated Na <sup>+</sup> channels by hinokiol in neuronal cells. <i>Pharmacological Reports</i> , <b>2015</b> , 67, 1049-54	3.9	6
87	K20E, an oxidative-coupling compound of methyl caffeate, exhibits anti-angiogenic activities through down-regulations of VEGF and VEGF receptor-2. <i>Toxicology and Applied Pharmacology</i> , <b>2015</b> , 282, 215-26	4.6	6
86	IL-17A inhibitions of indole alkaloids from traditional Chinese medicine Qing Dai. <i>Journal of Ethnopharmacology</i> , <b>2020</b> , 255, 112772	5	6
85	N-(4-bromophenethyl) Caffeamide Protects Skin from UVB-Induced Inflammation Through MAPK/IL-6/NF- $\kappa$ B-Dependent Signaling in Human Skin Fibroblasts and Hairless Mouse Skin. <i>Molecules</i> , <b>2017</b> , 22,	4.8	6
84	Isoprenyl phenolic ethers from the termite nest-derived medicinal fungus <i>Xylaria fimbriata</i> . <i>Journal of Food and Drug Analysis</i> , <b>2019</b> , 27, 111-117	7	6
83	Identification and Structural Elucidation of Anti-Inflammatory Compounds from Chinese Olive (L.) Fruit Extracts. <i>Foods</i> , <b>2019</b> , 8,	4.9	6
82	Two New Acidic Diterpenoids from the Heartwood of <i>Pinus massoniana</i> Lamb.. <i>Helvetica Chimica Acta</i> , <b>2014</b> , 97, 1146-1151	2	6
81	Cytotoxic and apoptotic effects of caffeate derivatives on A549 human lung carcinoma cells. <i>Journal of the Chinese Medical Association</i> , <b>2014</b> , 77, 535-43	2.8	6
80	Novel diterpenes from the heartwood of <i>Chamaecyparis obtusa</i> var. <i>formosana</i> . <i>Chemical and Pharmaceutical Bulletin</i> , <b>2004</b> , 52, 764-6	1.9	6
79	New Naphthoquinones from the Stem of <i>Diospyros maritime</i> Blume. <i>Journal of the Chinese Chemical Society</i> , <b>1996</b> , 43, 511-514	1.5	6
78	A Useful Method for Oxidative Deoxygenation with Photooxygenation. <i>Journal of the Chinese Chemical Society</i> , <b>1991</b> , 38, 203-206	1.5	6
77	Chemistry of Leave Extractives from Cineole Tree. <i>Journal of the Chinese Chemical Society</i> , <b>1984</b> , 31, 159-163	6	6
76	Dye-Sensitized Photooxidation of Isoeugenol. <i>Journal of the Chinese Chemical Society</i> , <b>1985</b> , 32, 169-172	1.5	6

75	Antidiabetic and Antihyperlipidemic Effects of Sulphurenic Acid, a Triterpenoid Compound from , in Streptozotocin-Induced Diabetic Mice. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	5
74	Inhibitory effects of imperatorin on voltage-gated K(+) channels and ATP-sensitive K(+) channels. <i>Pharmacological Reports</i> , <b>2015</b> , 67, 134-9	3.9	5
73	Highly Oxygenated Constituents from a Marine Alga-Derived Fungus NTU967. <i>Marine Drugs</i> , <b>2020</b> , 18,	6	5
72	Flavonoids and bis-coumarin from the tubers of <i>Apios taiwanianus</i> . <i>Phytochemistry Letters</i> , <b>2016</b> , 15, 164-167	1.9	5
71	New 7-oxoabietane-type diterpenoids from the bark of <i>Cryptomeria japonica</i> and their xanthine oxidase inhibitory activity. <i>Phytochemistry Letters</i> , <b>2018</b> , 27, 69-73	1.9	5
70	Studies on the Extractive Constituents of the Nutmeg of <i>Myristica Fragrans</i> Houtt. <i>Journal of the Chinese Chemical Society</i> , <b>1983</b> , 30, 63-67	1.5	5
69	Two New Diterpens Phenols-7EMethoxydeoxocryptojaponol and 7EHydroxydeoxocryptojaponol. <i>Journal of the Chinese Chemical Society</i> , <b>1980</b> , 27, 19-22	1.5	5
68	New Lignan Detetrahydroconidendrin from <i>Juniperus Formosana</i> Hayata. <i>Journal of the Chinese Chemical Society</i> , <b>1982</b> , 29, 213-215	1.5	5
67	Three New Iridoid Derivatives Have Been Isolated from the Stems of (Havil.) Merr. with Cytotoxic Activity on Hepatocellular Carcinoma Cells. <i>Molecules</i> , <b>2018</b> , 23,	4.8	5
66	Bioactive Dimeric Abietanoid Peroxides from the Bark of <i>Cryptomeria japonica</i> . <i>Molecules</i> , <b>2019</b> , 24,	4.8	4
65	trans-3-Methoxy-5-hydroxystilbene (MHS) from the rhizome of <i>Alpinia nantonensis</i> inhibits metastasis in human lung cancer cells. <i>Phytomedicine</i> , <b>2018</b> , 50, 223-230	6.5	4
64	Two new labdane-type diterpenes from the wood of <i>Cunninghamia konishii</i> . <i>Phytochemistry Letters</i> , <b>2014</b> , 7, 107-110	1.9	4
63	New flavone and eudesmane derivatives from <i>Lawsonia inermis</i> and their inhibitory activity against NO production. <i>Phytochemistry Letters</i> , <b>2017</b> , 21, 123-127	1.9	4
62	New Benzenoid Derivatives and Other Constituents from <i>Lawsonia inermis</i> with Inhibitory Activity against NO Production. <i>Molecules</i> , <b>2017</b> , 22,	4.8	4
61	Cucurbitane-Type Triterpenoids from the Fruit Pulp of <i>Momordica Charantia</i> . <i>Natural Product Communications</i> , <b>2012</b> , 7, 1934578X1200701	0.9	4
60	Chemical Composition and Bioactivities of the Marine Alga <i>Isochrysis galbana</i> from Taiwan. <i>Natural Product Communications</i> , <b>2010</b> , 5, 1934578X1000501	0.9	4
59	New Phenol Glycosides from the Roots of <i>Rhus Javanica</i> var. <i>Roxburghiana</i> . <i>Journal of the Chinese Chemical Society</i> , <b>2008</b> , 55, 223-227	1.5	4
58	Mass spectra of 1,3-dithiaspiranes and 2-aryl-1,3-dithianes. <i>Journal of Mass Spectrometry</i> , <b>1995</b> , 30, 461-465		4

57	The Structure of Suginal from the Wood of <i>Juniperus Formosana</i> Hayata. <i>Journal of the Chinese Chemical Society</i> , <b>1984</b> , 31, 417-419	1.5	4
56	A New Lignan, Cagayanin, from Nutmeg of <i>Myristica Cagayanensis</i> Merr. <i>Journal of the Chinese Chemical Society</i> , <b>1985</b> , 32, 177-178	1.5	4
55	Anti-Inflammatory and Antibacterial Activity Constituents from the Stem of. <i>Molecules</i> , <b>2020</b> , 25,	4.8	4
54	Taiwanin E Induces Cell Cycle Arrest and Apoptosis in Arecoline/4-NQO-Induced Oral Cancer Cells Through Modulation of the ERK Signaling Pathway. <i>Frontiers in Oncology</i> , <b>2019</b> , 9, 1309	5.3	4
53	The Effects of Ergosta-7,9(11),22-trien-3Ebl from on the Biochemical Profile and Exercise Performance of Mice. <i>Molecules</i> , <b>2019</b> , 24,	4.8	3
52	Anti-inflammatory flavonol acylglycosides from the aerial part of <i>Lindera akoensis</i> Hayata. <i>RSC Advances</i> , <b>2017</b> , 7, 50868-50874	3.7	3
51	Diterpenoids from the Wood of <i>Cunninghamia konishii</i> . <i>Helvetica Chimica Acta</i> , <b>2013</b> , 96, 2282-2287	2	3
50	Sterols from the Stems of <i>Momordica charantia</i> . <i>Journal of the Chinese Chemical Society</i> , <b>2011</b> , 58, 893-898		3
49	New Lignans from the Roots of <i>Taiwania cryptomerioides</i> Hayata. <i>Helvetica Chimica Acta</i> , <b>2007</b> , 90, 738-747		3
48	Mass spectra of 2- and/or 6-alkyl-3-hydroxypyridines. <i>Organic Mass Spectrometry</i> , <b>1991</b> , 26, 583-586		3
47	A New Lignan, Formosanol, from <i>Juniperus Formosana</i> . <i>Journal of the Chinese Chemical Society</i> , <b>1985</b> , 32, 377-379	1.5	3
46	Ergostatrien-3Ebl (EK100) from Attenuates Oxidative Stress, Inflammation, and Liver Injury and. <i>Preventive Nutrition and Food Science</i> , <b>2021</b> , 26, 58-66	2.4	3
45	Hill Extracts Exhibits Antioxidant Effects and Attenuates Melanogenesis in B16-F10 Cells via Downregulating CREB/MITF/Tyrosinase and Upregulating p-ERK and p-JNK. <i>Plants</i> , <b>2021</b> , 10,	4.5	3
44	Polyketides with Anti-neuroinflammatory Activity from. <i>Journal of Natural Products</i> , <b>2021</b> , 84, 1898-1903	4.9	3
43	Bioactivity-Guided Fractionation and NMR-Based Identification of the Immunomodulatory Isoflavone from the Roots of ( <i>L.</i> ) Desv. ex DC. <i>Foods</i> , <b>2019</b> , 8,	4.9	3
42	The Anti-Melanogenesis Effect of 3,4-Dihydroxybenzalacetone through Downregulation of Melanosome Maturation and Transportation in B16F10 and Human Epidermal Melanocytes. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	3
41	EK100 and Antrodin C Improve Brain Amyloid Pathology in APP/PS1 Transgenic Mice by Promoting Microglial and Perivascular Clearance Pathways. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	3
40	Two new dimeric abietane-type diterpenoids from the bark of <i>Cryptomeria japonica</i> and their enzyme inhibitory activity. <i>Phytochemistry Letters</i> , <b>2019</b> , 33, 84-89	1.9	2

39	Protective Evaluation of Compounds Extracted from Root of <i>L.</i> against Methylglyoxal-Induced Toxicity in a Neuronal Cell Line. <i>Molecules</i> , <b>2020</b> , 25,	4.8	2
38	Protection against Ultraviolet A-Induced Skin Apoptosis and Carcinogenesis through the Oxidative Stress Reduction Effects of -(4-bromophenethyl) Caffeamide, A Propolis Derivative. <i>Antioxidants</i> , <b>2020</b> , 9,	7.1	2
37	Two New Abietane-type Diterpenes from the Bark of <i>Cryptomeria japonica</i> . <i>Natural Product Communications</i> , <b>2017</b> , 12, 1934578X1701201	0.9	2
36	A New Phenolic and a New Lignan from the Roots of <i>Juniperus chinensis</i> . <i>Natural Product Communications</i> , <b>2010</b> , 5, 1934578X1000500	0.9	2
35	Two Novel 14-Nor-13,14-secopodocarpanes from the Bark of <i>Taiwania cryptomerioides</i> . <i>Helvetica Chimica Acta</i> , <b>2004</b> , 87, 554-559	2	2
34	Sensitized Photooxygenation of 2,5-Di-Tert-Butylfuran. <i>Journal of the Chinese Chemical Society</i> , <b>1987</b> , 34, 57-62	1.5	2
33	Autooxidation of 8S-Hydroxycedran-13-Al. <i>Journal of the Chinese Chemical Society</i> , <b>1980</b> , 27, 177-180	1.5	2
32	<i>Dendrobium nobile</i> protects retinal cells from UV-induced oxidative stress damage via Nrf2/HO-1 and MAPK pathways. <i>Journal of Ethnopharmacology</i> , <b>2021</b> , 288, 114886	5	2
31	Two new dimeric abietanoid peroxides with xanthine oxidase and ACE inhibitory activities from the bark of <i>Cryptomeria japonica</i> . <i>Phytochemistry Letters</i> , <b>2020</b> , 40, 15-20	1.9	2
30	Chemical Constituent of $\beta$ -Glucuronidase Inhibitors from the Root of. <i>Molecules</i> , <b>2020</b> , 25,	4.8	2
29	Sinensol-C Isolated from Inhibits Adipogenesis in 3T3-L1 Cells through the Regulation of Adipogenic Transcription Factors and AMPK Activation. <i>Molecules</i> , <b>2020</b> , 25,	4.8	2
28	Chemical Constituents from a Mangrove-Derived Actinobacteria <i>Isophtericola chiayiensis</i> BCRC 16888 and Evaluation of Their Anti-NO Activity. <i>Chemistry and Biodiversity</i> , <b>2021</b> , 18, e2100211	2.5	2
27	Osteoporosis Recovery by <i>Antrodia camphorata</i> Alcohol Extracts through Bone Regeneration in SAMP8 Mice. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2016</b> , 2016, 2617868	2.3	2
26	Cyclopentadienyl Ruthenium(II) Complex-Mediated Oxidation of Benzylic and Allylic Alcohols to Corresponding Aldehydes. <i>Heteroatom Chemistry</i> , <b>2019</b> , 2019, 1-8	1.2	1
25	Phytochemical Investigation of and Anti-Inflammatory Butenolide Derivatives. <i>Molecules</i> , <b>2019</b> , 24,	4.8	1
24	New Anti-inflammatory Flavonol Glycosides from <i>Lindera akoensis</i> Hayata. <i>Molecules</i> , <b>2019</b> , 24,	4.8	1
23	Cucurbitane-Type Triterpenoids from <i>Momordica charantia</i> . <i>Natural Product Communications</i> , <b>2017</b> , 12, 1934578X1701200	0.9	1
22	New Terpenoids from <i>Chamaecyparis formosensis</i> (Cupressaceae) Leaves with Modulatory Activity on Matrix Metalloproteases 2 and 9. <i>Molecules</i> , <b>2018</b> , 23,	4.8	1

21	Two New Labdane-Type Diterpene Acids from the Wood of <i>Cunninghamia konishii</i> . <i>Helvetica Chimica Acta</i> , <b>2015</b> , 98, 123-127	2	1
20	Two New Labdane-type Diterpenes from the Wood of <i>Cunninghamia konishii</i> . <i>Natural Product Communications</i> , <b>2014</b> , 9, 1934578X1400900	0.9	1
19	Aconitamide, a Novel Alkaloid from the Roots of <i>Aconitum carmichaeli</i> . <i>Natural Product Communications</i> , <b>2013</b> , 8, 1934578X1300800	0.9	1
18	Mass Spectra of Substituted N-Alkylpyrroles and Related Compounds. <i>Journal of the Chinese Chemical Society</i> , <b>1994</b> , 41, 27-31	1.5	1
17	New flavonoids, emarginin A-C from <i>Vaccinium emarginatum</i> Hayata. <i>Floterapia</i> <b>2020</b> , 141, 104446	3.2	1
16	Anti-Influenza Virus Activity and Chemical Components from the Parasitic Plant <i>Choisy on Lour.</i> <i>Molecules</i> , <b>2020</b> , 25,	4.8	1
15	Ergosta-7, 9 (11), 22-trien-3 $\beta$ l Interferes with LPS Docking to LBP, CD14, and TLR4/MD-2 Co-Receptors to Attenuate the NF- $\kappa$ B Inflammatory Pathway and. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	1
14	Ergosta-7,9(11),22-trien-3 $\beta$ l Attenuates Inflammatory Responses via Inhibiting MAPK/AP-1 Induced IL-6/JAK/STAT Pathways and Activating Nrf2/HO-1 Signaling in LPS-Stimulated Macrophage-like Cells. <i>Antioxidants</i> , <b>2021</b> , 10,	7.1	1
13	A New Seco-Abietanoid from the Bark of <i>Cryptomeria japonica</i> . <i>Chemistry of Natural Compounds</i> , <b>2021</b> , 57, 331-334	0.7	0
12	Caffeic amide derivatives inhibit allergen-induced bone marrow-derived dendritic cell maturation. <i>Pharmacological Reports</i> , <b>2019</b> , 71, 194-200	3.9	0
11	A novel caffeic acid derivative prevents renal remodeling after ischemia/reperfusion injury. <i>Biomedicine and Pharmacotherapy</i> , <b>2021</b> , 142, 112028	7.5	0
10	Three new isopimaric acid diterpenoids from the bark of <i>Cryptomeria japonica</i> and their xanthine oxidase inhibitory activity. <i>Phytochemistry Letters</i> , <b>2021</b> , 46, 61-65	1.9	0
9	New Abietane-type Diterpenoids from the Bark of <i>Cryptomeria japonica</i> . <i>Natural Product Communications</i> , <b>2019</b> , 14, 1934578X1901400	0.9	
8	New Norcucurbitane Triterpenoids from <i>Momordica charantia</i> var. <i>abbreviata</i> . <i>Natural Product Communications</i> , <b>2017</b> , 12, 1934578X1701200	0.9	
7	Norcucurbitane Triterpenoids from the Fruits of <i>Momordica charantia</i> var. <i>abbreviata</i> . <i>Natural Product Communications</i> , <b>2013</b> , 8, 1934578X1300800	0.9	
6	Two New Lignans from the Wood of <i>Cunninghamia konishii</i> . <i>Natural Product Communications</i> , <b>2013</b> , 8, 1934578X1300800	0.9	
5	Mass Spectra of Furfuryl Aldoximes and Ketoximes. <i>Journal of the Chinese Chemical Society</i> , <b>1991</b> , 38, 365-369	1.5	
4	Preparation of Cis-Enediones from Furans by Photooxidation. <i>Journal of the Chinese Chemical Society</i> , <b>1986</b> , 33, 95-97	1.5	

- 3 Two New Sesquiterpenes 3-Hydroxycedrol and Widdringtonia Acid II-A Co-Crystal of Chamigrenic Acid and Hinokiic Acid. *Journal of the Chinese Chemical Society*, **1979**, 26, 15-18 1.5
- 2 Two New Diterpenes Phenols-7-Methoxydeoxocryptojaponol and 7-Hydroxydeoxocryptojaponol. *Journal of the Chinese Chemical Society*, **1979**, 26, 19-22 1.5
- 1 Sesquiterpenoids and Diterpenoids from the Wood of *Cunninghamia konishii* and Their Inhibitory Activities against NO Production. *Molecules*, **2016**, 21, 490 4.8