

# Yueh-Hsiung Kuo

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/447773/yueh-hsiung-kuo-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

236  
papers

3,655  
citations

31  
h-index

43  
g-index

246  
ext. papers

4,194  
ext. citations

3.7  
avg, IF

5.27  
L-index

#	Paper	IF	Citations
236	Dendrobium nobile protects retinal cells from UV-induced oxidative stress damage via Nrf2/HO-1 and MAPK pathways. <i>Journal of Ethnopharmacology</i> , <b>2021</b> , 288, 114886	5	2
235	A New Seco-Abietanoid from the Bark of <i>Cryptomeria japonica</i> . <i>Chemistry of Natural Compounds</i> , <b>2021</b> , 57, 331-334	0.7	0
234	Ergostatrien-3βol (EK100) from Attenuates Oxidative Stress, Inflammation, and Liver Injury and. <i>Preventive Nutrition and Food Science</i> , <b>2021</b> , 26, 58-66	2.4	3
233	Hill Extracts Exhibits Antioxidant Effects and Attenuates Melanogenesis in B16-F10 Cells via Downregulating CREB/MITF/Tyrosinase and Upregulating p-ERK and p-JNK. <i>Plants</i> , <b>2021</b> , 10,	4.5	3
232	Ergosta-7, 9 (11), 22-trien-3βol Interferes with LPS Docking to LBP, CD14, and TLR4/MD-2 Co-Receptors to Attenuate the NF-κB Inflammatory Pathway and. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	1
231	Polyketides with Anti-neuroinflammatory Activity from. <i>Journal of Natural Products</i> , <b>2021</b> , 84, 1898-1903	4.9	3
230	Chemical Constituents from a Mangrove-Derived Actinobacteria <i>Isophtericola chiayiensis</i> BCRC 16888 and Evaluation of Their Anti-NO Activity. <i>Chemistry and Biodiversity</i> , <b>2021</b> , 18, e2100211	2.5	2
229	The Anti-Melanogenesis Effect of 3,4-Dihydroxybenzalacetone through Downregulation of Melanosome Maturation and Transportation in B16F10 and Human Epidermal Melanocytes. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	3
228	Ergosta-7,9(11),22-trien-3βol Attenuates Inflammatory Responses via Inhibiting MAPK/AP-1 Induced IL-6/JAK/STAT Pathways and Activating Nrf2/HO-1 Signaling in LPS-Stimulated Macrophage-like Cells. <i>Antioxidants</i> , <b>2021</b> , 10,	7.1	1
227	EK100 and Antrodin C Improve Brain Amyloid Pathology in APP/PS1 Transgenic Mice by Promoting Microglial and Perivascular Clearance Pathways. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	3
226	A novel caffeic acid derivative prevents renal remodeling after ischemia/reperfusion injury. <i>Biomedicine and Pharmacotherapy</i> , <b>2021</b> , 142, 112028	7.5	0
225	Three new isopimaric acid diterpenoids from the bark of <i>Cryptomeria japonica</i> and their xanthine oxidase inhibitory activity. <i>Phytochemistry Letters</i> , <b>2021</b> , 46, 61-65	1.9	0
224	Highly Oxygenated Constituents from a Marine Alga-Derived Fungus NTU967. <i>Marine Drugs</i> , <b>2020</b> , 18,	6	5
223	Protective Evaluation of Compounds Extracted from Root of <i>L.</i> against Methylglyoxal-Induced Toxicity in a Neuronal Cell Line. <i>Molecules</i> , <b>2020</b> , 25,	4.8	2
222	IL-17A inhibitions of indole alkaloids from traditional Chinese medicine Qing Dai. <i>Journal of Ethnopharmacology</i> , <b>2020</b> , 255, 112772	5	6
221	Physalin A attenuates inflammation through down-regulating c-Jun NH2 kinase phosphorylation/Activator Protein 1 activation and up-regulating the antioxidant activity. <i>Toxicology and Applied Pharmacology</i> , <b>2020</b> , 402, 115115	4.6	12
220	Protection against Ultraviolet A-Induced Skin Apoptosis and Carcinogenesis through the Oxidative Stress Reduction Effects of -(4-bromophenethyl) Caffeamide, A Propolis Derivative. <i>Antioxidants</i> , <b>2020</b> , 9,	7.1	2

219	New flavonoids, emarginin A-C from <i>Vaccinium emarginatum</i> Hayata. <i>Phytochemistry Letters</i> , <b>2020</b> , 141, 104446	3.2	1
218	Anti-Influenza Virus Activity and Chemical Components from the Parasitic Plant Choisy on Lour. <i>Molecules</i> , <b>2020</b> , 25,	4.8	1
217	Two new dimeric abietanoid peroxides with xanthine oxidase and ACE inhibitory activities from the bark of <i>Cryptomeria japonica</i> . <i>Phytochemistry Letters</i> , <b>2020</b> , 40, 15-20	1.9	2
216	Chemical Constituent of $\beta$ -Glucuronidase Inhibitors from the Root of. <i>Molecules</i> , <b>2020</b> , 25,	4.8	2
215	Anti-Inflammatory and Antibacterial Activity Constituents from the Stem of. <i>Molecules</i> , <b>2020</b> , 25,	4.8	4
214	Sinensol-C Isolated from Inhibits Adipogenesis in 3T3-L1 Cells through the Regulation of Adipogenic Transcription Factors and AMPK Activation. <i>Molecules</i> , <b>2020</b> , 25,	4.8	2
213	Two new dimeric abietane-type diterpenoids from the bark of <i>Cryptomeria japonica</i> and their enzyme inhibitory activity. <i>Phytochemistry Letters</i> , <b>2019</b> , 33, 84-89	1.9	2
212	Cyclopentadienyl Ruthenium(II) Complex-Mediated Oxidation of Benzylic and Allylic Alcohols to Corresponding Aldehydes. <i>Heteroatom Chemistry</i> , <b>2019</b> , 2019, 1-8	1.2	1
211	Phytochemical Investigation of and Anti-Inflammatory Butenolide Derivatives. <i>Molecules</i> , <b>2019</b> , 24,	4.8	1
210	Antidiabetic and Antihyperlipidemic Effects of Sulphurenic Acid, a Triterpenoid Compound from , in Streptozotocin-Induced Diabetic Mice. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	5
209	Bioactive Dimeric Abietanoid Peroxides from the Bark of <i>Cryptomeria japonica</i> . <i>Molecules</i> , <b>2019</b> , 24,	4.8	4
208	New Abietane-type Diterpenoids from the Bark of <i>Cryptomeria japonica</i> . <i>Natural Product Communications</i> , <b>2019</b> , 14, 1934578X1901400	0.9	
207	Inotilone from <i>Inonotus linteus</i> suppresses lung cancer metastasis in vitro and in vivo through ROS-mediated PI3K/AKT/MAPK signaling pathways. <i>Scientific Reports</i> , <b>2019</b> , 9, 2344	4.9	7
206	New Anti-inflammatory Flavonol Glycosides from <i>Lindera akoensis</i> Hayata. <i>Molecules</i> , <b>2019</b> , 24,	4.8	1
205	Antcins, triterpenoids from <i>Antrodia cinnamomea</i> , as new agonists for peroxisome proliferator-activated receptor $\alpha$ . <i>Journal of Food and Drug Analysis</i> , <b>2019</b> , 27, 295-304	7	9
204	Isoprenyl phenolic ethers from the termite nest-derived medicinal fungus <i>Xylaria fimbriata</i> . <i>Journal of Food and Drug Analysis</i> , <b>2019</b> , 27, 111-117	7	6
203	Ergostatrien-7,9(11),22-trien-3 $\beta$ ol from <i>Antrodia camphorata</i> ameliorates ischemic stroke brain injury via downregulation of p65NF- $\kappa$ B and caspase 3, and activation of Akt/GSK3/catenin-associated neurogenesis. <i>Food and Function</i> , <b>2019</b> , 10, 4725-4738	6.1	11
202	Identification and Structural Elucidation of Anti-Inflammatory Compounds from Chinese Olive ( <i>L.</i> ) Fruit Extracts. <i>Foods</i> , <b>2019</b> , 8,	4.9	6

201	The Effects of Ergosta-7,9(11),22-trien-3Ebl from on the Biochemical Profile and Exercise Performance of Mice. <i>Molecules</i> , <b>2019</b> , 24,	4.8	3
200	Protective Effect of Extract against Irradiation-Induced Acute Hepatitis. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	8
199	Four New Iridoid Metabolites Have Been Isolated from the Stems of (Havil.) Merr. with Anti-Inflammatory Activities on LPS-Induced RAW264.7 Cells. <i>Molecules</i> , <b>2019</b> , 24,	4.8	7
198	Bioactivity-Guided Fractionation and NMR-Based Identification of the Immunomodulatory Isoflavone from the Roots of (L.) Desv. ex DC. <i>Foods</i> , <b>2019</b> , 8,	4.9	3
197	Taiwanin E Induces Cell Cycle Arrest and Apoptosis in Arecoline/4-NQO-Induced Oral Cancer Cells Through Modulation of the ERK Signaling Pathway. <i>Frontiers in Oncology</i> , <b>2019</b> , 9, 1309	5.3	4
196	Caffeic amide derivatives inhibit allergen-induced bone marrow-derived dendritic cell maturation. <i>Pharmacological Reports</i> , <b>2019</b> , 71, 194-200	3.9	0
195	Protective Effects and Mechanisms of -Phenethyl Caffeamide from UVA-Induced Skin Damage in Human Epidermal Keratinocytes through Nrf2/HO-1 Regulation. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	7
194	trans-3-Methoxy-5-hydroxystilbene (MHS) from the rhizome of <i>Alpinia nantonensis</i> inhibits metastasis in human lung cancer cells. <i>Phytomedicine</i> , <b>2018</b> , 50, 223-230	6.5	4
193	Polyprenylated polycyclic acylphloroglucinol: Angiogenesis inhibitor from <i>Garcinia multiflora</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2018</b> , 28, 1860-1863	2.9	9
192	Analogous corticosteroids, 9A and EK100, derived from solid-state-cultured mycelium of <i>Antrrodia camphorata</i> inhibit proinflammatory cytokine expression in macrophages. <i>Cytokine</i> , <b>2018</b> , 108, 136-144	4	7
191	New 7-oxoabietane-type diterpenoids from the bark of <i>Cryptomeria japonica</i> and their xanthine oxidase inhibitory activity. <i>Phytochemistry Letters</i> , <b>2018</b> , 27, 69-73	1.9	5
190	New Terpenoids from <i>Chamaecyparis formosensis</i> (Cupressaceae) Leaves with Modulatory Activity on Matrix Metalloproteases 2 and 9. <i>Molecules</i> , <b>2018</b> , 23,	4.8	1
189	Antidiabetic and antihyperlipidemic effects of the flower extract of <i>Eriobotrya japonica</i> in streptozotocin-induced diabetic mice and the potential bioactive constituents in vitro. <i>Journal of Functional Foods</i> , <b>2018</b> , 49, 122-136	5.1	8
188	Antidiabetic and hypolipidemic activities of eburicoic acid, a triterpenoid compound from , by regulation of Akt phosphorylation, gluconeogenesis, and PPAR $\gamma$ in streptozotocin-induced diabetic mice.. <i>RSC Advances</i> , <b>2018</b> , 8, 20462-20476	3.7	7
187	Alpinumisoflavone attenuates lipopolysaccharide-induced acute lung injury by regulating the effects of anti-oxidation and anti-inflammation both and .. <i>RSC Advances</i> , <b>2018</b> , 8, 31515-31528	3.7	11
186	Hepatoprotective Effect of Ugonin M, A Constituent, on Acetaminophen-Induced Acute Liver Injury in Mice. <i>Molecules</i> , <b>2018</b> , 23,	4.8	8
185	Three New Iridoid Derivatives Have Been Isolated from the Stems of (Havil.) Merr. with Cytotoxic Activity on Hepatocellular Carcinoma Cells. <i>Molecules</i> , <b>2018</b> , 23,	4.8	5
184	36H: A Novel Potent Inhibitor for Antimelanogenesis. <i>Oxidative Medicine and Cellular Longevity</i> , <b>2018</b> , 2018, 6354972	6.7	15

183	Naphthofuranone derivatives and other constituents from <i>Pachira aquatica</i> with inhibitory activity on superoxide anion generation by neutrophils. <i>Phytotherapy Research</i> , <b>2017</b> , 117, 16-21	3.2	11
182	Effects of antrosterol from <i>Antrodia camphorata</i> submerged whole broth on lipid homeostasis, antioxidation, alcohol clearance, and anti-inflammation in livers of chronic-alcohol fed mice. <i>Journal of Ethnopharmacology</i> , <b>2017</b> , 202, 200-207	5	22
181	Hirsutane-Type Sesquiterpenes with Inhibitory Activity of Microglial Nitric Oxide Production from the Red Alga-Derived Fungus <i>Chondrostereum</i> sp. NTOU4196. <i>Journal of Natural Products</i> , <b>2017</b> , 80, 1615-1622	4.9	17
180	N-(4-bromophenethyl) Caffeamide Protects Skin from UVB-Induced Inflammation Through MAPK/IL-6/NF- $\kappa$ B-Dependent Signaling in Human Skin Fibroblasts and Hairless Mouse Skin. <i>Molecules</i> , <b>2017</b> , 22,	4.8	6
179	Cucurbitane-Type Triterpenoids from <i>Momordica charantia</i> . <i>Natural Product Communications</i> , <b>2017</b> , 12, 1934578X1701200	0.9	1
178	Two new sesquiterpenoids from the bark of <i>Cryptomeria japonica</i> . <i>Phytochemistry Letters</i> , <b>2017</b> , 22, 56-60	1.9	10
177	Anti-inflammatory flavonol acylglycosides from the aerial part of <i>Lindera akoensis</i> Hayata. <i>RSC Advances</i> , <b>2017</b> , 7, 50868-50874	3.7	3
176	N-(4-methoxyphenyl) caffeamide-induced melanogenesis inhibition mechanisms. <i>BMC Complementary and Alternative Medicine</i> , <b>2017</b> , 17, 71	4.7	10
175	New flavone and eudesmane derivatives from <i>Lawsonia inermis</i> and their inhibitory activity against NO production. <i>Phytochemistry Letters</i> , <b>2017</b> , 21, 123-127	1.9	4
174	Three new abietane-type diterpenes from the bark of <i>Cryptomeria japonica</i> . <i>Phytochemistry Letters</i> , <b>2017</b> , 19, 46-49	1.9	9
173	New Norcucurbitane Triterpenoids from <i>Momordica charantia</i> var. <i>abbreviata</i> . <i>Natural Product Communications</i> , <b>2017</b> , 12, 1934578X1701200	0.9	
172	Two New Abietane-type Diterpenes from the Bark of <i>Cryptomeria japonica</i> . <i>Natural Product Communications</i> , <b>2017</b> , 12, 1934578X1701201	0.9	2
171	Eburicoic Acid, a Triterpenoid Compound from <i>Antrodia camphorata</i> , Displays Antidiabetic and Antihyperlipidemic Effects in Palmitate-Treated C2C12 Myotubes and in High-Fat Diet-Fed Mice. <i>International Journal of Molecular Sciences</i> , <b>2017</b> , 18,	6.3	14
170	Ugonin M, a <i>Helminthostachys zeylanica</i> Constituent, Prevents LPS-Induced Acute Lung Injury through TLR4-Mediated MAPK and NF- $\kappa$ B Signaling Pathways. <i>Molecules</i> , <b>2017</b> , 22,	4.8	28
169	Protective Effect of Caffeic Acid Derivatives on tert-Butyl Hydroperoxide-Induced Oxidative Hepato-Toxicity and Mitochondrial Dysfunction in HepG2 Cells. <i>Molecules</i> , <b>2017</b> , 22,	4.8	17
168	New Benzenoid Derivatives and Other Constituents from <i>Lawsonia inermis</i> with Inhibitory Activity against NO Production. <i>Molecules</i> , <b>2017</b> , 22,	4.8	4
167	Antcin K, an active triterpenoid from the fruiting bodies of basswood cultivated <i>Antrodia cinnamomea</i> , induces mitochondria and endoplasmic reticulum stress-mediated apoptosis in human hepatoma cells. <i>Journal of Traditional and Complementary Medicine</i> , <b>2016</b> , 6, 48-56	4.6	20
166	Induction of IL-25 secretion from tumour-associated fibroblasts suppresses mammary tumour metastasis. <i>Nature Communications</i> , <b>2016</b> , 7, 11311	17.4	23

165	Flavonoids and bis-coumarin from the tubers of <i>Apios taiwanianus</i> . <i>Phytochemistry Letters</i> , <b>2016</b> , 15, 164-167	1.9	5
164	Phytochemicals from <i>Tradescantia albiflora</i> Kunth Extracts Reduce Serum Uric Acid Levels in Oxonate-induced Rats. <i>Pharmacognosy Magazine</i> , <b>2016</b> , 12, S223-7	0.8	10
163	New Diphenol and Isocoumarins from the Aerial Part of <i>Lawsonia inermis</i> and Their Inhibitory Activities against NO Production. <i>Molecules</i> , <b>2016</b> , 21,	4.8	15
162	Osteoporosis Recovery by <i>Antrodia camphorata</i> Alcohol Extracts through Bone Regeneration in SAMP8 Mice. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2016</b> , 2016, 2617868	2.3	2
161	Antcin K, a Triterpenoid Compound from <i>Antrodia camphorata</i> , Displays Antidiabetic and Antihyperlipidemic Effects via Glucose Transporter 4 and AMP-Activated Protein Kinase Phosphorylation in Muscles. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2016</b> , 2016, 4867092	2.3	17
160	New Sesquiterpenoids and Anti-Platelet Aggregation Constituents from the Rhizomes of <i>Curcuma zedoaria</i> . <i>Molecules</i> , <b>2016</b> , 21,	4.8	15
159	Dehydroeburicoic Acid from <i>Antrodia camphorata</i> Prevents the Diabetic and Dyslipidemic State via Modulation of Glucose Transporter 4, Peroxisome Proliferator-Activated Receptor $\alpha$ Expression and AMP-Activated Protein Kinase Phosphorylation in High-Fat-Fed Mice. <i>International Journal of Molecular Sciences</i> , <b>2016</b> , 17,	6.3	14
158	Wild Bitter Melon Leaf Extract Inhibits <i>Porphyromonas gingivalis</i> -Induced Inflammation: Identification of Active Compounds through Bioassay-Guided Isolation. <i>Molecules</i> , <b>2016</b> , 21, 454	4.8	18
157	Sesquiterpenoids and Diterpenoids from the Wood of <i>Cunninghamia konishii</i> and Their Inhibitory Activities against NO Production. <i>Molecules</i> , <b>2016</b> , 21, 490	4.8	
156	Antiinflammatory and Antiphotodamaging Effects of Ergostatrien-3Ebl, Isolated from <i>Antrodia camphorata</i> , on Hairless Mouse Skin. <i>Molecules</i> , <b>2016</b> , 21,	4.8	21
155	Angiogenesis Inhibitors and Anti-Inflammatory Agents from <i>Phoma</i> sp. NTOU4195. <i>Journal of Natural Products</i> , <b>2016</b> , 79, 2983-2990	4.9	30
154	Hypoglycemic Constituents Isolated from <i>Trapa natans</i> L. Pericarps. <i>Journal of Agricultural and Food Chemistry</i> , <b>2016</b> , 64, 3794-803	5.7	13
153	Three New Abietane-type Diterpenes from the Bark of <i>Cryptomeria japonica</i> . <i>Helvetica Chimica Acta</i> , <b>2016</b> , 99, 710-715	2	10
152	Regulatory effects of caffeic acid phenethyl ester on neuroinflammation in microglial cells. <i>International Journal of Molecular Sciences</i> , <b>2015</b> , 16, 5572-89	6.3	52
151	Chemical constituents derived from <i>Artocarpus xanthocarpus</i> as inhibitors of melanin biosynthesis. <i>Phytochemistry</i> , <b>2015</b> , 117, 424-435	4	22
150	2,3,5-Trimethoxy-4-cresol, an anti-metastatic constituent from the solid-state cultured mycelium of <i>Antrodia cinnamomea</i> and its mechanism. <i>Journal of Natural Medicines</i> , <b>2015</b> , 69, 513-21	3.3	6
149	Inhibition of voltage-gated Na <sup>+</sup> channels by hinokiol in neuronal cells. <i>Pharmacological Reports</i> , <b>2015</b> , 67, 1049-54	3.9	6
148	K20E, an oxidative-coupling compound of methyl caffeate, exhibits anti-angiogenic activities through down-regulations of VEGF and VEGF receptor-2. <i>Toxicology and Applied Pharmacology</i> , <b>2015</b> , 282, 215-26	4.6	6

147	Anti-inflammatory effects of <i>Antrodia camphorata</i> , a herbal medicine, in a mouse skin ischemia model. <i>Journal of Ethnopharmacology</i> , <b>2015</b> , 159, 113-21	5	35
146	Inhibitory effects of imperatorin on voltage-gated K(+) channels and ATP-sensitive K(+) channels. <i>Pharmacological Reports</i> , <b>2015</b> , 67, 134-9	3.9	5
145	Latex of <i>Euphorbia antiquorum</i> -induced S-phase arrest via active ATM kinase and MAPK pathways in human cervical cancer HeLa cells. <i>Environmental Toxicology</i> , <b>2015</b> , 30, 1205-15	4.2	10
144	Naphthoquinone derivative PPE8 induces endoplasmic reticulum stress in p53 null H1299 cells. <i>Oxidative Medicine and Cellular Longevity</i> , <b>2015</b> , 2015, 453679	6.7	10
143	Protective Effects of Red Guava on Inflammation and Oxidative Stress in Streptozotocin-Induced Diabetic Mice. <i>Molecules</i> , <b>2015</b> , 20, 22341-50	4.8	15
142	Ergostatrien-3βl from <i>Antrodia camphorata</i> inhibits diabetes and hyperlipidemia in high-fat-diet treated mice via regulation of hepatic related genes, glucose transporter 4, and AMP-activated protein kinase phosphorylation. <i>Journal of Agricultural and Food Chemistry</i> , <b>2015</b> , 63, 2479-89	5.7	41
141	Antidiabetic and Antihyperlipidemic Properties of a Triterpenoid Compound, Dehydroeuburicoic Acid, from <i>Antrodia camphorata</i> in Vitro and in Streptozotocin-Induced Mice. <i>Journal of Agricultural and Food Chemistry</i> , <b>2015</b> , 63, 10140-51	5.7	30
140	KS370G, a caffeamide derivative, attenuates unilateral ureteral obstruction-induced renal fibrosis by the reduction of inflammation and oxidative stress in mice. <i>European Journal of Pharmacology</i> , <b>2015</b> , 750, 1-7	5.3	18
139	Peroxyauraptanol Inhibits Inflammation and NLRP3 Inflammasome Activation by Inhibiting Reactive Oxygen Species Generation and Preserving Mitochondrial Integrity. <i>Journal of Agricultural and Food Chemistry</i> , <b>2015</b> , 63, 1210-1219	5.7	20
138	Two New Labdane-Type Diterpene Acids from the Wood of <i>Cunninghamia konishii</i> . <i>Helvetica Chimica Acta</i> , <b>2015</b> , 98, 123-127	2	1
137	In Vitro and In Vivo Studies on Protective Action of N-Phenethyl Caffeamide against Photodamage of Skin. <i>PLoS ONE</i> , <b>2015</b> , 10, e0136777	3.7	21
136	N-(4-bromophenethyl) Caffeamide Inhibits Melanogenesis by Regulating AKT/Glycogen Synthase Kinase 3 Beta/Microphthalmia-associated Transcription Factor and Tyrosinase-related Protein 1/Tyrosinase. <i>Current Pharmaceutical Biotechnology</i> , <b>2015</b> , 16, 1111-9	2.6	12
135	Flavones Isolated from <i>Scutellariae radix</i> Suppress <i>Propionibacterium Acnes</i> -Induced Cytokine Production In Vitro and In Vivo. <i>Molecules</i> , <b>2015</b> , 21, E15	4.8	18
134	Oxidized frying oil and its polar fraction fed to pregnant mice are teratogenic and alter mRNA expressions of vitamin A metabolism genes in the liver of dams and their fetuses. <i>Journal of Nutritional Biochemistry</i> , <b>2014</b> , 25, 549-56	6.3	17
133	Tormentric acid, a major component of suspension cells of <i>Eriobotrya japonica</i> , suppresses high-fat diet-induced diabetes and hyperlipidemia by glucose transporter 4 and AMP-activated protein kinase phosphorylation. <i>Journal of Agricultural and Food Chemistry</i> , <b>2014</b> , 62, 10717-26	5.7	31
132	Two New Acidic Diterpenoids from the Heartwood of <i>Pinus massoniana</i> Lamb.. <i>Helvetica Chimica Acta</i> , <b>2014</b> , 97, 1146-1151	2	6
131	N-Phenethyl caffeamide and photodamage: protecting skin by inhibiting type I procollagen degradation and stimulating collagen synthesis. <i>Food and Chemical Toxicology</i> , <b>2014</b> , 72, 154-61	4.7	18
130	Comparison of solid-state-cultured and wood-cultured <i>Antrodia camphorata</i> in anti-inflammatory effects using NF-β/luciferase inducible transgenic mice. <i>Phytomedicine</i> , <b>2014</b> , 21, 1708-16	6.5	13

129	Cytotoxic and apoptotic effects of caffeate derivatives on A549 human lung carcinoma cells. <i>Journal of the Chinese Medical Association</i> , <b>2014</b> , <i>77</i> , 535-43	2.8	6
128	Two new labdane-type diterpenes from the wood of <i>Cunninghamia konishii</i> . <i>Phytochemistry Letters</i> , <b>2014</b> , <i>7</i> , 107-110	1.9	4
127	Anti-inflammatory effect of <i>Momordica charantia</i> in sepsis mice. <i>Molecules</i> , <b>2014</b> , <i>19</i> , 12777-88	4.8	38
126	Studies on cytotoxic constituents from the leaves of <i>Elaeagnus oldhamii</i> Maxim. in non-small cell lung cancer A549 cells. <i>Molecules</i> , <b>2014</b> , <i>19</i> , 9515-34	4.8	69
125	Effect of wild bitter gourd treatment on inflammatory responses in BALB/c mice with sepsis. <i>BioMedicine (Taiwan)</i> , <b>2014</b> , <i>4</i> , 17	1.1	23
124	New and Cytotoxic Components from <i>Antrrodia camphorata</i> . <i>Molecules</i> , <b>2014</b> , <i>19</i> , 21378-85	4.8	8
123	Caffeamide 36-13 Regulates the Antidiabetic and Hypolipidemic Signs of High-Fat-Fed Mice on Glucose Transporter 4, AMPK Phosphorylation, and Regulated Hepatic Glucose Production. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2014</b> , <i>2014</i> , 821569	2.3	8
122	Two New Labdane-type Diterpenes from the Wood of <i>Cunninghamia konishii</i> . <i>Natural Product Communications</i> , <b>2014</b> , <i>9</i> , 1934578X1400900	0.9	1
121	8-Alkylcoumarins from the fruits of <i>Cnidium monnieri</i> protect against hydrogen peroxide induced oxidative stress damage. <i>International Journal of Molecular Sciences</i> , <b>2014</b> , <i>15</i> , 4608-18	6.3	7
120	Effects of Bofu-Tsusho-San on diabetes and hyperlipidemia associated with AMP-activated protein kinase and glucose transporter 4 in high-fat-fed mice. <i>International Journal of Molecular Sciences</i> , <b>2014</b> , <i>15</i> , 20022-44	6.3	17
119	pH-Sensitive Hollow Alginate-Chitosan Hydrogel Beads for Bitter Gourd Delivery. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , <b>2014</b> , <i>63</i> , 41-47	3	12
118	Hydroalcoholic extract of <i>Rhodiola rosea</i> L. (Crassulaceae) and its hydrolysate inhibit melanogenesis in B16F0 cells by regulating the CREB/MITF/tyrosinase pathway. <i>Food and Chemical Toxicology</i> , <b>2014</b> , <i>65</i> , 129-39	4.7	54
117	Caffeic acid derivatives inhibit the growth of colon cancer: involvement of the PI3-K/Akt and AMPK signaling pathways. <i>PLoS ONE</i> , <b>2014</b> , <i>9</i> , e99631	3.7	66
116	Caffeic acid phenethyl amide improves glucose homeostasis and attenuates the progression of vascular dysfunction in Streptozotocin-induced diabetic rats. <i>Cardiovascular Diabetology</i> , <b>2013</b> , <i>12</i> , 99	8.7	16
115	Hepatoprotective effects of eburicoic acid and dehydroeburicoic acid from <i>Antrrodia camphorata</i> in a mouse model of acute hepatic injury. <i>Food Chemistry</i> , <b>2013</b> , <i>141</i> , 3020-7	8.5	54
114	Anti-neuroinflammatory effect of a novel caffeamide derivative, KS370G, in microglial cells. <i>Molecular Neurobiology</i> , <b>2013</b> , <i>48</i> , 863-74	6.2	25
113	Flexibilins A-C, new cembrane-type diterpenoids from the Formosan soft coral, <i>Sinularia flexibilis</i> . <i>Marine Drugs</i> , <b>2013</b> , <i>11</i> , 1999-2012	6	14
112	New Anti-Inflammatory Aromatic Components from <i>Antrrodia camphorata</i> . <i>International Journal of Molecular Sciences</i> , <b>2013</b> , <i>14</i> , 4629-39	6.3	16



111	Cladieunicellins K and L, new eunicellin-based diterpenoids from an octocoral <i>Cladiella</i> sp. <i>International Journal of Molecular Sciences</i> , <b>2013</b> , 14, 21781-9	6.3	15
110	Antcin C from <i>Antrodia cinnamomea</i> Protects Liver Cells Against Free Radical-Induced Oxidative Stress and Apoptosis In Vitro and In Vivo through Nrf2-Dependent Mechanism. <i>Evidence-based Complementary and Alternative Medicine</i> , <b>2013</b> , 2013, 296082	2.3	37
109	The effect of the aerial part of <i>Lindera akoensis</i> on lipopolysaccharides (LPS)-induced nitric oxide production in RAW264.7 cells. <i>International Journal of Molecular Sciences</i> , <b>2013</b> , 14, 9168-81	6.3	20
108	Anti-inflammatory activity of N-(3-florophenyl)ethylcaffeamide in mice. <i>International Journal of Molecular Sciences</i> , <b>2013</b> , 14, 15199-211	6.3	12
107	Anti-inflammatory components from the root of <i>Solanum erianthum</i> . <i>International Journal of Molecular Sciences</i> , <b>2013</b> , 14, 12581-92	6.3	16
106	Diterpenoids from the Wood of <i>Cunninghamia konishii</i> . <i>Helvetica Chimica Acta</i> , <b>2013</b> , 96, 2282-2287	2	3
105	One lignanoid compound and four triterpenoid compounds with anti-inflammatory activity from the leaves of <i>Elaeagnus oldhamii maxim.</i> <i>Molecules</i> , <b>2013</b> , 18, 13218-27	4.8	8
104	Norcucurbitane Triterpenoids from the Fruits of <i>Momordica charantia</i> var. <i>abbreviata</i> . <i>Natural Product Communications</i> , <b>2013</b> , 8, 1934578X1300800	0.9	
103	Diterpenoids with anti-inflammatory activity from the wood of <i>Cunninghamia konishii</i> . <i>Molecules</i> , <b>2013</b> , 18, 682-9	4.8	17
102	Two anti-inflammatory steroidal saponins from <i>Dracaena angustifolia</i> Roxb. <i>Molecules</i> , <b>2013</b> , 18, 8752-63	4.8	11
101	Two New Lignans from the Wood of <i>Cunninghamia konishii</i> . <i>Natural Product Communications</i> , <b>2013</b> , 8, 1934578X1300800	0.9	
100	Aconitamide, a Novel Alkaloid from the Roots of <i>Aconitum carmichaeli</i> . <i>Natural Product Communications</i> , <b>2013</b> , 8, 1934578X1300800	0.9	1
99	A new butanolide compound from the aerial part of <i>Lindera akoensis</i> with anti-inflammatory activity. <i>Molecules</i> , <b>2012</b> , 17, 6585-92	4.8	19
98	Echinoclerodane A: a new bioactive clerodane-type diterpenoid from a gorgonian coral <i>Echinomuricea</i> sp. <i>Molecules</i> , <b>2012</b> , 17, 9443-50	4.8	12
97	Norcembranoidal diterpenes from a Formosan soft coral <i>Sinularia</i> sp. <i>Molecules</i> , <b>2012</b> , 17, 14058-66	4.8	15
96	Cucurbitane-Type Triterpenoids from the Fruit Pulp of <i>Momordica Charantia</i> . <i>Natural Product Communications</i> , <b>2012</b> , 7, 1934578X1200701	0.9	4
95	β-Glucosidase and aldose reductase inhibitory activities from the fruiting body of <i>Phellinus merrillii</i> . <i>Journal of Agricultural and Food Chemistry</i> , <b>2011</b> , 59, 5702-6	5.7	27
94	Lobocrassins A-E: new cembrane-type diterpenoids from the soft coral <i>Lobophytum crassum</i> . <i>Marine Drugs</i> , <b>2011</b> , 9, 1319-31	6	26

93	Sterols from the Stems of <i>Momordica charantia</i> . <i>Journal of the Chinese Chemical Society</i> , <b>2011</b> , 58, 893-898		3
92	Gastroprotective activities of adlay ( <i>Coix lachryma-jobi</i> L. var. <i>ma-yuen</i> Stapf) on the growth of the stomach cancer AGS cell line and indomethacin-induced gastric ulcers. <i>Journal of Agricultural and Food Chemistry</i> , <b>2011</b> , 59, 6025-33	5.7	53
91	Isolation and identification of cucurbitane-type triterpenoids with partial agonist/antagonist potential for estrogen receptors from <i>Momordica charantia</i> . <i>Journal of Agricultural and Food Chemistry</i> , <b>2011</b> , 59, 4553-61	5.7	44
90	A New Phenolic and a New Lignan from the Roots of <i>Juniperus chinensis</i> . <i>Natural Product Communications</i> , <b>2010</b> , 5, 1934578X1000500	0.9	2
89	Chemical Composition and Bioactivities of the Marine Alga <i>Isochrysis galbana</i> from Taiwan. <i>Natural Product Communications</i> , <b>2010</b> , 5, 1934578X1000501	0.9	4
88	Antihyperglycemic effect of a caffeamide derivative, KS370G, in normal and diabetic mice. <i>Journal of Agricultural and Food Chemistry</i> , <b>2010</b> , 58, 10033-8	5.7	17
87	Analgesic effects and the mechanisms of anti-inflammation of ergostatrien-3 $\beta$ -ol from <i>Antrodia camphorata</i> submerged whole broth in mice. <i>Journal of Agricultural and Food Chemistry</i> , <b>2010</b> , 58, 7445-52	5.7	73
86	Cytotoxic C(35) terpenoid cryptotriene from the bark of <i>Cryptomeria japonica</i> . <i>Organic Letters</i> , <b>2010</b> , 12, 2786-9	6.2	29
85	Cucurbitane triterpenoids from <i>Momordica charantia</i> and their cytoprotective activity in tert-butyl hydroperoxide-induced hepatotoxicity of HepG2 cells. <i>Chemical and Pharmaceutical Bulletin</i> , <b>2010</b> , 58, 1639-42	1.9	26
84	Chamaecypanone C, a novel skeleton microtubule inhibitor, with anticancer activity by trigger caspase 8-Fas/FasL dependent apoptotic pathway in human cancer cells. <i>Biochemical Pharmacology</i> , <b>2010</b> , 79, 1261-71	6	25
83	Nuclear-targeted inhibition of NF-kappaB on MMP-9 production by N-2-(4-bromophenyl) ethyl caffeamide in human monocytic cells. <i>Chemico-Biological Interactions</i> , <b>2010</b> , 184, 403-12	5	54
82	Two Novel 15(10- $\alpha$ )Abeomuulane Sesquiterpenes from <i>Cosmos sulphureus</i> . <i>Helvetica Chimica Acta</i> , <b>2010</b> , 93, 753-756	2	7
81	New constituents with iNOS inhibitory activity from mycelium of <i>Antrodia camphorata</i> . <i>Planta Medica</i> , <b>2009</b> , 75, 512-6	3.1	49
80	Four New Lignans with a Bicyclo[3.3.1]nonadienemethanol Skeleton from <i>Cunninghamia lanceolata</i> . <i>Helvetica Chimica Acta</i> , <b>2009</b> , 92, 1983-1989	2	7
79	Chemical constituents of <i>Antrodia camphorata</i> submerged whole broth. <i>Natural Product Research</i> , <b>2008</b> , 22, 1151-7	2.3	24
78	New Phenol Glycosides from the Roots of <i>Rhus Javanica</i> var. <i>Roxburghiana</i> . <i>Journal of the Chinese Chemical Society</i> , <b>2008</b> , 55, 223-227	1.5	4
77	Unexpected Novel Pheophytin Peroxides from the Leaves of <i>Biden pilosa</i> . <i>Helvetica Chimica Acta</i> , <b>2008</b> , 91, 79-84	2	10
76	Secondary Metabolites from the Stem Bark of <i>Litsea akoensis</i> and Their Cytotoxic Activity. <i>Helvetica Chimica Acta</i> , <b>2008</b> , 91, 1156-1165	2	14

75	New Lignans from the Roots of <i>Taiwania cryptomerioides</i> Hayata. <i>Helvetica Chimica Acta</i> , <b>2007</b> , 90, 738-747	3
74	Four New Lariciresinol-Based Lignan Glycosides from the Roots of <i>Rhus javanica</i> var. <i>roxburghiana</i> . <i>Helvetica Chimica Acta</i> , <b>2007</b> , 90, 1099-1106	2 11
73	New Cadinane-Type Sesquiterpenes from the Roots of <i>Taiwania cryptomerioides</i> Hayata. <i>Helvetica Chimica Acta</i> , <b>2007</b> , 90, 1514-1521	2 13
72	Neuroprotective diterpenes from the fruiting body of <i>Antrodia camphorata</i> . <i>Journal of Natural Products</i> , <b>2006</b> , 69, 689-91	4.9 75
71	Separation and Determination of Chemical Constituents in the Roots of <i>Rhus Javanica</i> L. Var. <i>Roxburghiana</i> . <i>Journal of the Chinese Chemical Society</i> , <b>2005</b> , 52, 833-841	1.5 58
70	Structure-activity relationships of cadinane-type sesquiterpene derivatives against wood-decay fungi. <i>Holzforschung</i> , <b>2005</b> , 59, 620-627	2 37
69	Chemical composition and antifungal activity of essential oil isolated from <i>Chamaecyparis formosensis</i> Matsum. wood. <i>Holzforschung</i> , <b>2005</b> , 59, 295-299	2 49
68	Two Novel 14-Nor-13,14-secopodocarpanes from the Bark of <i>Taiwania cryptomerioides</i> . <i>Helvetica Chimica Acta</i> , <b>2004</b> , 87, 554-559	2 2
67	Two Novel Triterpenes from the Leaves of <i>Ficus microcarpa</i> . <i>Helvetica Chimica Acta</i> , <b>2004</b> , 87, 1071-1076	10
66	Novel diterpenes from the heartwood of <i>Chamaecyparis obtusa</i> var. <i>formosana</i> . <i>Chemical and Pharmaceutical Bulletin</i> , <b>2004</b> , 52, 764-6	1.9 6
65	New abietane-type diterpenes from the heartwood of <i>Picea morrisonicola</i> . <i>Chemical and Pharmaceutical Bulletin</i> , <b>2004</b> , 52, 861-3	1.9 10
64	Cadinane-type sesquiterpenes from the roots of <i>Taiwania cryptomerioides</i> Hayata. <i>Chemical and Pharmaceutical Bulletin</i> , <b>2003</b> , 51, 986-9	1.9 20
63	Cytotoxic Constituents of the Leaves of <i>Calocedrus Formosana</i> . <i>Journal of the Chinese Chemical Society</i> , <b>2003</b> , 50, 161-166	1.5 39
62	Antioxidative 7-oxodehydropodocarpane-type trinorditerpenes from the bark of <i>Taiwania cryptomerioides</i> . <i>Planta Medica</i> , <b>2002</b> , 68, 1020-3	3.1 11
61	Studies on the Constituents from the Bark of <i>Bauhinia Purpurea</i> . <i>Journal of the Chinese Chemical Society</i> , <b>2002</b> , 49, 269-274	1.5 15
60	Cytotoxic Components from the Leaves of <i>Schefflera Taiwaniana</i> . <i>Journal of the Chinese Chemical Society</i> , <b>2002</b> , 49, 427-431	1.5 26
59	Labdane-type diterpenoids from the wood of <i>Cunninghamia konishii</i> . <i>Chemical and Pharmaceutical Bulletin</i> , <b>2002</b> , 50, 498-500	1.9 19
58	Four new podocarpane-type trinorditerpenes from the bark of <i>Taiwania cryptomerioides</i> . <i>Chemical and Pharmaceutical Bulletin</i> , <b>2002</b> , 50, 544-6	1.9 13

57	New lignans from the heartwood of <i>Chamaecyparis obtusa</i> var. <i>formosana</i> . <i>Chemical and Pharmaceutical Bulletin</i> , <b>2002</b> , 50, 978-80	1.9	15
56	Five new cadinane-type sesquiterpenes from the heartwood of <i>Chamaecyparis obtusa</i> var. <i>formosana</i> . <i>Journal of Natural Products</i> , <b>2002</b> , 65, 25-8	4.9	43
55	Four new compounds from the seeds of <i>Cassia fistula</i> . <i>Journal of Natural Products</i> , <b>2002</b> , 65, 1165-7	4.9	45
54	Quinone-type podocarpanes from the bark of <i>Taiwania cryptomerioides</i> . <i>Chemical and Pharmaceutical Bulletin</i> , <b>2001</b> , 49, 1033-5	1.9	14
53	New peroxy triterpenes from the aerial roots of <i>Ficus microcarpa</i> . <i>Journal of Natural Products</i> , <b>2001</b> , 64, 436-9	4.9	35
52	Antagonism of free-radical-induced damage of adlay seed and its antiproliferative effect in human histolytic lymphoma U937 monocytic cells. <i>Journal of Agricultural and Food Chemistry</i> , <b>2001</b> , 49, 1564-70	5.7	63
51	Homocyclotirucallane and two dihydrophenanthrenes from <i>Spiranthes sinensis</i> . <i>Chemical and Pharmaceutical Bulletin</i> , <b>2001</b> , 49, 1098-101	1.9	18
50	New cyclopropyl-triterpenoids from the aerial roots of <i>Ficus microcarpa</i> . <i>Chemical and Pharmaceutical Bulletin</i> , <b>2001</b> , 49, 581-3	1.9	25
49	Four new compounds, ficusal, ficusesquilignan A, B, and ficusolide diacetate from the heartwood of <i>Ficus microcarpa</i> . <i>Chemical and Pharmaceutical Bulletin</i> , <b>2000</b> , 48, 1862-5	1.9	52
48	Constituents of the Whole Herb of <i>Clinoponium laxiflorum</i> . <i>Journal of the Chinese Chemical Society</i> , <b>2000</b> , 47, 241-246	1.5	26
47	Nonsteroidal Constituents from <i>Solanum Incanum</i> L.. <i>Journal of the Chinese Chemical Society</i> , <b>2000</b> , 47, 247-251	1.5	34
46	Flavonoid Glycosides from <i>Terminalia catappa</i> L.. <i>Journal of the Chinese Chemical Society</i> , <b>2000</b> , 47, 253-256	1.5	53
45	The Low Polar Constituents from <i>Bidens Pilosa</i> L. var. <i>Minor</i> (Blume) Sherff. <i>Journal of the Chinese Chemical Society</i> , <b>2000</b> , 47, 1131-1136	1.5	47
44	Podocarpane-type trinorditerpenes from the bark of <i>Taiwania cryptomerioides</i> . <i>Journal of Natural Products</i> , <b>2000</b> , 63, 650-2	4.9	22
43	Dihydrophenanthrenes from <i>Spiranthes sinensis</i> . <i>Journal of Natural Products</i> , <b>2000</b> , 63, 1608-10	4.9	21
42	Chemical Constituents of the Pericarp of <i>Platycladus orientalis</i> . <i>Journal of the Chinese Chemical Society</i> , <b>1999</b> , 46, 819-824	1.5	25
41	Pregnane Glycosides from <i>Gymnema alternifolium</i> . <i>Journal of the Chinese Chemical Society</i> , <b>1999</b> , 46, 841-846	1.5	7
40	Antioxidant principles from <i>Ephemerantha lonchophylla</i> . <i>Journal of Natural Products</i> , <b>1999</b> , 62, 1225-7	4.9	30

39	Sesquiterpenes from the leaves of <i>Tithonia diversifolia</i> . <i>Journal of Natural Products</i> , <b>1998</b> , 61, 827-8	4.9	34
38	Five new diterpenoids from the wood of <i>Cunninghamia konishii</i> . <i>Journal of Natural Products</i> , <b>1998</b> , 61, 997-1000	4.9	26
37	New diterpenes from the heartwood of <i>Chamaecyparis obtusa</i> var. <i>formosana</i> . <i>Journal of Natural Products</i> , <b>1998</b> , 61, 829-31	4.9	24
36	Chemical Constituents of Heartwood of <i>Bauhinia purpurea</i> . <i>Journal of the Chinese Chemical Society</i> , <b>1997</b> , 44, 379-383	1.5	28
35	Two new puriniums and three new pyrimidines from <i>Heterostemma brownii</i> . <i>Journal of Natural Products</i> , <b>1997</b> , 60, 982-5	4.9	28
34	6-Oxoferruginol and 6-Acetyloxoferruginol, New Abietane-Type Diterpenes from the Heartwood of <i>Juniperus formosana</i> . <i>Journal of Natural Products</i> , <b>1997</b> , 60, 648-650	4.9	9
33	Two Acetophenone Glucosides, Cynanonesides A and B, from <i>Cynanchum taiwanianum</i> and Revision of the Structure for Cynandione A. <i>Journal of Natural Products</i> , <b>1997</b> , 60, 368-370	4.9	25
32	Constituents of the Bark of <i>Ficus microcarpa</i> Lf.. <i>Journal of the Chinese Chemical Society</i> , <b>1997</b> , 44, 321-325		53
31	Two New Isoflavones from the Bark of <i>Ficus microcarpa</i> . <i>Journal of Natural Products</i> , <b>1997</b> , 60, 292-293	4.9	41
30	Napalolides AD, Four New Sesquiterpene Lactones from <i>Carpesium nepalense</i> . <i>Journal of Natural Products</i> , <b>1996</b> , 59, 991-993	4.9	22
29	New Naphthoquinones from the Stem of <i>Diospyros maritime</i> Blume. <i>Journal of the Chinese Chemical Society</i> , <b>1996</b> , 43, 511-514	1.5	6
28	Dehydroabietane diterpenes from <i>Juniperus formosana</i> hay. var. <i>concolor</i> hay. <i>Phytochemistry</i> , <b>1996</b> , 42, 779-781	4	20
27	Roripanoside, a New Kaempferol Rhamnoside from <i>Rorippa Indica</i> (L.) Hiern. <i>Journal of the Chinese Chemical Society</i> , <b>1995</b> , 42, 973-976	1.5	9
26	Mass spectra of 1,3-dithiaspiranes and 2-aryl-1,3-dithianes. <i>Journal of Mass Spectrometry</i> , <b>1995</b> , 30, 461-465		4
25	Mass Spectra of Substituted N-Alkylpyrroles and Related Compounds. <i>Journal of the Chinese Chemical Society</i> , <b>1994</b> , 41, 27-31	1.5	1
24	Constituents of <i>Clinopodium Umbrosum</i> . <i>Journal of the Chinese Chemical Society</i> , <b>1993</b> , 40, 87-91	1.5	11
23	New Esters, 2-(4-Hydroxy-3-Methoxyphenyl)Ethyl Hexa- and Octacosanoates from the Leaves of <i>Cinnamomum Reticulatum</i> Hay. <i>Journal of the Chinese Chemical Society</i> , <b>1991</b> , 38, 65-69	1.5	34
22	Mass Spectra of Furfuryl Aldoximes and Ketoximes. <i>Journal of the Chinese Chemical Society</i> , <b>1991</b> , 38, 365-369	1.5	

21	A Useful Method for Oxidative Deoxygenation with Photooxygenation. <i>Journal of the Chinese Chemical Society</i> , <b>1991</b> , 38, 203-206	1.5	6
20	Mass spectra of 2- and/or 6-alkyl-3-hydroxypyridines. <i>Organic Mass Spectrometry</i> , <b>1991</b> , 26, 583-586		3
19	Five new compounds from the heartwood of <i>Juniperus formosana</i> Hayata.. <i>Chemical and Pharmaceutical Bulletin</i> , <b>1990</b> , 38, 3195-3201	1.9	30
18	Five New Sesquiterpenes from the Heartwood of <i>Juniperus Squamata</i> Lamb. <i>Journal of the Chinese Chemical Society</i> , <b>1987</b> , 34, 125-134	1.5	15
17	Sensitized Photooxygenation of 2,5-Di-Tert-Butylfuran. <i>Journal of the Chinese Chemical Society</i> , <b>1987</b> , 34, 57-62	1.5	2
16	Preparation of Cis-Enediones from Furans by Photooxidation. <i>Journal of the Chinese Chemical Society</i> , <b>1986</b> , 33, 95-97	1.5	
15	A New Lignan, Cagayanin, from Nutmeg of <i>Myristica Cagayanensis</i> Merr. <i>Journal of the Chinese Chemical Society</i> , <b>1985</b> , 32, 177-178	1.5	4
14	A New Lignan, Formosanol, from <i>Juniperus Formosana</i> . <i>Journal of the Chinese Chemical Society</i> , <b>1985</b> , 32, 377-379	1.5	3
13	Taiwanin H, A New Lignan from the Barks of <i>Taiwania Cryptomerioides</i> Hayata. <i>Journal of the Chinese Chemical Society</i> , <b>1985</b> , 32, 381-383	1.5	13
12	The Structure of Taiwanin F from <i>Taiwania Cryptomerioides</i> Hayata. <i>Journal of the Chinese Chemical Society</i> , <b>1985</b> , 32, 81-84	1.5	9
11	Dye-Sensitized Photooxidation of Isoeugenol. <i>Journal of the Chinese Chemical Society</i> , <b>1985</b> , 32, 169-172	1.5	6
10	Chemistry of Leave Extractives from Cineole Tree. <i>Journal of the Chinese Chemical Society</i> , <b>1984</b> , 31, 159-163		6
9	The Structure of Suginal from the Wood of <i>Juniperus Formosana</i> Hayata. <i>Journal of the Chinese Chemical Society</i> , <b>1984</b> , 31, 417-419	1.5	4
8	Studies on the Extractive Constituents of the Nutmeg of <i>Myristica Fragrans</i> Houtt. <i>Journal of the Chinese Chemical Society</i> , <b>1983</b> , 30, 63-67	1.5	5
7	New Lignan Detetrahydroconidendrin from <i>Juniperus Formosana</i> Hayata. <i>Journal of the Chinese Chemical Society</i> , <b>1982</b> , 29, 213-215	1.5	5
6	Two New Diterpens Phenols-7EMethoxydeoxocryptojaponol and 7EHydroxydeoxocryptojaponol. <i>Journal of the Chinese Chemical Society</i> , <b>1980</b> , 27, 19-22	1.5	5
5	Autooxidation of 8S-Hydroxycedran-13-Al. <i>Journal of the Chinese Chemical Society</i> , <b>1980</b> , 27, 177-180	1.5	2
4	Two New Sesquiterpenes 3EHydroxycedrol and Widdringtonia Acid II-A Co-Crystal of EChamigrenic Acid and Hinokiic Acid. <i>Journal of the Chinese Chemical Society</i> , <b>1980</b> , 27, 15-18	1.5	13

- 3 Two New Sesquiterpenes 3 $\beta$ -Hydroxycedrol and Widdringtonia Acid II-A Co-Crystal of  
EChamigrenic Acid and Hinokiic Acid. *Journal of the Chinese Chemical Society*, **1979**, 26, 15-18 1.5
- 2 Two New Diterpens Phenols-7 $\beta$ -Methoxydeoxocryptojaponol and 7 $\beta$ -Hydroxydeoxocryptojaponol.  
*Journal of the Chinese Chemical Society*, **1979**, 26, 19-22 1.5
- 1 6 $\beta$ -Acetoxy-7  $\beta$ -Hydroxyroyleanone, A New Compound from Taiwania Cryptomerioides Hayata.  
*Journal of the Chinese Chemical Society*, **1979**, 26, 71-73 1.5 13