

Luiz Pereira Ramos

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4478276/luiz-pereira-ramos-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

159 papers	5,317 citations	41 h-index	68 g-index
176 ext. papers	5,883 ext. citations	4.7 avg, IF	5.81 L-index

#	Paper	IF	Citations
159	Combination of green solvents for efficient sugarcane bagasse fractionation. <i>Biomass and Bioenergy</i> , 2022 , 161, 106482	5.3	1
158	Bringing the concept of drop-in fuels into the pulp and paper industry. <i>BioResources</i> , 2021 , 16, 6553-6555	5.3	
157	Chemical and structural characterization of hardwood and softwood LignoForce [®] lignins. <i>Industrial Crops and Products</i> , 2021 , 173, 114138	5.9	5
156	Lumped intracellular dynamics: Mathematical modeling of the microalgae <i>Tetrademus obliquus</i> cultivation under mixotrophic conditions with glycerol. <i>Algal Research</i> , 2021 , 57, 102344	5	1
155	Virtual special issue on Nanocellulose characterization, production and use. <i>Cellulose</i> , 2021 , 28, 1881-1882	5.5	
154	Pentose-rich hydrolysate from oil palm empty fruit bunches for D-glucan production using <i>Pichia jadinii</i> and <i>Cyberlindnera jadinii</i> . <i>Bioresource Technology</i> , 2021 , 320, 124212	11	
153	Lignin functionalization strategies and the potential applications of its derivatives [A Review]. <i>BioResources</i> , 2021 , 16, 6471-6511	1.3	6
152	Impact of cellulose properties on enzymatic degradation by bacterial GH48 enzymes: Structural and mechanistic insights from processive <i>Bacillus licheniformis</i> Cel48B cellulase. <i>Carbohydrate Polymers</i> , 2021 , 264, 118059	10.3	2
151	Kinetic Modeling of scCO ₂ -Assisted Levulinic Acid Esterification with Ethanol Using Amberlyst-15 as a Catalyst in a Batch Reactor. <i>Energy & Fuels</i> , 2021 , 35, 14770-14779	4.1	
150	Micro/nanostructured lignonnanocellulose obtained from steam-exploded sugarcane bagasse. <i>Cellulose</i> , 2021 , 28, 10163	5.5	0
149	Supercritical Fluids: A Promising Technique for Biomass Pretreatment and Fractionation. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020 , 8, 252	5.8	29
148	Efficient esterification reaction of palmitic acid catalyzed by WO ₃ -x/mesoporous silica. <i>Biofuels</i> , 2020 , 1-11	2	6
147	Disruptive enzyme-based strategies to isolate nanocelluloses: a review. <i>Cellulose</i> , 2020 , 27, 5457-5475	5.5	9
146	Characterization of Pretreated Fractions and Cellulosic Ethanol Production from Steam-Exploded <i>Eucalyptus urograndis</i> . <i>Energy & Fuels</i> , 2020 , 34, 535-545	4.1	1
145	Extraction of <i>Muriella</i> decolor lipids using conventional and pressurized solvents and characterization of their fatty acid profile for biodiesel applications. <i>Journal of Supercritical Fluids</i> , 2020 , 158, 104750	4.2	4
144	Supercritical CO ₂ as solvent for fatty acids esterification with ethanol catalyzed by Amberlyst-15. <i>Journal of Supercritical Fluids</i> , 2020 , 158, 104736	4.2	5
143	The boosting effect of recombinant hemicellulases on the enzymatic hydrolysis of steam-treated sugarcane bagasse. <i>Enzyme and Microbial Technology</i> , 2020 , 133, 109447	3.8	10

142	Production of cellulases and xylanases by <i>Humicola grisea</i> var. <i>thermoidea</i> and application in sugarcane bagasse arabinoxylan hydrolysis. <i>Industrial Crops and Products</i> , 2020 , 158, 112968	5.9	5
141	Special issue on Nanocellulose characterization, production and use <i>Cellulose</i> , 2020 , 27, 10567-10569	5.5	0
140	Enzymes and biomass pretreatment 2020 , 61-100		1
139	Physical techniques shed light on the differences in sugarcane bagasse structure subjected to steam explosion pretreatments at equivalent combined severity factors. <i>Industrial Crops and Products</i> , 2020 , 158, 113003	5.9	7
138	Pretreatment of cotton spinning residues for optimal enzymatic hydrolysis: A case study using green solvents. <i>Renewable Energy</i> , 2020 , 145, 490-499	8.1	22
137	Thermodynamic analysis, experimental and kinetic modeling of levulinic acid esterification with ethanol at supercritical conditions. <i>Fuel</i> , 2020 , 260, 116376	7.1	11
136	Bifunctional Additives To Improve the Cold Flow Properties and Oxidation Stability of Soybean Oil Biodiesel. <i>Energy & Fuels</i> , 2020 , 34, 5907-5916	4.1	3
135	Metadata Analysis Approaches for Understanding and Improving the Functional Involvement of Rumen Microbial Consortium in Digestion and Metabolism of Plant Biomass. <i>Journal of Genomics</i> , 2019 , 7, 31-45	0.9	4
134	Multiple response optimization of alkaline pretreatment of sisal fiber (<i>Agave sisalana</i>) assisted by ultrasound. <i>Biotechnology Progress</i> , 2019 , 35, e2802	2.8	5
133	Multifunctionality of zinc carboxylate to produce acylglycerols, free fatty acids and fatty acids methyl esters. <i>Fuel</i> , 2019 , 244, 569-579	7.1	8
132	Integrated biomarker response index to assess toxic effects of environmentally relevant concentrations of paracetamol in a neotropical catfish (<i>Rhamdia quelen</i>). <i>Ecotoxicology and Environmental Safety</i> , 2019 , 182, 109438	7	15
131	Polymer Additives as Cold Flow Improvers for Palm Oil Methyl Esters. <i>Macromolecular Symposia</i> , 2019 , 383, 1800026	0.8	3
130	CAZymes-based ranking of fungi (CBRF): an interactive web database for identifying fungi with extrinsic plant biomass degrading abilities. <i>Bioresources and Bioprocessing</i> , 2019 , 6,	5.2	18
129	Synthesis of fatty acid ethyl esters with conventional and microwave heating systems using the free lipase B from <i>Candida antarctica</i> . <i>Biocatalysis and Biotransformation</i> , 2019 , 37, 25-34	2.5	8
128	Extraction of <i>Acutodesmus obliquus</i> lipids using a mixture of ethanol and hexane as solvent. <i>Biomass and Bioenergy</i> , 2018 , 108, 470-478	5.3	27
127	Insight into the high-pressure CO ₂ pre-treatment of sugarcane bagasse for a delivery of upgradable sugars. <i>Energy</i> , 2018 , 151, 536-544	7.9	27
126	Effects of low concentrations of ibuprofen on freshwater fish <i>Rhamdia quelen</i> . <i>Environmental Toxicology and Pharmacology</i> , 2018 , 59, 105-113	5.8	46
125	Consecutive Production of Hydroalcoholic Extracts, Carbohydrates Derivatives and Silica Nanoparticles from <i>Equisetum arvense</i> . <i>Waste and Biomass Valorization</i> , 2018 , 9, 1993-2002	3.2	7

124	Comprehensive analysis of sugarcane bagasse steam explosion using autocatalysis and dilute acid hydrolysis (H ₃ PO ₄ and H ₂ SO ₄) at equivalent combined severity factors. <i>Industrial Crops and Products</i> , 2018 , 123, 563-572	5.9	21
123	Magnetically recyclable nanocatalysts based on magnetite: an environmentally friendly and recyclable catalyst for esterification reactions. <i>Biofuel Research Journal</i> , 2018 , 5, 806-812	13.9	11
122	Production of Furan Compounds from Sugarcane Bagasse Using a Catalytic System Containing ZnCl ₂ /HCl or AlCl ₃ /HCl in a Biphasic System. <i>Journal of the Brazilian Chemical Society</i> , 2018 ,	1.5	5
121	Choricystis minor var. minor lipids: Extraction using conventional and pressurized solvents and assessment of their potential to produce fatty acid methyl esters. <i>Algal Research</i> , 2018 , 33, 28-35	5	7
120	Esterification of fatty acids with supercritical ethanol in a continuous tubular reactor. <i>Journal of Supercritical Fluids</i> , 2017 , 126, 25-36	4.2	18
119	Enzymatic Hydrolysis of Steam-Treated Sugarcane Bagasse: Effect of Enzyme Loading and Substrate Total Solids on Its Fractal Kinetic Modeling and Rheological Properties. <i>Energy & Fuels</i> , 2017 , 31, 6211-6220	4.1	13
118	Hemicellulose extraction from slash pine sawdust by steam explosion with sulfuric acid. <i>Biomass and Bioenergy</i> , 2017 , 107, 93-101	5.3	29
117	Phenolic compounds obtained from alkyl oleates as additives to improve the oxidative stability of methyl rapeseed biodiesel. <i>European Journal of Lipid Science and Technology</i> , 2017 , 119, 1700179	3	5
116	Production of 5-(hydroxymethyl)-furfural from water-soluble carbohydrates and sugarcane molasses. <i>Applied Catalysis A: General</i> , 2017 , 545, 127-133	5.1	14
115	Biodiesel: Raw Materials, Production Technologies and Fuel Properties. <i>Revista Virtual De Quimica</i> , 2017 , 9, 317-369	1.3	23
114	General Assessment of the Currently Available Biodiesel Production Technologies. <i>Green Energy and Technology</i> , 2016 , 291-326	0.6	
113	Pretreatment Processes for Cellulosic Ethanol Production: Processes Integration and Modeling for the Utilization of Lignocellulosics Such as Sugarcane Straw. <i>Green Energy and Technology</i> , 2016 , 107-131	0.6	6
112	Fungal Enzymatic Degradation of Cellulose. <i>Green Energy and Technology</i> , 2016 , 133-146	0.6	9
111	Principles and Challenges Involved in the Enzymatic Hydrolysis of Cellulosic Materials at High Total Solids. <i>Green Energy and Technology</i> , 2016 , 147-173	0.6	8
110	Production of cellulosic ethanol from steam-exploded Eucalyptus urograndis and sugarcane bagasse at high total solids and low enzyme loadings. <i>Sustainable Chemical Processes</i> , 2016 , 4,		15
109	Poly(alkyl acrylates) as Pour Point Improvers for Biofuels. <i>Macromolecular Symposia</i> , 2016 , 368, 40-48	0.8	2
108	Lipid content and fatty acid profile of Nannochloropsis oculata before and after extraction with conventional solvents and/or compressed fluids. <i>Journal of Supercritical Fluids</i> , 2016 , 108, 89-95	4.2	15
107	Sono-assisted alkaline pretreatment of sugarcane bagasse for cellulosic ethanol production. <i>Catalysis Today</i> , 2016 , 269, 21-28	5.3	15

106	Production of cellulosic ethanol from sugarcane bagasse by steam explosion: Effect of extractives content, acid catalysis and different fermentation technologies. <i>Bioresource Technology</i> , 2016 , 208, 184-194	11	81
105	Steam explosion pretreatment of oil palm empty fruit bunches (EFB) using autocatalytic hydrolysis: A biorefinery approach. <i>Bioresource Technology</i> , 2016 , 199, 173-180	11	57
104	Ethanol Production from Sugarcane Bagasse Using Phosphoric Acid-Catalyzed Steam Explosion. <i>Journal of the Brazilian Chemical Society</i> , 2016 ,	1.5	4
103	Evaluation of Castor Oil Cake Starch and Recovered Glycerol and Development of "Green" Composites Based on Those with Plant Fibers. <i>Materials</i> , 2016 , 9,	3.5	9
102	Preparation of Polyurethane Foams Based on Maltodextrin and Their Potential Use in Methyl Ester (Biodiesel) Purification. <i>Macromolecular Symposia</i> , 2016 , 367, 163-167	0.8	1
101	Ethanol production from sugars obtained during enzymatic hydrolysis of elephant grass (<i>Pennisetum purpureum</i> , Schum.) pretreated by steam explosion. <i>Bioresource Technology</i> , 2015 , 192, 228-37	11	44
100	Elephant grass (<i>Pennisetum purpureum</i> Schum.) pretreated via steam explosion as a carbon source for cellulases and xylanases in submerged cultivation. <i>Industrial Crops and Products</i> , 2015 , 70, 280-291	5.9	21
99	Production of cellulosic ethanol from cotton processing residues after pretreatment with dilute sodium hydroxide and enzymatic hydrolysis. <i>Bioresource Technology</i> , 2015 , 187, 91-96	11	24
98	. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2015 , 22, 864-868	2.3	8
97	Hardwood and softwood kraft lignins fractionation by simple sequential acid precipitation. <i>Separation and Purification Technology</i> , 2015 , 154, 82-88	8.3	78
96	Elephant grass pretreated by steam explosion for inducing secretion of cellulases and xylanases by <i>Penicillium echinulatum</i> S1M29 solid-state cultivation. <i>Industrial Crops and Products</i> , 2015 , 77, 97-107	5.9	23
95	Production of Fatty Acid Ethyl Esters from Waste Cooking Oil Using Novozym 435 in a Solvent-Free System. <i>Energy & Fuels</i> , 2015 , 29, 8074-8081	4.1	14
94	Liquid-liquid phase equilibrium measurements and modeling for systems involving {soybean oil + ethyl esters + (ethanol + water)}. <i>Fuel</i> , 2015 , 141, 164-172	7.1	21
93	Enzymatic hydrolysis of steam-exploded sugarcane bagasse using high total solids and low enzyme loadings. <i>Bioresource Technology</i> , 2015 , 175, 195-202	11	77
92	Assessment of biodiesel purification using CO ₂ at high pressures. <i>Journal of Supercritical Fluids</i> , 2015 , 96, 68-76	4.2	10
91	Current Pretreatment Technologies for the Development of Cellulosic Ethanol and Biorefineries. <i>ChemSusChem</i> , 2015 , 8, 3366-90	8.3	259
90	Supercritical carbon dioxide combined with 1-butyl-3-methylimidazolium acetate and ethanol for the pretreatment and enzymatic hydrolysis of sugarcane bagasse. <i>Bioresource Technology</i> , 2015 , 192, 389-96	11	35
89	PYROLIGNEOUS LIQUOR PRODUCED FROM <i>Acacia mearnsii</i> WILD WOOD UNDER CONTROLLED CONDITIONS AS A RENEWABLE SOURCE OF CHEMICALS. <i>Química Nova</i> , 2015 ,	1.6	4

88	The Essential Role of Plant Cell Wall Degrading Enzymes in the Success of Biorefineries: Current Status and Future Challenges 2014 , 151-172		2
87	Applications of Heterogeneous Catalysts in the Production of Biodiesel by Esterification and Transesterification 2014 , 255-276		6
86	High-pressure phase equilibrium measurements and thermodynamic modeling for the systems involving CO ₂ , ethyl esters (oleate, stearate, palmitate) and acetone. <i>Chemical Engineering Research and Design</i> , 2014 , 92, 2814-2825	5.5	8
85	Assessment of the enzymatic hydrolysis profile of cellulosic substrates based on reducing sugar release. <i>Bioresource Technology</i> , 2014 , 151, 392-6	11	19
84	The Use of Acid-Activated Montmorillonite as a Solid Catalyst for the Production of Fatty Acid Methyl Esters. <i>Energy & Fuels</i> , 2014 , 28, 5834-5840	4.1	13
83	Sugarcane biomass for biorefineries: comparative composition of carbohydrate and non-carbohydrate components of bagasse and straw. <i>Carbohydrate Polymers</i> , 2014 , 114, 95-101	10.3	98
82	Metal Glycerolates as Catalysts in the Transesterification of Refined Soybean Oil with Methanol under Reflux Conditions. <i>Journal of the Brazilian Chemical Society</i> , 2014 ,	1.5	2
81	SIMULTANEOUS ESTERIFICATION AND TRANSESTERIFICATION OF ACID OILS USING LAYERED ZINC CARBOXYLATES AS BIFUNCTIONAL CATALYSTS. <i>Quimica Nova</i> , 2014 ,	1.6	3
80	Synthesis of new carbohydrate-based polyurethanes and their application in the purification of methyl esters (biodiesel). <i>Journal of Polymer Research</i> , 2013 , 20, 1	2.7	6
79	Zinc Monoglycerolate as Highly Active and Reusable Catalyst in the Methyl Transesterification of Refined Soybean Oil. <i>Catalysis Letters</i> , 2013 , 143, 1235-1239	2.8	5
78	Acid-activated montmorillonites as heterogeneous catalysts for the esterification of lauric acid acid with methanol. <i>Applied Clay Science</i> , 2013 , 80-81, 236-244	5.2	60
77	Prediction of linolenic and linoleic fatty acids content in flax seeds and flax seeds flours through the use of infrared reflectance spectroscopy and multivariate calibration. <i>Food Research International</i> , 2013 , 51, 848-854	7	14
76	Kinetics of enzyme-catalyzed hydrolysis of steam-exploded sugarcane bagasse. <i>Bioresource Technology</i> , 2013 , 147, 416-423	11	29
75	Investigation of a molybdenum-containing silica catalyst synthesized by the sol-gel process in heterogeneous catalytic esterification reactions using methanol and ethanol. <i>Applied Catalysis B: Environmental</i> , 2013 , 130-131, 314-324	21.8	32
74	Liquid-liquid and vapor-liquid equilibrium data for biodiesel reaction-separation systems. <i>Fuel</i> , 2013 , 108, 269-276	7.1	16
73	Esterification of Fatty Acids Using a Bismuth-Containing Solid Acid Catalyst. <i>Energy & Fuels</i> , 2013 , 27, 2218-2225	4.1	12
72	Química Sem Fronteiras: o desafio da energia. <i>Quimica Nova</i> , 2013 , 36, 1540-1551	1.6	6
71	Phase behavior measurement for the system CO ₂ +glycerol+ethanol at high pressures. <i>Journal of Supercritical Fluids</i> , 2012 , 62, 41-46	4.2	21

70	Phase equilibrium data and thermodynamic modeling of the system (CO ₂ + biodiesel + methanol) at high pressures. <i>Journal of Chemical Thermodynamics</i> , 2012 , 44, 57-65	2.9	41
69	Phase behaviour measurements for the system (carbon dioxide + biodiesel + ethanol) at high pressures. <i>Journal of Chemical Thermodynamics</i> , 2012 , 47, 412-419	2.9	28
68	Synthesis and Characterization of Polyols Derived from Corn Oil by Epoxidation and Ozonolysis. <i>JAACS, Journal of the American Oil Chemists Society</i> , 2012 , 89, 1723-1731	1.8	21
67	Alkaline earth layered benzoates as reusable heterogeneous catalysts for the methyl esterification of benzoic acid. <i>Quimica Nova</i> , 2012 , 35, 1510-1516	1.6	5
66	Efeito do teor de umidade sobre o pré-tratamento a vapor e a hidrólise enzimática do bagaço de cana-de-açúcar. <i>Quimica Nova</i> , 2012 , 35, 1502-1509	1.6	15
65	LDHs Instability in Esterification Reactions and Their Conversion to Catalytically Active Layered Carboxylates. <i>Catalysis Letters</i> , 2012 , 142, 763-770	2.8	13
64	Acid activated montmorillonite as catalysts in methyl esterification reactions of lauric acid. <i>Journal of Oleo Science</i> , 2012 , 61, 497-504	1.6	33
63	Avaliação da natureza da atividade catalítica de compostos de bismuto em reações de metanólise do óleo de soja. <i>Quimica Nova</i> , 2012 , 35, 108-113	1.6	3
62	The effect of steam explosion on the production of sugarcane bagasse/polyester composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2011 , 42, 364-370	8.4	42
61	Subchronic effects of dipyrone on the fish species <i>Rhamdia quelen</i> . <i>Ecotoxicology and Environmental Safety</i> , 2011 , 74, 342-9	7	29
60	Catalisadores heterogêneos para a produção de monoésteres graxos (biodiesel). <i>Quimica Nova</i> , 2011 , 34, 477-486	1.6	33
59	Phase equilibrium data of the system CO ₂ +glycerol+methanol at high pressures. <i>Journal of Supercritical Fluids</i> , 2011 , 59, 1-7	4.2	37
58	Phase behavior of (CO ₂ + methanol + lauric acid) system. <i>Journal of Chemical Thermodynamics</i> , 2011 , 43, 1074-1082	2.9	19
57	Microalgae biodiesel via in situ methanolysis. <i>Journal of Chemical Technology and Biotechnology</i> , 2011 , 86, 1418-1427	3.5	31
56	Methanolysis of Soybean Oil Using Tungsten-Containing Heterogeneous Catalysts. <i>Energy & Fuels</i> , 2011 , 25, 2794-2802	4.1	10
55	Nanocomposites Based on Starch and Fibers of Natural Origin 2011 , 471-509		1
54	Biodiesel Production Technologies. <i>Revista Virtual De Quimica</i> , 2011 , 3,	1.3	15
53	Bionanocomposites of thermoplastic starch reinforced with bacterial cellulose nanofibres: Effect of enzymatic treatment on mechanical properties. <i>Carbohydrate Polymers</i> , 2010 , 80, 866-873	10.3	82

52	Assessment of cane straw as a suitable material for bioconversion through steam treatment and enzymatic hydrolysis. <i>Journal of Biotechnology</i> , 2010 , 150, 207-207	3.7	2
51	Bioethanol from lignocelluloses: Status and perspectives in Brazil. <i>Bioresource Technology</i> , 2010 , 101, 4820-5	11	282
50	Studies of the processing and characterization of corn starch and its composites with banana and sugarcane fibers from Brazil. <i>Carbohydrate Polymers</i> , 2010 , 80, 130-138	10.3	113
49	Estudo do uso de plastificantes de fontes renováveis em composições de PVC. <i>Polimeros</i> , 2009 , 19, 263-270	1.6	13
48	Application of the principal component analysis method in the biodegradation polyurethanes evaluation. <i>Materials Science and Engineering C</i> , 2009 , 29, 470-473	8.3	11
47	New multifunctional materials obtained by the intercalation of anionic dyes into layered zinc hydroxide nitrate followed by dispersion into poly(vinyl alcohol) (PVA). <i>Journal of Colloid and Interface Science</i> , 2009 , 330, 303-9	9.3	79
46	Soybean oil and beef tallow alcoholysis by acid heterogeneous catalysis. <i>Applied Catalysis A: General</i> , 2009 , 361, 42-48	5.1	63
45	Studies of the effect of molding pressure and incorporation of sugarcane bagasse fibers on the structure and properties of poly (hydroxy butyrate). <i>Composites Part A: Applied Science and Manufacturing</i> , 2009 , 40, 573-582	8.4	40
44	A new zinc hydroxide nitrate heterogeneous catalyst for the esterification of free fatty acids and the transesterification of vegetable oils. <i>Catalysis Communications</i> , 2008 , 9, 2140-2143	3.2	71
43	Comparison of <i>Penicillium echinulatum</i> and <i>Trichoderma reesei</i> cellulases in relation to their activity against various cellulosic substrates. <i>Bioresource Technology</i> , 2008 , 99, 1417-24	11	165
42	Use of anhydrous sodium molybdate as an efficient heterogeneous catalyst for soybean oil methanolysis. <i>Applied Catalysis A: General</i> , 2008 , 351, 267-274	5.1	49
41	Optimization of the ethanolysis of <i>Raphanus sativus</i> (L. Var.) crude oil applying the response surface methodology. <i>Bioresource Technology</i> , 2008 , 99, 1837-45	11	103
40	Esterification and transesterification reactions catalysed by addition of fermented solids to organic reaction media. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2007 , 44, 8-13		88
39	Ethanolysis of Refined Soybean Oil Assisted by Sodium and Potassium Hydroxides. <i>JAOCS, Journal of the American Oil Chemists Society</i> , 2007 , 84, 385-392	1.8	75
38	Molecular and structural characterization of the biosurfactant produced by <i>Pseudomonas aeruginosa</i> DAUPE 614. <i>Chemistry and Physics of Lipids</i> , 2007 , 147, 1-13	3.7	122
37	The influence of BHA, BHT and TBHQ on the oxidation stability of soybean oil ethyl esters (biodiesel). <i>Journal of the Brazilian Chemical Society</i> , 2007 , 18, 416-423	1.5	109
36	Method for characterization of the enzyme profile and the determination of CBH I (Cel 7a) core protein in <i>Trichoderma reesei</i> cellulase preparations. <i>World Journal of Microbiology and Biotechnology</i> , 2006 , 22, 821-825	4.4	2
35	Current status of biodiesel development in Brazil. <i>Applied Biochemistry and Biotechnology</i> , 2005 , 121-124, 807-19	3.2	24

34	Current Status of Biodiesel Development in Brazil 2005 , 807-819		
33	Hydrolysis and synthesis reactions catalysed by <i>Thermomyces lanuginosa</i> lipase in the AOT/Isooctane reversed micellar system. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2004 , 30, 43-49		69
32	Enzymatic Saccharification of Cellulosic Materials 2004 , 219-233		2
31	Relationships among the composition and physicochemical properties of starches with the characteristics of their films. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 7720-5	5.7	77
30	Multivariate monitoring of soybean oil ethanolysis by FTIR. <i>Talanta</i> , 2004 , 63, 1021-5	6.2	104
29	The chemistry involved in the steam treatment of lignocellulosic materials. <i>Quimica Nova</i> , 2003 , 26, 863-871	8.71	381
28	Fractionation of <i>Eucalyptus grandis</i> chips by dilute acid-catalysed steam explosion. <i>Bioresource Technology</i> , 2003 , 86, 105-15	11	121
27	Método para a Determinação de Eíidos Fenólicos na Parede Celular de Forragens. <i>Revista Brasileira De Zootecnia</i> , 2002 , 31, 1634-1639	1.2	7
26	Polyaniline/lignin blends: FTIR, MEV and electrochemical characterization. <i>European Polymer Journal</i> , 2002 , 38, 2213-2217	5.2	69
25	Desorption of cellulases from cotton powder. <i>Biotechnology Letters</i> , 2001 , 23, 1445-1448	3	11
24	Cassava starch maltodextrinization/monomerization through thermopressurized aqueous phosphoric acid hydrolysis. <i>Applied Biochemistry and Biotechnology</i> , 2001 , 91-93, 469-78	3.2	6
23	Intercalation of Benzamide into Kaolinite. <i>Journal of Colloid and Interface Science</i> , 2000 , 221, 284-290	9.3	44
22	Covalent Grafting of Ethylene Glycol into the Zn-Al-CO(3) Layered Double Hydroxide. <i>Journal of Colloid and Interface Science</i> , 2000 , 227, 445-451	9.3	64
21	Dry action of <i>Trichoderma reesei</i> cellulases on cotton fabrics. <i>Coloration Technology</i> , 2000 , 116, 121-125	2	
20	Brazilian bioethanol program. <i>Applied Biochemistry and Biotechnology</i> , 2000 , 84-86, 1147-61	3.2	57
19	Produção de biocombustível alternativo ao óleo diesel através da transesterificação de óleo de soja usado em frituras. <i>Quimica Nova</i> , 2000 , 23, 531-537	1.6	83
18	Comparison of the susceptibility of two hardwood species, <i>Mimosa scabrella</i> Benth and <i>Eucalyptus viminalis</i> Labill, to steam explosion and enzymatic hydrolysis. <i>Brazilian Archives of Biology and Technology</i> , 2000 , 43, 195-206	1.8	10
17	Brazilian Bioethanol Program 2000 , 1147-1161		2

16	Experimental design to enhance the production of l-(+)-lactic acid from steam-exploded wood hydrolysate using <i>Rhizopus oryzae</i> in a mixed-acid fermentation. <i>Process Biochemistry</i> , 1999 , 34, 949-955	4.8	48
15	The effect of <i>Trichoderma</i> cellulases on the fine structure of a bleached softwood kraft pulp. <i>Enzyme and Microbial Technology</i> , 1999 , 24, 371-380	3.8	30
14	Production of fumaric acid by fermentation of enzymatic hydrolysates derived from cassava bagasse. <i>Bioresource Technology</i> , 1999 , 68, 23-28	11	88
13	The potential of <i>Humicola grisea</i> var. <i>thermoidea</i> for bioconversion of sugar cane bagasse. <i>Bioresource Technology</i> , 1999 , 68, 35-41	11	26
12	Characterization of residual lignin after SO(2)-catalyzed steam explosion and enzymatic hydrolysis of <i>Eucalyptus viminalis</i> wood chips. <i>Journal of Agricultural and Food Chemistry</i> , 1999 , 47, 2295-302	5.7	18
11	Pretreatment of sugar cane bagasse for enhanced ruminal digestion. <i>Applied Biochemistry and Biotechnology</i> , 1996 , 57-58, 171-82	3.2	20
10	Pretreatment of Sugar Cane Bagasse for Enhanced Ruminai Digestion 1996 , 171-182		
9	Structural constraints affecting the initial enzymatic hydrolysis of recycled paper. <i>Enzyme and Microbial Technology</i> , 1995 , 17, 68-74	3.8	49
8	Pretreated sugar cane bagasse as a model for cattle feeding. <i>Applied Biochemistry and Biotechnology</i> , 1995 , 51-52, 105-116	3.2	12
7	Enzyme recycling during fed-batch hydrolysis of cellulose derived from steam-exploded <i>Eucalyptus viminalis</i> . <i>Applied Biochemistry and Biotechnology</i> , 1994 , 45-46, 193-207	3.2	36
6	Effect of enzymatic hydrolysis on the morphology and fine structure of pretreated cellulosic residues. <i>Enzyme and Microbial Technology</i> , 1993 , 15, 821-831	3.8	92
5	The use of enzyme recycling and the influence of sugar accumulation on cellulose hydrolysis by <i>Trichoderma</i> cellulases. <i>Enzyme and Microbial Technology</i> , 1993 , 15, 19-25	3.8	109
4	Steam Pretreatment Conditions for Effective Enzymatic Hydrolysis and Recovery Yields of <i>Eucalyptus viminalis</i> Wood Chips. <i>Holzforschung</i> , 1992 , 46, 149-154	2	54
3	Comparison of steam pretreatment of eucalyptus, aspen, and spruce wood chips and their enzymatic hydrolysis. <i>Applied Biochemistry and Biotechnology</i> , 1992 , 34-35, 37-48	3.2	117
2	Corn germ oil extraction with compressed propane compared with Soxhlet extraction. <i>Brazilian Journal of Chemical Engineering</i> , 1	1.7	2
1	Chapter 3. Pre-treatment of Biomass Using CO ₂ -based Methods. <i>RSC Green Chemistry</i> , 37-65	0.9	