

Yu-Feng Lin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4478877/publications.pdf>

Version: 2024-02-01

56
papers

1,761
citations

331670

21
h-index

276875

41
g-index

57
all docs

57
docs citations

57
times ranked

1963
citing authors

#	ARTICLE	IF	CITATIONS
1	Angiotensin II Receptor Blocker Associated With Less Outcome Risk in Patients With Acute Kidney Disease. <i>Frontiers in Pharmacology</i> , 2022, 13, 714658.	3.5	3
2	FGF23 ameliorates ischemia-reperfusion induced acute kidney injury via modulation of endothelial progenitor cells: targeting SDF-1/CXCR4 signaling. <i>Cell Death and Disease</i> , 2021, 12, 409.	6.3	12
3	Integrated approach for multimorbid patients in a hospitalist setting: Survival analysis of a two-year prospective study. <i>Journal of the Formosan Medical Association</i> , 2021, , .	1.7	3
4	Risk factors and prognosis assessment for acute kidney injury: The 2020 consensus of the Taiwan AKI Task Force. <i>Journal of the Formosan Medical Association</i> , 2021, 120, 1424-1433.	1.7	17
5	Developing and validating a model for predicting 7-day mortality of patients admitted from the emergency department: an initial alarm score by a prospective prediction model study. <i>BMJ Open</i> , 2021, 11, e040837.	1.9	3
6	Reduction of breast tumor drug resistance by 2,3,5,4-tetrahydroxystilbene for exhibition synergic chemotherapeutic effect. <i>PLoS ONE</i> , 2021, 16, e0260533.	2.5	1
7	Aldosterone level after saline infusion test could predict clinical outcome in primary aldosteronism after adrenalectomy. <i>Surgery</i> , 2019, 166, 362-368.	1.9	14
8	Potential target-organ protection of mineralocorticoid receptor antagonist in acute kidney disease. <i>Journal of Hypertension</i> , 2019, 37, 125-134.	0.5	6
9	Receipt of Vasopressors Is Positively Associated With the Length of the Actively Dying Process in Hospitalization. <i>American Journal of Hospice and Palliative Medicine</i> , 2018, 35, 1043-1049.	1.4	2
10	Risk of sepsis in patients with primary aldosteronism. <i>Critical Care</i> , 2018, 22, 313.	5.8	12
11	Short- and long-term outcomes after postsurgical acute kidney injury requiring dialysis. <i>Clinical Epidemiology</i> , 2018, Volume 10, 1583-1598.	3.0	5
12	miRNA-203 Modulates Aldosterone Levels and Cell Proliferation by Targeting Wnt5a in Aldosterone-Producing Adenomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 3737-3747.	3.6	26
13	Effects of Statin Use in Advanced Chronic Kidney Disease Patients. <i>Journal of Clinical Medicine</i> , 2018, 7, 285.	2.4	10
14	Plasma Aldosterone Concentration as a Determinant for Statin Use among Middle-Aged Hypertensive Patients for Atherosclerotic Cardiovascular Disease. <i>Journal of Clinical Medicine</i> , 2018, 7, 382.	2.4	3
15	Improvement in Mortality and End-Stage Renal Disease in Patients With Type 2 Diabetes After Acute Kidney Injury Who Are Prescribed Dipeptidyl Peptidase-4 Inhibitors. <i>Mayo Clinic Proceedings</i> , 2018, 93, 1760-1774.	3.0	7
16	Risk of Incident Non-Valvular Atrial Fibrillation after Dialysis-Requiring Acute Kidney Injury. <i>Journal of Clinical Medicine</i> , 2018, 7, 248.	2.4	6
17	New-Onset Diabetes After Acute Kidney Injury Requiring Dialysis. <i>Diabetes Care</i> , 2018, 41, 2105-2110.	8.6	16
18	Factors associated with emergency department visit within 30 days after discharge. <i>BMC Health Services Research</i> , 2016, 16, 190.	2.2	10

#	ARTICLE	IF	CITATIONS
19	Losartan reduces ensuing chronic kidney disease and mortality after acute kidney injury. <i>Scientific Reports</i> , 2016, 6, 34265.	3.3	43
20	Cumulative Cardiovascular Polypharmacy Is Associated With the Risk of Acute Kidney Injury in Elderly Patients. <i>Medicine (United States)</i> , 2015, 94, e1251.	1.0	46
21	The severity of initial acute kidney injury at admission of geriatric patients significantly correlates with subsequent in-hospital complications. <i>Scientific Reports</i> , 2015, 5, 13925.	3.3	46
22	Cross-sectional study of the association between functional status and acute kidney injury in geriatric patients. <i>BMC Nephrology</i> , 2015, 16, 186.	1.8	17
23	Ovarian and endometrial endometrioid adenocarcinomas have distinct profiles of microsatellite instability, <i>PTEN</i> expression, and <i>ARID1A</i> expression. <i>Histopathology</i> , 2015, 66, 517-528.	2.9	34
24	After-hours physician care for patients with do-not-resuscitate orders: An observational cohort study. <i>Palliative Medicine</i> , 2014, 28, 281-287.	3.1	2
25	Impact of Body Mass on Outcomes of Geriatric Postoperative Acute Kidney Injury Patients. <i>Shock</i> , 2014, 41, 400-405.	2.1	21
26	Why do general medical patients have a lengthy wait in the emergency department before admission?. <i>Journal of the Formosan Medical Association</i> , 2014, 113, 557-561.	1.7	8
27	From sugar to kidney: A never-ending battle. <i>Journal of Diabetes Investigation</i> , 2014, 5, 482-483.	2.4	1
28	Acute kidney injury in the elderly: Only the tip of the iceberg. <i>Journal of Clinical Gerontology and Geriatrics</i> , 2014, 5, 7-12.	0.7	21
29	Acute Kidney Injury Network Staging in Geriatric Postoperative Acute Kidney Injury Patients: Shortcomings and Improvements. <i>Journal of the American College of Surgeons</i> , 2013, 217, 240-250.	0.5	38
30	Noncancer Palliative Care. <i>American Journal of Hospice and Palliative Medicine</i> , 2013, 30, 334-338.	1.4	13
31	⁶⁷ Ga SPECT/CT Aids in the Diagnosis of Occult Infected Common Iliac Artery Aneurysm. <i>Clinical Nuclear Medicine</i> , 2013, 38, 573-575.	1.3	4
32	In Nonagenarians, Acute Kidney Injury Predicts In-Hospital Mortality, while Heart Failure Predicts Hospital Length of Stay. <i>PLoS ONE</i> , 2013, 8, e77929.	2.5	13
33	Demand and Predictors for Post-Discharge Medical Counseling in Home Care Patients: A Prospective Cohort Study. <i>PLoS ONE</i> , 2013, 8, e64274.	2.5	3
34	Advanced age affects the outcome-predictive power of RIFLE classification in geriatric patients with acute kidney injury. <i>Kidney International</i> , 2012, 82, 920-927.	5.2	59
35	Kidney function decline after a non-dialysis-requiring acute kidney injury is associated with higher long-term mortality in critically ill survivors. <i>Critical Care</i> , 2012, 16, R123.	5.8	62
36	Risk factors for nasal carriage of methicillin-resistant <i>Staphylococcus aureus</i> among patients with end-stage renal disease in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2012, 111, 14-18.	1.7	15

#	ARTICLE	IF	CITATIONS
37	U-Curve Association between Timing of Renal Replacement Therapy Initiation and In-Hospital Mortality in Postoperative Acute Kidney Injury. PLoS ONE, 2012, 7, e42952.	2.5	40
38	Preoperative Proteinuria Is Associated with Long-Term Progression to Chronic Dialysis and Mortality after Coronary Artery Bypass Grafting Surgery. PLoS ONE, 2012, 7, e27687.	2.5	27
39	Effect of Diuretic Use on 30-Day Postdialysis Mortality in Critically Ill Patients Receiving Acute Dialysis. PLoS ONE, 2012, 7, e30836.	2.5	25
40	Impact of timing of renal replacement therapy initiation on outcome of septic acute kidney injury. Critical Care, 2011, 15, R134.	5.8	87
41	Pleiotropic Effects of Sevelamer Beyond Phosphate Binding in End-Stage Renal Disease Patients. Clinical Drug Investigation, 2011, 31, 257-267.	2.2	19
42	Acute-on-chronic kidney injury at hospital discharge is associated with long-term dialysis and mortality. Kidney International, 2011, 80, 1222-1230.	5.2	163
43	Integrated postdischarge transitional care in a hospitalist system to improve discharge outcome: an experimental study. BMC Medicine, 2011, 9, 96.	5.5	28
44	Evaluating the performance of a hospitalist system in Taiwan: A pioneer study for nationwide health insurance in Asia. Journal of Hospital Medicine, 2011, 6, 378-382.	1.4	36
45	Preoperative Proteinuria Predicts Adverse Renal Outcomes after Coronary Artery Bypass Grafting. Journal of the American Society of Nephrology: JASN, 2011, 22, 156-163.	6.1	142
46	Patients Supported by Extracorporeal Membrane Oxygenation and Acute Dialysis: Acute Physiology and Chronic Health Evaluation Score in Predicting Hospital Mortality. Artificial Organs, 2010, 34, 828-835.	1.9	19
47	Risk factors for methicillin-resistant Staphylococcus aureus colonization among elderly patients with end-stage renal disease in Taiwan. American Journal of Infection Control, 2010, 38, 499-500.	2.3	2
48	Sustained low-efficiency dialysis versus continuous veno-venous hemofiltration for postsurgical acute renal failure. American Journal of Surgery, 2010, 199, 466-476.	1.8	51
49	Benefits of Sevelamer on Markers of Bone Turnover in Taiwanese Hemodialysis Patients. Journal of the Formosan Medical Association, 2010, 109, 663-672.	1.7	11
50	Residual Urine Output and Postoperative Mortality in Maintenance Hemodialysis Patients. American Journal of Critical Care, 2009, 18, 446-455.	1.6	6
51	Comparison of residual renal function in patients undergoing twice-a-weekly versus three-times-a-weekly haemodialysis. Nephrology, 2009, 14, 59-64.	1.6	105
52	Late initiation of renal replacement therapy is associated with worse outcomes in acute kidney injury after major abdominal surgery. Critical Care, 2009, 13, R171.	5.8	151
53	The 90-day mortality and the subsequent renal recovery in critically ill surgical patients requiring acute renal replacement therapy. American Journal of Surgery, 2009, 198, 325-332.	1.8	78
54	Risk factors of early redialysis after weaning from postoperative acute renal replacement therapy. Intensive Care Medicine, 2008, 34, 101-108.	8.2	124

#	ARTICLE	IF	CITATIONS
55	A Modified Sequential Organ Failure Assessment Score to Predict Hospital Mortality of Postoperative Acute Renal Failure Patients Requiring Renal Replacement Therapy. <i>Blood Purification</i> , 2008, 26, 547-554.	1.8	23
56	SAPS 3 at dialysis commencement is predictive of hospital mortality in patients supported by extracorporeal membrane oxygenation and acute dialysis. <i>European Journal of Cardio-thoracic Surgery</i> , 2008, 34, 1158-1164.	1.4	22