

Bernhard Moser

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4480659/publications.pdf>

Version: 2024-02-01

96
papers

20,608
citations

23879

60
h-index

43601

95
g-index

97
all docs

97
docs citations

97
times ranked

19979
citing authors

#	ARTICLE	IF	CITATIONS
1	Chemokine Receptor-Targeted Therapies: Special Case for CCR8. <i>Cancers</i> , 2022, 14, 511.	1.7	16
2	V β 9V α 2 T Cells Concurrently Kill Cancer Cells and Cross-Present Tumor Antigens. <i>Frontiers in Immunology</i> , 2021, 12, 645131.	2.2	19
3	Chemokine Pathways in Cutaneous Melanoma: Their Modulation by Cancer and Exploitation by the Clinician. <i>Cancers</i> , 2021, 13, 5625.	1.7	8
4	CXCL14 Preferentially Synergizes With Homeostatic Chemokine Receptor Systems. <i>Frontiers in Immunology</i> , 2020, 11, 561404.	2.2	20
5	CCR8 Expression Defines Tissue-Resident Memory T Cells in Human Skin. <i>Journal of Immunology</i> , 2018, 200, 1639-1650.	0.4	71
6	Peripheral Tissue Chemokines: Homeostatic Control of Immune Surveillance T Cells. <i>Trends in Immunology</i> , 2018, 39, 734-747.	2.9	25
7	Synergistic targeting of breast cancer stem-like cells by human $\gamma\delta$ T cells and CD8 ⁺ T cells. <i>Immunology and Cell Biology</i> , 2017, 95, 620-629.	1.0	51
8	The Antigen-Presenting Potential of V β 9V α 2 T Cells During Plasmodium falciparum Blood-Stage Infection. <i>Journal of Infectious Diseases</i> , 2017, 215, 1569-1579.	1.9	31
9	Antigen-Presenting Human $\gamma\delta$ T Cells Promote Intestinal CD4 ⁺ T Cell Expression of IL-22 and Mucosal Release of Calprotectin. <i>Journal of Immunology</i> , 2017, 198, 3417-3425.	0.4	42
10	Epithelial chemokine CXCL14 synergizes with CXCL12 <i>via</i> allosteric modulation of CXCR4. <i>FASEB Journal</i> , 2017, 31, 3084-3097.	0.2	58
11	Unconventional Human T Cells Accumulate at the Site of Infection in Response to Microbial Ligands and Induce Local Tissue Remodeling. <i>Journal of Immunology</i> , 2016, 197, 2195-2207.	0.4	42
12	A distinct chemokine axis does not account for enrichment of Foxp3 ⁺ CD4 ⁺ T cells in carcinogen-induced fibrosarcomas. <i>Immunology</i> , 2015, 145, 94-104.	2.0	9
13	CXCR5, the Defining Marker for Follicular B Helper T (TFH) Cells. <i>Frontiers in Immunology</i> , 2015, 6, 296.	2.2	60
14	Editorial: History of Chemoattractant Research. <i>Frontiers in Immunology</i> , 2015, 6, 548.	2.2	2
15	CXCL14 Displays Antimicrobial Activity against Respiratory Tract Bacteria and Contributes to Clearance of <i>Streptococcus pneumoniae</i> . <i>Pulmonary Infection. Journal of Immunology</i> , 2015, 194, 5980-5989.	0.4	50
16	Human V β 9/V α 2 T cells: Innate adaptors of the immune system. <i>Cellular Immunology</i> , 2015, 296, 10-21.	1.4	65
17	Skin Metabolites Define a New Paradigm in the Localization of Skin Tropic Memory T Cells. <i>Journal of Immunology</i> , 2015, 195, 96-104.	0.4	22
18	Potential Use of $\gamma\delta$ T Cell-Based Vaccines in Cancer Immunotherapy. <i>Frontiers in Immunology</i> , 2014, 5, 512.	2.2	18

#	ARTICLE	IF	CITATIONS
19	Expanded Human Blood-Derived $\gamma\delta$ T Cells Display Potent Antigen-Presentation Functions. <i>Frontiers in Immunology</i> , 2014, 5, 344.	2.2	52
20	Microbe-Specific Unconventional T Cells Induce Human Neutrophil Differentiation into Antigen Cross-Presenting Cells. <i>Journal of Immunology</i> , 2014, 193, 3704-3716.	0.4	93
21	Suppression of pro-inflammatory T-cell responses by human mesothelial cells. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 1743-1750.	0.4	6
22	Monocytes and $\gamma\delta$ T cells control the acute-phase response to intravenous zoledronate: Insights from a phase IV safety trial. <i>Journal of Bone and Mineral Research</i> , 2013, 28, 464-471.	3.1	59
23	Antimicrobial Activities of Chemokines: Not Just a Side-Effect?. <i>Frontiers in Immunology</i> , 2012, 3, 213.	2.2	71
24	Epidermis instructs skin homing receptor expression in human T cells. <i>Blood</i> , 2012, 120, 4591-4598.	0.6	77
25	Tumor-killing $\gamma\delta$ -TCRs take center stage. <i>Blood</i> , 2012, 120, 5093-5094.	0.6	4
26	IL-21 enhances the potential of human $\gamma\delta$ T cells to provide B cell help. <i>European Journal of Immunology</i> , 2012, 42, 110-119.	1.6	90
27	Failure to detect production of IL-10 by activated human neutrophils. <i>Nature Immunology</i> , 2011, 12, 1017-1018.	7.0	70
28	Grand Challenges. <i>Frontiers in Immunology</i> , 2011, 2, 1.	2.2	79
29	The Human Cutaneous Chemokine System. <i>Frontiers in Immunology</i> , 2011, 2, 33.	2.2	31
30	Mouse CCL8, a CCR8 agonist, promotes atopic dermatitis by recruiting IL-5+ TH2 cells. <i>Nature Immunology</i> , 2011, 12, 167-177.	7.0	274
31	$\gamma\delta$ T-APCs: a novel tool for immunotherapy?. <i>Cellular and Molecular Life Sciences</i> , 2011, 68, 2443-2452.	2.4	71
32	A Promising Target for Treatment of Multidrug-Resistant Bacterial Infections. <i>Antimicrobial Agents and Chemotherapy</i> , 2011, 55, 3635-3636.	1.4	25
33	Human Neutrophil Clearance of Bacterial Pathogens Triggers Anti-Microbial $\gamma\delta$ T Cell Responses in Early Infection. <i>PLoS Pathogens</i> , 2011, 7, e1002040.	2.1	106
34	Prolonged antigen survival and cytosolic export in cross-presenting human $\gamma\delta$ T cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 8730-8735.	3.3	60
35	A Rapid Crosstalk of Human $\gamma\delta$ T Cells and Monocytes Drives the Acute Inflammation in Bacterial Infections. <i>PLoS Pathogens</i> , 2009, 5, e1000308.	2.1	114
36	Potent and Broad-Spectrum Antimicrobial Activity of CXCL14 Suggests an Immediate Role in Skin Infections. <i>Journal of Immunology</i> , 2009, 182, 507-514.	0.4	82

#	ARTICLE	IF	CITATIONS
37	Cross-presenting human $\hat{3}\hat{1}$ T cells induce robust CD8 ⁺ $\hat{1}\hat{2}$ T cell responses. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 2307-2312.	3.3	229
38	Monocytes and $\hat{3}\hat{1}$ T cells: close encounters in microbial infection. Trends in Immunology, 2009, 30, 562-568.	2.9	48
39	Constitutive expression of CXCL14 in healthy human and murine epithelial tissues. Cytokine, 2008, 44, 248-255.	1.4	54
40	Murine CXCL14 Is Dispensable for Dendritic Cell Function and Localization within Peripheral Tissues. Molecular and Cellular Biology, 2007, 27, 983-992.	1.1	63
41	$\hat{3}\hat{1}$ T cells: novel initiators of adaptive immunity. Immunological Reviews, 2007, 215, 89-102.	2.8	70
42	$\hat{3}\hat{1}$ T cells: an alternative type of professional APC. Trends in Immunology, 2006, 27, 112-118.	2.9	67
43	T-Cell Memory: The Importance of Chemokine-Mediated Cell Attraction. Current Biology, 2006, 16, R504-R507.	1.8	5
44	Comment on "The Vast Majority of CLA+ T Cells Are Resident in Normal Skin". Journal of Immunology, 2006, 177, 1375-1376.	0.4	5
45	Homing and Function of Human Skin $\hat{3}\hat{1}$ T Cells and NK Cells: Relevance for Tumor Surveillance. Journal of Immunology, 2006, 176, 4331-4336.	0.4	219
46	Chemokines: Control of Primary and Memory T-Cell Traffic. Immunologic Research, 2005, 31, 57-74.	1.3	79
47	Follicular B helper T cells in antibody responses and autoimmunity. Nature Reviews Immunology, 2005, 5, 853-865.	10.6	541
48	Professional Antigen-Presentation Function by Human $\hat{3}\hat{1}$ T Cells. Science, 2005, 309, 264-268.	6.0	607
49	Chemokine-mediated control of T cell traffic in lymphoid and peripheral tissues. Molecular Immunology, 2005, 42, 799-809.	1.0	250
50	Cutaneous CXCL14 Targets Blood Precursors to Epidermal Niches for Langerhans Cell Differentiation. Immunity, 2005, 23, 331-342.	6.6	134
51	Characterization of Human T Cells That Regulate Neutrophilic Skin Inflammation. Journal of Immunology, 2004, 173, 2151-2158.	0.4	154
52	A Skin-selective Homing Mechanism for Human Immune Surveillance T Cells. Journal of Experimental Medicine, 2004, 199, 1265-1275.	4.2	206
53	B $\hat{2}$ cells alter the phenotype and function of follicular-homing CXCR5+ T $\hat{2}$ cells. European Journal of Immunology, 2004, 34, 3562-3571.	1.6	43
54	Chemokines: multiple levels of leukocyte migration control. Trends in Immunology, 2004, 25, 75-84.	2.9	757

#	ARTICLE	IF	CITATIONS
55	Lymphocyte traffic control by chemokines: follicular B helper T cells. <i>Immunology Letters</i> , 2003, 85, 105-112.	1.1	45
56	Macrophages exposed to <i>Mycobacterium tuberculosis</i> release chemokines able to recruit selected leucocyte subpopulations: focus on gammadelta cells. <i>Immunology</i> , 2003, 108, 365-374.	2.0	101
57	Flexible migration program regulates $\hat{\imath}\hat{\imath}$ T-cell involvement in humoral immunity. <i>Blood</i> , 2003, 102, 3693-3701.	0.6	158
58	Chemokines: role in immune cell traffic. <i>European Cytokine Network</i> , 2003, 14, 204-10.	1.1	14
59	Homing chemokines in rheumatoid arthritis. <i>Arthritis Research</i> , 2002, 4, 233.	2.0	253
60	CXCR5+ T cells: follicular homing takes center stage in T-helper-cell responses. <i>Trends in Immunology</i> , 2002, 23, 250-254.	2.9	105
61	Lymphocyte traffic control by chemokines. <i>Nature Immunology</i> , 2001, 2, 123-128.	7.0	1,115
62	Monocyte Selectivity and Tissue Localization Suggests a Role for Breast and Kidney-Expressed Chemokine (Brah) in Macrophage Development. <i>Journal of Experimental Medicine</i> , 2001, 194, 855-862.	4.2	193
63	Cutting Edge: Induction of Follicular Homing Precedes Effector Th Cell Development. <i>Journal of Immunology</i> , 2001, 167, 6082-6086.	0.4	99
64	Cxc Chemokine Receptor 5 Expression Defines Follicular Homing T Cells with B Cell Helper Function. <i>Journal of Experimental Medicine</i> , 2000, 192, 1553-1562.	4.2	1,094
65	Activation-dependent modulation of B lymphocyte migration to chemokines. <i>International Immunology</i> , 2000, 12, 1285-1292.	1.8	81
66	Systemic Neutralization of Interleukin-8 Markedly Reduces Neutrophilic Pleocytosis during Experimental Lipopolysaccharide-Induced Meningitis in Rabbits. <i>Infection and Immunity</i> , 2000, 68, 5756-5763.	1.0	35
67	Cytokines and Chemokines in Meningeal Inflammation: Biology and Clinical Implications. <i>Clinical Infectious Diseases</i> , 1999, 28, 1-11.	2.9	130
68	Chemokines and Their Receptors in Lymphocyte Traffic and HIV Infection. <i>Advances in Immunology</i> , 1999, 74, 127-180.	1.1	166
69	Structure and function of the murine chemokine receptor CXCR3. <i>European Journal of Immunology</i> , 1999, 29, 3804-3812.	1.6	85
70	CCR5 is characteristic of Th1 lymphocytes. <i>Nature</i> , 1998, 391, 344-345.	13.7	886
71	The chemokine receptor CXCR3 mediates rapid and shear-resistant adhesion-induction of effector T lymphocytes by the chemokines IP10 and Mig. <i>European Journal of Immunology</i> , 1998, 28, 961-972.	1.6	215
72	The chemokine SLC is expressed in T cell areas of lymph nodes and mucosal lymphoid tissues and attracts activated T cells via CCR7. <i>European Journal of Immunology</i> , 1998, 28, 2025-2034.	1.6	326

#	ARTICLE	IF	CITATIONS
73	Lymphocyte-specific chemokine receptor CXCR3: regulation, chemokine binding and gene localization. <i>European Journal of Immunology</i> , 1998, 28, 3696-3705.	1.6	383
74	Lymphocyte Responses to Chemokines. <i>International Reviews of Immunology</i> , 1998, 16, 323-344.	1.5	87
75	B Cell-Attracting Chemokine 1, a Human CXC Chemokine Expressed in Lymphoid Tissues, Selectively Attracts B Lymphocytes via BLR1/CXCR5. <i>Journal of Experimental Medicine</i> , 1998, 187, 655-660.	4.2	733
76	Interferon-Inducible T Cell Alpha Chemoattractant (I-TAC): A Novel Non-ELR CXC Chemokine with Potent Activity on Activated T Cells through Selective High Affinity Binding to CXCR3. <i>Journal of Experimental Medicine</i> , 1998, 187, 2009-2021.	4.2	784
77	Identification of CCR8, the Receptor for the Human CC Chemokine I-309. <i>Journal of Biological Chemistry</i> , 1997, 272, 17251-17254.	1.6	167
78	Blocking Chemokine Receptors. <i>Journal of Experimental Medicine</i> , 1997, 186, 1189-1191.	4.2	89
79	Chemokines and HIV: A remarkable synergism. <i>Trends in Microbiology</i> , 1997, 5, 88-90.	3.5	16
80	LHRH RECEPTORS AND LHRH RECEPTOR-BEARING CELLS IN PITUITARIES OF STREPTOZOCIN DIABETIC MALE RATS. <i>Pharmacological Research</i> , 1997, 35, 321-327.	3.1	5
81	Human Chemokines: An Update. <i>Annual Review of Immunology</i> , 1997, 15, 675-705.	9.5	2,104
82	The chemokine SDF-1, stromal cell-derived factor 1, attracts early stage B cell precursors via the chemokine receptor CXCR4. <i>European Journal of Immunology</i> , 1997, 27, 1788-1793.	1.6	319
83	The HIV-1 Life Cycle is Blocked at Two Different Points in Mature Dendritic Cells. <i>Advances in Experimental Medicine and Biology</i> , 1997, 417, 415-419.	0.8	13
84	Expression of high- and low-affinity receptors for C3a on the human mast cell line, HMC-1. <i>European Journal of Immunology</i> , 1996, 26, 753-758.	1.6	76
85	The interleukin-8 receptor B and CXC chemokines can mediate transendothelial migration of human skin homing T cells. <i>European Journal of Immunology</i> , 1996, 26, 2056-2061.	1.6	46
86	The CXC chemokine SDF-1 is the ligand for LESTR/fusin and prevents infection by T-cell-line-adapted HIV-1. <i>Nature</i> , 1996, 382, 833-835.	13.7	1,662
87	HIV blocked by chemokine antagonist. <i>Nature</i> , 1996, 383, 400-400.	13.7	273
88	Efficient Interaction of HIV-1 with Purified Dendritic Cells via Multiple Chemokine Coreceptors. <i>Journal of Experimental Medicine</i> , 1996, 184, 2433-2438.	4.2	250
89	Structure-activity relationships of chemokines. <i>Journal of Leukocyte Biology</i> , 1995, 57, 703-711.	1.5	325
90	Interleukin-8 and the chemokine family. <i>International Journal of Immunopharmacology</i> , 1995, 17, 103-108.	1.1	351

#	ARTICLE	IF	CITATIONS
91	Monocyte chemotactic proteins MCPα1, MCPα2, and MCPα3 are major attractants for human CD4 ⁺ and CD8 ⁺ T lymphocytes. FASEB Journal, 1994, 8, 1055-1060.	0.2	304
92	Interleukin-8 and Related Chemotactic Cytokines. Chest, 1994, 105, 95S-98S.	0.4	90
93	Interleukin-8 and Related Chemotactic Cytokines—CXC and CC Chemokines. Advances in Immunology, 1993, , 97-179.	1.1	1,672
94	Interleukin-8 Immunoreactivity in the Skin of Healthy Subjects and Patients with Palmoplantar Pustulosis and Psoriasis. Journal of Investigative Dermatology, 1992, 98, 96-101.	0.3	92
95	Chemical synthesis, purification, and characterization of two inflammatory proteins, neutrophil activating peptide 1 (interleukin-8) and neutrophil activating peptide 2. Biochemistry, 1991, 30, 3128-3135.	1.2	162
96	Chemokines. , 0, , 397-416.		0