Francesco Fanfani

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4480722/francesco-fanfani-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

3,683 38 104 57 h-index g-index citations papers 106 4.83 4,254 2.3 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
104	Characteristics and patterns of care of endometrial cancer before and during COVID-19 pandemic <i>Journal of Gynecologic Oncology</i> , 2022 , 33, e10	4	1
103	Oncologic and obstetric outcomes after simple conization for fertility-sparing surgery in FIGO 2018 stage IB1 cervical cancer. <i>International Journal of Gynecological Cancer</i> , 2021 , 31, 452-456	3.5	6
102	Laparoscopic vs. robotic-assisted laparoscopy in endometrial cancer staging: large retrospective single-institution study. <i>Journal of Gynecologic Oncology</i> , 2021 , 32, e45	4	4
101	Author's reply to: What is the prognostic importance of lymphovascular space invasion in the absence of lymph node metastasis for early-stage endometrial cancer?. <i>Journal of Gynecologic Oncology</i> , 2021 , 32, e89	4	1
100	Feasibility and perioperative outcomes of percutaneous-assisted laparoscopic hysterectomy: A multicentric Italian experience. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2020 , 245, 181-185	2.4	13
99	Author's Reply. Journal of Minimally Invasive Gynecology, 2019, 26, 371-372	2.2	
98	Diagnostic accuracy of ultrasound in detecting the severity of abnormally invasive placentation: a systematic review and meta-analysis. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2018 , 97, 25-37	3.8	54
97	One-Step Nucleic Acid Amplification (OSNA): A fast molecular test based on CK19 mRNA concentration for assessment of lymph-nodes metastases in early stage endometrial cancer. <i>PLoS ONE</i> , 2018 , 13, e0195877	3.7	21
96	Survival in clinical stage I endometrial cancer with single vs. multiple positive pelvic nodes: results of a multi-institutional Italian study. <i>Journal of Gynecologic Oncology</i> , 2018 , 29, e100	4	5
95	The new robotic TELELAP ALF-X in gynecological surgery: single-center experience. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016 , 30, 215-21	5.2	51
94	Use of robot-specific resources and operating room times: the case of Telelap Alf-X robotic hysterectomy. <i>International Journal of Medical Robotics and Computer Assisted Surgery</i> , 2016 , 12, 613-61	3 .9	14
93	Laparoscopic Management of a Small Bowel Recurrence of Endometrial Cancer. <i>Journal of Minimally Invasive Gynecology</i> , 2016 , 23, 160	2.2	2
92	Total Laparoscopic (S-LPS) versus TELELAP ALF-X Robotic-Assisted Hysterectomy: A Case-Control Study. <i>Journal of Minimally Invasive Gynecology</i> , 2016 , 23, 933-8	2.2	30
91	Laparoscopic Versus Laparotomic Surgical Staging for Early-Stage Ovarian Cancer: A Case-Control Study. <i>Journal of Minimally Invasive Gynecology</i> , 2016 , 23, 769-74	2.2	25
90	Phase III randomised clinical trial comparing primary surgery versus neoadjuvant chemotherapy in advanced epithelial ovarian cancer with high tumour load (SCORPION trial): Final analysis of peri-operative outcome. <i>European Journal of Cancer</i> , 2016 , 59, 22-33	7.5	203
89	Laparoscopic Management of Ovarian Cancer Patients With Localized Carcinomatosis and Lymph Node Metastases: Results of a Retrospective Multi-institutional Series. <i>Journal of Minimally Invasive Gynecology</i> , 2016 , 23, 590-6	2.2	10
88	Robotic Hysterectomy in Severely Obese Patients With Endometrial Cancer: A Multicenter Study. Journal of Minimally Invasive Gynecology, 2016 , 23, 94-100	2.2	23

87	Cervical cancer response to neoadjuvant chemoradiotherapy: MRI assessment compared with surgery. <i>Acta Radiologica</i> , 2016 , 57, 1123-31	2	10
86	Minimally invasive interval debulking surgery in ovarian neoplasm (MISSION trial-NCT02324595): a feasibility study. <i>American Journal of Obstetrics and Gynecology</i> , 2016 , 214, 503.e1-503.e6	6.4	40
85	Telelap ALF-X vs Standard Laparoscopy for the Treatment of Early-Stage Endometrial Cancer: A Single-Institution Retrospective Cohort Study. <i>Journal of Minimally Invasive Gynecology</i> , 2016 , 23, 378-8.	3 ^{2.2}	42
84	Impact of Obesity on Surgical Treatment for Endometrial Cancer: A Multicenter Study Comparing Laparoscopy vs Open Surgery, with Propensity-Matched Analysis. <i>Journal of Minimally Invasive Gynecology</i> , 2016 , 23, 53-61	2.2	55
83	Total Laparoscopic Hysterectomy With Percutaneous (Percuvance) Instruments: New Frontier of Minimally Invasive Gynecological Surgery. <i>Journal of Minimally Invasive Gynecology</i> , 2016 , 23, 14-5	2.2	22
82	Learning a new robotic surgical device: Telelap Alf X in gynaecological surgery. <i>International Journal of Medical Robotics and Computer Assisted Surgery</i> , 2016 , 12, 490-5	2.9	16
81	Laparoscopic vs. open treatment of endometrial cancer in the elderly and very elderly: An age-stratified multicenter study on 1606 women. <i>Gynecologic Oncology</i> , 2016 , 141, 211-217	4.9	39
80	Laparoscopic fertility-sparing surgery for early ovarian epithelial cancer: A multi-institutional experience. <i>Gynecologic Oncology</i> , 2016 , 141, 461-465	4.9	39
79	How Technology Can Impact Surgeon Performance: A Randomized Trial Comparing 3-Dimensional versus 2-Dimensional Laparoscopy in Gynecology Oncology. <i>Journal of Minimally Invasive Gynecology</i> , 2016 , 23, 810-7	2.2	11
78	International consensus guidelines on Clinical Target Volume delineation in rectal cancer. <i>Radiotherapy and Oncology</i> , 2016 , 120, 195-201	5.3	83
77	TELELAP ALF-X Robotic-assisted Laparoscopic Hysterectomy: Feasibility and Perioperative Outcomes. <i>Journal of Minimally Invasive Gynecology</i> , 2015 , 22, 1011-7	2.2	29
76	Telelap Alf-X-Assisted Laparoscopy for Ovarian Cyst Enucleation: Report of the First 10 Cases. Journal of Minimally Invasive Gynecology, 2015 , 22, 1079-83	2.2	21
75	Positron emission tomography-laparoscopy based method in the prediction of complete cytoreduction in platinum-sensitive recurrent ovarian cancer. <i>Annals of Surgical Oncology</i> , 2015 , 22, 649-	-34 -34	15
74	Laparoscopic Radical Hysterectomy After Concomitant Chemoradiation in Locally Advanced Cervical Cancer: A Prospective Phase II Study. <i>Journal of Minimally Invasive Gynecology</i> , 2015 , 22, 877-83	2.2	18
73	Minimally invasive secondary cytoreduction plus HIPEC versus open surgery plus HIPEC in isolated relapse from ovarian cancer: a retrospective cohort study on perioperative outcomes. <i>Journal of Minimally Invasive Gynecology</i> , 2015 , 22, 428-32	2.2	41
72	Early postoperative bladder training in patients submitted to radical hysterectomy: is it still necessary? A randomized trial. <i>Archives of Gynecology and Obstetrics</i> , 2015 , 291, 883-8	2.5	17
71	Feasibility and surgical outcome in obese versus nonobese patients undergoing laparoendoscopic single-site hysterectomy: a multicenter case-control study. <i>Journal of Minimally Invasive Gynecology</i> , 2015 , 22, 456-61	2.2	14
70	Mesenteric lymph node involvement in advanced ovarian cancer patients undergoing rectosigmoid resection: prognostic role and clinical considerations. <i>Annals of Surgical Oncology</i> , 2014 , 21, 2369-75	3.1	17

69	Minilaparoscopic nerve sparing radical hysterectomy in locally advanced cervical cancer after neoadjuvant radiochemotherapy. <i>Gynecologic Oncology</i> , 2014 , 132, 758-9	4.9	10
68	Chemoradiation with concomitant boosts followed by radical surgery in locally advanced cervical cancer: long-term results of the ROMA-2 prospective phase 2 study. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 90, 778-85	4	38
67	Influence of intraperitoneal dissemination assessed by laparoscopy on prognosis of advanced ovarian cancer: an exploratory analysis of a single-institution experience. <i>Annals of Surgical Oncology</i> , 2014 , 21, 3970-7	3.1	31
66	Randomized study comparing use of THUNDERBEAT technology vs standard electrosurgery during laparoscopic radical hysterectomy and pelvic lymphadenectomy for gynecologic cancer. <i>Journal of Minimally Invasive Gynecology</i> , 2014 , 21, 447-53	2.2	42
65	Minilaparoscopic radical hysterectomy (mLPS-RH) vs laparoendoscopic single-site radical hysterectomy (LESS-RH) in early stage cervical cancer: a multicenter retrospective study. <i>Journal of Minimally Invasive Gynecology</i> , 2014 , 21, 1005-9	2.2	11
64	Morbidity after pelvic exenteration for gynecological malignancies: a retrospective multicentric study of 230 patients. <i>International Journal of Gynecological Cancer</i> , 2014 , 24, 156-64	3.5	51
63	Risk of Essure microinsert abdominal migration: case report and review of literature. <i>Therapeutics and Clinical Risk Management</i> , 2014 , 10, 963-8	2.9	10
62	Laparoendoscopic single-site hysterectomy: is it safe and feasible?. <i>Current Opinion in Obstetrics and Gynecology</i> , 2014 , 26, 275-80	2.4	19
61	Laparoscopic surgical management of localized recurrent ovarian cancer: a single-institution experience. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2014 , 28, 1808-15	5.2	37
60	Completion surgery after concomitant chemoradiation in locally advanced cervical cancer: a comprehensive analysis of pattern of postoperative complications. <i>Annals of Surgical Oncology</i> , 2014 , 21, 1692-9	3.1	48
59	Minilaparoscopic versus single-port total hysterectomy: a randomized trial. <i>Journal of Minimally Invasive Gynecology</i> , 2013 , 20, 192-7	2.2	46
58	A multicentric trial (Olympia-MITO 13) on the accuracy of laparoscopy to assess peritoneal spread in ovarian cancer. <i>American Journal of Obstetrics and Gynecology</i> , 2013 , 209, 462.e1-462.e11	6.4	84
57	Some criticism about postoperative pain after adnexal surgery performed by single-port versus standard laparoscopy. <i>Fertility and Sterility</i> , 2013 , 99, e3	4.8	2
56	Narrow-band imaging in laparoscopic management of recurrent platinum sensitive ovarian cancer. Journal of Minimally Invasive Gynecology, 2013 , 20, 10-2	2.2	6
55	Total microlaparoscopic radical hysterectomy in early cervical cancer. <i>Journal of the Society of Laparoendoscopic Surgeons</i> , 2013 , 17, 111-5	2.2	8
54	Laparoendoscopic single-site isobaric hysterectomy in endometrial cancer. <i>Journal of the Society of Laparoendoscopic Surgeons</i> , 2013 , 17, 354-7	2.2	5
53	Perioperative outcomes of total laparoendoscopic single-site hysterectomy versus total robotic hysterectomy in endometrial cancer patients: a multicentre study. <i>Gynecologic Oncology</i> , 2012 , 125, 55.	2 -5 9	25
52	External hemipelvectomy as treatment for solitary coxofemoral metastasis from endometrial carcinoma: case report and review of the literature. <i>Journal of Obstetrics and Gynaecology Research</i> , 2012 , 38, 892-8	1.9	9

(2010-2012)

51	Total laparoendoscopic single-site surgery (LESS) hysterectomy in low-risk early endometrial cancer: a pilot study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2012 , 26, 41-6	5.2	54
50	Teaching and training in laparoscopic surgery: experience of Catholic Laparoscopy Advanced Surgery School in the basic gynecological surgery. <i>Archives of Gynecology and Obstetrics</i> , 2012 , 285, 155	5- 60 5	2
49	Cytoreductive surgery plus HIPEC in platinum-sensitive recurrent ovarian cancer patients: a case-control study on survival in patients with two year follow-up. <i>Gynecologic Oncology</i> , 2012 , 127, 502	2- 4 .9	76
48	Laparoscopic, minilaparoscopic and single-port hysterectomy: perioperative outcomes. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2012 , 26, 3592-6	5.2	44
47	Laparoendoscopic single-site surgery (LESS) for treatment of benign adnexal disease: single-center experience over 3-years. <i>Journal of Minimally Invasive Gynecology</i> , 2012 , 19, 695-700	2.2	26
46	Systematic pelvic and aortic lymphadenectomy in advanced ovarian cancer patients at the time of interval debulking surgery: a double-institution case-control study. <i>Annals of Surgical Oncology</i> , 2012 , 19, 3522-7	3.1	28
45	First 100 early endometrial cancer cases treated with laparoendoscopic single-site surgery: a multicentric retrospective study. <i>American Journal of Obstetrics and Gynecology</i> , 2012 , 206, 353.e1-6	6.4	77
44	Narrow-band imaging in laparoscopic management of cervical carcinoma. <i>Journal of Minimally Invasive Gynecology</i> , 2011 , 18, 146-7	2.2	8
43	Excisional cone as fertility-sparing treatment in early-stage cervical cancer. <i>Fertility and Sterility</i> , 2011 , 95, 1109-12	4.8	47
42	Postoperative pain after conventional laparoscopy and laparoendoscopic single site surgery (LESS) for benign adnexal disease: a randomized trial. <i>Fertility and Sterility</i> , 2011 , 96, 255-259.e2	4.8	129
41	Learning curve and pitfalls of a laparoscopic score to describe peritoneal carcinosis in advanced ovarian cancer. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2011 , 90, 1126-31	3.8	17
40	HIPEC in recurrent ovarian cancer patients: morbidity-related treatment and long-term analysis of clinical outcome. <i>Gynecologic Oncology</i> , 2011 , 122, 221-5	4.9	53
39	Simple conization and lymphadenectomy for the conservative treatment of stage IB1 cervical cancer. An Italian experience. <i>Gynecologic Oncology</i> , 2011 , 123, 557-60	4.9	79
38	Laparoendoscopic single-site surgery for the treatment of benign adnexal diseases: a pilot study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011 , 25, 1215-21	5.2	23
37	Perioperative outcomes of laparoendoscopic single-site surgery (LESS) versus conventional laparoscopy for adnexal disease: a casecontrol study. <i>Surgical Innovation</i> , 2011 , 18, 29-33	2	20
36	Laparoendoscopic single-site surgery for the treatment of benign adnexal disease: a prospective trial. <i>Diagnostic and Therapeutic Endoscopy</i> , 2010 , 2010, 108258	Ο	19
35	Laparoscopic myomectomy at 25 weeks of pregnancy: case report. <i>Journal of Minimally Invasive Gynecology</i> , 2010 , 17, 91-3	2.2	21
34	Laparoendoscopic single-site surgery for total hysterectomy. <i>International Journal of Gynecology and Obstetrics</i> , 2010 , 109, 76-7	4	34

33	Discoid or segmental rectosigmoid resection for deep infiltrating endometriosis: a case-control study. <i>Fertility and Sterility</i> , 2010 , 94, 444-9	4.8	93
32	Reply of the Authors: Patient's fertility desire should be taken into consideration in the surgical treatment algorithm of infiltrating endometriosis. <i>Fertility and Sterility</i> , 2010 , 93, e5	4.8	1
31	Role of cytoreductive surgery in recurrent ovarian cancer. <i>Therapy: Open Access in Clinical Medicine</i> , 2010 , 7, 87-95		1
30	Laparoendoscopic single-site surgery for fertility-sparing staging of border line ovarian tumors: initial experience. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2010 , 20, e172-5	1.3	15
29	Risk of postoperative pelvic abscess in major gynecologic oncology surgery: one-year single-institution experience. <i>Annals of Surgical Oncology</i> , 2010 , 17, 2452-8	3.1	27
28	Comparison of peritoneal carcinomatosis scoring methods in predicting resectability and prognosis in advanced ovarian cancer. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 203, e10-1; author reply e11	6.4	5
27	A randomized study comparing the use of the Ligaclip with bipolar energy to prevent lymphocele during laparoscopic pelvic lymphadenectomy for gynecologic cancer. <i>American Journal of Obstetrics and Gynecology</i> , 2010 , 203, 483.e1-6	6.4	32
26	Upper abdominal surgery in advanced and recurrent ovarian cancer: role of diaphragmatic surgery. <i>Gynecologic Oncology</i> , 2010 , 116, 497-501	4.9	48
25	Metastatic tumour cells favour the generation of a tolerogenic milieu in tumour draining lymph node in patients with early cervical cancer. <i>Cancer Immunology, Immunotherapy</i> , 2009 , 58, 1363-73	7.4	65
24	Laparoendoscopic single-site surgery (LESS) for ovarian cyst enucleation: report of first 3 cases. <i>Fertility and Sterility</i> , 2009 , 92, 1168.e13-1168.e16	4.8	65
23	Neoadjuvant chemoradiation followed by radical hysterectomy in FIGO Stage IIIB cervical cancer: feasibility, complications, and clinical outcome. <i>International Journal of Gynecological Cancer</i> , 2009 , 19, 1119-24	3.5	27
22	Neuropilin-1 expression identifies a subset of regulatory T cells in human lymph nodes that is modulated by preoperative chemoradiation therapy in cervical cancer. <i>Immunology</i> , 2008 , 123, 129-38	7.8	80
21	Is frozen section analysis of pelvic lymph nodes accurate in locally advanced cervical cancer patients administered preoperative chemoradiation?. <i>Gynecologic Oncology</i> , 2008 , 108, 220-5	4.9	4
20	Articular ganglia of the volar aspect of the wrist: arthroscopic resection compared with open excision. A prospective randomised study. <i>Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery</i> , 2008 , 42, 253-9		44
19	Prospective validation of a laparoscopic predictive model for optimal cytoreduction in advanced ovarian carcinoma. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 199, 642.e1-6	6.4	174
18	Investigational agents against platinum-resistant ovarian cancer. <i>Expert Opinion on Investigational Drugs</i> , 2007 , 16, 325-36	5.9	4
17	Which role for pre-treatment laparoscopic staging?. <i>Gynecologic Oncology</i> , 2007 , 107, S101-5	4.9	20
16	Lymph node involvement in locally advanced cervical cancer patients administered preoperative chemoradiation versus chemotherapy. <i>Annals of Surgical Oncology</i> , 2007 , 14, 1129-35	3.1	27

LIST OF PUBLICATIONS

15	Endometrial cancer arising in both horns of didelphys uterus in a Down's syndrome woman. <i>Gynecologic Oncology</i> , 2006 , 101, 537-9	4.9	8
14	Advanced vulvar carcinoma: is it worth operating? A perioperative management protocol for radical and reconstructive surgery. <i>Gynecologic Oncology</i> , 2006 , 103, 467-72	4.9	12
13	Re: "Diagnostic open laparoscopy in the management of advanced ovarian cancer". <i>Gynecologic Oncology</i> , 2006 , 103, 372-3; author reply 373-4	4.9	1
12	Reply to: Laparoscopy or minilaparotomy as minimally invasive surgical approach for uterine leiomyomas? An unsolved question. <i>Journal of Minimally Invasive Gynecology</i> , 2006 , 13, 253-254	2.2	1
11	Laparoscopic diagnosis of asymptomatic megaureter. <i>Journal of Minimally Invasive Gynecology</i> , 2006 , 13, 64-6	2.2	1
10	A laparoscopy-based score to predict surgical outcome in patients with advanced ovarian carcinoma: a pilot study. <i>Annals of Surgical Oncology</i> , 2006 , 13, 1156-61	3.1	226
9	Increased cyclooxygenase-2 expression is associated with better clinical outcome in patients submitted to complete ablation for severe endometriosis. <i>Human Reproduction</i> , 2005 , 20, 2964-8	5.7	8
8	A prospective study of laparoscopy versus minilaparotomy in the treatment of uterine myomas. <i>Journal of Minimally Invasive Gynecology</i> , 2005 , 12, 470-4	2.2	48
7	Minilaparotomy in the management of benign gynecologic disease. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2005 , 119, 232-6	2.4	32
6	Terminologia Anatomica versus unofficial descriptions and nomenclature of the fasciae and ligaments of the female pelvis: a dissection-based comparative study. <i>American Journal of Obstetrics and Gynecology</i> , 2005 , 193, 1565-73	6.4	81
5	Role of laparoscopy to assess the chance of optimal cytoreductive surgery in advanced ovarian cancer: a pilot study. <i>Gynecologic Oncology</i> , 2005 , 96, 729-35	4.9	103
4	Analysis of cyclooxygenase-2 (COX-2) expression in different sites of endometriosis and correlation with clinico-pathological parameters. <i>Human Reproduction</i> , 2004 , 19, 393-7	5.7	45
3	Frozen section examination of pelvic lymph nodes in endometrial and cervical cancer: accuracy in patients submitted to neoadjuvant treatments. <i>Gynecologic Oncology</i> , 2004 , 94, 779-84	4.9	25
2	A prospective randomized study of laparoscopy and minilaparotomy in the management of benign adnexal masses. <i>Human Reproduction</i> , 2004 , 19, 2367-71	5.7	66
1	Impact of interval debulking surgery on clinical outcome in primary unresectable FIGO stage IIIc ovarian cancer patients. <i>Oncology</i> , 2003 , 65, 316-22	3.6	62