David J Mangelsdorf

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4480967/david-j-mangelsdorf-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

192	57,163	103	221
papers	citations	h-index	g-index
221	61,230 ext. citations	17.3	7.4
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
192	The energy balance model of obesity: beyond calories in, calories out <i>American Journal of Clinical Nutrition</i> , 2022 ,	7	13
191	Characterization of the endogenous DAF-12 ligand and its use as an anthelmintic agent in. <i>ELife</i> , 2021 , 10,	8.9	2
190	FGF21 promotes thermogenic gene expression as an autocrine factor in adipocytes. <i>Cell Reports</i> , 2021 , 35, 109331	10.6	12
189	Identification of a nuclear receptor/coactivator developmental signaling pathway in the nematode parasite. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118,	11.5	2
188	The Schistosoma mansoni huclear receptor FTZ-F1 maintains esophageal gland function via transcriptional regulation of meg-8.3 <i>PLoS Pathogens</i> , 2021 , 17, e1010140	7.6	O
187	Pancreatitis is an FGF21-deficient state that is corrected by replacement therapy. <i>Science Translational Medicine</i> , 2020 , 12,	17.5	16
186	Dafachronic acid and temperature regulate canonical dauer pathways during Nippostrongylus brasiliensis infectious larvae activation. <i>Parasites and Vectors</i> , 2020 , 13, 162	4	6
185	A Dozen Years of Discovery: Insights into the Physiology and Pharmacology of FGF21. <i>Cell Metabolism</i> , 2019 , 29, 246-253	24.6	96
184	The orphan nuclear receptor SHP regulates ER stress response by inhibiting XBP1s degradation. <i>Genes and Development</i> , 2019 , 33, 1083-1094	12.6	10
183	The Hormone FGF21 Stimulates Water Drinking in Response to Ketogenic Diet and Alcohol. <i>Cell Metabolism</i> , 2018 , 27, 1338-1347.e4	24.6	50
182	Methylprednisolone acetate induces, and 🛽-dafachronic acid suppresses, hyperinfection in NSG mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 204-20	g ^{11.5}	27
181	PPAREK107 SUMOylation regulates insulin sensitivity but not adiposity in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 12102-12111	11.5	14
180	FGF21 Is an Exocrine Pancreas Secretagogue. <i>Cell Metabolism</i> , 2017 , 25, 472-480	24.6	58
179	Nuclear receptors: emerging drug targets for parasitic diseases. <i>Journal of Clinical Investigation</i> , 2017 , 127, 1165-1171	15.9	13
178	FGF19, FGF21, and an FGFR1/EKlotho-Activating Antibody Act on the Nervous System to Regulate Body Weight and Glycemia. <i>Cell Metabolism</i> , 2017 , 26, 709-718.e3	24.6	131
177	KLB is associated with alcohol drinking, and its gene product EKlotho is necessary for FGF21 regulation of alcohol preference. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 14372-14377	11.5	150
176	Impaired 17,20-Lyase Activity in Male Mice Lacking Cytochrome b5 in Leydig Cells. <i>Molecular Endocrinology</i> , 2016 , 30, 469-78		11

(2013-2016)

175	involution. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 1026-31	11.5	67
174	FGF21 Regulates Sweet and Alcohol Preference. <i>Cell Metabolism</i> , 2016 , 23, 344-9	24.6	189
173	Regulation of Life Cycle Checkpoints and Developmental Activation of Infective Larvae in Strongyloides stercoralis by Dafachronic Acid. <i>PLoS Pathogens</i> , 2016 , 12, e1005358	7.6	41
172	The nuclear receptor DAF-12 regulates nutrient metabolism and reproductive growth in nematodes. <i>PLoS Genetics</i> , 2015 , 11, e1005027	6	33
171	Tissue-specific actions of the metabolic hormones FGF15/19 and FGF21. <i>Trends in Endocrinology and Metabolism</i> , 2015 , 26, 22-9	8.8	194
170	Bile Acids as Hormones: The FXR-FGF15/19 Pathway. <i>Digestive Diseases</i> , 2015 , 33, 327-31	3.2	219
169	Detection of FGF15 in plasma by stable isotope standards and capture by anti-peptide antibodies and targeted mass spectrometry. <i>Cell Metabolism</i> , 2015 , 21, 898-904	24.6	47
168	Glucocorticoids regulate the metabolic hormone FGF21 in a feed-forward loop. <i>Molecular Endocrinology</i> , 2015 , 29, 213-23		57
167	Loss of the liver X receptor LXR/IIn peripheral sensory neurons modifies energy expenditure. <i>ELife</i> , 2015 , 4,	8.9	16
166	PPARlin vagal neurons regulates high-fat diet induced thermogenesis. <i>Cell Metabolism</i> , 2014 , 19, 722-3	024.6	49
166 165	PPARIIn vagal neurons regulates high-fat diet induced thermogenesis. <i>Cell Metabolism</i> , 2014 , 19, 722-3 Nuclear Receptors, RXR, and the Big Bang. <i>Cell</i> , 2014 , 157, 255-66	024.6 56.2	49 709
165	Nuclear Receptors, RXR, and the Big Bang. <i>Cell</i> , 2014 , 157, 255-66 Circulating FGF21 is liver derived and enhances glucose uptake during refeeding and overfeeding.	56.2	709
165 164	Nuclear Receptors, RXR, and the Big Bang. <i>Cell</i> , 2014 , 157, 255-66 Circulating FGF21 is liver derived and enhances glucose uptake during refeeding and overfeeding. <i>Diabetes</i> , 2014 , 63, 4057-63 FGF21 acts centrally to induce sympathetic nerve activity, energy expenditure, and weight loss. <i>Cell</i>	56.2	709 349
165 164 163	Nuclear Receptors, RXR, and the Big Bang. <i>Cell</i> , 2014 , 157, 255-66 Circulating FGF21 is liver derived and enhances glucose uptake during refeeding and overfeeding. <i>Diabetes</i> , 2014 , 63, 4057-63 FGF21 acts centrally to induce sympathetic nerve activity, energy expenditure, and weight loss. <i>Cell Metabolism</i> , 2014 , 20, 670-7 Structural insights into gene repression by the orphan nuclear receptor SHP. <i>Proceedings of the</i>	56.2 0.9 24.6	709 349 305
165 164 163	Nuclear Receptors, RXR, and the Big Bang. <i>Cell</i> , 2014 , 157, 255-66 Circulating FGF21 is liver derived and enhances glucose uptake during refeeding and overfeeding. <i>Diabetes</i> , 2014 , 63, 4057-63 FGF21 acts centrally to induce sympathetic nerve activity, energy expenditure, and weight loss. <i>Cell Metabolism</i> , 2014 , 20, 670-7 Structural insights into gene repression by the orphan nuclear receptor SHP. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 839-44	56.2 0.9 24.6 11.5	709 349 305
165 164 163 162	Nuclear Receptors, RXR, and the Big Bang. <i>Cell</i> , 2014 , 157, 255-66 Circulating FGF21 is liver derived and enhances glucose uptake during refeeding and overfeeding. <i>Diabetes</i> , 2014 , 63, 4057-63 FGF21 acts centrally to induce sympathetic nerve activity, energy expenditure, and weight loss. <i>Cell Metabolism</i> , 2014 , 20, 670-7 Structural insights into gene repression by the orphan nuclear receptor SHP. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 839-44 SnapShot: Hormones of the gastrointestinal tract. <i>Cell</i> , 2014 , 159, 1478.e1	56.2 0.9 24.6 11.5	709 349 305 19

157	Colesevelam suppresses hepatic glycogenolysis by TGR5-mediated induction of GLP-1 action in DIO mice. <i>American Journal of Physiology - Renal Physiology</i> , 2013 , 304, G371-80	5.1	109
156	Sterol-dependent nuclear import of ORP1S promotes LXR regulated trans-activation of apoE. <i>Experimental Cell Research</i> , 2012 , 318, 2128-42	4.2	15
155	Fibroblast growth factor-21 regulates PPAR activity and the antidiabetic actions of thiazolidinediones. <i>Cell</i> , 2012 , 148, 556-67	56.2	419
154	Fibroblast growth factor 21 promotes bone loss by potentiating the effects of peroxisome proliferator-activated receptor [Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 3143-8	11.5	291
153	The starvation hormone, fibroblast growth factor-21, extends lifespan in mice. <i>ELife</i> , 2012 , 1, e00065	8.9	265
152	Klotho is required for fibroblast growth factor 21 effects on growth and metabolism. <i>Cell Metabolism</i> , 2012 , 16, 387-93	24.6	285
151	Research resource: Diagnostic and therapeutic potential of nuclear receptor expression in lung cancer. <i>Molecular Endocrinology</i> , 2012 , 26, 1443-54		35
150	Structural conservation of ligand binding reveals a bile acid-like signaling pathway in nematodes. Journal of Biological Chemistry, 2012 , 287, 4894-903	5.4	27
149	Nuclear receptors HNF4[and LRH-1 cooperate in regulating Cyp7a1 in vivo. <i>Journal of Biological Chemistry</i> , 2012 , 287, 41334-41	5.4	91
148	Endocrine fibroblast growth factors 15/19 and 21: from feast to famine. <i>Genes and Development</i> , 2012 , 26, 312-24	12.6	317
147	Liver LXRI expression is crucial for whole body cholesterol homeostasis and reverse cholesterol transport in mice. <i>Journal of Clinical Investigation</i> , 2012 , 122, 1688-99	15.9	138
146	FGF19 as a postprandial, insulin-independent activator of hepatic protein and glycogen synthesis. <i>Science</i> , 2011 , 331, 1621-4	33.3	421
145	FGF15/19 regulates hepatic glucose metabolism by inhibiting the CREB-PGC-1[pathway. <i>Cell Metabolism</i> , 2011 , 13, 729-38	24.6	263
144	Interview: Interview with David Mangelsdorf for Personalized Medicine. <i>Personalized Medicine</i> , 2011 , 8, 513-516	2.2	
143	The Rieske oxygenase DAF-36 functions as a cholesterol 7-desaturase in steroidogenic pathways governing longevity. <i>Aging Cell</i> , 2011 , 10, 879-84	9.9	51
142	The G protein-coupled bile acid receptor, TGR5, stimulates gallbladder filling. <i>Molecular Endocrinology</i> , 2011 , 25, 1066-71		179
141	LRH-1 and PTF1-L coregulate an exocrine pancreas-specific transcriptional network for digestive function. <i>Genes and Development</i> , 2011 , 25, 1674-9	12.6	78
140	AKR1B7 is induced by the farnesoid X receptor and metabolizes bile acids. <i>Journal of Biological Chemistry</i> , 2011 , 286, 2425-32	5.4	30

The Role of the Vitamin D Receptor in Bile Acid Homeostasis **2011**, 763-767

138	LXRIIs required for glucocorticoid-induced hyperglycemia and hepatosteatosis in mice. <i>Journal of Clinical Investigation</i> , 2011 , 121, 431-41	15.9	84
137	Regulation of bile acid synthesis by fat-soluble vitamins A and D. <i>Journal of Biological Chemistry</i> , 2010 , 285, 14486-94	5.4	150
136	Fibroblast growth factor 21: from pharmacology to physiology. <i>American Journal of Clinical Nutrition</i> , 2010 , 91, 254S-257S	7	169
135	Nuclear receptor expression defines a set of prognostic biomarkers for lung cancer. <i>PLoS Medicine</i> , 2010 , 7, e1000378	11.6	57
134	Commentary: the year in nuclear receptor control of metabolism. <i>Molecular Endocrinology</i> , 2010 , 24, 2075-80		5
133	Expression profiling of nuclear receptors in the NCI60 cancer cell panel reveals receptor-drug and receptor-gene interactions. <i>Molecular Endocrinology</i> , 2010 , 24, 1287-96		55
132	Research resource: Comprehensive expression atlas of the fibroblast growth factor system in adult mouse. <i>Molecular Endocrinology</i> , 2010 , 24, 2050-64		47°
131	Identification of the nuclear receptor DAF-12 as a therapeutic target in parasitic nematodes. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 9138-43	11.5	99
130	Nuclear receptor regulation of stemness and stem cell differentiation. <i>Experimental and Molecular Medicine</i> , 2009 , 41, 525-37	12.8	54
129	Expression profiling of nuclear receptors in human and mouse embryonic stem cells. <i>Molecular Endocrinology</i> , 2009 , 23, 724-33		55
128	Minireview: Evolution of NURSA, the Nuclear Receptor Signaling Atlas. <i>Molecular Endocrinology</i> , 2009 , 23, 740-6		94
127	FGF21 induces PGC-1alpha and regulates carbohydrate and fatty acid metabolism during the adaptive starvation response. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 10853-8	11.5	503
126	Nuclear hormone receptor regulation of microRNAs controls developmental progression. <i>Science</i> , 2009 , 324, 95-8	33.3	125
125	MicroRNA let-7 regulates 3T3-L1 adipogenesis. <i>Molecular Endocrinology</i> , 2009 , 23, 925-31		216
124	Synthesis and activity of dafachronic acid ligands for the C. elegans DAF-12 nuclear hormone receptor. <i>Molecular Endocrinology</i> , 2009 , 23, 640-8		32
123	Chronic diarrhea due to excessive bile acid synthesis and not defective ileal transport: a new syndrome of defective fibroblast growth factor 19 release. <i>Clinical Gastroenterology and Hepatology</i> , 2009 , 7, 1151-4	6.9	48
122	Nuclear receptors of the enteric tract: guarding the frontier. <i>Nutrition Reviews</i> , 2008 , 66, S88-97	6.4	26

121	Inhibition of growth hormone signaling by the fasting-induced hormone FGF21. <i>Cell Metabolism</i> , 2008 , 8, 77-83	24.6	316
120	Partial resistance to peroxisome proliferator-activated receptor-alpha agonists in ZDF rats is associated with defective hepatic mitochondrial metabolism. <i>Diabetes</i> , 2008 , 57, 2012-21	0.9	45
119	27-hydroxycholesterol is an endogenous selective estrogen receptor modulator. <i>Molecular Endocrinology</i> , 2008 , 22, 65-77		201
118	Liver X receptor alpha is a transcriptional repressor of the uncoupling protein 1 gene and the brown fat phenotype. <i>Molecular and Cellular Biology</i> , 2008 , 28, 2187-200	4.8	78
117	Liver receptor homolog-1 regulates bile acid homeostasis but is not essential for feedback regulation of bile acid synthesis. <i>Molecular Endocrinology</i> , 2008 , 22, 1345-56		118
116	Activation of LXRs prevents bile acid toxicity and cholestasis in female mice. <i>Hepatology</i> , 2007 , 45, 422-	32 1.2	99
115	Expression profiling in APP23 mouse brain: inhibition of Abeta amyloidosis and inflammation in response to LXR agonist treatment. <i>Molecular Neurodegeneration</i> , 2007 , 2, 20	19	64
114	27-Hydroxycholesterol is an endogenous SERM that inhibits the cardiovascular effects of estrogen. <i>Nature Medicine</i> , 2007 , 13, 1185-92	50.5	291
113	A bile acid-like steroid modulates Caenorhabditis elegans lifespan through nuclear receptor signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 5014-9	11.5	190
112	Cardiac peroxisome proliferator-activated receptor gamma is essential in protecting cardiomyocytes from oxidative damage. <i>Cardiovascular Research</i> , 2007 , 76, 269-79	9.9	123
111	In vivo imaging of farnesoid X receptor activity reveals the ileum as the primary bile acid signaling tissue. <i>Molecular Endocrinology</i> , 2007 , 21, 1312-23		56
110	Functional interactions between the Moses corepressor and DHR78 nuclear receptor regulate growth in Drosophila. <i>Genes and Development</i> , 2007 , 21, 450-64	12.6	13
109	FXR agonists and FGF15 reduce fecal bile acid excretion in a mouse model of bile acid malabsorption. <i>Journal of Lipid Research</i> , 2007 , 48, 2693-700	6.3	86
108	Enzymatic reduction of oxysterols impairs LXR signaling in cultured cells and the livers of mice. <i>Cell Metabolism</i> , 2007 , 5, 73-9	24.6	245
107	Endocrine regulation of the fasting response by PPARalpha-mediated induction of fibroblast growth factor 21. <i>Cell Metabolism</i> , 2007 , 5, 415-25	24.6	1103
106	Synthesis, characterization, and receptor interaction profiles of enantiomeric bile acids. <i>Journal of Medicinal Chemistry</i> , 2007 , 50, 6048-58	8.3	38
105	Endocrine Actions of Bile Acids Via Nuclear Receptors and FGFs. FASEB Journal, 2007, 21, A147	0.9	
104	Regulation of antibacterial defense in the small intestine by the nuclear bile acid receptor. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 3920-5	11.5	759

Pregnane X receptor is a target of farnesoid X receptor. Journal of Biological Chemistry, 2006, 281, 19081;21 103 98 International Union of Pharmacology, LX. Retinoic acid receptors. *Pharmacological Reviews*, **2006**, 102 22.5 340 58, 712-25 International Union of Pharmacology. LXII. The NR1H and NR1I receptors: constitutive androstane receptor, pregnene X receptor, farnesoid X receptor alpha, farnesoid X receptor beta, liver X 101 22.5 170 receptor alpha, liver X receptor beta, and vitamin D receptor. Pharmacological Reviews, 2006, 58, 742-59 Sterol intermediates from cholesterol biosynthetic pathway as liver X receptor ligands. Journal of 100 5.4 192 Biological Chemistry, **2006**, 281, 27816-26 LXRS and FXR: the yin and yang of cholesterol and fat metabolism. Annual Review of Physiology, 23.1 461 99 2006, 68, 159-91 High-throughput real-time quantitative reverse transcription PCR. Current Protocols in Molecular 98 2.9 232 Biology, **2006**, Chapter 15, Unit 15.8 International Union of Pharmacology, LXIII. Retinoid X receptors. Pharmacological Reviews, 2006, 97 22.5 408 58, 760-72 Identification of ligands for DAF-12 that govern dauer formation and reproduction in C. elegans. 96 56.2 374 Cell, 2006, 124, 1209-23 Anatomical profiling of nuclear receptor expression reveals a hierarchical transcriptional network. 56.2 783 95 Cell, 2006, 126, 789-99 Nuclear receptor expression links the circadian clock to metabolism. Cell, 2006, 126, 801-10 56.2 763 94 Hormonal control of C. elegans dauer formation and life span by a Rieske-like oxygenase. 93 10.2 160 Developmental Cell, 2006, 10, 473-82 Identification of a hormonal basis for gallbladder filling. Nature Medicine, 2006, 12, 1253-5 92 50.5 231 Liver X receptors regulate adrenal cholesterol balance. Journal of Clinical Investigation, 2006, 116, 1902-13.9 126 91 Cholesterol sulfotransferase (Sult2b1) inactivates oxysterol ligands of LXR. FASEB Journal, 2006, 0.9 90 20, A90 Retinoid x receptor heterodimers in the metabolic syndrome. New England Journal of Medicine, 318 89 59.2 **2005**, 353, 604-15 A role for the apoptosis inhibitory factor AIM/Spalpha/Api6 in atherosclerosis development. Cell 88 24.6 224 Metabolism, 2005, 1, 201-13 87 LXRs regulate the balance between fat storage and oxidation. Cell Metabolism, 2005, 1, 231-44 24.6 240 Fibroblast growth factor 15 functions as an enterohepatic signal to regulate bile acid homeostasis. 86 24.6 1270 Cell Metabolism, **2005**, 2, 217-25

85	A Nuclear Receptor Atlas: macrophage activation. <i>Molecular Endocrinology</i> , 2005 , 19, 2466-77		190
84	Placental expression of the nuclear receptors for oxysterols LXRalpha and LXRbeta during mouse and human development. <i>The Anatomical Record Part A: Discoveries in Molecular, Cellular, and Evolutionary Biology</i> , 2005 , 283, 175-81		19
83	Vitamin D Receptor as a Sensor for Toxic Bile Acids 2005 , 863-870		2
82	Expression of ABCG5 and ABCG8 is required for regulation of biliary cholesterol secretion. <i>Journal of Biological Chemistry</i> , 2005 , 280, 8742-7	5.4	162
81	A Nuclear Receptor Atlas: 3T3-L1 adipogenesis. <i>Molecular Endocrinology</i> , 2005 , 19, 2437-50		191
80	Structural determinants for vitamin D receptor response to endocrine and xenobiotic signals. <i>Molecular Endocrinology</i> , 2004 , 18, 43-52		60
79	Regulation of the aldo-keto reductase gene akr1b7 by the nuclear oxysterol receptor LXRalpha (liver X receptor-alpha) in the mouse intestine: putative role of LXRs in lipid detoxification processes. <i>Molecular Endocrinology</i> , 2004 , 18, 888-98		44
78	Identification of a liver-specific uridine phosphorylase that is regulated by multiple lipid-sensing nuclear receptors. <i>Molecular Endocrinology</i> , 2004 , 18, 851-62		17
77	Genetic evidence that the human CYP2R1 enzyme is a key vitamin D 25-hydroxylase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 7711-5	11.5	542
76	Structural determinants of allosteric ligand activation in RXR heterodimers. <i>Cell</i> , 2004 , 116, 417-29	56.2	266
75	Prevention of cholesterol gallstone disease by FXR agonists in a mouse model. <i>Nature Medicine</i> , 2004 , 10, 1352-8	50.5	249
74	Bile acids lower triglyceride levels via a pathway involving FXR, SHP, and SREBP-1c. <i>Journal of Clinical Investigation</i> , 2004 , 113, 1408-18	15.9	873
73	Identification of bile acid precursors as endogenous ligands for the nuclear xenobiotic pregnane X receptor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 223-8	11.5	169
72	De-orphanization of cytochrome P450 2R1: a microsomal vitamin D 25-hydroxilase. <i>Journal of Biological Chemistry</i> , 2003 , 278, 38084-93	5.4	277
71	Establishment of a monoclonal antibody for human LXRalpha: Detection of LXRalpha protein expression in human macrophages. <i>Nuclear Receptor</i> , 2003 , 1, 1		21
70	Quantitative real-time PCR protocol for analysis of nuclear receptor signaling pathways. <i>Nuclear Receptor Signaling</i> , 2003 , 1, e012	1	312
69	Interaction between vitamin D receptor and vitamin D ligands: two-dimensional alanine scanning mutational analysis. <i>Chemistry and Biology</i> , 2003 , 10, 261-70		45
68	Liver X receptor activators display anti-inflammatory activity in irritant and allergic contact dermatitis models: liver-X-receptor-specific inhibition of inflammation and primary cytokine production. <i>Journal of Investigative Dermatology</i> , 2003 , 120, 246-55	4.3	181

67	Liver X receptor signaling pathways in cardiovascular disease. <i>Molecular Endocrinology</i> , 2003 , 17, 985-9	3	530
66	Reciprocal regulation of inflammation and lipid metabolism by liver X receptors. <i>Nature Medicine</i> , 2003 , 9, 213-9	50.5	969
65	The Drosophila orphan nuclear receptor DHR38 mediates an atypical ecdysteroid signaling pathway. <i>Cell</i> , 2003 , 113, 731-42	56.2	203
64	Expression of LRH-1 and SF-1 in the mouse ovary: localization in different cell types correlates with differing function. <i>Molecular and Cellular Endocrinology</i> , 2003 , 207, 39-45	4.4	125
63	Activation of liver X receptor improves glucose tolerance through coordinate regulation of glucose metabolism in liver and adipose tissue. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 5419-24	11.5	406
62	The phospholipid transfer protein gene is a liver X receptor target expressed by macrophages in atherosclerotic lesions. <i>Molecular and Cellular Biology</i> , 2003 , 23, 2182-91	4.8	134
61	The role of liver X receptor-alpha in the fatty acid regulation of hepatic gene expression. <i>Journal of Biological Chemistry</i> , 2003 , 278, 40736-43	5.4	118
60	Liver X receptor-dependent repression of matrix metalloproteinase-9 expression in macrophages. <i>Journal of Biological Chemistry</i> , 2003 , 278, 10443-9	5.4	255
59	Oxysterol stimulation of epidermal differentiation is mediated by liver X receptor-beta in murine epidermis. <i>Journal of Investigative Dermatology</i> , 2002 , 118, 25-34	4.3	70
58	The liver X receptor gene team: potential new players in atherosclerosis. <i>Nature Medicine</i> , 2002 , 8, 124.	3-§ 0.5	332
58 57	The liver X receptor gene team: potential new players in atherosclerosis. <i>Nature Medicine</i> , 2002 , 8, 124. Identification of macrophage liver X receptors as inhibitors of atherosclerosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 11896-901	3- \$ 0.5	33 ²
	Identification of macrophage liver X receptors as inhibitors of atherosclerosis. <i>Proceedings of the</i>		371
57	Identification of macrophage liver X receptors as inhibitors of atherosclerosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 11896-901	11.5	371
57 56	Identification of macrophage liver X receptors as inhibitors of atherosclerosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 11896-901 Vitamin D receptor as an intestinal bile acid sensor. <i>Science</i> , 2002 , 296, 1313-6 Fatty acid regulation of liver X receptors (LXR) and peroxisome proliferator-activated receptor	33.3	371 899
57 56 55	Identification of macrophage liver X receptors as inhibitors of atherosclerosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 11896-901 Vitamin D receptor as an intestinal bile acid sensor. <i>Science</i> , 2002 , 296, 1313-6 Fatty acid regulation of liver X receptors (LXR) and peroxisome proliferator-activated receptor alpha (PPARalpha) in HEK293 cells. <i>Journal of Biological Chemistry</i> , 2002 , 277, 39243-50 Regulated expression of the apolipoprotein E/C-I/C-IV/C-II gene cluster in murine and human macrophages. A critical role for nuclear liver X receptors alpha and beta. <i>Journal of Biological</i>	11.5 33·3 5·4	371 899 60
57 56 55 54	Identification of macrophage liver X receptors as inhibitors of atherosclerosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 11896-901 Vitamin D receptor as an intestinal bile acid sensor. <i>Science</i> , 2002 , 296, 1313-6 Fatty acid regulation of liver X receptors (LXR) and peroxisome proliferator-activated receptor alpha (PPARalpha) in HEK293 cells. <i>Journal of Biological Chemistry</i> , 2002 , 277, 39243-50 Regulated expression of the apolipoprotein E/C-I/C-IV/C-II gene cluster in murine and human macrophages. A critical role for nuclear liver X receptors alpha and beta. <i>Journal of Biological Chemistry</i> , 2002 , 277, 31900-8 Human organic anion transporting polypeptide 8 promoter is transactivated by the farnesoid X	11.533.35.45.4	371 899 60 182
57 56 55 54 53	Identification of macrophage liver X receptors as inhibitors of atherosclerosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 11896-901 Vitamin D receptor as an intestinal bile acid sensor. <i>Science</i> , 2002 , 296, 1313-6 Fatty acid regulation of liver X receptors (LXR) and peroxisome proliferator-activated receptor alpha (PPARalpha) in HEK293 cells. <i>Journal of Biological Chemistry</i> , 2002 , 277, 39243-50 Regulated expression of the apolipoprotein E/C-I/C-IV/C-II gene cluster in murine and human macrophages. A critical role for nuclear liver X receptors alpha and beta. <i>Journal of Biological Chemistry</i> , 2002 , 277, 31900-8 Human organic anion transporting polypeptide 8 promoter is transactivated by the farnesoid X receptor/bile acid receptor. <i>Gastroenterology</i> , 2002 , 122, 1954-66	11.533.35.45.413.3	371 899 60 182

49	LuXuRies of lipid homeostasis: the unity of nuclear hormone receptors, transcription regulation, and cholesterol sensing. <i>Molecular Interventions: Pharmacological Perspectives From Biology, Chemistry and Genomics</i> , 2002 , 2, 78-87		52
48	Regulation of lipoprotein lipase by the oxysterol receptors, LXRalpha and LXRbeta. <i>Journal of Biological Chemistry</i> , 2001 , 276, 43018-24	5.4	212
47	Human bile salt export pump promoter is transactivated by the farnesoid X receptor/bile acid receptor. <i>Journal of Biological Chemistry</i> , 2001 , 276, 28857-65	5.4	586
46	Orphan nuclear receptors as eLiXiRs and FiXeRs of sterol metabolism. <i>Journal of Biological Chemistry</i> , 2001 , 276, 37735-8	5.4	276
45	The orphan nuclear receptor, shp, mediates bile acid-induced inhibition of the rat bile acid transporter, ntcp. <i>Gastroenterology</i> , 2001 , 121, 140-7	13.3	341
44	Nuclear receptors and lipid physiology: opening the X-files. <i>Science</i> , 2001 , 294, 1866-70	33.3	1676
43	Prospects for prevention and treatment of cancer with selective PPARgamma modulators (SPARMs). <i>Trends in Molecular Medicine</i> , 2001 , 7, 395-400	11.5	126
42	Engineering orthogonal ligand-receptor pairs from "near drugs". <i>Journal of the American Chemical Society</i> , 2001 , 123, 11367-71	16.4	35
41	Oxysterols induce differentiation in human keratinocytes and increase Ap-1-dependent involucrin transcription. <i>Journal of Investigative Dermatology</i> , 2000 , 114, 545-53	4.3	86
40	Modifying ligand specificity of gene regulatory proteins. <i>Current Opinion in Chemical Biology</i> , 2000 , 4, 60-3	9.7	8
39	Role of LXRs in control of lipogenesis. <i>Genes and Development</i> , 2000 , 14, 2831-8	12.6	1275
38	Stress pathway activation induces phosphorylation of retinoid X receptor. <i>Journal of Biological Chemistry</i> , 2000 , 275, 32193-9	5.4	77
37	Human white/murine ABC8 mRNA levels are highly induced in lipid-loaded macrophages. A transcriptional role for specific oxysterols. <i>Journal of Biological Chemistry</i> , 2000 , 275, 14700-7	5.4	321
36	Hepatocyte-specific mutation establishes retinoid X receptor alpha as a heterodimeric integrator of multiple physiological processes in the liver. <i>Molecular and Cellular Biology</i> , 2000 , 20, 4436-44	4.8	212
35	Interleukin-1beta suppresses retinoid transactivation of two hepatic transporter genes involved in bile formation. <i>Journal of Biological Chemistry</i> , 2000 , 275, 8835-43	5.4	145
34	Regulation of mouse sterol regulatory element-binding protein-1c gene (SREBP-1c) by oxysterol receptors, LXRalpha and LXRbeta. <i>Genes and Development</i> , 2000 , 14, 2819-30	12.6	1294
33	Sterols and gene expression: control of affluence. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2000 , 1529, 114-25	5	28
32	Transcriptional activation of the Drosophila ecdysone receptor by insect and plant ecdysteroids. Insect Biochemistry and Molecular Biology, 2000, 30, 1037-43	4.5	51

(1995-2000)

31	Molecular basis for feedback regulation of bile acid synthesis by nuclear receptors. <i>Molecular Cell</i> , 2000 , 6, 507-15	17.6	1195
30	The role of orphan nuclear receptors in the regulation of cholesterol homeostasis. <i>Annual Review of Cell and Developmental Biology</i> , 2000 , 16, 459-81	12.6	595
29	A synthetic triterpenoid, 2-cyano-3,12-dioxooleana-1,9-dien-28-oic acid (CDDO), is a ligand for the peroxisome proliferator-activated receptor gamma. <i>Molecular Endocrinology</i> , 2000 , 14, 1550-6		143
28	Nuclear receptor regulation of cholesterol and bile acid metabolism. <i>Current Opinion in Biotechnology</i> , 1999 , 10, 557-63	11.4	152
27	Identification of a nuclear receptor for bile acids. <i>Science</i> , 1999 , 284, 1362-5	33.3	2083
26	All-trans-retinoic acid inhibits Jun N-terminal kinase by increasing dual-specificity phosphatase activity. <i>Molecular and Cellular Biology</i> , 1999 , 19, 1973-80	4.8	85
25	Engineering novel specificities for ligand-activated transcription in the nuclear hormone receptor RXR. <i>Chemistry and Biology</i> , 1998 , 5, 13-21		41
24	Inhibition of growth and cholesterol synthesis in breast cancer cells by oxidation products of Etarotene 11Dr. Hu is currently in the Department of Nutritional Research, Institute of Infectious Disease, Beijing, P.R. China; Dr. White is presently in the F. Edward Hebert School of Medicine,	6.3	26
23	Isolation of two functional retinoid X receptor subtypes from the Ixodid tick, Amblyomma americanum (L.). <i>Molecular and Cellular Endocrinology</i> , 1998 , 139, 45-60	4.4	57
22	The LXRs: a new class of oxysterol receptors. <i>Current Opinion in Genetics and Development</i> , 1998 , 8, 571-	-5 4.9	311
21	Cholesterol and bile acid metabolism are impaired in mice lacking the nuclear oxysterol receptor LXR alpha. <i>Cell</i> , 1998 , 93, 693-704	56.2	1213
20	Characterization of a region upstream of exon I.1 of the human CYP19 (aromatase) gene that mediates regulation by retinoids in human choriocarcinoma cells. <i>Endocrinology</i> , 1998 , 139, 1684-91	4.8	75
19	Nuclear Orphan Receptors: The Search for Novel Ligands and Signaling Pathways 1998, 307-358		19
18	Chapter 25. Nuclear Orphan Receptors: Scientific Progress and Therapeutic Opportunities. <i>Annual Reports in Medicinal Chemistry</i> , 1997 , 32, 251-260	1.6	4
17	Isolation of a functional ecdysteroid receptor homologue from the ixodid tick Amblyomma americanum (L.). <i>Insect Biochemistry and Molecular Biology</i> , 1997 , 27, 945-62	4.5	52
16	Trypanosoma brucei: effects of methoprene and other isoprenoid compounds on procyclic and bloodstream forms in vitro and in mice. <i>Experimental Parasitology</i> , 1997 , 87, 229-36	2.1	7
15	An oxysterol signalling pathway mediated by the nuclear receptor LXR alpha. <i>Nature</i> , 1996 , 383, 728-31	50.4	1462
14	The nuclear receptor superfamily: the second decade. <i>Cell</i> , 1995 , 83, 835-9	56.2	5950

13	The RXR heterodimers and orphan receptors. <i>Cell</i> , 1995 , 83, 841-50	56.2	2789
12	Vitamin A receptors. <i>Nutrition Reviews</i> , 1994 , 52, S32-44	6.4	99
11	Synthesis of high specific activity [3H]-9-cis-retinoic acid and its application for identifying retinoids with unusual binding properties. <i>Journal of Medicinal Chemistry</i> , 1994 , 37, 408-14	8.3	81
10	Chromosomal localization of the human retinoid X receptors. <i>Genomics</i> , 1994 , 20, 397-403	4.3	32
9	Retinoid receptors. <i>Endocrine Reviews</i> , 1993 , 48, 99-121		89
8	9-cis retinoic acid is a high affinity ligand for the retinoid X receptor. <i>Cell</i> , 1992 , 68, 397-406	56.2	1534
7	Retinoid X receptor interacts with nuclear receptors in retinoic acid, thyroid hormone and vitamin D3 signalling. <i>Nature</i> , 1992 , 355, 446-9	50.4	1305
6	A direct repeat in the cellular retinol-binding protein type II gene confers differential regulation by RXR and RAR. <i>Cell</i> , 1991 , 66, 555-61	56.2	611
5	Nuclear receptor that identifies a novel retinoic acid response pathway. <i>Nature</i> , 1990 , 345, 224-9	50.4	1346
4	A functional retinoic acid receptor encoded by the gene on human chromosome 12. <i>Molecular Endocrinology</i> , 1990 , 4, 837-44		87
3	Jun-Fos and receptors for vitamins A and D recognize a common response element in the human osteocalcin gene. <i>Cell</i> , 1990 , 61, 497-504	56.2	496
2	Immunoselection of cDNAs to avian intestinal calcium binding protein 28K and a novel calmodulin-like protein: assessment of mRNA regulation by the vitamin D hormone. <i>Biochemistry</i> , 1987 , 26, 8332-8	3.2	27
1	Identification and quantitation of intracellular retinol and retinoic acid binding proteins in cultured cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1984 , 803, 54-62	4.9	12