

# Ran Klein

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4482059/publications.pdf>

Version: 2024-02-01

79  
papers

2,707  
citations

218592

26  
h-index

182361

51  
g-index

80  
all docs

80  
docs citations

80  
times ranked

1990  
citing authors

#	ARTICLE	IF	CITATIONS
1	Intensity of hypermetabolic axillary lymph nodes in oncologic patients in relation to timeline following COVID-19 vaccination. Journal of Medical Imaging and Radiation Sciences, 2022, , .	0.2	5
2	Thyroid Uptake Exceeding 100%: Causes and Prevention. Journal of Nuclear Medicine Technology, 2022, 50, 153-160.	0.4	0
3	Increased myocardial oxygen consumption rates are associated with maladaptive right ventricular remodeling and decreased event-free survival in heart failure patients. Journal of Nuclear Cardiology, 2021, 28, 2784-2795.	1.4	8
4	Dynamic phantoms: Making the right tool for the job. Journal of Nuclear Cardiology, 2021, 28, 2310-2312.	1.4	1
5	Keiichiro Yoshinaga, MD, PhD, FACC, FASNC. Journal of Nuclear Cardiology, 2021, 28, 377-380.	1.4	1
6	Guidelines on Setting Up Stations for Remote Viewing of Nuclear Medicine and Molecular Imaging Studies During COVID-19. Journal of Nuclear Medicine Technology, 2021, 49, 2-6.	0.4	4
7	Developing an Automatic Cooperating Neural Networks and Image Standardization Approach for Segmentation of X-Ray Computed Tomography Images. Advances in Intelligent Systems and Computing, 2021, , 390-401.	0.5	1
8	Quantitative blood flow evaluation of vasodilation-stress compared with dobutamine-stress in patients with end-stage liver disease using 82Rb PET/CT. Journal of Nuclear Cardiology, 2020, 27, 2048-2059.	1.4	12
9	Validation of regional myocardial blood flow quantification using three-dimensional PET with rubidium-82: repeatability and comparison with two-dimensional PET data acquisition. Nuclear Medicine Communications, 2020, 41, 768-775.	0.5	1
10	Selection of PET Camera and Implications on the Reliability and Accuracy of Absolute Myocardial Blood Flow Quantification. Current Cardiology Reports, 2020, 22, 109.	1.3	8
11	PET and SPECT Tracers for Myocardial Perfusion Imaging. Seminars in Nuclear Medicine, 2020, 50, 208-218.	2.5	39
12	Rubidium-82 generator yield and efficiency for PET perfusion imaging: Comparison of two clinical systems. Journal of Nuclear Cardiology, 2020, 27, 1728-1738.	1.4	11
13	Clinical comparison of the positron emission tracking (PeTrack) algorithm with the real-time position management system for respiratory gating in cardiac positron emission tomography. Medical Physics, 2020, 47, 1713-1726.	1.6	8
14	Anatomical region identification in medical X-ray computed tomography (CT) scans: development and comparison of alternative data analysis and vision-based methods. Neural Computing and Applications, 2020, 32, 17519-17531.	3.2	5
15	Does Diastolic Dysfunction Precede Systolic Dysfunction Following Contemporary Breast Cancer Therapy?. JACC: Cardiovascular Imaging, 2020, 13, 1454-1455.	2.3	0
16	Development and validation of the Lesion Synthesis Toolbox and the Perception Study Tool for quantifying observer limits of detection of lesions in positron emission tomography. Journal of Medical Imaging, 2020, 7, 1.	0.8	3
17	Machine Learning and Deep Learning in Medical Imaging: Intelligent Imaging. Journal of Medical Imaging and Radiation Sciences, 2019, 50, 477-487.	0.2	217
18	Application of Hybrid Matrix Metalloproteinase-Targeted and Dynamic <sup>201</sup> Tl Single-Photon Emission Computed Tomography/Computed Tomography Imaging for Evaluation of Early Post-Myocardial Infarction Remodeling. Circulation: Cardiovascular Imaging, 2019, 12, e009055.	1.3	18

#	ARTICLE	IF	CITATIONS
19	<sup>82</sup> Rb is the Best Flow Tracer for High-volume Sites. <i>Annals of Nuclear Cardiology</i> , 2019, 5, 53-62.	0.0	4
20	Patient body motion correction for dynamic cardiac PET/CT by attenuation emission alignment according to projection consistency conditions. <i>Medical Physics</i> , 2019, 46, 1697-1706.	1.6	6
21	Accurate GFR in obesity protocol for a systematic review. <i>Systematic Reviews</i> , 2019, 8, 147.	2.5	9
22	An electronic technetium-99m-diethylenetriaminepentaacetic acid glomerular filtration rate spreadsheet with novel embedded quality assurance features. <i>Nuclear Medicine Communications</i> , 2019, 40, 30-40.	0.5	2
23	Angiotensin Receptor Neprilysin Inhibitor Attenuates Myocardial Remodeling and Improves Infarct Perfusion in Experimental Heart Failure. <i>Scientific Reports</i> , 2019, 9, 5791.	1.6	43
24	Whole-body motion correction in <sup>13</sup> N-ammonia myocardial perfusion imaging using positron emission tracking. , 2019, , .		0
25	Quantitative analysis of technetium-99m-sestamibi uptake and washout in parathyroid scintigraphy supports dual mechanisms of lesion conspicuity. <i>Nuclear Medicine Communications</i> , 2019, 40, 469-476.	0.5	8
26	Diastolic dysfunction can precede systolic dysfunction on MUGA in cancer patients receiving trastuzumab-based therapy. <i>Nuclear Medicine Communications</i> , 2019, 40, 22-29.	0.5	20
27	Consistent tracer administration profile improves test retest repeatability of myocardial blood flow quantification with <sup>82</sup> Rb dynamic PET imaging. <i>Journal of Nuclear Cardiology</i> , 2018, 25, 929-941.	1.4	45
28	Effects of Hypercapnia on Myocardial Blood Flow in Healthy Human Subjects. <i>Journal of Nuclear Medicine</i> , 2018, 59, 100-106.	2.8	18
29	Reproducibility of radioactive iodine uptake (RAIU) measurements. <i>Journal of Applied Clinical Medical Physics</i> , 2018, 19, 239-242.	0.8	9
30	Dual time-point quantitative SPECT-CT parathyroid imaging using a single computed tomography. <i>Nuclear Medicine Communications</i> , 2018, 39, 3-9.	0.5	6
31	Whole-body motion correction in cardiac PET/CT using Positron Emission Tracking: A phantom validation study. , 2018, , .		2
32	Initial Steps to Tracer Kinetic Modeling and MBF Quantification. <i>Annals of Nuclear Cardiology</i> , 2018, 4, 68-73.	0.0	2
33	Cardiac CT assessment of left ventricular mass in mid-diastasis and its prognostic value. <i>European Heart Journal Cardiovascular Imaging</i> , 2017, 18, 95-102.	0.5	27
34	Inter- and Intraobserver Agreement of <sup>18</sup> F-FDG PET/CT Image Interpretation in Patients Referred for Assessment of Cardiac Sarcoidosis. <i>Journal of Nuclear Medicine</i> , 2017, 58, 1324-1329.	2.8	32
35	Validation of a Multimodality Flow Phantom and Its Application for Assessment of Dynamic SPECT and PET Technologies. <i>IEEE Transactions on Medical Imaging</i> , 2017, 36, 132-141.	5.4	14
36	Evaluation of the clinical efficacy of the PeTrack motion tracking system for respiratory gating in cardiac PET imaging. <i>Proceedings of SPIE</i> , 2017, , .	0.8	3

#	ARTICLE	IF	CITATIONS
37	Time-frame sampling for <sup>82</sup> Rb PET flow quantification: Towards standardization of clinical protocols. <i>Journal of Nuclear Cardiology</i> , 2017, 24, 1530-1534.	1.4	6
38	Optimally Repeatable Kinetic Model Variant for Myocardial Blood Flow Measurements with <sup>82</sup> Rb PET. <i>Computational and Mathematical Methods in Medicine</i> , 2017, 2017, 1-11.	0.7	8
39	Cardiac PET Imaging: Principles and New Developments. , 2017, , 451-483.		1
40	Patient motion effects on the quantification of regional myocardial blood flow with dynamic PET imaging. <i>Medical Physics</i> , 2016, 43, 1829-1840.	1.6	68
41	Comparison of <sup>18</sup> F-fluorodeoxyglucose positron emission tomography (FDG PET) and cardiac magnetic resonance (CMR) in corticosteroid-naïve patients with conduction system disease due to cardiac sarcoidosis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2016, 43, 259-269.	3.3	73
42	<sup>82</sup> Rb PET imaging of myocardial blood flow—have we achieved the 4 “R”s to support routine use?. <i>EJNMMI Research</i> , 2016, 6, 69.	1.1	6
43	Can PET be performed without an attenuation scan?. <i>Journal of Nuclear Cardiology</i> , 2016, 23, 1098-1101.	1.4	4
44	Radionuclide Tracers for Myocardial Perfusion Imaging and Blood Flow Quantification. <i>Cardiology Clinics</i> , 2016, 34, 37-46.	0.9	15
45	Editorial: Derivation of respiratory gating signals from ECG signals. <i>Journal of Nuclear Cardiology</i> , 2016, 23, 84-86.	1.4	2
46	Myocardial blood flow quantification by <sup>82</sup> Rb cardiac PET/CT: A detailed reproducibility study between two semi-automatic analysis programs. <i>Journal of Nuclear Cardiology</i> , 2016, 23, 499-510.	1.4	29
47	Sci-Fri AM: MRI and Diagnostic Imaging - 05: Comparison of Input Function Measurements from DCE and MOLLI. <i>Medical Physics</i> , 2016, 43, 4952-4952.	1.6	0
48	Positron Emission Tomography Myocardial Perfusion Imaging for Diagnosis and Risk Stratification in Obese Patients. <i>Current Cardiovascular Imaging Reports</i> , 2015, 8, 1.	0.4	2
49	Test-retest repeatability of myocardial blood flow and infarct size using <sup>11</sup> C-acetate micro-PET imaging in mice. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015, 42, 1589-1600.	3.3	8
50	Reduced dose measurement of absolute myocardial blood flow using dynamic SPECT imaging in a porcine model. <i>Medical Physics</i> , 2015, 42, 5075-5083.	1.6	9
51	Use of Radiolabeled Compounds and Imaging as Cardiac Biomarkers. <i>Biomarkers in Disease</i> , 2015, , 811-840.	0.0	0
52	<sup>125</sup> I-adrenergic stress evaluation of coronary endothelial-dependent vasodilator function in mice using <sup>11</sup> C-acetate micro-PET imaging of myocardial blood flow and oxidative metabolism. <i>EJNMMI Research</i> , 2014, 4, 68.	1.1	6
53	Reply: Noninvasive Measurement of Mouse Myocardial Glucose Uptake with <sup>18</sup> F-FDG. <i>Journal of Nuclear Medicine</i> , 2014, 55, 866.2-867.	2.8	0
54	Detection and severity classification of extracardiac interference in <sup>82</sup> Rb PET myocardial perfusion imaging. <i>Medical Physics</i> , 2014, 41, 102501.	1.6	7

#	ARTICLE	IF	CITATIONS
55	Dynamic SPECT Measurement of Absolute Myocardial Blood Flow in a Porcine Model. Journal of Nuclear Medicine, 2014, 55, 1685-1691.	2.8	134
56	Absolute myocardial flow quantification with <sup>82</sup> Rb PET/CT: comparison of different software packages and methods. European Journal of Nuclear Medicine and Molecular Imaging, 2014, 41, 126-135.	3.3	77
57	Quantification of Myocardial Blood Flow in Absolute Terms Using <sup>82</sup> Rb PET Imaging. JACC: Cardiovascular Imaging, 2014, 7, 1119-1127.	2.3	144
58	Feasibility and operator variability of myocardial blood flow and reserve measurements with <sup>99m</sup> Tc-sestamibi quantitative dynamic SPECT/CT imaging. Journal of Nuclear Cardiology, 2014, 21, 1075-1088.	1.4	54
59	Use of Radiolabeled Compounds and Imaging as Cardiac Biomarkers. , 2014, , 1-23.		0
60	Testâ€“retest repeatability of quantitative cardiac <sup>11</sup> C-meta-hydroxyephedrine measurements in rats by small animal positron emission tomography. Nuclear Medicine and Biology, 2013, 40, 676-681.	0.3	28
61	Multisoftware Reproducibility Study of Stress and Rest Myocardial Blood Flow Assessed with 3D Dynamic PET/CT and a 1-Tissue-Compartment Model of <sup>82</sup> Rb Kinetics. Journal of Nuclear Medicine, 2013, 54, 571-577.	2.8	110
62	Preclinical Evaluation of Biopolymer-Delivered Circulating Angiogenic Cells in a Swine Model of Hibernating Myocardium. Circulation: Cardiovascular Imaging, 2013, 6, 982-991.	1.3	10
63	Is There an Association Between Clinical Presentation and the Location and Extent of Myocardial Involvement of Cardiac Sarcoidosis as Assessed by <sup>18</sup> F-Fluorodeoxyglucose Positron Emission Tomography?. Circulation: Cardiovascular Imaging, 2013, 6, 617-626.	1.3	83
64	Repeatable Noninvasive Measurement of Mouse Myocardial Glucose Uptake with <sup>18</sup> F-FDG: Evaluation of Tracer Kinetics in a Type 1 Diabetes Model. Journal of Nuclear Medicine, 2013, 54, 1637-1644.	2.8	35
65	Respiratory phase alignment improves blood-flow quantification in <sup>82</sup> Rb PET myocardial perfusion imaging. Medical Physics, 2013, 40, 022503.	1.6	16
66	Uniformity and repeatability of normal resting myocardial blood flow in rats using [ <sup>13</sup> N]-ammonia and small animal PET. Nuclear Medicine Communications, 2012, 33, 917-925.	0.5	11
67	Short-term repeatability of resting myocardial blood flow measurements using rubidium-82 PET imaging. Journal of Nuclear Cardiology, 2012, 19, 997-1006.	1.4	68
68	Does quantification of myocardial flow reserve using rubidium-82 positron emission tomography facilitate detection of multivessel coronary artery disease?. Journal of Nuclear Cardiology, 2012, 19, 670-680.	1.4	252
69	Quantification of regional myocardial blood flow estimation with three-dimensional dynamic rubidium-82 PET and modified spillover correction model. Journal of Nuclear Cardiology, 2012, 19, 763-774.	1.4	31
70	Incremental Diagnostic Value of Regional Myocardial Blood Flow Quantification Over Relative Perfusion Imaging With Generator-Produced Rubidium-82 PET. Circulation Journal, 2011, 75, 2628-2634.	0.7	50
71	Quantitative analysis of coronary endothelial function with generator-produced <sup>82</sup> Rb PET: comparison with <sup>15</sup> O-labelled water PET. European Journal of Nuclear Medicine and Molecular Imaging, 2010, 37, 2233-2241.	3.3	35
72	Intra- and inter-operator repeatability of myocardial blood flow and myocardial flow reserve measurements using rubidium-82 pet and a highly automated analysis program. Journal of Nuclear Cardiology, 2010, 17, 600-616.	1.4	126

#	ARTICLE	IF	CITATIONS
73	Quantification of myocardial blood flow and flow reserve: Technical aspects. Journal of Nuclear Cardiology, 2010, 17, 555-570.	1.4	149
74	Generator-produced rubidium-82 positron emission tomography myocardial perfusion imaging—From basic aspects to clinical applications. Journal of Cardiology, 2010, 55, 163-173.	0.8	57
75	3D versus 2D dynamic 82Rb myocardial blood flow imaging in a canine model of stunned and infarcted myocardium. Nuclear Medicine Communications, 2010, 31, 75-81.	0.5	7
76	Quantification of regional myocardial blood flow in a canine model of stunned and infarcted myocardium: comparison of rubidium-82 positron emission tomography with microspheres. Nuclear Medicine Communications, 2010, 31, 67-74.	0.5	11
77	3D list-mode cardiac PET for simultaneous quantification of myocardial blood flow and ventricular function. , 2008, , .		6
78	Quantification of myocardial blood flow with 82Rb dynamic PET imaging. European Journal of Nuclear Medicine and Molecular Imaging, 2007, 34, 1765-1774.	3.3	373
79	Constant-Activity-Rate Infusions for Myocardial Blood Flow Quantification with 82Rb and 3D PET. , 2006, , .		4