

Hee-Jong Koh

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4482207/hee-jong-koh-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

104
papers

3,052
citations

29
h-index

53
g-index

111
ext. papers

3,855
ext. citations

4.2
avg, IF

4.66
L-index

#	Paper	IF	Citations
104	Comparison of Agronomic and Seed Traits of Common Bean (<i>Phaseolus vulgaris</i> L.) Germplasm from Korea, Bulgaria, and El Salvador. <i>Hannguk Yukchong Hakhoe Chi</i> , 2022 , 54, 8-15	0.5	0
103	Transcriptional Changes in the Developing Rice Seeds Under Salt Stress Suggest Targets for Manipulating Seed Quality. <i>Frontiers in Plant Science</i> , 2021 , 12, 748273	6.2	0
102	Identification of QTLs for cold tolerance at the booting and flowering stages in rice (<i>Oryza sativa</i> L.). <i>Euphytica</i> , 2021 , 217, 1	2.1	0
101	Identification of a Candidate Gene for the Novel Cytoplasmic Male Sterility Derived from Inter-Subspecific Crosses in Rice (L.). <i>Genes</i> , 2021 , 12,	4.2	2
100	OscOP1 regulates embryo development and flavonoid biosynthesis in rice (<i>Oryza sativa</i> L.). <i>Theoretical and Applied Genetics</i> , 2021 , 134, 2587-2601	6	3
99	Evaluating Genotype × Environment Interactions of Yield Traits and Adaptability in Rice Cultivars Grown under Temperate, Subtropical and Tropical Environments. <i>Agriculture (Switzerland)</i> , 2021 , 11, 558	3	5
98	<i>Arachis hypogaea</i> resveratrol synthase 3 alters the expression pattern of UDP-glycosyltransferase genes in developing rice seeds. <i>PLoS ONE</i> , 2021 , 16, e0245446	3.7	0
97	Major QTLs, and , Additively Regulate Adaxial Leaf Rolling in Rice. <i>Frontiers in Plant Science</i> , 2021 , 12, 626523	6.2	2
96	Evaluation of Whole-Genome Sequence, Genetic Diversity, and Agronomic Traits of Basmati Rice (L.). <i>Frontiers in Genetics</i> , 2020 , 11, 86	4.5	5
95	Development and application of indica japonica SNP assays using the Fluidigm platform for rice genetic analysis and molecular breeding. <i>Molecular Breeding</i> , 2020 , 40, 1	3.4	9
94	Analysis of evolutionary relationships provides new clues to the origins of weedy rice. <i>Ecology and Evolution</i> , 2020 , 10, 891-900	2.8	4
93	Characterization of the Common -Originated Genomic Regions in the High-Yielding Varieties Developed from Inter-Subspecific Crosses in Temperate Rice (L.). <i>Genes</i> , 2020 , 11,	4.2	2
92	QTL Analysis for Fe and Zn Concentrations in Rice Grains Using a Doubled Haploid Population Derived from a Cross Between Rice (<i>Oryza sativa</i>) Cultivar 93-11 and Milyang 352. <i>Plant Breeding and Biotechnology</i> , 2020 , 8, 69-76	1.2	12
91	Early Vigor of a Pyramiding Line Containing Two Quantitative Trait Loci, Phosphorus Uptake 1 (Pup1) and Anaerobic Germination 1 (AG1) in Rice (<i>O. Sativa</i> L.). <i>Agriculture (Switzerland)</i> , 2020 , 10, 453	3	2
90	Evaluating Multiple Allelic Combination to Determine Tiller Angle Variation in Rice. <i>Agriculture (Switzerland)</i> , 2020 , 10, 428	3	0
89	Identification and characterization of the stunted sterile (ss) mutant in rice. <i>Genes and Genomics</i> , 2020 , 42, 869-882	2.1	
88	Genetic Basis of Tiller Dynamics of Rice Revealed by Genome-Wide Association Studies. <i>Plants</i> , 2020 , 9,	4.5	1

87	The DROOPING LEAF (DR) gene encoding GDSL esterase is involved in silica deposition in rice (<i>Oryza sativa</i> L.). <i>PLoS ONE</i> , 2020 , 15, e0238887	3.7	3
86	Pyrophosphate-fructose 6-phosphate 1-phosphotransferase (PFP1) regulates starch biosynthesis and seed development via heterotetramer formation in rice (<i>Oryza sativa</i> L.). <i>Plant Biotechnology Journal</i> , 2020 , 18, 83-95	11.6	14
85	Identification and Characterization of LARGE EMBRYO, a New Gene Controlling Embryo Size in Rice (<i>Oryza sativa</i> L.). <i>Rice</i> , 2019 , 12, 22	5.8	8
84	Novel allelic variant of Lpa1 gene associated with a significant reduction in seed phytic acid content in rice (<i>Oryza sativa</i> L.). <i>PLoS ONE</i> , 2019 , 14, e0209636	3.7	11
83	Chromatin interacting factor OsVIL2 increases biomass and rice grain yield. <i>Plant Biotechnology Journal</i> , 2019 , 17, 178-187	11.6	15
82	Characterization and Genetic Mapping of White-Spotted Leaf (wspl) Mutant in Rice. <i>Plant Breeding and Biotechnology</i> , 2019 , 7, 340-349	1.2	1
81	Identification of Yield and Yield-Related Quantitative Trait Loci for the Field High Temperature Condition in Backcross Populations of Rice (<i>Oryza sativa</i> L.). <i>Plant Breeding and Biotechnology</i> , 2019 , 7, 415-426	1.2	6
80	The Rice () Encodes a Plant Spastin That Inhibits ROS Accumulation in Leaf Development and Functions in Leaf Senescence. <i>Frontiers in Plant Science</i> , 2018 , 9, 1925	6.2	12
79	Identification of a novel SPLIT-HULL (SPH) gene associated with hull splitting in rice (<i>Oryza sativa</i> L.). <i>Theoretical and Applied Genetics</i> , 2018 , 131, 1469-1480	6	2
78	Variation in pre-harvest sprouting resistance, seed germination and changes in abscisic acid levels during grain development in diverse rice genetic resources. <i>Plant Genetic Resources: Characterisation and Utilisation</i> , 2018 , 16, 18-27	1	11
77	Identification and quantification of flavonoids in yellow grain mutant of rice (<i>Oryza sativa</i> L.). <i>Food Chemistry</i> , 2018 , 241, 154-162	8.5	19
76	The Rice Rolled Fine Striped (RFS) CHD3/Mi-2 Chromatin Remodeling Factor Epigenetically Regulates Genes Involved in Oxidative Stress Responses During Leaf Development. <i>Frontiers in Plant Science</i> , 2018 , 9, 364	6.2	12
75	Genome-wide analyses of late pollen-preferred genes conserved in various rice cultivars and functional identification of a gene involved in the key processes of late pollen development. <i>Rice</i> , 2018 , 11, 28	5.8	18
74	The rice zebra3 (z3) mutation disrupts citrate distribution and produces transverse dark-green/green variegation in mature leaves. <i>Rice</i> , 2018 , 11, 1	5.8	36
73	Association between sequence variants in panicle development genes and the number of spikelets per panicle in rice. <i>BMC Genetics</i> , 2018 , 19, 5	2.6	7
72	Identification of QTLs Associated with indica-japonica Differentiation-Related Traits in Rice (<i>Oryza sativa</i> L.). <i>Plant Breeding and Biotechnology</i> , 2018 , 6, 193-205	1.2	1
71	Identification of a Gene Involved in Early Senescence and Defense Response in Rice. <i>Frontiers in Plant Science</i> , 2018 , 9, 1274	6.2	14
70	Characterization of indica-japonica subspecies-specific InDel loci in wild relatives of rice (<i>Oryza sativa</i> L. subsp. <i>indica</i> Kato and subsp. <i>japonica</i> Kato). <i>Genetic Resources and Crop Evolution</i> , 2017 , 64, 405-418	2	3

69	KNOX Protein OSH15 Induces Grain Shattering by Repressing Lignin Biosynthesis Genes. <i>Plant Physiology</i> , 2017 , 174, 312-325	6.6	46
68	Identification of quantitative trait loci for panicle length and yield related traits under different water and P application conditions in tropical region in rice (<i>Oryza sativa</i> L.). <i>Euphytica</i> , 2017 , 213, 1	2.1	6
67	Sugary Endosperm is Modulated by Starch Branching Enzyme IIa in Rice (<i>Oryza sativa</i> L.). <i>Rice</i> , 2017 , 10, 33	5.8	15
66	New Genetic Loci Associated with Preharvest Sprouting and Its Evaluation Based on the Model Equation in Rice. <i>Frontiers in Plant Science</i> , 2017 , 8, 1393	6.2	14
65	Genetic structure and isolation by altitude in rice landraces of Yunnan, China revealed by nucleotide and microsatellite marker polymorphisms. <i>PLoS ONE</i> , 2017 , 12, e0175731	3.7	4
64	Fine Mapping and Candidate Gene Analysis of Small Round Grain Mutant in Rice. <i>Plant Breeding and Biotechnology</i> , 2017 , 5, 354-362	1.2	3
63	Identification of Heterosis QTLs for Yield and Yield-Related Traits in Indica-Japonica Recombinant Inbred Lines of Rice (<i>Oryza sativa</i> L.). <i>Plant Breeding and Biotechnology</i> , 2017 , 5, 371-389	1.2	6
62	Identification of a novel candidate gene for rolled leaf in rice. <i>Genes and Genomics</i> , 2016 , 38, 1077-1084	2.1	3
61	Genotypic Variation among Okra (<i>Abelmoschus esculentus</i> (L.) Moench) Germplasms in South India. <i>Plant Breeding and Biotechnology</i> , 2016 , 4, 234-241	1.2	13
60	Characterization of Selected Rice Varieties Adapted in Africa. <i>Plant Breeding and Biotechnology</i> , 2016 , 4, 297-305	1.2	2
59	Characterization and mapping of d13, a dwarfing mutant gene, in rice. <i>Genes and Genomics</i> , 2015 , 37, 893-903	2.1	6
58	Identification of nucleosome assembly protein 1 (NAP1) as an interacting partner of plant ribosomal protein S6 (RPS6) and a positive regulator of rDNA transcription. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 465, 200-5	3.4	16
57	Mutation of SPOTTED LEAF3 (SPL3) impairs abscisic acid-responsive signalling and delays leaf senescence in rice. <i>Journal of Experimental Botany</i> , 2015 , 66, 7045-59	7	40
56	Genome-wide transcriptome comparison of flag leaves among japonica and indica varieties 2015 , 58, 333-343		2
55	Complete chloroplast and ribosomal sequences for 30 accessions elucidate evolution of <i>Oryza</i> AA genome species. <i>Scientific Reports</i> , 2015 , 5, 15655	4.9	124
54	Influence of Multi-Gene Allele Combinations on Grain Size of Rice and Development of a Regression Equation Model to Predict Grain Parameters. <i>Rice</i> , 2015 , 8, 33	5.8	11
53	DNA markers for eating quality of indica rice in Indonesia. <i>Plant Breeding</i> , 2015 , 134, 40-48	2.4	4
52	Fine mapping and candidate gene analysis of a new mutant gene for panicle apical abortion in rice. <i>Euphytica</i> , 2014 , 197, 387-398	2.1	10

51	The BEL1-type homeobox gene SH5 induces seed shattering by enhancing abscission-zone development and inhibiting lignin biosynthesis. <i>Plant Journal</i> , 2014 , 79, 717-28	6.9	78
50	Prediction of Physicochemical Properties of Indonesian Indica Rice Using Molecular Markers. <i>HAYATI Journal of Biosciences</i> , 2014 , 21, 76-86	1.2	4
49	Genetic mapping and QTL analysis for yield and agronomic traits with an F2:3 population derived from a waxy corn \times sweet corn cross. <i>Genes and Genomics</i> , 2014 , 36, 179-189	2.1	12
48	Isolation and characterization of a dominant dwarf gene, d-h, in rice. <i>PLoS ONE</i> , 2014 , 9, e86210	3.7	15
47	Identification of Quantitative Trait Loci for Agronomic Traits in Two Rice Populations Derived from a Cross with a Wide Compatibility Line. <i>Plant Breeding and Biotechnology</i> , 2014 , 2, 231-246	1.2	0
46	Gene identification using rice genome sequences. <i>Genes and Genomics</i> , 2013 , 35, 415-424	2.1	3
45	The rice faded green leaf locus encodes protochlorophyllide oxidoreductase β and is essential for chlorophyll synthesis under high light conditions. <i>Plant Journal</i> , 2013 , 74, 122-33	6.9	104
44	Morphological and genetic characterization of off-type rice plants collected from farm fields in Korea 2013 , 56, 160-167		2
43	The rice narrow leaf2 and narrow leaf3 loci encode WUSCHEL-related homeobox 3A (OsWOX3A) and function in leaf, spikelet, tiller and lateral root development. <i>New Phytologist</i> , 2013 , 198, 1071-1084	9.8	124
42	Development of New CAPS/dCAPS and SNAP Markers for Rice Eating Quality. <i>HAYATI Journal of Biosciences</i> , 2013 , 20, 15-23	1.2	12
41	Phenotypic Characterization and Genetic Mapping of An Open-hull Sterile Mutant in Rice. <i>Plant Breeding and Biotechnology</i> , 2013 , 1, 24-32	1.2	0
40	Teosinte Branched 1 modulates tillering in rice plants. <i>Plant Cell Reports</i> , 2012 , 31, 57-65	5.1	36
39	Leaf variegation in the rice zebra2 mutant is caused by photoperiodic accumulation of tetra-cis-lycopene and singlet oxygen. <i>Molecules and Cells</i> , 2012 , 33, 87-97	3.5	34
38	QTLs for hybrid fertility and their association with female and male sterility in rice. <i>Genes and Genomics</i> , 2012 , 34, 355-365	2.1	4
37	QTL analyses of heterosis for grain yield and yield-related traits in indica-japonica crosses of rice (<i>Oryza sativa</i> L.). <i>Genes and Genomics</i> , 2012 , 34, 367-377	2.1	7
36	Tiller formation in rice is altered by overexpression of OsIAGLU gene encoding an IAA-conjugating enzyme or exogenous treatment of free IAA 2012 , 55, 429-435		15
35	Expression of hpa1 Gene Encoding a Bacterial Harpin Protein in <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> Enhances Disease Resistance to Both Fungal and Bacterial Pathogens in Rice and <i>Arabidopsis</i> . <i>Plant Pathology Journal</i> , 2012 , 28, 364-372	2.5	9
34	The rice bright green leaf (bgl) locus encodes OsRopGEF10, which activates the development of small cuticular papillae on leaf surfaces. <i>Plant Molecular Biology</i> , 2011 , 77, 631-41	4.6	11

33	Identification of QTLs for seed germination capability after various storage periods using two RIL populations in rice. <i>Molecules and Cells</i> , 2011 , 31, 385-92	3.5	30
32	Quantitative trait loci for cold tolerance of rice recombinant inbred lines in low temperature environments. <i>Molecules and Cells</i> , 2011 , 32, 579-87	3.5	23
31	Identification of quantitative trait loci associated with rice eating quality traits using a population of recombinant inbred lines derived from a cross between two temperate japonica cultivars. <i>Molecules and Cells</i> , 2011 , 31, 437-45	3.5	24
30	Fine mapping and candidate gene analysis of dense and erect panicle 3, DEP3, which confers high grain yield in rice (<i>Oryza sativa</i> L.). <i>Theoretical and Applied Genetics</i> , 2011 , 122, 1439-49	6	77
29	Identification of QTLs for hybrid fertility in inter-subspecific crosses of rice (<i>Oryza sativa</i> L.). <i>Genes and Genomics</i> , 2011 , 33, 39-48	2.1	7
28	Shotgun proteomic analysis for detecting differentially expressed proteins in the reduced culm number rice. <i>Proteomics</i> , 2011 , 11, 455-68	4.8	15
27	Single nucleotide polymorphisms and haplotype diversity in rice sucrose synthase 3. <i>Journal of Heredity</i> , 2011 , 102, 735-46	2.4	20
26	Molecular aspect of good eating quality formation in Japonica rice. <i>PLoS ONE</i> , 2011 , 6, e18385	3.7	44
25	SPL28 encodes a clathrin-associated adaptor protein complex 1, medium subunit micro 1 (AP1M1) and is responsible for spotted leaf and early senescence in rice (<i>Oryza sativa</i>). <i>New Phytologist</i> , 2010 , 185, 258-74	9.8	105
24	Inactivation of the CTD phosphatase-like gene OsCPL1 enhances the development of the abscission layer and seed shattering in rice. <i>Plant Journal</i> , 2010 , 61, 96-106	6.9	66
23	ZEBRA-NECROSIS, a thylakoid-bound protein, is critical for the photoprotection of developing chloroplasts during early leaf development. <i>Plant Journal</i> , 2010 , 62, 713-25	6.9	49
22	Genotype × environment interactions for chilling tolerance of rice recombinant inbred lines under different low temperature environments. <i>Field Crops Research</i> , 2010 , 117, 226-236	5.5	12
21	Fine mapping and candidate gene analysis of the floury endosperm gene, FLO(a), in rice. <i>Molecules and Cells</i> , 2010 , 29, 167-74	3.5	19
20	Rice virescent3 and stripe1 encoding the large and small subunits of ribonucleotide reductase are required for chloroplast biogenesis during early leaf development. <i>Plant Physiology</i> , 2009 , 150, 388-401	6.6	134
19	Development of SNP-based CAPS and dCAPS markers in eight different genes involved in starch biosynthesis in rice. <i>Molecular Breeding</i> , 2009 , 24, 93-101	3.4	19
18	High-resolution mapping of two rice brown planthopper resistance genes, Bph20(t) and Bph21(t), originating from <i>Oryza minuta</i> . <i>Theoretical and Applied Genetics</i> , 2009 , 119, 1237-46	6	124
17	Map-based cloning of the ERECT PANICLE 3 gene in rice. <i>Theoretical and Applied Genetics</i> , 2009 , 119, 1497-506	6	60
16	Molecular characterization and physico-chemical analysis of a new giant embryo mutant allele (ge t) in rice (<i>Oryza sativa</i> L.). <i>Genes and Genomics</i> , 2009 , 31, 277-282	2.1	17

15	PCR marker-based evaluation of the eating quality of japonica rice (<i>Oryza sativa</i> L.). <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 2754-62	5.7	38
14	Inactivation of the UGPase1 gene causes genic male sterility and endosperm chalkiness in rice (<i>Oryza sativa</i> L.). <i>Plant Journal</i> , 2008 , 54, 190-204	6.9	79
13	Proteomics analysis of rice lesion mimic mutant (spl1) reveals tightly localized probenazole-induced protein (PBZ1) in cells undergoing programmed cell death. <i>Journal of Proteome Research</i> , 2008 , 7, 1750-60	5.6	48
12	Fine mapping and candidate gene analysis of hwh1 and hwh2, a set of complementary genes controlling hybrid breakdown in rice. <i>Theoretical and Applied Genetics</i> , 2008 , 116, 1117-27	6	17
11	Antiallergic activities of pigmented rice bran extracts in cell assays. <i>Journal of Food Science</i> , 2007 , 72, S719-26	3.4	42
10	The senescence-induced staygreen protein regulates chlorophyll degradation. <i>Plant Cell</i> , 2007 , 19, 1649-66	6.4	353
9	Molecular mapping of a gene Td(t)Tcontrolling cleistogamy in rice. <i>Theoretical and Applied Genetics</i> , 2006 , 112, 1429-33	6	15
8	Identification of active transposon dTok, a member of the hAT family, in rice. <i>Plant and Cell Physiology</i> , 2006 , 47, 1473-83	4.9	41
7	Characterization and mapping of a shattering mutant in rice that corresponds to a block of domestication genes. <i>Genetics</i> , 2006 , 173, 995-1005	4	63
6	Differential expression of defense/stress-related marker proteins in leaves of a unique rice blast lesion mimic mutant (blm). <i>Journal of Proteome Research</i> , 2006 , 5, 2586-98	5.6	34
5	Molecular mapping of quantitative trait loci for zinc toxicity tolerance in rice seedling (<i>Oryza sativa</i> L.). <i>Field Crops Research</i> , 2006 , 95, 420-425	5.5	28
4	Antioxidative activities of bran extracts from twenty one pigmented rice cultivars. <i>Food Chemistry</i> , 2006 , 94, 613-620	8.5	162
3	Rice Chlorina-1 and Chlorina-9 encode ChlD and ChlI subunits of Mg-chelatase, a key enzyme for chlorophyll synthesis and chloroplast development. <i>Plant Molecular Biology</i> , 2006 , 62, 325-37	4.6	177
2	The rice (<i>Oryza sativa</i>) blast lesion mimic mutant, blm, may confer resistance to blast pathogens by triggering multiple defense-associated signaling pathways. <i>Plant Physiology and Biochemistry</i> , 2005 , 43, 397-406	5.4	57
1	Key DNA Markers for Predicting Heterosis in F1 Hybrids of japonica Rice. <i>Breeding Science</i> , 2004 , 54, 389-397	3.9	15