

Bongjin Moon

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4483730/bongjin-moon-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

73
papers

2,044
citations

26
h-index

43
g-index

79
ext. papers

2,187
ext. citations

5.2
avg, IF

4.59
L-index

#	Paper	IF	Citations
73	LC-MS/MS Software for Screening Unknown Erectile Dysfunction Drugs and Analogues: Artificial Neural Network Classification, Peak-Count Scoring, Simple Similarity Search, and Hybrid Similarity Search Algorithms. <i>Analytical Chemistry</i> , 2019 , 91, 9119-9128	7.8	10
72	Sustainable production of reduced graphene oxide using elemental sulfur for multifunctional composites. <i>Composites Part B: Engineering</i> , 2019 , 176, 107236	10	12
71	Quantitative MALDI-TOF mass spectrometric analysis of biocidal polyhexamethylene guanidine (PHMG) oligomers in consumer products. <i>International Journal of Mass Spectrometry</i> , 2019 , 435, 298-304 ^{1.9}	1.9	5
70	Free Radical-Initiated Peptide Sequencing Mass Spectrometry for Phosphopeptide Post-translational Modification Analysis. <i>Journal of the American Society for Mass Spectrometry</i> , 2019 , 30, 538-547	3.5	2
69	Synthesis of telechelic anthraquinone-functionalized polybutadiene via ROMP and study of its photo-oxidation and UV crosslinking behaviors. <i>Journal of Polymer Science Part A</i> , 2018 , 56, 1249-1258	2.5	5
68	Fragmentation Pathways of Tadalafil and Its Analogues in Electrospray Ionization Tandem Mass Spectrometry. <i>Bulletin of the Korean Chemical Society</i> , 2018 , 39, 190-196	1.2	4
67	Careful investigation of the hydrosilylation of olefins at poly(ethylene glycol) chain ends and development of a new silyl hydride to avoid side reactions. <i>Journal of Polymer Science Part A</i> , 2018 , 56, 527-536	2.5	4
66	Covalent Functionalization of FeCo/Graphitic Shell Nanocrystals via 1,3-Dipolar Cycloaddition. <i>ChemNanoMat</i> , 2018 , 4, 132-139	3.5	3
65	Reliable screening and confirmation of 156 multi-class illegal adulterants in dietary supplements based on extracted common ion chromatograms by ultra-high-performance liquid chromatography-quadrupole/time of flight-mass spectrometry. <i>Journal of Chromatography A</i> , 2017 , 1519, 43-51	4.5	18
64	Design, synthesis, biological evaluation and molecular modelling of 2-(2-aryloxyphenyl)-1,4-dihydroisoquinolin-3(2H)-ones: A novel class of TSPO ligands modulating amyloid- β -induced mPTP opening. <i>European Journal of Pharmaceutical Sciences</i> , 2017 , 104, 366-381	5.1	18
63	HIV Peptide-Mediated Binding Behaviors of Nanoparticles on a Lipid Membrane. <i>Langmuir</i> , 2017 , 33, 2590-2595	4	10
62	Discovery of 1-(3-(benzyloxy)pyridin-2-yl)-3-(2-(piperazin-1-yl)ethyl)urea: A new modulator for amyloid beta-induced mitochondrial dysfunction. <i>European Journal of Medicinal Chemistry</i> , 2017 , 128, 56-69	6.8	19
61	TEMPO-Assisted Free Radical-Initiated Peptide Sequencing Mass Spectrometry (FRIPS MS) in Q-TOF and Orbitrap Mass Spectrometers: Single-Step Peptide Backbone Dissociations in Positive Ion Mode. <i>Journal of the American Society for Mass Spectrometry</i> , 2017 , 28, 154-163	3.5	7
60	Effects of alkali treatments on Ag nanowire transparent conductive films. <i>Japanese Journal of Applied Physics</i> , 2016 , 55, 06JD03	1.4	
59	Collisional Activation Dissociation Mass Spectrometry Studies of Oligosaccharides Conjugated with Na ⁺ -Encapsulated Dibenzo-18-Crown-6 Ether. <i>Mass Spectrometry Letters</i> , 2016 , 7, 96-101		2
58	Small angle neutron scattering study on complex coacervate core micelles formed by oppositely charged poly(ethylene oxide-b-allyl glycidyl ether) block copolymer in water. <i>Polymer Bulletin</i> , 2016 , 73, 2417-2425	2.4	5
57	Design and synthesis of new mass tags for matrix-free laser desorption ionization mass spectrometry (LDI-MS) based on 6,11-dihydrothiochromeno[4,3-b]indole. <i>Tetrahedron</i> , 2016 , 72, 5612-5619 ^{2.4}	2.4	8

56	Crystalline Matrix of Mesoporous TiO ₂ Framework for Dye-Sensitized Solar Cell Application. <i>Journal of Physical Chemistry C</i> , 2015 , 119, 24902-24909	3.8	9
55	Guanidination of lysine residue improves the sensitivity and facilitates the interpretation of free radical initiated peptide sequencing (FRIPS) mass spectrometry results. <i>International Journal of Mass Spectrometry</i> , 2015 , 390, 110-117	1.9	6
54	Bromine isotopic signature facilitates de novo sequencing of peptides in free-radical-initiated peptide sequencing (FRIPS) mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2015 , 50, 378-87	2.2	7
53	Radical-driven peptide backbone dissociation tandem mass spectrometry. <i>Mass Spectrometry Reviews</i> , 2015 , 34, 116-32	11	35
52	Synthesis of New Bis(amidine)Cobalt Catalysts and Their Application to Styrene Polymerization. <i>Organometallics</i> , 2014 , 33, 1617-1622	3.8	18
51	Structures of ionic liquid-water mixtures investigated by IR and NMR spectroscopy. <i>Physical Chemistry Chemical Physics</i> , 2014 , 16, 9591-601	3.6	173
50	Density Functional Theory (DFT) Study of Gas-phase O-C Bond Dissociation Energy of Models for o-TEMPO-Bz-C(O)-Peptide: A Model Study for Free Radical Initiated Peptide Sequencing. <i>Bulletin of the Korean Chemical Society</i> , 2014 , 35, 770-774	1.2	1
49	Oxazolopyridines and thiazolopyridines as monoamine oxidase B inhibitors for the treatment of Parkinson's disease. <i>Bioorganic and Medicinal Chemistry</i> , 2013 , 21, 5480-7	3.4	28
48	Aryl biphenyl-3-ylmethylpiperazines as 5-HT ₇ receptor antagonists. <i>ChemMedChem</i> , 2013 , 8, 1855-64	3.7	12
47	Manganese-doped highly ordered mesoporous silicate with high efficiency for oxidation suppression. <i>Chemistry - A European Journal</i> , 2013 , 19, 135-40	4.8	1
46	Tandem mass spectrometric analysis of isosorbide-1,4-cyclohexane-dicarboxylic acid polyester oligomer cations using ion-trap mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2013 , 27, 1913-8	2.2	4
45	Synthesis and biological evaluation of novel 3,4-diaryl lactam derivatives as triple reuptake inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013 , 23, 5515-8	2.9	7
44	Temperature-Triggered Functionalization of Polymers 2013 , 193-216		
43	Efficient Surface Neutralization and Enhanced Substrate Adhesion through Ketene Mediated Crosslinking and Functionalization. <i>Advanced Functional Materials</i> , 2013 , 23, 1597-1602	15.6	29
42	Palladium(II)-catalyzed ortho -arylation via phosphate-group-directed C-H activation. <i>Tetrahedron</i> , 2013 , 69, 5152-5159	2.4	45
41	Nanoporous bicontinuous structures via addition of thermally-stable amphiphilic nanoparticles within block copolymer templates. <i>ACS Applied Materials & Interfaces</i> , 2013 , 5, 5659-66	9.5	15
40	One-step peptide backbone dissociations in negative-ion free radical initiated peptide sequencing mass spectrometry. <i>Analytical Chemistry</i> , 2013 , 85, 7044-51	7.8	27
39	Synthesis of a perylene diimide-viologen dyad (PDI-2V) and its electrochromism in a layer-by-layer self-assembled multilayer film with PEDOT:PSS. <i>Journal of Materials Chemistry</i> , 2012 , 22, 13558		26

38	Ketene-Based Route to rigid Cyclobutanediol Monomers for the Replacement of BPA in High Performance Polyesters. <i>ACS Macro Letters</i> , 2012 , 1, 1228-1232	6.6	27
37	Low-temperature ketene formation in materials chemistry through molecular engineering. <i>Chemical Science</i> , 2012 , 3, 766-771	9.4	27
36	Pyridyl-urea Derivatives as Blockers of A β -Induced mPTP Opening for Alzheimer's Disease. <i>Bulletin of the Korean Chemical Society</i> , 2012 , 33, 3887-3888	1.2	2
35	Disulfide bond cleavage in TEMPO-free radical initiated peptide sequencing mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2011 , 46, 830-9	2.2	37
34	Discovery of piperidinyl aminopyrimidine derivatives as IKK-2 inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011 , 21, 3002-6	2.9	9
33	Cyclodextrin-based reactive porogen for nanoporous ultra-low dielectrics. <i>Current Applied Physics</i> , 2011 , 11, S313-S318	2.6	2
32	A facile route to ketene-functionalized polymers for general materials applications. <i>Nature Chemistry</i> , 2010 , 2, 207-12	17.6	102
31	Ketene functionalized polyethylene: control of cross-link density and material properties. <i>Journal of the American Chemical Society</i> , 2010 , 132, 14706-9	16.4	65
30	Synthesis of Photocleavable Poly(styrene-block-ethylene oxide) and Its Self-Assembly into Nanoporous Thin Films. <i>Macromolecules</i> , 2009 , 42, 455-458	5.5	148
29	Gas-phase peptide sequencing by TEMPO-mediated radical generation. <i>Analyst, The</i> , 2009 , 134, 1706-12	5	55
28	Structures of ionic liquids with different anions studied by infrared vibration spectroscopy. <i>Journal of Physical Chemistry B</i> , 2008 , 112, 4735-40	3.4	231
27	Anhydride-functionalized fullerene: a versatile precursor for fullerene-based materials. <i>Tetrahedron Letters</i> , 2008 , 49, 5540-5543	2	5
26	Synthesis and Characterization of Diazonium Containing Block Copolymers via Controlled Ring Opening Metathesis Polymerization (ROMP) and the Subsequent Chemical Modification. <i>Macromolecular Symposia</i> , 2007 , 249-250, 336-343	0.8	2
25	Morphology and photoluminescence of colloidal polypyrrole nanoparticles. <i>Synthetic Metals</i> , 2007 , 157, 597-602	3.6	34
24	Optical switching behavior of poly(9-alkoxyfluorene-phenylenevinylene) upon exposure to Lewis acid and base. <i>Reactive and Functional Polymers</i> , 2006 , 66, 1506-1514	4.6	5
23	Formation of insoluble perylenetetracarboxylic diimide films by electro- or photo-crosslinking of pyrrole units. <i>Chemical Communications</i> , 2006 , 69-71	5.8	5
22	Formation of a perylenetetracarboxylic diimide network film by post electrochemical treatment. <i>Langmuir</i> , 2006 , 22, 9431-5	4	6
21	Donor-acceptor-donor-type liquid crystal with a pyridazine core. <i>Organic Letters</i> , 2006 , 8, 4699-702	6.2	52

20	Chemically Reactive Nanoparticle for Ultra-lowk Applications. <i>Molecular Crystals and Liquid Crystals</i> , 2006 , 445, 167/[457]-175/[465]	0.5	
19	Macrocyclic lactam synthesis via a ring expansion reaction: construction of the cripowellin skeleton. <i>Organic Letters</i> , 2005 , 7, 1031-4	6.2	18
18	Observation of photoluminescence in polypyrrole micelles. <i>Synthetic Metals</i> , 2005 , 150, 127-131	3.6	30
17	Efficient synthesis of highly functionalized cyclic aminimides. <i>Organic Letters</i> , 2005 , 7, 3359-61	6.2	9
16	Multicolored Electrochromism of a Poly{1,4-bis[2-(3,4-ethylenedioxy)thienyl]benzene} Derivative Bearing Viologen Functional Groups. <i>Advanced Functional Materials</i> , 2005 , 15, 905-909	15.6	67
15	Practical synthesis of alkoxyamine initiators for living radical polymerization. <i>Macromolecular Research</i> , 2005 , 13, 229-235	1.9	11
14	Electrochemical Deposition of a Pyrrole-1-yl Substituted Perylene Diimide for Photoluminescence and Electrochromism. <i>Journal of the Electrochemical Society</i> , 2004 , 151, E80	3.9	8
13	Enhancement of Electrochromic Contrast of Poly(3,4-Ethylenedioxythiophene) by Incorporating a Pendant Viologen. <i>Advanced Materials</i> , 2004 , 16, 1712-1716	24	70
12	Synthesis and reactive blending of amine and anhydride end-functional polyolefins. <i>Polymer</i> , 2004 , 45, 4189-4201	3.9	23
11	Coupling Reactions of End- vs Mid-Functional Polymers. <i>Macromolecules</i> , 2004 , 37, 2563-2571	5.5	63
10	Synthesis and characterization of water soluble polypyrrole doped with functional dopants. <i>Synthetic Metals</i> , 2004 , 143, 289-294	3.6	108
9	Characteristics of tantalum electrolytic capacitors using soluble polypyrrole electrolyte. <i>Journal of Power Sources</i> , 2003 , 124, 338-342	8.9	13
8	Electrochemistry and electrochromism of a poly(cyclopentadithiophene) derivative with a viologen pendant. <i>Electrochimica Acta</i> , 2003 , 48, 4127-4135	6.7	23
7	Synthesis and application of fluorescently labeled phthalic anhydride (PA) functionalized polymers by ATRP. <i>Polymer</i> , 2002 , 43, 5501-5509	3.9	32
6	Synthesis of end- and mid-Phthalic Anhydride Functional Polymers by Atom Transfer Radical Polymerization. <i>Macromolecules</i> , 2001 , 34, 7941-7951	5.5	26
5	Measuring Copolymer Formation from End-Functionalized Chains at a PS/PMMA Interface Using FRES and SEC. <i>Macromolecules</i> , 2001 , 34, 200-205	5.5	62
4	Anionic synthesis and detection of fluorescence-labeled polymers with a terminal anhydride group. <i>Journal of Polymer Science Part A</i> , 2000 , 38, 2177-2185	2.5	16
3	Total Synthesis of (11)-Cylindrocyclophane A via a Double Horner-Emmons Macrocyclic Dimerization Event. <i>Journal of the American Chemical Society</i> , 2000 , 122, 4982-4983	16.4	41

2 Oxyanion Orientation in Anionic Oxy-Cope Rearrangements. *Journal of Organic Chemistry*, **1994**, 59, 1444-1456

1 N-(Biphenyl-3-ylmethyl)ethanamines as G protein-biased agonists of 5-HT₇R. *Bulletin of the Korean Chemical Society*,

1.2