

Nicholas M Kanaan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4484311/publications.pdf>

Version: 2024-02-01

80
papers

5,637
citations

87723

38
h-index

85405

71
g-index

84
all docs

84
docs citations

84
times ranked

7415
citing authors

#	ARTICLE	IF	CITATIONS
1	Central role for p62/SQSTM1 in the elimination of toxic tau species in a mouse model of tauopathy. <i>Aging Cell</i> , 2022, 21, .	3.0	17
2	TIA1 potentiates tau phase separation and promotes generation of toxic oligomeric tau. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	72
3	Tau: A Signaling Hub Protein. <i>Frontiers in Molecular Neuroscience</i> , 2021, 14, 647054.	1.4	29
4	Neuronal and Glial Distribution of Tau Protein in the Adult Rat and Monkey. <i>Frontiers in Molecular Neuroscience</i> , 2021, 14, 607303.	1.4	25
5	Interaction of tau with HNRNPA2B1 and N6-methyladenosine RNA mediates the progression of tauopathy. <i>Molecular Cell</i> , 2021, 81, 4209-4227.e12.	4.5	84
6	EFhd2 brain interactome reveals its association with different cellular and molecular processes. <i>Journal of Neurochemistry</i> , 2021, , .	2.1	4
7	Frontotemporal Lobar Dementia Mutant Tau Impairs Axonal Transport through a Protein Phosphatase 1 ³ -Dependent Mechanism. <i>Journal of Neuroscience</i> , 2021, 41, 9431-9451.	1.7	8
8	Clioquinol Decreases Levels of Phosphorylated, Truncated, and Oligomerized Tau Protein. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12063.	1.8	10
9	Rho-kinase ROCK inhibitors reduce oligomeric tau protein. <i>Neurobiology of Aging</i> , 2020, 89, 41-54.	1.5	43
10	Syk inhibitor reduces oligomeric tau associated with GSK3 ^β inactivation and autophagy activation. <i>Alzheimer's and Dementia</i> , 2020, 16, e042633.	0.4	4
11	Clioquinol reduces tau phosphorylation and oligomerization. <i>Alzheimer's and Dementia</i> , 2020, 16, e044356.	0.4	1
12	Liquid-liquid phase separation induces pathogenic tau conformations in vitro. <i>Nature Communications</i> , 2020, 11, 2809.	5.8	200
13	A human induced pluripotent stem cell-derived cortical neuron human-on-a-chip system to study A ^β 42 and tau-induced pathophysiological effects on long-term potentiation. <i>Alzheimer's and Dementia: Translational Research and Clinical Interventions</i> , 2020, 6, e12029.	1.8	7
14	Tau is not necessary for amyloid- ^β -induced synaptic and memory impairments. <i>Journal of Clinical Investigation</i> , 2020, 130, 4831-4844.	3.9	34
15	Time course and magnitude of alpha-synuclein inclusion formation and nigrostriatal degeneration in the rat model of synucleinopathy triggered by intrastratial 1 [±] -synuclein preformed fibrils. <i>Neurobiology of Disease</i> , 2019, 130, 104525.	2.1	67
16	EFhd2 Affects Tau Liquid-Liquid Phase Separation. <i>Frontiers in Neuroscience</i> , 2019, 13, 845.	1.4	28
17	Generation of Alpha-Synuclein Preformed Fibrils from Monomers and Use In Vivo. <i>Journal of Visualized Experiments</i> , 2019, , .	0.2	29
18	Pathogenic tau modifications occur in axons before the somatodendritic compartment in mossy fiber and Schaffer collateral pathways. <i>Acta Neuropathologica Communications</i> , 2019, 7, 29.	2.4	14

#	ARTICLE	IF	CITATIONS
19	O5â€“04â€“01: TRIM46 KNOCKDOWN CAUSES NEURONAL TAU REDISTRIBUTION AND INCREASES AXOSOMATIC TAU DIFFUSION. <i>Alzheimer's and Dementia</i> , 2019, 15, .	0.4	3
20	Activity of the poly(A) binding protein MSUT2 determines susceptibility to pathological tau in the mammalian brain. <i>Science Translational Medicine</i> , 2019, 11, .	5.8	30
21	Tau and Axonal Transport Misregulation in Tauopathies. <i>Advances in Experimental Medicine and Biology</i> , 2019, 1184, 81-95.	0.8	46
22	Tau Oligomer Pathology in Nucleus Basalis Neurons During the Progression of Alzheimer Disease. <i>Journal of Neuropathology and Experimental Neurology</i> , 2018, 77, 246-259.	0.9	31
23	Lewy body-like alpha-synuclein inclusions trigger reactive microgliosis prior to nigral degeneration. <i>Journal of Neuroinflammation</i> , 2018, 15, 129.	3.1	131
24	Tau Kinetics in Neurons and the Human Central Nervous System. <i>Neuron</i> , 2018, 97, 1284-1298.e7.	3.8	381
25	Tau Phosphorylation is Impacted by Rare AKAP9 Mutations Associated with Alzheimer Disease in African Americans. <i>Journal of NeuroImmune Pharmacology</i> , 2018, 13, 254-264.	2.1	19
26	Reducing the RNA binding protein TIA1 protects against tau-mediated neurodegeneration in vivo. <i>Nature Neuroscience</i> , 2018, 21, 72-80.	7.1	189
27	P3â€“181: THE INTERACTION BETWEEN TAU AND PROTEIN PHOSPHATASE 1 IS AFFECTED BY P301L MUTATION. <i>Alzheimer's and Dementia</i> , 2018, 14, P1136.	0.4	0
28	O3â€“01â€“03: TAU KINETICS IN NEURONS AND IN THE HUMAN CNS. <i>Alzheimer's and Dementia</i> , 2018, 14, P1008.	0.4	0
29	Homocysteine Increases Tau Phosphorylation, Truncation and Oligomerization. <i>International Journal of Molecular Sciences</i> , 2018, 19, 891.	1.8	44
30	Pretangle pathology within cholinergic nucleus basalis neurons coincides with neurotrophic and neurotransmitter receptor gene dysregulation during the progression of Alzheimer's disease. <i>Neurobiology of Disease</i> , 2018, 117, 125-136.	2.1	37
31	Exposure of the Amino Terminus of Tau Is a Pathological Event in Multiple Tauopathies. <i>American Journal of Pathology</i> , 2017, 187, 1222-1229.	1.9	24
32	Aging and Parkinson's disease: Different sides of the same coin?. <i>Movement Disorders</i> , 2017, 32, 983-990.	2.2	192
33	Rationally Engineered AAV Capsids Improve Transduction and Volumetric Spread in the CNS. <i>Molecular Therapy - Nucleic Acids</i> , 2017, 8, 184-197.	2.3	48
34	[P4â€“090]: THE SUBCELLULAR LOCALIZATION OF TAU AND THE PROPERTIES OF MUTANT P301L TAU IN PRIMARY NEURON CULTURES. <i>Alzheimer's and Dementia</i> , 2017, 13, P1293.	0.4	0
35	Production of recombinant tau oligomers in vitro. <i>Methods in Cell Biology</i> , 2017, 141, 45-64.	0.5	28
36	[O2â€“03â€“03]: TAUâ€“INDUCED NEURODEGENERATION IS MEDIATED BY RNA BINDING PROTEINS. <i>Alzheimer's and Dementia</i> , 2017, 13, P555.	0.4	0

#	ARTICLE	IF	CITATIONS
37	Axonal Degeneration in Tauopathies: Disease Relevance and Underlying Mechanisms. <i>Frontiers in Neuroscience</i> , 2017, 11, 572.	1.4	82
38	Ageing Does Not Affect Axon Initial Segment Structure and Somatic Localization of Tau Protein in Hippocampal Neurons of Fischer 344 Rats. <i>ENEuro</i> , 2017, 4, ENEURO.0043-17.2017.	0.9	9
39	Novel Non-phosphorylated Serine 9/21 GSK3 β Antibodies: Expanding the Tools for Studying GSK3 Regulation. <i>Frontiers in Molecular Neuroscience</i> , 2016, 9, 123.	1.4	15
40	Calcium dysregulation contributes to neurodegeneration in FTLD patient iPSC-derived neurons. <i>Scientific Reports</i> , 2016, 6, 34904.	1.6	67
41	Protein homeostasis gene dysregulation in pretangle-bearing nucleus basalis neurons during the progression of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2016, 42, 80-90.	1.5	25
42	Quantitative and semi-quantitative measurements of axonal degeneration in tissue and primary neuron cultures. <i>Journal of Neuroscience Methods</i> , 2016, 266, 32-41.	1.3	21
43	Analysis of isoform-specific tau aggregates suggests a common toxic mechanism involving similar pathological conformations and axonal transport inhibition. <i>Neurobiology of Aging</i> , 2016, 47, 113-126.	1.5	41
44	Pseudophosphorylation of tau at S422 enhances SDS-stable dimer formation and impairs both anterograde and retrograde fast axonal transport. <i>Experimental Neurology</i> , 2016, 283, 318-329.	2.0	28
45	Pioglitazone prevents tau oligomerization. <i>Biochemical and Biophysical Research Communications</i> , 2016, 478, 1035-1042.	1.0	26
46	Extracellular Tau Oligomers Produce An Immediate Impairment of LTP and Memory. <i>Scientific Reports</i> , 2016, 6, 19393.	1.6	212
47	Progression of tau pathology within cholinergic nucleus basalis neurons in chronic traumatic encephalopathy: A chronic effects of neurotrauma consortium study. <i>Brain Injury</i> , 2016, 30, 1399-1413.	0.6	21
48	Soluble pre-fibrillar tau and β -amyloid species emerge in early human Alzheimer's disease and track disease progression and cognitive decline. <i>Acta Neuropathologica</i> , 2016, 132, 875-895.	3.9	105
49	Pathological conformations involving the amino terminus of tau occur early in Alzheimer's disease and are differentially detected by monoclonal antibodies. <i>Neurobiology of Disease</i> , 2016, 94, 18-31.	2.1	68
50	Gene Therapy Models of Alzheimer's Disease and Other Dementias. <i>Methods in Molecular Biology</i> , 2016, 1382, 339-366.	0.4	26
51	Characterization of Early Pathological Tau Conformations and Phosphorylation in Chronic Traumatic Encephalopathy. <i>Journal of Neuropathology and Experimental Neurology</i> , 2016, 75, 19-34.	0.9	86
52	709. rAAV-Mediated Regulation of Striatal Nurr1 Expression Alters Development and Severity of Levodopa-Induced Dyskinesias in the 6-OHDA Rat Model of Parkinson's Disease. <i>Molecular Therapy</i> , 2015, 23, S282-S283.	3.7	6
53	P2-056: Differential oligomer formation and phosphatase-activating domain exposure in tau isoforms under reducing and oxidizing conditions in vitro. , 2015, 11, P504-P504.		0
54	The Longitudinal Transcriptomic Response of the Substantia Nigra to Intrastratial 6-Hydroxydopamine Reveals Significant Upregulation of Regeneration-Associated Genes. <i>PLoS ONE</i> , 2015, 10, e0127768.	1.1	18

#	ARTICLE	IF	CITATIONS
55	Recombinant adenoassociated virus 2/5-mediated gene transfer is reduced in the aged rat midbrain. <i>Neurobiology of Aging</i> , 2015, 36, 1110-1120.	1.5	22
56	Intrastriatal injection of pre-formed mouse α -synuclein fibrils into rats triggers α -synuclein pathology and bilateral nigrostriatal degeneration. <i>Neurobiology of Disease</i> , 2015, 82, 185-199.	2.1	285
57	Tau Protein. , 2015, , 857-874.		2
58	A Method for Combining RNAscope In Situ Hybridization with Immunohistochemistry in Thick Free-Floating Brain Sections and Primary Neuronal Cultures. <i>PLoS ONE</i> , 2015, 10, e0120120.	1.1	88
59	Axonal degeneration in Alzheimer's disease: When signaling abnormalities meet the axonal transport system. <i>Experimental Neurology</i> , 2013, 246, 44-53.	2.0	171
60	Phosphorylation in the amino terminus of tau prevents inhibition of anterograde axonal transport. <i>Neurobiology of Aging</i> , 2012, 33, 826.e15-826.e30.	1.5	89
61	Loss of Functional Alpha-Synuclein: A Toxic Event in Parkinson's Disease?. <i>Journal of Parkinson's Disease</i> , 2012, 2, 249-267.	1.5	72
62	Peroxynitrite-Induced Nitritative and Oxidative Modifications Alter Tau Filament Formation. <i>Biochemistry</i> , 2011, 50, 1203-1212.	1.2	37
63	Tyrosine Nitration within the Proline-Rich Region of Tau in Alzheimer's Disease. <i>American Journal of Pathology</i> , 2011, 178, 2275-2285.	1.9	46
64	Progression of Tau Pathology in Cholinergic Basal Forebrain Neurons in Mild Cognitive Impairment and Alzheimer's Disease. <i>American Journal of Pathology</i> , 2011, 179, 2533-2550.	1.9	101
65	Heat Shock Protein 70 Prevents both Tau Aggregation and the Inhibitory Effects of Preexisting Tau Aggregates on Fast Axonal Transport. <i>Biochemistry</i> , 2011, 50, 10300-10310.	1.2	106
66	Ageing as a primary risk factor for Parkinson's disease: evidence from studies of non-human primates. <i>Nature Reviews Neuroscience</i> , 2011, 12, 359-366.	4.9	358
67	Pathogenic Forms of Tau Inhibit Kinesin-Dependent Axonal Transport through a Mechanism Involving Activation of Axonal Phosphotransferases. <i>Journal of Neuroscience</i> , 2011, 31, 9858-9868.	1.7	231
68	Characterization of Prefibrillar Tau Oligomers in Vitro and in Alzheimer Disease. <i>Journal of Biological Chemistry</i> , 2011, 286, 23063-23076.	1.6	281
69	Age-related changes in glial cells of dopamine midbrain subregions in rhesus monkeys. <i>Neurobiology of Aging</i> , 2010, 31, 937-952.	1.5	60
70	Axonal Transport Defects in Neurodegenerative Diseases. <i>Journal of Neuroscience</i> , 2009, 29, 12776-12786.	1.7	398
71	Age and region-specific responses of microglia, but not astrocytes, suggest a role in selective vulnerability of dopamine neurons after 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine exposure in monkey. <i>Glia</i> , 2008, 56, 1199-1214.	3.5	57
72	Age-related changes in dopamine transporters and accumulation of 3-nitrotyrosine in rhesus monkey midbrain dopamine neurons: Relevance in selective neuronal vulnerability to degeneration. <i>European Journal of Neuroscience</i> , 2008, 27, 3205-3215.	1.2	41

#	ARTICLE	IF	CITATIONS
73	Age-related accumulation of Marinesco bodies and lipofuscin in rhesus monkey midbrain dopamine neurons: Relevance to selective neuronal vulnerability. <i>Journal of Comparative Neurology</i> , 2007, 502, 683-700.	0.9	70
74	Exogenous erythropoietin provides neuroprotection of grafted dopamine neurons in a rodent model of Parkinson's disease. <i>Brain Research</i> , 2006, 1068, 221-229.	1.1	44
75	MDMA administration to pregnant Spragueâ€“Dawley rats results in its passage to the fetal compartment. <i>Neurotoxicology and Teratology</i> , 2006, 28, 459-465.	1.2	36
76	Failure of proteasome inhibitor administration to provide a model of Parkinson's disease in rats and monkeys. <i>Annals of Neurology</i> , 2006, 60, 264-268.	2.8	128
77	Prenatal 3,4-methylenedioxymethamphetamine (ecstasy) alters exploratory behavior, reduces monoamine metabolism, and increases forebrain tyrosine hydroxylase fiber density of juvenile rats. <i>Neurotoxicology and Teratology</i> , 2003, 25, 509-517.	1.2	51
78	SPRR1A expression in experimental Osteoarthritis. Is there a role in pain?. <i>Frontiers in Cellular Neuroscience</i> , 0, 13, .	1.8	0
79	HNRNPA2B1 Mediates the Association of Oligomeric Tau with N ⁶ -Methyladenosine and Neurodegeneration. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
80	A Complex Containing HNRNPA2B1 and N ⁶ -Methyladenosine Modified Transcripts Mediates Actions of Toxic Tau Oligomers. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0