Af Maarten Altelaar

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/44854/af-maarten-altelaar-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

123	5,557 citations	39	72
papers		h-index	g-index
137 ext. papers	6,726 ext. citations	8.6 avg, IF	5.58 L-index

#	Paper	IF	Citations
123	Elucidation of the pre-nucleation phase directing metal-organic framework formation. <i>Cell Reports Physical Science</i> , 2021 , 2, 100680	6.1	2
122	Smooth muscle-specific MMP17 (MT4-MMP) regulates the intestinal stem cell niche and regeneration after damage. <i>Nature Communications</i> , 2021 , 12, 6741	17.4	4
121	Automated High-Throughput Method for the Fast, Robust, and Reproducible Enrichment of Newly Synthesized Proteins. <i>Journal of Proteome Research</i> , 2021 ,	5.6	1
120	Centrosome-mediated microtubule remodeling during axon formation in human iPSC-derived neurons. <i>EMBO Journal</i> , 2021 , 40, e106798	13	4
119	MAPK-ERK is a central pathway in T-cell acute lymphoblastic leukemia that drives steroid resistance. <i>Leukemia</i> , 2021 , 35, 3394-3405	10.7	5
118	Cysteamine-bicalutamide combination therapy corrects proximal tubule phenotype in cystinosis. <i>EMBO Molecular Medicine</i> , 2021 , 13, e13067	12	7
117	Anti-tumour immunity induces aberrant peptide presentation in melanoma. <i>Nature</i> , 2021 , 590, 332-337	50.4	28
116	Neuroproteomics of the Synapse: Subcellular Quantification of Protein Networks and Signaling Dynamics. <i>Molecular and Cellular Proteomics</i> , 2021 , 20, 100087	7.6	2
115	The Role of Pseudo-Orthocaspase (SyOC) of sp. PCC 6803 in Attenuating the Effect of Oxidative Stress. <i>Frontiers in Microbiology</i> , 2021 , 12, 634366	5.7	3
114	Proteomics and Phosphoproteomics Profiling of Drug-Addicted BRAFi-Resistant Melanoma Cells. Journal of Proteome Research, 2021 , 20, 4381-4392	5.6	1
113	Multistep mechanism of G-quadruplex resolution during DNA replication. Science Advances, 2021, 7, eal	ofi8µ6₅53	4
112	Quantifying Positional Isomers (QPI) by Top-Down Mass Spectrometry. <i>Molecular and Cellular Proteomics</i> , 2021 , 20, 100070	7.6	
111	Combined Quantitative (Phospho)proteomics and Mass Spectrometry Imaging Reveal Temporal and Spatial Protein Changes in Human Intestinal Ischemia-Reperfusion. <i>Journal of Proteome Research</i> , 2021 ,	5.6	3
110	Spinal Muscular Atrophy Patient iPSC-Derived Motor Neurons Display Altered Proteomes at Early Stages of Differentiation <i>ACS Omega</i> , 2021 , 6, 35375-35388	3.9	0
109	Quantitative proteomic analysis of Rett iPSC-derived neuronal progenitors. <i>Molecular Autism</i> , 2020 , 11, 38	6.5	5
108	Deciphering the Proteome Dynamics during Development of Neurons Derived from Induced Pluripotent Stem Cells. <i>Journal of Proteome Research</i> , 2020 , 19, 2391-2403	5.6	6
107	Quantitative mapping of transcriptome and proteome dynamics during polarization of human iPSC-derived neurons. <i>ELife</i> , 2020 , 9,	8.9	5

(2018-2020)

1	106	Arginine Estacking drives binding to fibrils of the Alzheimer protein Tau. <i>Nature Communications</i> , 2020 , 11, 571	17.4	13
1	105	Combined EGFR and ROCK Inhibition in Triple-negative Breast Cancer Leads to Cell Death Via Impaired Autophagic Flux. <i>Molecular and Cellular Proteomics</i> , 2020 , 19, 261-277	7.6	5
1	104	Effects of electron-transfer/higher-energy collisional dissociation (EThcD) on phosphopeptide analysis by data-independent acquisition. <i>International Journal of Mass Spectrometry</i> , 2020 , 452, 116336	5 ^{1.9}	1
1	103	Temporal Quantitative Proteomics of mGluR-induced Protein Translation and Phosphorylation in Neurons. <i>Molecular and Cellular Proteomics</i> , 2020 , 19, 1952-1968	7.6	5
1	102	Tumour kinome re-wiring governs resistance to palbociclib in oestrogen receptor positive breast cancers, highlighting new therapeutic modalities. <i>Oncogene</i> , 2020 , 39, 4781-4797	9.2	22
1	101	Feedback-Driven Assembly of the Axon Initial Segment. <i>Neuron</i> , 2019 , 104, 305-321.e8	13.9	25
1	100	High-Throughput Assessment of Kinome-wide Activation States. <i>Cell Systems</i> , 2019 , 9, 366-374.e5	10.6	12
٥	99	Conserved crosstalk between histone deacetylation and H3K79 methylation generates DOT1L-dose dependency in HDAC1-deficient thymic lymphoma. <i>EMBO Journal</i> , 2019 , 38, e101564	13	17
Ş	98	MAP7 family proteins regulate kinesin-1 recruitment and activation. <i>Journal of Cell Biology</i> , 2019 , 218, 1298-1318	7.3	62
Ç	97	Actin from the apicomplexan Neospora caninum (NcACT) has different isoforms in 2D electrophoresis. <i>Parasitology</i> , 2019 , 146, 33-41	2.7	O
Ş	96	Crystal structure of the tubulin tyrosine carboxypeptidase complex VASH1-SVBP. <i>Nature Structural and Molecular Biology</i> , 2019 , 26, 567-570	17.6	16
ç	95	VAP-SCRN1 interaction regulates dynamic endoplasmic reticulum remodeling and presynaptic function. <i>EMBO Journal</i> , 2019 , 38, e101345	13	26
9	94	Feedback-Driven Mechanisms between Microtubules and the Endoplasmic Reticulum Instruct Neuronal Polarity. <i>Neuron</i> , 2019 , 102, 184-201.e8	13.9	34
٥	93	Identification of a tumor-specific allo-HLA-restricted IICR. <i>Blood Advances</i> , 2019 , 3, 2870-2882	7.8	18
Ş	92	Feeding cycle alters the biophysics and molecular expression of voltage-gated Na currents in rat hippocampal CA1 neurones. <i>European Journal of Neuroscience</i> , 2019 , 49, 1418-1435	3.5	
Ş	91	PaDuA: A Python Library for High-Throughput (Phospho)proteomics Data Analysis. <i>Journal of Proteome Research</i> , 2019 , 18, 576-584	5.6	7
Ş	90	The physiology of Agaricus bisporus in semi-commercial compost cultivation appears to be highly conserved among unrelated isolates. <i>Fungal Genetics and Biology</i> , 2018 , 112, 12-20	3.9	7
8	89	The HAUS Complex Is a Key Regulator of Non-centrosomal Microtubule Organization during Neuronal Development. <i>Cell Reports</i> , 2018 , 24, 791-800	10.6	49

88	Nedd4-Binding Protein 1 and TNFAIP3-Interacting Protein 1 Control MHC-1 Display in Neuroblastoma. <i>Cancer Research</i> , 2018 , 78, 6621-6631	10.1	23
87	In vivo phosphoproteomics reveals kinase activity profiles that predict treatment outcome in triple-negative breast cancer. <i>Nature Communications</i> , 2018 , 9, 3501	17.4	26
86	A System-wide Approach to Monitor Responses to Synergistic BRAF and EGFR Inhibition in Colorectal Cancer Cells. <i>Molecular and Cellular Proteomics</i> , 2018 , 17, 1892-1908	7.6	7
85	Membrane-Depolarizing Channel Blockers Induce Selective Glioma Cell Death by Impairing Nutrient Transport and Unfolded Protein/Amino Acid Responses. <i>Cancer Research</i> , 2017 , 77, 1741-1752	10.1	15
84	Quantitative Map of Proteome Dynamics during Neuronal Differentiation. <i>Cell Reports</i> , 2017 , 18, 1527-	15426	47
83	Robust, Sensitive, and Automated Phosphopeptide Enrichment Optimized for Low Sample Amounts Applied to Primary Hippocampal Neurons. <i>Journal of Proteome Research</i> , 2017 , 16, 728-737	5.6	64
82	Vasohibins encode tubulin detyrosinating activity. <i>Science</i> , 2017 , 358, 1453-1456	33.3	109
81	Opposite Electron-Transfer Dissociation and Higher-Energy Collisional Dissociation Fragmentation Characteristics of Proteolytic K/R(X) and (X)K/R Peptides Provide Benefits for Peptide Sequencing in Proteomics and Phosphoproteomics. <i>Journal of Proteome Research</i> , 2017 , 16, 852-861	5.6	15
80	Mast Cell Degranulation Is Accompanied by the Release of a Selective Subset of Extracellular Vesicles That Contain Mast Cell-Specific Proteases. <i>Journal of Immunology</i> , 2016 , 197, 3382-3392	5.3	36
79	Quantitative Proteomics Illuminates a Functional Interaction between mDia2 and the Proteasome. Journal of Proteome Research, 2016 , 15, 4624-4637	5.6	8
78	Differential proteomics reveals the hallmarks of seed development in common bean (Phaseolus vulgaris L.). <i>Journal of Proteomics</i> , 2016 , 143, 188-198	3.9	19
77	Talin-KANK1 interaction controls the recruitment of cortical microtubule stabilizing complexes to focal adhesions. <i>ELife</i> , 2016 , 5,	8.9	100
76	Direct screening for chromatin status on DNA barcodes in yeast delineates the regulome of H3K79 methylation by Dot1. <i>ELife</i> , 2016 , 5,	8.9	18
75	Association of Cell Adhesion Molecules Contactin-6 and Latrophilin-1 Regulates Neuronal Apoptosis. <i>Frontiers in Molecular Neuroscience</i> , 2016 , 9, 143	6.1	17
74	Assessment of SRM, MRM(3), and DIA for the targeted analysis of phosphorylation dynamics in non-small cell lung cancer. <i>Proteomics</i> , 2016 , 16, 2193-205	4.8	38
73	BRAF(V600E) Kinase Domain Duplication Identified in Therapy-Refractory Melanoma Patient-Derived Xenografts. <i>Cell Reports</i> , 2016 , 16, 263-277	10.6	40
72	Monitoring light/dark association dynamics of multi-protein complexes in cyanobacteria using size exclusion chromatography-based proteomics. <i>Journal of Proteomics</i> , 2016 , 142, 33-44	3.9	8
71	Molecular Pathway of Microtubule Organization at the Golgi Apparatus. <i>Developmental Cell</i> , 2016 , 39, 44-60	10.2	74

(2014-2016)

70	Comprehensive Proteomic Analysis of Human Milk-derived Extracellular Vesicles Unveils a Novel Functional Proteome Distinct from Other Milk Components. <i>Molecular and Cellular Proteomics</i> , 2016 , 15, 3412-3423	7.6	77
69	De novo discovery of phenotypic intratumour heterogeneity using imaging mass spectrometry. Journal of Pathology, 2015 , 235, 3-13	9.4	95
68	Benchmarking multiple fragmentation methods on an orbitrap fusion for top-down phospho-proteoform characterization. <i>Analytical Chemistry</i> , 2015 , 87, 4152-8	7.8	87
67	PhosphoPath: Visualization of Phosphosite-centric Dynamics in Temporal Molecular Networks. Journal of Proteome Research, 2015 , 14, 4332-41	5.6	48
66	Diet-induced neuropeptide expression: feasibility of quantifying extended and highly charged endogenous peptide sequences by selected reaction monitoring. <i>Analytical Chemistry</i> , 2015 , 87, 9966-7	3 7.8	4
65	Myc coordinates transcription and translation to enhance transformation and suppress invasiveness. <i>EMBO Reports</i> , 2015 , 16, 1723-36	6.5	28
64	Uncovering the abilities of Agaricus bisporus to degrade plant biomass throughout its life cycle. <i>Environmental Microbiology</i> , 2015 , 17, 3098-109	5.2	37
63	Cooperative induction of apoptosis in NRAS mutant melanoma by inhibition of MEK and ROCK. <i>Pigment Cell and Melanoma Research</i> , 2015 , 28, 307-17	4.5	32
62	Signal Transduction Reaction Monitoring Deciphers Site-Specific PI3K-mTOR/MAPK Pathway Dynamics in Oncogene-Induced Senescence. <i>Journal of Proteome Research</i> , 2015 , 14, 2906-14	5.6	27
61	N-lactoyl-amino acids are ubiquitous metabolites that originate from CNDP2-mediated reverse proteolysis of lactate and amino acids. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 6601-6	11.5	32
60	Dot1 histone methyltransferases share a distributive mechanism but have highly diverged catalytic properties. <i>Scientific Reports</i> , 2015 , 5, 9824	4.9	12
59	TRIM46 Controls Neuronal Polarity and Axon Specification by Driving the Formation of Parallel Microtubule Arrays. <i>Neuron</i> , 2015 , 88, 1208-1226	13.9	125
58	Proteomic analyses uncover a new function and mode of action for mouse homolog of Diaphanous 2 (mDia2). <i>Molecular and Cellular Proteomics</i> , 2015 , 14, 1064-78	7.6	14
57	Identification of putative substrates for the periplasmic chaperone YfgM in Escherichia coli using quantitative proteomics. <i>Molecular and Cellular Proteomics</i> , 2015 , 14, 216-26	7.6	12
56	Coordination of peptidoglycan synthesis and outer membrane constriction during Escherichia coli cell division. <i>ELife</i> , 2015 , 4,	8.9	127
55	Microtubule minus-end stabilization by polymerization-driven CAMSAP deposition. <i>Developmental Cell</i> , 2014 , 28, 295-309	10.2	175
54	Phosphoproteome dynamics in onset and maintenance of oncogene-induced senescence. <i>Molecular and Cellular Proteomics</i> , 2014 , 13, 2089-100	7.6	8
53	Similar is not the same: differences in the function of the (hemi-)cellulolytic regulator XlnR (Xlr1/Xyr1) in filamentous fungi. <i>Fungal Genetics and Biology</i> , 2014 , 72, 73-81	3.9	58

52	Flexibility in crosstalk between H2B ubiquitination and H3 methylation in vivo. <i>EMBO Reports</i> , 2014 , 15, 1077-84	6.5	26
51	Single-step enrichment by Ti4+-IMAC and label-free quantitation enables in-depth monitoring of phosphorylation dynamics with high reproducibility and temporal resolution. <i>Molecular and Cellular Proteomics</i> , 2014 , 13, 2426-34	7.6	80
50	Flexibility in crosstalk between H2B ubiquitination and H3 methylation in vivo. <i>EMBO Reports</i> , 2014 , 15, 1220-1221	6.5	4
49	Daily rhythms in the cyanobacterium synechococcus elongatus probed by high-resolution mass spectrometry-based proteomics reveals a small defined set of cyclic proteins. <i>Molecular and Cellular Proteomics</i> , 2014 , 13, 2042-55	7.6	55
48	Protein acetylation affects acetate metabolism, motility and acid stress response in Escherichia coli. <i>Molecular Systems Biology</i> , 2014 , 10, 762	12.2	98
47	ROCK1 is a potential combinatorial drug target for BRAF mutant melanoma. <i>Molecular Systems Biology</i> , 2014 , 10, 772	12.2	38
46	Deletion of flbA results in increased secretome complexity and reduced secretion heterogeneity in colonies of Aspergillus niger. <i>Journal of Proteome Research</i> , 2013 , 12, 1808-19	5.6	36
45	Profiling of diet-induced neuropeptide changes in rat brain by quantitative mass spectrometry. <i>Analytical Chemistry</i> , 2013 , 85, 4594-604	7.8	21
44	Next-generation proteomics: towards an integrative view of proteome dynamics. <i>Nature Reviews Genetics</i> , 2013 , 14, 35-48	30.1	530
43	Deep proteome profiling of Trichoplax adhaerens reveals remarkable features at the origin of metazoan multicellularity. <i>Nature Communications</i> , 2013 , 4, 1408	17.4	40
42	Benchmarking stable isotope labeling based quantitative proteomics. <i>Journal of Proteomics</i> , 2013 , 88, 14-26	3.9	100
41	A central role for TFIID in the pluripotent transcription circuitry. <i>Nature</i> , 2013 , 495, 516-9	50.4	62
40	Unambiguous phosphosite localization using electron-transfer/higher-energy collision dissociation (EThcD). <i>Journal of Proteome Research</i> , 2013 , 12, 1520-5	5.6	125
39	Imaging mass spectrometry-based molecular histology differentiates microscopically identical and heterogeneous tumors. <i>Journal of Proteome Research</i> , 2013 , 12, 1847-55	5.6	18
38	Quantitative global phosphoproteomics of human umbilical vein endothelial cells after activation of the Rap signaling pathway. <i>Molecular BioSystems</i> , 2013 , 9, 732-49		8
37	Characterization of electron transfer dissociation in the Orbitrap Velos HCD cell. <i>Journal of the American Society for Mass Spectrometry</i> , 2013 , 24, 1663-70	3.5	3
36	Spatio-temporal analysis of molecular determinants of neuronal degeneration in the aging mouse cerebellum. <i>Molecular and Cellular Proteomics</i> , 2013 , 12, 1350-62	7.6	21
35	Unravelling the Neospora caninum secretome through the secreted fraction (ESA) and quantification of the discharged tachyzoite using high-resolution mass spectrometry-based proteomics. Parasites and Vectors 2013, 6, 335	4	12

(2009-2012)

34	Toward full peptide sequence coverage by dual fragmentation combining electron-transfer and higher-energy collision dissociation tandem mass spectrometry. <i>Analytical Chemistry</i> , 2012 , 84, 9668-73	7.8	203
33	Spatially resolving the secretome within the mycelium of the cell factory Aspergillus niger. <i>Journal of Proteome Research</i> , 2012 , 11, 2807-18	5.6	35
32	Trends in ultrasensitive proteomics. Current Opinion in Chemical Biology, 2012, 16, 206-13	9.7	120
31	Database independent proteomics analysis of the ostrich and human proteome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 407-12	11.5	12
30	Improved peptide identification by targeted fragmentation using CID, HCD and ETD on an LTQ-Orbitrap Velos. <i>Journal of Proteome Research</i> , 2011 , 10, 2377-88	5.6	248
29	Progressive methylation of ageing histones by Dot1 functions as a timer. <i>EMBO Reports</i> , 2011 , 12, 956-	68 .5	39
28	Improving SRM assay development: a global comparison between triple quadrupole, ion trap, and higher energy CID peptide fragmentation spectra. <i>Journal of Proteome Research</i> , 2011 , 10, 4334-41	5.6	77
27	Probing the proteome response to toluene exposure in the solvent tolerant Pseudomonas putida S12. <i>Journal of Proteome Research</i> , 2011 , 10, 394-403	5.6	38
26	Protein signatures associated with tumor cell dissemination in head and neck cancer. <i>Journal of Proteomics</i> , 2011 , 74, 558-66	3.9	19
25	Gaining efficiency by parallel quantification and identification of iTRAQ-labeled peptides using HCD and decision tree guided CID/ETD on an LTQ Orbitrap. <i>Analyst, The</i> , 2010 , 135, 2643-52	5	12
24	Comparative assessment of site assignments in CID and electron transfer dissociation spectra of phosphopeptides discloses limited relocation of phosphate groups. <i>Molecular and Cellular Proteomics</i> , 2010 , 9, 2140-8	7.6	36
23	Dimethyl isotope labeling assisted de novo peptide sequencing. <i>Journal of the American Society for Mass Spectrometry</i> , 2010 , 21, 1957-65	3.5	22
22	Cellular imaging using matrix-enhanced and metal-assisted SIMS. <i>Methods in Molecular Biology</i> , 2010 , 656, 197-208	1.4	11
21	Strong cation exchange-based fractionation of Lys-N-generated peptides facilitates the targeted analysis of post-translational modifications. <i>Molecular and Cellular Proteomics</i> , 2009 , 8, 190-200	7.6	64
20	Fast and automated large-area imaging MALDI mass spectrometry in microprobe and microscope mode. <i>International Journal of Mass Spectrometry</i> , 2009 , 285, 19-25	1.9	33
19	Improved identification of endogenous peptides from murine nervous tissue by multiplexed peptide extraction methods and multiplexed mass spectrometric analysis. <i>Journal of Proteome Research</i> , 2009 , 8, 870-6	5.6	23
18	In-depth profiling of post-translational modifications on the related transcription factor complexes TFIID and SAGA. <i>Journal of Proteome Research</i> , 2009 , 8, 5020-30	5.6	24
17	Straightforward and de novo peptide sequencing by MALDI-MS/MS using a Lys-N metalloendopeptidase. <i>Molecular and Cellular Proteomics</i> , 2009 , 8, 650-60	7.6	39

16	Tissue analysis with high-resolution imaging mass spectrometry. <i>Methods in Molecular Biology</i> , 2009 , 492, 295-308	1.4	3
15	Cooperative action of NC2 and Mot1p to regulate TATA-binding protein function across the genome. <i>Genes and Development</i> , 2008 , 22, 2359-69	12.6	58
14	Automated, feature-based image alignment for high-resolution imaging mass spectrometry of large biological samples. <i>Journal of the American Society for Mass Spectrometry</i> , 2008 , 19, 823-32	3.5	31
13	Imaging mass spectrometry at cellular length scales. <i>Nature Protocols</i> , 2007 , 2, 1185-96	18.8	98
12	High-resolution MALDI imaging mass spectrometry allows localization of peptide distributions at cellular length scales in pituitary tissue sections. <i>International Journal of Mass Spectrometry</i> , 2007 , 260, 203-211	1.9	96
11	Imaging of peptides in the rat brain using MALDI-FTICR mass spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 2007 , 18, 145-51	3.5	135
10	Gold-enhanced biomolecular surface imaging of cells and tissue by SIMS and MALDI mass spectrometry. <i>Analytical Chemistry</i> , 2006 , 78, 734-42	7.8	256
9	High Resolution Mass Spectrometric Imaging of Cells and Tissue: MALDI and Surface Enhanced SIMS Put to Work. <i>Microscopy and Microanalysis</i> , 2006 , 12, 1210-1211	0.5	
8	Why donE biologists use SIMS?. Applied Surface Science, 2006, 252, 6827-6835	6.7	94
7	The influence of the cholesterol microenvironment in tissue sections on molecular ionization efficiencies and distributions in ToF-SIMS. <i>Applied Surface Science</i> , 2006 , 252, 6702-6705	6.7	11
6	Direct molecular imaging of Lymnaea stagnalis nervous tissue at subcellular spatial resolution by mass spectrometry. <i>Analytical Chemistry</i> , 2005 , 77, 735-41	7.8	166
5	Subcellular imaging mass spectrometry of brain tissue. <i>Journal of Mass Spectrometry</i> , 2005 , 40, 160-8	2.2	163
4	Determination of polycyclic aromatic hydrocarbons and polycylic aromatic sulfur heterocycles by high-performance liquid chromatography with fluorescence and atmospheric pressure chemical ionization mass spectrometry detection in seawater and sediment samples. <i>Journal of Chromatography A</i> , 2002 , 958, 141-8	4.5	40
3	Deciphering the protein dynamics and molecular determinants of iPSC-derived neurons		1
2	Quantitative proteomic alterations of human iPSC-based neuronal development indicate early onset of Rett syndrome		1
1	Glucocorticoids regulate cancer cell dormancy		3