Boling Qiao

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4485705/publications.pdf

Version: 2024-02-01

	1163117	1281871
331	8	11
citations	h-index	g-index
		500
11	11	520
docs citations	times ranked	citing authors
	citations 11	331 8 citations h-index 11 11

#	Article	IF	CITATIONS
1	Neuroprotective effect of Apelin 13 on ischemic stroke by activating AMPK/GSK-3 \hat{l}^2 /Nrf2 signaling. Journal of Neuroinflammation, 2019, 16, 24.	7.2	135
2	Amelioration of nonalcoholic fatty liver disease by swertiamarin in fructose-fed mice. Phytomedicine, 2019, 59, 152782.	5. 3	32
3	<i>Aralia taibaiensis</i> Protects against I/R-Induced Brain Cell Injury through the Akt/SIRT1/FOXO3a Pathway. Oxidative Medicine and Cellular Longevity, 2019, 2019, 1-18.	4.0	31
4	Imatinib Radiosensitizes Bladder Cancer by Targeting Homologous Recombination. Cancer Research, 2013, 73, 1611-1620.	0.9	30
5	Identification of rhein as the metabolite responsible for toxicity of rhubarb anthraquinones. Food Chemistry, 2020, 331, 127363.	8.2	29
6	Aquaporins Alteration Profiles Revealed Different Actions of Senna, Sennosides, and Sennoside A in Diarrhea-Rats. International Journal of Molecular Sciences, 2018, 19, 3210.	4.1	24
7	Protective effect of gentiopicroside from Gentiana macrophylla Pall. in ethanolâ€induced gastric mucosal injury in mice. Phytotherapy Research, 2018, 32, 259-266.	5 . 8	21
8	In vitro functional effects of XPC gene rare variants from bladder cancer patients. Carcinogenesis, 2011, 32, 516-521.	2.8	10
9	Chikusetsu saponin IVa protects pancreatic \hat{l}^2 cell against intermittent high glucose-induced injury by activating Wnt/ \hat{l}^2 -catenin/TCF7L2 pathway. Aging, 2020, 12, 1591-1609.	3.1	10
10	Organ Specific Differences in Alteration of Aquaporin Expression in Rats Treated with Sennoside A, Senna Anthraquinones and Rhubarb Anthraquinones. International Journal of Molecular Sciences, 2021, 22, 8026.	4.1	6
11	Functional assays to determine the significance of two common XPC 3'UTR variants found in bladder cancer patients. BMC Medical Genetics, 2011, 12, 84.	2.1	3