

Jukka Montonen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4486520/publications.pdf>

Version: 2024-02-01

25
papers

2,767
citations

430874

18
h-index

552781

26
g-index

26
all docs

26
docs citations

26
times ranked

4339
citing authors

#	ARTICLE	IF	CITATIONS
1	Whole-grain and fiber intake and the incidence of type 2 diabetes. American Journal of Clinical Nutrition, 2003, 77, 622-629.	4.7	511
2	Dietary Antioxidant Intake and Risk of Type 2 Diabetes. Diabetes Care, 2004, 27, 362-366.	8.6	368
3	Serum Vitamin D and Subsequent Occurrence of Type 2 Diabetes. Epidemiology, 2008, 19, 666-671.	2.7	286
4	Serum 25-Hydroxyvitamin D Concentration and Subsequent Risk of Type 2 Diabetes. Diabetes Care, 2007, 30, 2569-2570.	8.6	283
5	Dietary Patterns and the Incidence of Type 2 Diabetes. American Journal of Epidemiology, 2005, 161, 219-227.	3.4	208
6	Consumption of Sweetened Beverages and Intakes of Fructose and Glucose Predict Type 2 Diabetes Occurrence. Journal of Nutrition, 2007, 137, 1447-1454.	2.9	189
7	Consumption of red meat and whole-grain bread in relation to biomarkers of obesity, inflammation, glucose metabolism and oxidative stress. European Journal of Nutrition, 2013, 52, 337-345.	3.9	177
8	Validity of a food frequency questionnaire varied by age and body mass index. Journal of Clinical Epidemiology, 2006, 59, 994-1001.	5.0	157
9	Body iron stores and risk of type 2 diabetes: results from the European Prospective Investigation into Cancer and Nutrition (EPIC)-Potsdam study. Diabetologia, 2012, 55, 2613-2621.	6.3	102
10	Plant foods and the risk of cerebrovascular diseases: a potential protection of fruit consumption. British Journal of Nutrition, 2009, 102, 1075-1083.	2.3	93
11	Associations Between General and Abdominal Adiposity and Mortality in Individuals With Diabetes Mellitus. American Journal of Epidemiology, 2011, 174, 22-34.	3.4	78
12	Identifying vegetarians and their food consumption according to self-identification and operationalized definition in Finland. Public Health Nutrition, 2009, 12, 481.	2.2	49
13	The association of circulating adiponectin levels with pancreatic cancer risk: A study within the prospective EPIC cohort. International Journal of Cancer, 2012, 130, 2428-2437.	5.1	43
14	Estimation of the contribution of biomarkers of different metabolic pathways to risk of type 2 diabetes. European Journal of Epidemiology, 2011, 26, 29-38.	5.7	41
15	Reliability of fasting plasma alkylresorcinol concentrations measured 4 months apart. European Journal of Clinical Nutrition, 2010, 64, 698-703.	2.9	39
16	Vitamin D status and common risk factors for bone fragility as determinants of quantitative ultrasound variables in a nationally representative population sample. Bone, 2009, 45, 119-124.	2.9	37
17	Fish consumption and the incidence of cerebrovascular disease. British Journal of Nutrition, 2009, 102, 750-756.	2.3	32
18	Association of changes in body mass index during earlier adulthood and later adulthood with circulating obesity biomarker concentrations in middle-aged men and women. Diabetologia, 2011, 54, 1676-1683.	6.3	19

#	ARTICLE	IF	CITATIONS
19	Reliability of fasting plasma alkylresorcinol metabolites concentrations measured 4 months apart. European Journal of Clinical Nutrition, 2012, 66, 968-970.	2.9	12
20	Patient database analysis of fulvestrant 500Âmg in the treatment of metastatic breast cancer: A European perspective. Breast, 2017, 32, 247-255.	2.2	12
21	HbA1c Measured in Stored Erythrocytes Is Positively Linearly Associated with Mortality in Individuals with Diabetes Mellitus. PLoS ONE, 2012, 7, e38877.	2.5	11
22	Fish consumption and polyunsaturated fatty acids in relation to psychological distress. International Journal of Epidemiology, 2010, 39, 494-503.	1.9	8
23	Reliability of plasma fibroblast growth factor 23 as risk biomarker in epidemiological studies measured over a four-month period. Annals of Clinical Biochemistry, 2012, 49, 542-545.	1.6	6
24	Difference in diet between a general population national representative sample and individuals with alcohol use disorders, but not individuals with depressive or anxiety disorders. Nordic Journal of Psychiatry, 2014, 68, 391-400.	1.3	4
25	No Evidence of Off-label Use of Olodaterol and Indacaterol in Denmark, France, and the Netherlands: A Drug Utilization Study. Scientific Reports, 2020, 10, 586.	3.3	1