

Chia-Yen Huang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4486625/publications.pdf>

Version: 2024-02-01

37
papers

3,683
citations

516710

16
h-index

395702

33
g-index

37
all docs

37
docs citations

37
times ranked

8048
citing authors

#	ARTICLE	IF	CITATIONS
1	Isolated rectus abdominis muscle recurrence of endometrial cancer. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2021, 60, 181-182.	1.3	1
2	ACTN4 Mediates SEPT14 Mutation-Induced Sperm Head Defects. <i>Biomedicines</i> , 2020, 8, 518.	3.2	8
3	Comparing PI3K/Akt Inhibitors Used in Ovarian Cancer Treatment. <i>Frontiers in Pharmacology</i> , 2020, 11, 206.	3.5	29
4	Polypoid endometriosis “A rare entity of endometriosis mimicking ovarian cancer. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2019, 58, 328-329.	1.3	10
5	Yolk sac tumor of endometrium: A case report and literature review. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2019, 58, 846-848.	1.3	13
6	Pilot Study to Establish a Novel Five-Gene Biomarker Panel for Predicting Lymph Node Metastasis in Patients With Early Stage Endometrial Cancer. <i>Frontiers in Oncology</i> , 2019, 9, 1508.	2.8	15
7	miRTarBase update 2018: a resource for experimentally validated microRNA-target interactions. <i>Nucleic Acids Research</i> , 2018, 46, D296-D302.	14.5	1,591
8	Vaginal microbiome variances in sample groups categorized by clinical criteria of bacterial vaginosis. <i>BMC Genomics</i> , 2018, 19, 876.	2.8	21
9	Clinicopathologic Features and Treatment Outcomes in Patients with Stage I, High-Risk Histology or High-Grade Endometrial Cancer after Primary Staging Surgery: A Taiwanese Gynecologic Oncology Group Study. <i>Journal of Clinical Medicine</i> , 2018, 7, 254.	2.4	6
10	CDC42 Negatively Regulates Testis-Specific SEPT12 Polymerization. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2627.	4.1	10
11	Treatment outcomes of patients with stage II pure endometrioid-type endometrial cancer: a Taiwanese Gynecologic Oncology Group (TGOG-2006) retrospective cohort study. <i>Journal of Gynecologic Oncology</i> , 2018, 29, e76.	2.2	8
12	Outcomes of Patients With Surgically and Pathologically Staged IIIA-IVB Pure Endometrioid-type Endometrial Cancer. <i>Medicine (United States)</i> , 2016, 95, e3330.	1.0	16
13	Prognostic factors and adjuvant therapy on survival in early-stage cervical adenocarcinoma/adenosquamous carcinoma after primary radical surgery: A Taiwanese Gynecologic Oncology Group (TGOG) study. <i>Surgical Oncology</i> , 2016, 25, 229-235.	1.6	29
14	miRTarBase 2016: updates to the experimentally validated miRNA-target interactions database. <i>Nucleic Acids Research</i> , 2016, 44, D239-D247.	14.5	1,331
15	Urokinase-type Plasminogen Activator Resulting from Endometrial Carcinogenesis Enhances Tumor Invasion and Correlates with Poor Outcome of Endometrial Carcinoma Patients. <i>Scientific Reports</i> , 2015, 5, 10680.	3.3	13
16	Clinical performance of multiplex high-risk e6 mrna expression in comparison with hpv dna subtypes for the identification of women at risk of cervical cancer. <i>Journal of Medical Virology</i> , 2015, 87, 1404-1412.	5.0	0
17	Huge uterine leiomyoma combined with umbilical inclusion cyst mimicking a Sister Mary Joseph's nodule. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2015, 54, 81-83.	1.3	3
18	Methylated ZNF582 gene as a marker for triage of women with Pap smear reporting low-grade squamous intraepithelial lesions “A Taiwanese Gynecologic Oncology Group (TGOG) study. <i>Gynecologic Oncology</i> , 2014, 135, 64-68.	1.4	46

#	ARTICLE	IF	CITATIONS
19	Impact of management on the prognosis of pure uterine papillary serous cancer " A Taiwanese Gynecologic Oncology Group (TGOG) study. <i>Gynecologic Oncology</i> , 2014, 133, 221-228.	1.4	30
20	Prognostic factors and treatment outcomes for patients with surgically staged uterine clear cell carcinoma focusing on the early stage: A Taiwanese Gynecologic Oncology Group study. <i>Gynecologic Oncology</i> , 2014, 134, 516-522.	1.4	18
21	Primary treatment and prognostic factors of small cell neuroendocrine carcinoma of the uterine cervix: A Taiwanese Gynecologic Oncology Group study. <i>European Journal of Cancer</i> , 2012, 48, 1484-1494.	2.8	102
22	Promoter Methylation status of HIN-1 associated with outcomes of ovarian clear cell adenocarcinoma. <i>Molecular Cancer</i> , 2012, 11, 53.	19.2	29
23	Serous ovarian carcinoma patients with high alpha-folate receptor had reducing survival and cytotoxic chemo-response. <i>Molecular Oncology</i> , 2012, 6, 360-369.	4.6	113
24	Nationwide Surveillance in Uterine Cancer: Survival Analysis and the Importance of Birth Cohort: 30-Year Population-Based Registry in Taiwan. <i>PLoS ONE</i> , 2012, 7, e51372.	2.5	43
25	Abstract 5401: The influences of morphine on dendritic cell-mediated immunity. , 2012, , .		1
26	Abstract 3650: Serous ovarian carcinoma patients with high alpha-folate receptor had poorer outcome by reducing cytotoxic chemo-response through anti-apoptotic pathway. , 2012, , .		0
27	Abstract 3536: Depletion of regulatory T lymphocytes reverses the imbalance between Pro- and anti-tumor immunities via enhancing antigen-specific T cell immune responses. , 2012, , .		0
28	Impact of various treatment modalities on the outcome of stage IB1-IIA cervical adenocarcinoma. <i>International Journal of Gynecology and Obstetrics</i> , 2011, 112, 135-139.	2.3	8
29	Value of pre-operative serum CA125 level for prediction of prognosis in patients with endometrial cancer. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2011, 51, 397-402.	1.0	38
30	Concurrent Endometrial Carcinoma in Patients with a Curettage Diagnosis of Endometrial Hyperplasia. <i>Journal of the Formosan Medical Association</i> , 2009, 108, 502-507.	1.7	21
31	Clinical Significance of Cytologic Atypical Squamous Cells of Undetermined Significance. <i>Obstetrics and Gynecology</i> , 2009, 113, 888-894.	2.4	8
32	Ruptured Pseudoaneurysm of the External Iliac Artery in an Advanced Cervical Cancer Patient Treated by Endovascular Covered Stent Placement. <i>Journal of the Formosan Medical Association</i> , 2008, 107, 348-351.	1.7	12
33	IL-6-Encoding Tumor Antigen Generates Potent Cancer Immunotherapy Through Antigen Processing and Anti-apoptotic Pathways. <i>Molecular Therapy</i> , 2007, 15, 1890-1897.	8.2	23
34	Small bowel volvulus caused by re-implantation and growth of remnant tissue from a previously excised ovarian mucinous cystadenoma. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2007, 47, 346-348.	1.0	1
35	DNA vaccine encoding heat shock protein 60 co-linked to HPV16 E6 and E7 tumor antigens generates more potent immunotherapeutic effects than respective E6 or E7 tumor antigens. <i>Gynecologic Oncology</i> , 2007, 107, 404-412.	1.4	30
36	Submucous Myoma Induces Uterine Inversion. <i>Taiwanese Journal of Obstetrics and Gynecology</i> , 2006, 45, 159-161.	1.3	15

#	ARTICLE	IF	CITATIONS
37	Serum mesothelin in epithelial ovarian carcinoma: a new screening marker and prognostic factor. Anticancer Research, 2006, 26, 4721-8.	1.1	41