

Martin S Tallman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4486846/publications.pdf>

Version: 2024-02-01

211
papers

12,884
citations

53660

45
h-index

25716

108
g-index

214
all docs

214
docs citations

214
times ranked

14610
citing authors

#	ARTICLE	IF	CITATIONS
1	Diagnosis and management of AML in adults: 2017 ELN recommendations from an international expert panel. <i>Blood</i> , 2017, 129, 424-447.	0.6	4,375
2	Durable Remissions with Ivosidenib in <i>IDH1</i> -Mutated Relapsed or Refractory AML. <i>New England Journal of Medicine</i> , 2018, 378, 2386-2398.	13.9	1,092
3	Therapy-Related Clonal Hematopoiesis in Patients with Non-hematologic Cancers Is Common and Associated with Adverse Clinical Outcomes. <i>Cell Stem Cell</i> , 2017, 21, 374-382.e4.	5.2	578
4	Cancer therapy shapes the fitness landscape of clonal hematopoiesis. <i>Nature Genetics</i> , 2020, 52, 1219-1226.	9.4	367
5	Enasidenib induces acute myeloid leukemia cell differentiation to promote clinical response. <i>Blood</i> , 2017, 130, 732-741.	0.6	300
6	Asciminib in Chronic Myeloid Leukemia after ABL Kinase Inhibitor Failure. <i>New England Journal of Medicine</i> , 2019, 381, 2315-2326.	13.9	257
7	DNA Hydroxymethylation Profiling Reveals that <i>WT1</i> Mutations Result in Loss of <i>TET2</i> Function in Acute Myeloid Leukemia. <i>Cell Reports</i> , 2014, 9, 1841-1855.	2.9	237
8	Acquired resistance to <i>IDH</i> inhibition through trans or cis dimer-interface mutations. <i>Nature</i> , 2018, 559, 125-129.	13.7	223
9	Direct Reversal of Glucocorticoid Resistance by <i>AKT</i> Inhibition in Acute Lymphoblastic Leukemia. <i>Cancer Cell</i> , 2013, 24, 766-776.	7.7	220
10	<i>DNMT3A</i> mutations promote anthracycline resistance in acute myeloid leukemia via impaired nucleosome remodeling. <i>Nature Medicine</i> , 2016, 22, 1488-1495.	15.2	195
11	Consensus guidelines for the diagnosis and management of patients with classic hairy cell leukemia. <i>Blood</i> , 2017, 129, 553-560.	0.6	193
12	Emerging therapeutic drugs for AML. <i>Blood</i> , 2016, 127, 71-78.	0.6	168
13	Enasidenib, an inhibitor of mutant <i>IDH2</i> proteins, induces durable remissions in older patients with newly diagnosed acute myeloid leukemia. <i>Leukemia</i> , 2019, 33, 2575-2584.	3.3	164
14	US intergroup study of chemotherapy plus dasatinib and allogeneic stem cell transplant in Philadelphia chromosome positive ALL. <i>Blood Advances</i> , 2016, 1, 250-259.	2.5	142
15	Isoform Switching as a Mechanism of Acquired Resistance to Mutant Isocitrate Dehydrogenase Inhibition. <i>Cancer Discovery</i> , 2018, 8, 1540-1547.	7.7	138
16	Impact of <i>NPM1/FLT3-ITD</i> genotypes defined by the 2017 European LeukemiaNet in patients with acute myeloid leukemia. <i>Blood</i> , 2020, 135, 371-380.	0.6	127
17	Outcomes of patients with hematologic malignancies and COVID-19: a report from the ASH Research Collaborative Data Hub. <i>Blood Advances</i> , 2020, 4, 5966-5975.	2.5	124
18	Ivosidenib or enasidenib combined with intensive chemotherapy in patients with newly diagnosed AML: a phase 1 study. <i>Blood</i> , 2021, 137, 1792-1803.	0.6	123

#	ARTICLE	IF	CITATIONS
19	Truncating Erythropoietin Receptor Rearrangements in Acute Lymphoblastic Leukemia. <i>Cancer Cell</i> , 2016, 29, 186-200.	7.7	118
20	Molecular therapy for acute myeloid leukaemia. <i>Nature Reviews Clinical Oncology</i> , 2016, 13, 305-318.	12.5	111
21	A genome-wide association study of susceptibility to acute lymphoblastic leukemia in adolescents and young adults. <i>Blood</i> , 2015, 125, 680-686.	0.6	110
22	Benefit of high-dose daunorubicin in AML induction extends across cytogenetic and molecular groups. <i>Blood</i> , 2016, 127, 1551-1558.	0.6	105
23	The Multi-Kinase inhibitor Midostaurin (M) Prolongs Survival Compared with Placebo (P) in Combination with Daunorubicin (D)/Cytarabine (C) Induction (ind), High-Dose C Consolidation (consol), and As Maintenance (maint) Therapy in Newly Diagnosed Acute Myeloid Leukemia (AML) Patients (pts) Age 18-60 with FLT3 Mutations (muts): An International Prospective Randomized (rand) P-Controlled Double-Blind Trial (CALGB 10603/RATIFY [Alliance]). <i>Blood</i> , 2015, 126, 6-6.	0.6	104
24	Hematopoietic Stem Cell Origin of <i>BRAF</i> V600E Mutations in Hairy Cell Leukemia. <i>Science Translational Medicine</i> , 2014, 6, 238ra71.	5.8	102
25	Clinical and molecular predictors of response and survival following venetoclax therapy in relapsed/refractory AML. <i>Blood Advances</i> , 2021, 5, 1552-1564.	2.5	102
26	Extramedullary Disease in Adult Acute Myeloid Leukemia Is Common but Lacks Independent Significance: Analysis of Patients in ECOG-ACRIN Cancer Research Group Trials, 1980-2008. <i>Journal of Clinical Oncology</i> , 2016, 34, 3544-3553.	0.8	99
27	Differentiation syndrome in acute promyelocytic leukaemia. <i>British Journal of Haematology</i> , 2019, 187, 157-162.	1.2	88
28	Determinants of fatal bleeding during induction therapy for acute promyelocytic leukemia in the ATRA era. <i>Blood</i> , 2017, 129, 1763-1767.	0.6	78
29	Hematopoietic Cell Transplantation in the Treatment of Adult Acute Lymphoblastic Leukemia: Updated 2019 Evidence-Based Review from the American Society for Transplantation and Cellular Therapy. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 2113-2123.	2.0	77
30	Functional screen of MSI2 interactors identifies an essential role for SYNCRIP in myeloid leukemia stem cells. <i>Nature Genetics</i> , 2017, 49, 866-875.	9.4	75
31	A Multicenter Phase I/II Study of Obatoclax Mesylate Administered as a 3- or 24-Hour Infusion in Older Patients with Previously Untreated Acute Myeloid Leukemia. <i>PLoS ONE</i> , 2014, 9, e108694.	1.1	72
32	Pediatric-inspired therapy compared to allografting for Philadelphia chromosome-negative adult ALL in first complete remission. <i>American Journal of Hematology</i> , 2016, 91, 322-329.	2.0	72
33	The impact of the graft-versus-leukemia effect on survival in acute lymphoblastic leukemia. <i>Blood Advances</i> , 2019, 3, 670-680.	2.5	71
34	Enasidenib in patients with mutant IDH2 myelodysplastic syndromes: a phase 1 subgroup analysis of the multicentre, AG221-C-001 trial. <i>Lancet Haematology</i> , 2020, 7, e309-e319.	2.2	70
35	Minimal residual hairy cell leukemia eradication with moxetumomab pasudotox: phase 1 results and long-term follow-up. <i>Blood</i> , 2018, 131, 2331-2334.	0.6	64
36	How I treat relapsed or refractory AML. <i>Blood</i> , 2020, 136, 1023-1032.	0.6	64

#	ARTICLE	IF	CITATIONS
37	Autologous Is Superior to Allogeneic Hematopoietic Cell Transplantation for Acute Promyelocytic Leukemia in Second Complete Remission. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 1021-1025.	2.0	61
38	Scoring System Prognostic of Outcome in Patients Undergoing Allogeneic Hematopoietic Cell Transplantation for Myelodysplastic Syndrome. <i>Journal of Clinical Oncology</i> , 2016, 34, 1864-1871.	0.8	61
39	MEF2C Phosphorylation Is Required for Chemotherapy Resistance in Acute Myeloid Leukemia. <i>Cancer Discovery</i> , 2018, 8, 478-497.	7.7	59
40	Molecular classification improves risk assessment in adult BCR-ABL1-negative B-ALL. <i>Blood</i> , 2021, 138, 948-958.	0.6	59
41	Phase III Open-Label Randomized Study of Cytarabine in Combination With Amonafide L-Malate or Daunorubicin As Induction Therapy for Patients With Secondary Acute Myeloid Leukemia. <i>Journal of Clinical Oncology</i> , 2015, 33, 1252-1257.	0.8	57
42	Acute promyelocytic leukemia (APL): remaining challenges towards a cure for all. <i>Leukemia and Lymphoma</i> , 2019, 60, 3107-3115.	0.6	56
43	Blinatumomab administered concurrently with oral tyrosine kinase inhibitor therapy is a well-tolerated consolidation strategy and eradicates measurable residual disease in adults with Philadelphia chromosome positive acute lymphoblastic leukemia. <i>Leukemia Research</i> , 2019, 79, 27-33.	0.4	54
44	Time to repeat and replace response criteria for acute myeloid leukemia?. <i>Blood Reviews</i> , 2018, 32, 416-425.	2.8	51
45	Midostaurin reduces relapse in FLT3-mutant acute myeloid leukemia: the Alliance CALGB 10603/RATIFY trial. <i>Leukemia</i> , 2021, 35, 2539-2551.	3.3	51
46	A Randomized Phase III Study of Ibrutinib (PCI-32765)-Based Therapy Vs. Standard Fludarabine, Cyclophosphamide, and Rituximab (FCR) Chemoimmunotherapy in Untreated Younger Patients with Chronic Lymphocytic Leukemia (CLL): A Trial of the ECOG-ACRIN Cancer Research Group (E1912). <i>Blood</i> , 2018, 132, LBA-4-LBA-4.	0.6	48
47	Crenolanib, a Type I FLT3 TKI, Can be Safely Combined with Cytarabine and Anthracycline Induction Chemotherapy and Results in High Response Rates in Patients with Newly Diagnosed FLT3 Mutant Acute Myeloid Leukemia (AML). <i>Blood</i> , 2016, 128, 1071-1071.	0.6	47
48	Maintenance therapy in acute myeloid leukemia: an evidence-based review of randomized trials. <i>Blood</i> , 2016, 128, 763-773.	0.6	46
49	A Phase 1 study of intravenous infusions of tigecycline in patients with acute myeloid leukemia. <i>Cancer Medicine</i> , 2016, 5, 3031-3040.	1.3	46
50	How I treat acute myeloid leukemia presenting with preexisting comorbidities. <i>Blood</i> , 2016, 128, 488-496.	0.6	45
51	Phase 1 study of anti-CD47 monoclonal antibody CC-90002 in patients with relapsed/refractory acute myeloid leukemia and high-risk myelodysplastic syndromes. <i>Annals of Hematology</i> , 2022, 101, 557-569.	0.8	44
52	A Phase 1 Study of the DOT1L Inhibitor, Pinometostat (EPZ-5676), in Adults with Relapsed or Refractory Leukemia: Safety, Clinical Activity, Exposure and Target Inhibition. <i>Blood</i> , 2015, 126, 2547-2547.	0.6	42
53	Incidence of sinusoidal obstruction syndrome following Mylotarg (gemtuzumab ozogamicin): a prospective observational study of 482 patients in routine clinical practice. <i>International Journal of Hematology</i> , 2013, 97, 456-464.	0.7	37
54	Results Of a Phase 2 Randomized, Open-Label, Study Of Lower Doses Of Quizartinib (AC220; ASP2689) In Subjects With FLT3-ITD Positive Relapsed Or Refractory Acute Myeloid Leukemia (AML). <i>Blood</i> , 2013, 122, 494-494.	0.6	36

#	ARTICLE	IF	CITATIONS
55	Molecular Profiling and Relationship with Clinical Response in Patients with IDH1 Mutation-Positive Hematologic Malignancies Receiving AG-120, a First-in-Class Potent Inhibitor of Mutant IDH1, in Addition to Data from the Completed Dose Escalation Portion of the Phase 1 Study. <i>Blood</i> , 2015, 126, 1306-1306.	0.6	36
56	Frontline-Treatment Of Acute Lymphoblastic Leukemia (ALL) In Older Adolescents and Young Adults (AYA) Using a Pediatric Regimen Is Feasible: Toxicity Results of the Prospective US Intergroup Trial C10403 (Alliance). <i>Blood</i> , 2013, 122, 3903-3903.	0.6	35
57	Does microgranular variant morphology of acute promyelocytic leukemia independently predict a less favorable outcome compared with classical M3 APL? A joint study of the North American Intergroup and the PETHEMA Group. <i>Blood</i> , 2010, 116, 5650-5659.	0.6	33
58	Hematopoietic Cell Transplantation Outcomes in Monosomal Karyotype Myeloid Malignancies. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 248-257.	2.0	33
59	Micafungin versus posaconazole prophylaxis in acute leukemia or myelodysplastic syndrome: A randomized study. <i>Journal of Infection</i> , 2018, 77, 227-234.	1.7	31
60	The Role of Abnormal Hemostasis and Fibrinolysis in Morbidity and Mortality of Acute Promyelocytic Leukemia. <i>Seminars in Thrombosis and Hemostasis</i> , 2019, 45, 612-621.	1.5	31
61	Mutational correlates of response to hypomethylating agent therapy in acute myeloid leukemia. <i>Haematologica</i> , 2016, 101, e457-e460.	1.7	30
62	Pegaspargase-related high-grade hepatotoxicity in a pediatric-inspired adult acute lymphoblastic leukemia regimen does not predict recurrent hepatotoxicity with subsequent doses. <i>Leukemia Research</i> , 2018, 66, 49-56.	0.4	29
63	TP53 Mutations Predict Poorer Responses to CPX-351 in Acute Myeloid Leukemia. <i>Blood</i> , 2018, 132, 1433-1433.	0.6	29
64	Superior survival with pediatric-style chemotherapy compared to myeloablative allogeneic hematopoietic cell transplantation in older adolescents and young adults with Ph-negative acute lymphoblastic leukemia in first complete remission: analysis from CALGB 10403 and the CIBMTR. <i>Leukemia</i> , 2021, 35, 2076-2085.	3.3	28
65	Hairy cell leukemia and COVID-19 adaptation of treatment guidelines. <i>Leukemia</i> , 2021, 35, 1864-1872.	3.3	28
66	Acute Myeloid Leukemia: Historical Perspective and Progress in Research and Therapy Over 5 Decades. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, 580-597.	0.2	28
67	Germ cell tumors and associated hematologic malignancies evolve from a common shared precursor. <i>Journal of Clinical Investigation</i> , 2020, 130, 6668-6676.	3.9	28
68	North American Leukemia, Intergroup Phase III Randomized Trial of Single Agent Clofarabine As Induction and Post-Remission Therapy, and Decitabine As Maintenance Therapy in Newly-Diagnosed Acute Myeloid Leukemia in Older Adults (Age ≥60 Years): A Trial of the ECOG-ACRIN Cancer Research Group (E2906). <i>Blood</i> , 2015, 126, 217-217.	0.6	28
69	Determination of IDH1 Mutational Burden and Clearance Via Next-Generation Sequencing in Patients with IDH1 Mutation-Positive Hematologic Malignancies Receiving AG-120, a First-in-Class Inhibitor of Mutant IDH1. <i>Blood</i> , 2016, 128, 1070-1070.	0.6	28
70	Harnessing the benefits of available targeted therapies in acute myeloid leukaemia. <i>Lancet Haematology</i> , 2021, 8, e922-e933.	2.2	27
71	Treatment outcomes and secondary cancer incidence in young patients with hairy cell leukaemia. <i>British Journal of Haematology</i> , 2016, 175, 402-409.	1.2	26
72	Camidanlumab tesirine, an antibody-drug conjugate, in relapsed/refractory CD25-positive acute myeloid leukemia or acute lymphoblastic leukemia: A phase I study. <i>Leukemia Research</i> , 2020, 95, 106385.	0.4	26

#	ARTICLE	IF	CITATIONS
73	Implications of minimal residual disease in hairy cell leukemia after cladribine using immunohistochemistry and immunophenotyping. <i>Leukemia and Lymphoma</i> , 2011, 52, 65-68.	0.6	25
74	Aberrant GSK3 β nuclear localization promotes AML growth and drug resistance. <i>Blood Advances</i> , 2018, 2, 2890-2903.	2.5	25
75	Leukemia Cell of Origin Influences Apoptotic Priming and Sensitivity to LSD1 Inhibition. <i>Cancer Discovery</i> , 2020, 10, 1500-1513.	7.7	24
76	Pediatric-inspired chemotherapy incorporating pegaspargase is safe and results in high rates of minimal residual disease negativity in adults up to age 60 with Philadelphia chromosome-negative acute lymphoblastic leukemia. <i>Haematologica</i> , 2021, 106, 2086-2094.	1.7	24
77	Pseudotumor Cerebri in Acute Promyelocytic Leukemia Patients on Intergroup Protocol 0129: Clinical Description and Recommendations for New Diagnostic Criteria. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2016, 16, 146-151.	0.2	22
78	Allogeneic Hematopoietic Stem Cell Transplantation Is Underutilized in Older Patients with Myelodysplastic Syndromes. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 1078-1086.	2.0	22
79	Lenalidomide-Epoetin Alfa Versus Lenalidomide Monotherapy in Myelodysplastic Syndromes Refractory to Recombinant Erythropoietin. <i>Journal of Clinical Oncology</i> , 2021, 39, 1001-1009.	0.8	22
80	Four different regimens of farnesyltransferase inhibitor tipifarnib in older, untreated acute myeloid leukemia patients: North American Intergroup Phase II study SWOG S0432. <i>Leukemia Research</i> , 2014, 38, 329-333.	0.4	21
81	Ivosidenib or Enasidenib Combined with Standard Induction Chemotherapy Is Well Tolerated and Active in Patients with Newly Diagnosed AML with an IDH1 or IDH2 Mutation: Initial Results from a Phase 1 Trial. <i>Blood</i> , 2017, 130, 726-726.	0.6	20
82	The use of Erwinia asparaginase for adult patients with acute lymphoblastic leukemia after pegaspargase intolerance. <i>Leukemia Research</i> , 2016, 50, 17-20.	0.4	18
83	Hsp90 inhibition disrupts JAK-STAT signaling and leads to reductions in splenomegaly in patients with myeloproliferative neoplasms. <i>Haematologica</i> , 2018, 103, e5-e9.	1.7	18
84	Telomere length and associations with somatic mutations and clinical outcomes in acute myeloid leukemia. <i>Leukemia Research</i> , 2016, 49, 62-65.	0.4	17
85	Independent Prognostic Significance of Monosomy 17 and Impact of Karyotype Complexity in Monosomal Karyotype/Complex Karyotype Acute Myeloid Leukemia: Results from Four ECOG-ACRIN Prospective Therapeutic Trials. <i>Leukemia Research</i> , 2017, 59, 55-64.	0.4	17
86	Venetoclax-based combinations in AML and high-risk MDS prior to and following allogeneic hematopoietic cell transplant. <i>Leukemia and Lymphoma</i> , 2021, 62, 3394-3401.	0.6	17
87	Relapse after Allogeneic Stem Cell Transplantation of Acute Myelogenous Leukemia and Myelodysplastic Syndrome and the Importance of Second Cellular Therapy. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 771.e1-771.e10.	0.6	17
88	Allogeneic Hematopoietic Stem Cell Transplantation with Myeloablative Conditioning Is Associated with Favorable Outcomes in Mixed Phenotype Acute Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 1879-1886.	2.0	16
89	Predictive factors of fatal bleeding in acute promyelocytic leukemia. <i>Thrombosis Research</i> , 2018, 164, S98-S102.	0.8	16
90	Allogeneic hematopoietic cell transplantation improves outcome of adults with t(6;9) acute myeloid leukemia: results from an international collaborative study. <i>Haematologica</i> , 2020, 105, 161-169.	1.7	15

#	ARTICLE	IF	CITATIONS
91	Comparison of induction strategies and responses for acute myeloid leukemia patients after resistance to hypomethylating agents for antecedent myeloid malignancy. <i>Leukemia Research</i> , 2020, 93, 106367.	0.4	15
92	The Peptidic CXCR4 Antagonist, BL-8040, Significantly Reduces Bone Marrow Immature Leukemia Progenitors By Inducing Differentiation, Apoptosis and Mobilization: Results of the Dose Escalation Clinical Trial in Acute Myeloid Leukemia. <i>Blood</i> , 2015, 126, 2546-2546.	0.6	15
93	Melanoma and non-melanoma skin cancers in hairy cell leukaemia: a Surveillance, Epidemiology and End Results population analysis and the 30-year experience at Memorial Sloan Kettering Cancer Center. <i>British Journal of Haematology</i> , 2015, 171, 84-90.	1.2	14
94	Cytogenetic risk determines outcomes after allogeneic transplantation in older patients with acute myeloid leukemia in their second complete remission: A Center for International Blood and Marrow Transplant Research cohort analysis. <i>Cancer</i> , 2017, 123, 2035-2042.	2.0	14
95	Optimizing Risk Stratification in Acute Myeloid Leukemia: Dynamic Models for a Dynamic Therapeutic Landscape. <i>Journal of Clinical Oncology</i> , 2021, 39, 2535-2538.	0.8	14
96	Results Of a Phase 1 Study Of Quizartinib (AC220, ASP2689) In Combination With Induction and Consolidation Chemotherapy In Younger Patients With Newly Diagnosed Acute Myeloid Leukemia. <i>Blood</i> , 2013, 122, 623-623.	0.6	14
97	Ivosidenib (AG-120) in Mutant IDH1 AML and Advanced Hematologic Malignancies: Results of a Phase 1 Dose Escalation and Expansion Study. <i>Blood</i> , 2017, 130, 725-725.	0.6	14
98	Characterization of Novel Subtypes in B Progenitor Acute Lymphoblastic Leukemia. <i>Blood</i> , 2018, 132, 565-565.	0.6	14
99	Tacrolimus versus Cyclosporine after Hematopoietic Cell Transplantation for Acquired Aplastic Anemia. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 1776-1782.	2.0	13
100	A phase II randomized trial comparing standard and low dose rituximab combined with alemtuzumab as initial treatment of progressive chronic lymphocytic leukemia in older patients: a trial of the ECOG-ACRIN cancer research group (E1908). <i>American Journal of Hematology</i> , 2016, 91, 308-312.	2.0	13
101	Safety and activity of selinexor in patients with myelodysplastic syndromes or oligoblastic acute myeloid leukaemia refractory to hypomethylating agents: a single-centre, single-arm, phase 2 trial. <i>Lancet Haematology</i> , 2020, 7, e566-e574.	2.2	13
102	Combined Treatment with Lenalidomide (LEN) and Epoetin Alfa (EA) Is Superior to Lenalidomide Alone in Patients with Erythropoietin (Epo)-Refractory, Lower Risk (LR) Non-Deletion 5q [Del(5q)] Myelodysplastic Syndrome (MDS): Results of the E2905 Intergroup Study-an ECOG-ACRIN Cancer Research Group Study, Grant CA180820, and the National Cancer Institute of the National Institutes of Health. <i>Blood</i> , 2016, 128, 223-223.	0.6	13
103	Multicenter evaluation of efficacy and toxicity of venetoclax-based combinations in patients with accelerated and blast phase myeloproliferative neoplasms. <i>American Journal of Hematology</i> , 2022, 97, .	2.0	13
104	Intracellular Cholesterol Pools Regulate Oncogenic Signaling and Epigenetic Circuitries in Early T-cell Precursor Acute Lymphoblastic Leukemia. <i>Cancer Discovery</i> , 2022, 12, 856-871.	7.7	13
105	Hairy cell leukemia: Past, present and future. <i>Best Practice and Research in Clinical Haematology</i> , 2015, 28, 269-272.	0.7	12
106	Multi-Center US Intergroup Study of Intensive Chemotherapy Plus Dasatinib Followed By Allogeneic Stem Cell Transplant in Patients with Philadelphia Chromosome Positive Acute Lymphoblastic Leukemia Younger Than 60. <i>Blood</i> , 2015, 126, 796-796.	0.6	12
107	Don't just stand there, do something: Strategies for the prevention of early death in acute promyelocytic leukemia: A commentary. <i>Blood Cells, Molecules, and Diseases</i> , 2011, 46, 173-174.	0.6	11
108	Younger adults with acute myeloid leukemia in remission for ≥3 years have a high likelihood of cure: The ECOG experience in over 1200 patients. <i>Leukemia Research</i> , 2014, 38, 901-906.	0.4	10

#	ARTICLE	IF	CITATIONS
109	Addition of Crenolanib to Induction Chemotherapy Overcomes the Poor Prognostic Impact of Co-Occurring Driver Mutations in Patients with Newly Diagnosed FLT3-Mutated AML. <i>Blood</i> , 2018, 132, 1436-1436.	0.6	10
110	ATRA, Arsenic Trioxide (ATO), and Gemtuzumab Ozogamicin (GO) Is Safe and Highly Effective in Patients with Previously Untreated High-Risk Acute Promyelocytic Leukemia (APL): Final Results of the SWOG/Alliance/ECOG S0535 Trial. <i>Blood</i> , 2016, 128, 896-896.	0.6	10
111	A phase I study of the fully human, fragment crystallizable-engineered, anti-CD-33 monoclonal antibody BI 836858 in patients with previously-treated acute myeloid leukemia. <i>Haematologica</i> , 2022, 107, 770-773.	1.7	10
112	Spontaneous Remission in a Patient With Acute Myeloid Leukemia Leading to Undetectable Minimal Residual Disease. <i>Journal of Hematology (Brossard, Quebec)</i> , 2020, 9, 18-22.	0.4	9
113	Acute Myeloid Leukemia with Plasmacytoid Dendritic Cell Differentiation: Predominantly Secondary AML, Enriched for RUNX1 Mutations, Frequent Cross-Lineage Antigen Expression and Poor Prognosis. <i>Blood</i> , 2018, 132, 2789-2789.	0.6	8
114	Impact of Age on Outcomes Following Initial Therapy with Various Chemotherapy and Chemoimmunotherapy Regimens in Patients with Chronic Lymphocytic Leukemia (CLL): Results of CALGB Studies. <i>Blood</i> , 2011, 118, 289-289.	0.6	8
115	AUY922, a Heat Shock Protein 90 (Hsp90) Inhibitor, Demonstrates Activity in Patients with Myeloproliferative Neoplasms (MPNs). <i>Blood</i> , 2015, 126, 4075-4075.	0.6	8
116	Delays in postremission chemotherapy for Philadelphia chromosome negative acute lymphoblastic leukemia are associated with inferior outcomes in patients who undergo allogeneic transplant: An analysis from ECOG 2993/MRC UK ALLXII. <i>American Journal of Hematology</i> , 2016, 91, 1107-1112.	2.0	7
117	Pretransplant Consolidation Is Not Beneficial for Adults with ALL Undergoing Myeloablative Allogeneic Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 945-955.	2.0	7
118	Tolerability and toxicity of pegaspargase in adults 40 years and older with acute lymphoblastic leukemia. <i>Leukemia and Lymphoma</i> , 2021, 62, 176-184.	0.6	7
119	Neutropenia in adult acute myeloid leukemia patients represents a powerful risk factor for COVID-19 related mortality. <i>Leukemia and Lymphoma</i> , 2021, 62, 1940-1948.	0.6	7
120	Widespread use of measurable residual disease in acute myeloid leukemia practice. <i>Leukemia Research</i> , 2018, 67, 92-98.	0.4	6
121	A Pediatric-Inspired Regimen Containing Multiple Doses of Intravenous Pegylated Asparaginase Appears Safe and Effective in Newly Diagnosed Adult Patients with Ph-Negative Acute Lymphoblastic Leukemia in Adults up to Age 60: Results of a Multi-Center Phase II Clinical Trial. <i>Blood</i> , 2016, 128, 1629-1629.	0.6	6
122	Assessment of Impact of HLA Type on Outcomes of Allogeneic Hematopoietic Stem Cell Transplantation for Chronic Lymphocytic Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 581-586.	2.0	5
123	The Society for Immunotherapy of Cancer (SITC) clinical practice guideline on immunotherapy for the treatment of acute leukemia. , 2020, 8, e000810.		5
124	Blinatumomab Administered Concurrently with Oral Tyrosine Kinase Inhibitor Therapy Is a Well-Tolerated Consolidation Strategy and Eradicates Measurable Residual Disease in Adults with Philadelphia Chromosome Positive Acute Lymphoblastic Leukemia. <i>Blood</i> , 2018, 132, 1414-1414.	0.6	5
125	Genomic Landscape Impacts Induction Outcome with CPX-351 in Patients with Acute Myeloid Leukemia. <i>Blood</i> , 2018, 132, 2741-2741.	0.6	5
126	Comparison of Induction Strategies and Responses for Acute Myeloid Leukemia Patients after Resistance to Hypomethylating Agents for Antecedent Myeloid Malignancy. <i>Blood</i> , 2018, 132, 665-665.	0.6	5

#	ARTICLE	IF	CITATIONS
127	Characteristics and Prognostic Effects of IDH Mutations across the Age Spectrum in AML: A Collaborative Analysis from COG, SWOG, and ECOG. <i>Blood</i> , 2020, 136, 31-32.	0.6	5
128	Safety and Efficacy of Maintenance Treatment Following Allogeneic Hematopoietic Cell Transplant in Acute Myeloid Leukemia and Myelodysplastic Syndrome - a Systematic Review and Meta-Analysis. <i>Blood</i> , 2020, 136, 34-35.	0.6	5
129	Azacitidine With Or Without Entinostat For The Treatment Of Therapy-Related Myeloid Neoplasm: Further Results Of The E1905 North American Leukemia Intergroup Study. <i>Blood</i> , 2013, 122, 2777-2777.	0.6	5
130	Novel therapeutic strategies for AML in 2012. <i>Hematology</i> , 2012, 17, s43-s46.	0.7	4
131	Extramedullary acute myeloid leukemia presenting in young adults demonstrates sensitivity to high-dose anthracycline: a subset analysis from ECOG-ACRIN 1900. <i>Haematologica</i> , 2019, 104, e147-e150.	1.7	4
132	A JAK2/IDH1-mutant MPN clone unmasked by ivosidenib in an AML patient without antecedent MPN. <i>Blood Advances</i> , 2020, 4, 6034-6038.	2.5	4
133	Minimal Residual Disease (MRD) at Time of Complete Remission Is Commonly Detected in Acute Myeloid Leukemia (AML) Patients Age ≥ 60 Years and Significantly Impacts Outcome Based on Post-Remission Treatment Strategies: Prospective Analysis of ECOG-ACRIN (E-A) E2906 Phase III Trial. <i>Blood</i> , 2018, 132, 437-437.	0.6	4
134	Pediatric-Inspired Chemotherapy Incorporating Pegaspargase Is Safe and Results in High Rates of MRD Negativity in Adults Ages 18-60 with Philadelphia Chromosome-Negative Acute Lymphoblastic Leukemia and Lymphoblastic Lymphoma. <i>Blood</i> , 2018, 132, 4013-4013.	0.6	4
135	High-Grade Pegylated Asparaginase-Related Hepatotoxicity Occurrence In a Pediatric-Inspired Adult Acute Lymphoblastic Leukemia Regimen Does Not Necessarily Predict Recurrent Hepatotoxicity In Subsequent Cycles. <i>Blood</i> , 2013, 122, 2671-2671.	0.6	4
136	Phase II Trial Of The BRAF Inhibitor, Vemurafenib, In Patients With BRAF Mutant Relapsed Or Refractory Hairy Cell Leukemia. <i>Blood</i> , 2013, 122, 2876-2876.	0.6	4
137	Effect of cytarabine/anthracycline/crenolanib induction on minimal residual disease (MRD) in newly diagnosed FLT3 mutant AML. <i>Journal of Clinical Oncology</i> , 2017, 35, 7016-7016.	0.8	4
138	Acute Leukemias Following a Diagnosis of Colorectal Cancer: Are They Therapy-Related?. <i>Blood</i> , 2012, 120, 1453-1453.	0.6	4
139	Engraftment of Human Primary Acute Myeloid Leukemia Defined by Integrated Genetic Profiling in NOD/SCID/IL2r β null Mice for Preclinical Ceramide-Based Therapeutic Evaluation. <i>Journal of Leukemia (Los Angeles, Calif)</i> , 2014, 02, .	0.1	3
140	Hematologic Malignancies Arising in Patients with Germ Cell Tumors: Secondary Somatic Differentiation of Hematopoietic Malignancies from Germ Cell Precursors. <i>Blood</i> , 2018, 132, 87-87.	0.6	3
141	Selinexor, a First-in-Class XPO1 Inhibitor, Is Efficacious and Tolerable in Patients with Myelodysplastic Syndromes Refractory to Hypomethylating Agents. <i>Blood</i> , 2018, 132, 233-233.	0.6	3
142	Prognostic Impact of Insertion Site in Acute Myeloid Leukemia (AML) with FLT3 Internal Tandem Duplication: Results from the Ratify Study (Alliance 10603). <i>Blood</i> , 2018, 132, 435-435.	0.6	3
143	FLT3-ITD Mutations Are Prevalent and Significantly Impact Outcome after Intensive Therapy in Elderly Adults with Acute Myeloid Leukemia (AML): Analysis of the North American Intergroup E2906 Phase III Trial in Patients Age ≥ 60 Years. <i>Blood</i> , 2018, 132, 3995-3995.	0.6	3
144	Oncologic Therapy for Solid Tumors Alters the Risk of Clonal Hematopoiesis. <i>Blood</i> , 2018, 132, 747-747.	0.6	3

#	ARTICLE	IF	CITATIONS
145	Pegaspargase Can Safely be Administered in Adults Age 40 and Older with Acute Lymphoblastic Leukemia. <i>Blood</i> , 2019, 134, 3816-3816.	0.6	3
146	Molecular Predictors and Effectiveness of Measurable Residual Disease (MRD) Eradication with Chemotherapy and Allogeneic Stem Cell Transplantation for Acute Myeloid Leukemia. <i>Blood</i> , 2020, 136, 18-20.	0.6	3
147	High Response Rate of Moxetumomab Pasudotox in Relapsed/Refractory Hairy Cell Leukemia Includes Eradication of Minimal Residual Disease: Potential Importance for Outcome. <i>Blood</i> , 2015, 126, 4161-4161.	0.6	3
148	Diverse Mechanisms of Vemurafenib Resistance in BRAF-Mutant Hairy Cell Leukemia. <i>Blood</i> , 2015, 126, 449-449.	0.6	3
149	TP53 Mutations in AML Predict Adverse Outcome in Patients Undergoing Allogeneic Hematopoietic Stem Cell Transplant. <i>Blood</i> , 2016, 128, 3481-3481.	0.6	3
150	Disease characteristics and clinical outcomes in patients aged less than 40 with chronic lymphocytic leukemia. <i>Leukemia Research</i> , 2018, 65, 80-85.	0.4	2
151	Evolution of a chemosensitive core-binding factor AML into an aggressive leukemia with eosinophilic differentiation. <i>Blood Advances</i> , 2018, 2, 1517-1521.	2.5	2
152	The relationship between clinical trial accrual volume and outcomes in acute myeloid leukemia: A SWOG/ECOG-ACRIN study (S0106 and E1900). <i>Leukemia Research</i> , 2019, 78, 29-33.	0.4	2
153	Liposomal cytarabine and daunorubicin (CPX-351/Vyxeos) associated distinct purpuric subtype of toxic erythema of chemotherapy: A retrospective review of 54 patients. <i>Journal of the American Academy of Dermatology</i> , 2021, , .	0.6	2
154	Arsenic trioxide therapy predisposes to herpes zoster reactivation despite minimally myelosuppressive therapy. <i>Leukemia Research</i> , 2021, 106, 106569.	0.4	2
155	Ratify (Alliance 10603): Prognostic Impact of FLT3 tyrosine Kinase Domain (TKD) and NPM1 Mutation Status in Patients with Newly Diagnosed Acute Myeloid Leukemia (AML) Treated with Midostaurin or Placebo Plus Standard Chemotherapy. <i>Blood</i> , 2018, 132, 2668-2668.	0.6	2
156	AML with Mutations in IDH1 and DNMT3A Exhibits a Distinct Epigenetic Signature with Poorer Overall Survival. <i>Blood</i> , 2018, 132, 1471-1471.	0.6	2
157	De Novo Myelodysplastic Syndromes in Patients 20-50 Years Old Characterized By Frequent Mutations in TP53 and Transcription-Related Genes. <i>Blood</i> , 2019, 134, 2708-2708.	0.6	2
158	Hairy Cell Leukemia Variant Has Similar Survival to Classical Disease Despite Poorer Responses to Initial Therapy: A 30-Year Experience from Memorial Sloan Kettering Cancer Center. <i>Blood</i> , 2015, 126, 1476-1476.	0.6	2
159	The Aberrantly Expressed Long Noncoding RNA, TRERNA1, Predicts for Aggressive Disease in Chronic Lymphocytic Leukemia. <i>Blood</i> , 2015, 126, 2911-2911.	0.6	2
160	Multicolor Flow Cytometry and Multi-Gene Next Generation Sequencing Are Complimentary and Highly Predictive for Relapse in Acute Myeloid Leukemia Following Allogeneic Hematopoietic Stem Cell Transplant. <i>Blood</i> , 2016, 128, 834-834.	0.6	2
161	Hypofibrinogenemia and disseminated intravascular coagulation rarely complicate treatment-naïve acute lymphoblastic leukemia. <i>Leukemia and Lymphoma</i> , 2020, 61, 2497-2501.	0.6	1
162	Comprehensive Molecular Profiling of FLT3-Mutated Acute Myeloid Leukemia (AML) Patients Treated within the Ratify Trial (Alliance C10603). <i>Blood</i> , 2018, 132, 1534-1534.	0.6	1

#	ARTICLE	IF	CITATIONS
163	Acquired Resistance to BRAF Inhibition in Hcl Is Rare and Retreatment with Vemurafenib at Relapse Can Induce High Response Rates: Final Results of a Phase II Trial of Vemurafenib in Relapsed Hcl. <i>Blood</i> , 2018, 132, 392-392.	0.6	1
164	Pharmacokinetics-Based Modification of Intravenous Pegylated Asparaginase Dosing in the Context of a Pediatric-inspired Protocol in Adults with Newly Diagnosed Acute Lymphoblastic Leukemia (ALL). <i>Blood</i> , 2012, 120, 1495-1495.	0.6	1
165	Phase II Trial of WT1 Analog Peptide Vaccine in Patients with Acute Myeloid Leukemia (AML) in Complete Remission (CR). <i>Blood</i> , 2012, 120, 3624-3624.	0.6	1
166	BRAFV600E Mutations Occur In The Hematopoietic Stem Cell Compartment In Hairy Cell Leukemia. <i>Blood</i> , 2013, 122, 816-816.	0.6	1
167	Herpes Zoster Is More Frequent in Patients Receiving Higher Cumulative Doses of Arsenic Trioxide and Is Mitigated By Prophylactic Acyclovir. <i>Blood</i> , 2015, 126, 3752-3752.	0.6	1
168	A genetic risk-stratified, randomized phase 2 intergroup study of fludarabine/antibody combinations in symptomatic, untreated chronic lymphocytic leukemia (CLL): Results from Cancer and Leukemia Group B (CALGB) 10404 (Alliance).. <i>Journal of Clinical Oncology</i> , 2017, 35, 7503-7503.	0.8	1
169	Predictors of Early Death in Childhood Acute Promyelocytic Leukemia: Results of an International Retrospective Study. <i>Blood</i> , 2015, 126, 172-172.	0.6	1
170	Molecular Predictors and Current Management of Minimal Residual Disease (MRD) Following Induction Chemotherapy for Acute Myeloid Leukemia (AML). <i>Blood</i> , 2018, 132, 292-292.	0.6	1
171	Venetoclax Therapy for Relapsed and Treatment Refractory AML: Clinical Outcomes and Molecular Predictors. <i>Blood</i> , 2020, 136, 47-48.	0.6	1
172	Advances in the Treatment of Hairy Cell Leukemia Variant. <i>Current Treatment Options in Oncology</i> , 2022, 23, 99-116.	1.3	1
173	Acute Leukemias. <i>Hematology/Oncology Clinics of North America</i> , 2011, 25, xi-xii.	0.9	0
174	Treatment breakthroughs for the management of acute myeloid leukemia. <i>International Journal of Hematologic Oncology</i> , 2012, 1, 121-132.	0.7	0
175	The best of times in hematologic malignancies. <i>Current Opinion in Hematology</i> , 2015, 22, 75-76.	1.2	0
176	Digging deeper in relapsed acute lymphoblastic leukemia: impact of MRD status on outcome in second remission. <i>Leukemia and Lymphoma</i> , 2018, 59, 269-271.	0.6	0
177	Choosing for whom to recommend allogeneic transplantation for acute myeloid leukemia in CR1: a continued, complicated conversation. <i>Blood Advances</i> , 2018, 2, 164-164.	2.5	0
178	Exciting Times in Acute Myeloid Leukemia. <i>Seminars in Hematology</i> , 2019, 56, 83.	1.8	0
179	Antibody-based therapy in acute leukemia - beware the risks. <i>Leukemia and Lymphoma</i> , 2019, 60, 1608-1609.	0.6	0
180	Molecular and cytogenetic characteristics of myeloid malignancies following luminal gastrointestinal cancer. <i>Leukemia Research</i> , 2019, 82, 19-23.	0.4	0

#	ARTICLE	IF	CITATIONS
181	Measurable residual disease negativity in acute myeloid leukemia: the destination may matter more than the journey. <i>Leukemia and Lymphoma</i> , 2021, 62, 2050-2051.	0.6	0
182	BCL11B Mutations In T-Cell Acute Lymphoblastic Leukemia. <i>Blood</i> , 2010, 116, 471-471.	0.6	0
183	Administration of All-Trans Retinoic Acid (ATRA) to Newly Diagnosed Patients (pts) with Acute Promyelocytic Leukemia (APL) Is Delayed Even At Experienced Centers and Associated with An Increased Early Death Rate (EDR): A Retrospective Analysis of 205 Pts. <i>Blood</i> , 2011, 118, 942-942.	0.6	0
184	Young Adults Presenting with Extramedullary Acute Myeloid Leukemia Have A Unique Sensitivity to High Doses of Anthracyclines: Subset Analysis of ECOG 1900,. <i>Blood</i> , 2011, 118, 3619-3619.	0.6	0
185	Predicting Therapy-Related Acute Myeloid Leukemia By Routine Laboratory Values: An Analysis Of 126 Patients With Breast Cancer Referred For Bone Marrow Biopsy At Memorial Sloan-Kettering Cancer Center. <i>Blood</i> , 2013, 122, 2661-2661.	0.6	0
186	A High Complete Remission Rate Can Be Achieved In Older Patients (Age ≥60) With Acute Lymphoblastic Leukemia Regardless Of Induction Intensities: Single-Institution Experience At Memorial Sloan-Kettering Cancer Center. <i>Blood</i> , 2013, 122, 2638-2638.	0.6	0
187	Prognostic Impact Of MLL5 transcript Levels On Outcome Of Patients With Acute Promyelocytic Leukemia Treated With All-Trans Retinoic Acid and Anthracycline-Based Chemotherapy: An International Consortium On Acute Promyelocytic Leukemia Study. <i>Blood</i> , 2013, 122, 2586-2586.	0.6	0
188	Increased Incidence Of Melanoma and Non-Melanoma Skin Cancers In Patients With Hairy Cell Leukemia: A Single Institution Experience With 267 Patients From Memorial Sloan-Kettering Cancer Center. <i>Blood</i> , 2013, 122, 5274-5274.	0.6	0
189	in Philadelphia-Chromosome-Negative Acute Lymphoblastic Leukemia, Late Relapses Are Not Uncommon, Occur Mostly in Patients at Standard Risk and Have a Relatively Favorable Outcome. Results of the International ALL Trial: MRC Ukallxii/ECOG E2993. <i>Blood</i> , 2015, 126, 795-795.	0.6	0
190	Patient Characteristics and Early Death Predictors in Acute Promyelocytic Leukaemia Patients; Experience from United Arab Emirates (UAE). <i>Blood</i> , 2015, 126, 4963-4963.	0.6	0
191	A Prognostic System Predictive of Outcomes in Persons Undergoing Allogeneic Hematopoietic Cell Transplantation for Myelodysplastic Syndrome. <i>Blood</i> , 2015, 126, 64-64.	0.6	0
192	Astarabine, a Pro-Drug of Cytarabine, Is Safe for Patients with Advanced Acute Leukemia. A Phase I/IIa Single Center Study in Relapsed/Refractory or Medically Unfit Patients. <i>Blood</i> , 2015, 126, 3810-3810.	0.6	0
193	Next-Generation Sequencing of Matched Normal Blood Identifies Clonal Hematopoiesis in a Significant Subset of Solid Tumor Patients without Hematologic Malignancies. <i>Blood</i> , 2015, 126, 2447-2447.	0.6	0
194	Response to Hypomethylating Agent Therapy in Acute Myeloid Leukemia Based upon Mutations in the DNA Methylation Pathway. <i>Blood</i> , 2015, 126, 2522-2522.	0.6	0
195	A Clinical Measure of DNA Methylation Predicts Outcome in De Novo AML. <i>Blood</i> , 2015, 126, 2591-2591.	0.6	0
196	Cytogenetics in Hairy Cell Leukemia at Diagnosis and Relapse: The Rate of Therapy-Related Myeloid Malignancies Is Low. <i>Blood</i> , 2015, 126, 2644-2644.	0.6	0
197	Novel Associations Between Mutations, Prognostic and Clinical Parameters in Untreated Progressive CLL: Data from E1912, a Randomized Phase III Study of the ECOG-ACRIN Cancer Research Group. <i>Blood</i> , 2016, 128, 4373-4373.	0.6	0
198	Allogeneic Hematopoietic Stem Cell Transplantation Is Underutilized in Patients with Myelodysplastic Syndromes. <i>Blood</i> , 2016, 128, 3188-3188.	0.6	0

#	ARTICLE	IF	CITATIONS
199	A Distributed International Patient Data Registry for Hairy Cell Leukemia. <i>Blood</i> , 2016, 128, 5986-5986.	0.6	0
200	Astarabine, a Novel Leukemia-Targeted Cytarabine Composition Allows, for the First Time, the Delivery of High Cytarabine Doses for Older or Unfit Patients with Acute Leukemia. Results of an Ongoing Phase I/IIa Study. <i>Blood</i> , 2016, 128, 1650-1650.	0.6	0
201	Impact of Treatment Center Characteristics on Early Death Rates in Patients with Newly Diagnosed Acute Promyelocytic Leukemia: Analysis of Data from the SEER Program. <i>Blood</i> , 2016, 128, 4008-4008.	0.6	0
202	RNA Binding Protein Syncrip Regulates the Leukemia Stem Cell Program. <i>Blood</i> , 2016, 128, 739-739.	0.6	0
203	Loss of Plasmacytoid Dendritic Cell Differentiation Is Highly Predictive for Persistent Measurable Residual Disease and Poor Outcomes in Acute Myeloid Leukemia. <i>Blood</i> , 2018, 132, 1523-1523.	0.6	0
204	Ruxolitinib in Combination with Dasatinib and Dexamethasone Is an Active and Well-Tolerated Chemotherapy-Sparing Oral Induction Regimen for Adults with Philadelphia Chromosome-Positive ALL: Results of a Phase I Trial. <i>Blood</i> , 2018, 132, 2692-2692.	0.6	0
205	PHF6 Mutations Are Mutually Exclusive to TP53 Mutations, and Define a Distinct Subgroup of Secondary Acute Myeloid Leukemia Associated with a Primitive Stem/Progenitor Immunophenotype, Absent Complex Karyotype and Relatively Better Outcomes. <i>Blood</i> , 2018, 132, 2788-2788.	0.6	0
206	Slit-Robo Pathway Is Clinically Relevant and May Represent a Potential Target in Acute Promyelocytic Leukemia. <i>Blood</i> , 2018, 132, 1533-1533.	0.6	0
207	Hypofibrinogenemia and Disseminated Intravascular Coagulation Rarely Complicate Treatment-Naive Acute Lymphoblastic Leukemia. <i>Blood</i> , 2018, 132, 1217-1217.	0.6	0
208	Metformin treatment Overcomes ATRA-Resistance in Acute Promyelocytic Leukemia and Increases FOXO3A Expression. <i>Blood</i> , 2018, 132, 1532-1532.	0.6	0
209	Outcomes of allogeneic stem cell transplantation for patients with t(6:9) AML—A strong case for allogeneic stem cell transplantation in first complete remission. <i>British Journal of Haematology</i> , 2020, 189, 806-808.	1.2	0
210	Patients with AML Who Achieve Long Term Complete Remission Do Not Have a Normal Life Expectancy When Compared to the General Population. Analysis of 3,012 Patients Enrolled on 9 Consecutive ECOG-ACRIN Trials. <i>Blood</i> , 2021, 138, 690-690.	0.6	0
211	Clinical Outcomes of Acute Myeloid Leukemia Patients Bridged to Allogeneic Stem Cell Transplant By Venetoclax Combination Therapy. <i>Blood</i> , 2020, 136, 16-17.	0.6	0